

REFERENCES

REFERENCES

Abu-El-Saad , S. Abdel-Aziz. and Ahmed, S. Abdel-Moneim.(2005):

Modulation of macrophage functions by sheep pox virus provides clues to understand interaction of the virus with host immune system.

Viol. J. 2-22.

Abu-El-zein, E., F. Housawi, O. Ramadan, A. Gameel, A. Al-Afaleq, and O. Al-Gundi. (2003):

Observations on natural and experimental infection of sheep and goats with a virulent field Capripoxvirus with high affinity to goats.

Vet. Arhiv. 73, 119-131.

Aggag, B.I. Dawlat M. Amin, Husein, M. Mousa Sh. M. and Nariman. M.

Rahmy. (1997):

Sheep pox infection among finnish Landrac Lambs. 4th Sci. Cong., Egyptian Society of Cattle Diseases, 7-9 Dec., 1997, Assiut, Egypt.

Anandan,R.Sundarajan, S. and Ramani, K. (1976):

Further studies on adaptation of sheep pox virus in sheep thyroid and kidney monolayers.

Ind. Vet. J, 53(8), 577-581.

Anderson,R.; and S. Dales. (1978):

Biogenesis of pox viruses; glycolipid metabolism in vaccinia- infected cells.

Virology. 84, 108-117.

Andrewes,c. and Pereira, H.G. (1972):

Viruses of vertebrates.

3rd edit. Bailliere Tindall, London.

Anthony, R. Taylor, D. Daniel, R. Cole, J.L. and Mecrumb, F.R. (1970):

Studies on the heamagglutinin of antigenic characters to the pox viruses.
J.Infec. Dis. 12:295.

Arik. And Kutul.Y. (1970):

Effect of exposing sheep pox virus to different PH for various periods.
Pendik. Vet. Kontrol Ara. Enst. Derg., 3, 105-110.

Aruni, A. W. Jayapal, G. Katherchelvan,M. (2001):

Report on combined outbreak of blue tongue and sheep pox in Sivagangi district.
Ind. Vet. J. (2001), 78(1). 1-3.

Awad M, Michael A, Soliman SM, Samir SS, Daoud AM.(2003):

Trials for preparation of inactivated sheep pox vaccine using binary ethyleneimine.
Egypt. J. Immunol.10(2),67-72.

Barban, S.; and S. Baron. (1968):

Differential inhibitory effects of interferone on deoxy thymidine kinase induction of vaccinia infected cell cultures.
Proc. Soc. Exp. Biol. Med. 127, 160-164.

Belwal, LM, Nivsarkar, AE. Mathur, PB. Singh, RN.(1982):

Epidemiology of sheep pox.
Trop. Anim. Health Prod. 14(4):229–33.

Bennet SCJ, Horgan ES, Mansur AH. (1944):

The pox disease of sheep and goats.
J Comp Pathol; 54:131–60.

Bhat, P.P. (1989):

Comparison of genomes of sheep pox virus isolates.

Ind. J. of Exper. Biol. 27 (8) 714-717.

Bhat. PP, Mishra. BP. (1989):

Restriction enzyme profiles as molecular epidemiological tools for characterizing sheeppox virus genomes.

Ind. Vet. J. of anim. Sci. 59; 1475-1490.

Bhatnagar, A. and Gupta, B. M.(1974):

Affinity of sheep pox virus (SP₈ strain) for heterologous systems.

Current Science,43(8), 254-255.

Black, D.N.; Hammond, J.M. and Kitching, R.P. (1986):

Genomic relationship between capripox viruses.

Am. J. Vet. Res. 18, 618-624.

Blough, H. A. and J. M. Tiffany. (1973):

Lipids in viruses.

Adv. Lipid Res. 11, 267-333.

Boulter, (1969):

Protection against poxviruses.

Proc. R. Soc. Med. 3; 62(3), 295-7.

Büchen-Osmond, C. (2003):

Sheep pox virus.

In: The Universal Virus Database, Management, Columbia University, New York, USA.

Buller, R.M, Palumbo GJ. (1991):

Poxvirus pathogenesis.

Microbiol. Rev. 55(1), 80-122.

Carn, VM. (1993):

Control of capripoxvirus infections.
Vaccine. 11(13),1275-9.

Carn, VM.(1995):

An antigen trapping ELISA for the detection of capripoxvirus in tissue culture supernatant and biopsy samples.
J. Virol. Methods. 51(1),95-102.

Carter, G.R.; Wise D.J. and Flores, E.F. (2005):

Poxviridae. Review of Veterinary Virology Edited by International Veterinary information Services, Ithaca.

Celiker,A. and Arik, F. (1968):

Effect of merthiolate on sheep pox virus.
Pendik Vet. Kontrol Ara. Enst. Derg., 1(2), 52-56.

Chen, H.T. (1983):

Pathology of the pulmonary lesions of sheep pox.
Chinese J. of Vet. Med, 9(8), 15-16.

Cottral, G.E. (1978):

Pox viruses. In manual of standerized methods for Veterinary Microbiology.
Ed: G.E. Cottral. Cornell University Press, pp. 273-291.

Cragi, M. B. J. (1932):

The nature of the vaccinia flocculation reaction, and observation on the elementary bodies of vaccinia.
Brtitish. J. Exper. Pathol. 13:259-268.

Cruickshank, R.; Dnguid, J. P. and Swain, R. H. A. (1975):

Medical microbiology, aguide to laboratory diagnosis and control of infection 12th (ed) Livingston, Edinburgh.

Dales, S. (1963):

The uptake and development of vaccinia virus in strain L cells followed with labeled viral deoxyribonucleic acid.

J. Cell Biol. 18,51-72.

Dales, S. (1965):

Effects of streptovitacin A on the innitial events in the replication of vaccinia and reovirus.

Proc. Natl. Acad. Sci. USA 54, 462-468.

Dales, S. and B. G. T. Pogo. (1981):

Biology of pox viruses.

Springer- Verlag, Vienna.

Davis, F.G. (1976):

Characteristics of a virus causing a pox disease in sheep and goats in Kenya, with observations on epidemiology and control.

J. of Hygiene, 76(2): 163-171.

Davis, F.G. and Otema, C. (1978):

The antibody response in sheep infected with a Kenyan sheep and goat pox Virus.

J. Comp. Path, 88, 205-210.

Davis, F.G. and Otema, C. (1981):

Relationship of capripox viruses found in Kenya with two Middle Eastern strains and some orthopox viruses.

Res. in Vet. Sci. 31(2), 253-255.

Dawson, I. M, and A.S. McFarlane. (1948):

Structure of Animal Virus. Nature (London) 161, 464-466.

Easterbrook, K, B. (1966):

Controlled degradation of vaccinia viriones in vitro, an electron microscope study.

J. Ultrastruct. Res. 14, 484-496.

Edlinger, E. and Iftimovici, M.(1973):

Study of the multiplication of sheep pox virus on ovine cell cultures.

Arch. De L Inst.Pasteur De Tunis, 50(4), 373-386.

Essani, K.; R. Dugr; and S. Dales.(1982):

Biogenesis of vaccinia; involment of specules of the envelope during varion assembly examined by means of conditional lethal mutants and serology.

Virology 118, 279-292.

FAO (1978)

FAO-WHO-OIE animal health year book 1978.

Food and Agriculture Organization of United Nations, Rome.

Fenner, E.Paul J. G. Frederick A. Murphy, Rudolf Rott, Micheal J. Stddert; David O. White. (1996):

Veterinary Virology.

Second Edition Academic Press. INC.

French, E.L. and Geering, W.A. (1978):

Lumpy Skin Disease., In "Exotic Disease of Animals".

A manual for diagnosis "Second ed.

Friedman, RM. Barons, Buckler, CE, Steinmuller, RI. (1962):

The role of antibody, delayed hypersensitivity, and interferon production in recovery of guinea pigs from primary infection with vaccinia virus.
J. Exp Med. 1, 116:347-56.

Gershon, PD, Ansell, DM. and Black DN, (1989a):

A comparison of the genome organization of capripoxvirus with that of the orthopoxviruses.
J. Virol. 63 (11), 4703-8.

Gershon, PD. Kitching RP, Hammond, JM. And Black DN. (1989b):

Poxvirus genetic recombination during natural transmission.
J. General Virol. 70, 485–489.

Glasgow, L. A. (1965):

Leukocytes and interferon in the host response to viral infections. I. Mouse leukocytes and leukocytes- produced interferone in vaccinia virus infection in vitro.
J. Exp. Med. 121, 1001-1007.

Hajer, I.; Abbas, B.; Samra, M. and Abu-Samra, M. (1988):

Capripox virus in sheep and goats in Sudan.
Revue de Elevage et de Medicine Veterinaire des pays Tropicaux, 41(2), 125-128.

Heine, HG, Stevens, MP, Foord AJ, Boyle, DB.(1999):

A capripoxvirus detection PCR and antibody ELISA based on the major antigen P32, the homolog of the vaccinia virus H3L gene.
J. Immunol. Method. 30,227(1-2):187-96

Hiller, G. and K. Weber. (1985):

Golgi derived membranes that contain an acylated viral poly peptide are used for vaccinia virus envelopment.

J. Virol. 55, 651-659.

Hudson, L. and Hay, FC. (1989):

Practical Immunology. Oxford.

Blackwell Scientific Publications, pp. 257–258.

Hutrya, F. Marek, J. and Manninger, R. (1946):

Special pathology and therapeutics of the disease of domestic animals.

5th English Edit., Bailliere, Trindall and Cox, London, pp. 353-366.

Ireland, DC, Binopal YS. (1998):

Improved detection of capripoxvirus in biopsy samples by PCR.

J. Virol. Methods. 74(1), 1-7.

Isloor. S. and Negi. BS. (1995):

Characterization of soluble antigens of goat pox virus.

Ind. J. of Anim. Sci. 65: 240-245.

Ivanyushenkov, V.N. Kaeba, O.A.; Kekukh, V.G. Ufimtseva, T.N.;

Ufimtseva, K.P.; Zatse. V.L. and Kurchenko, F.P. (1990):

Biological properties of the NSKI Vaccine strain of ovine pox virus.

Veterinaria (Moskva) No. 7, 28-30.

Jadhav-KM; Pandey-AK; Radadia-NS. (1989):

Field observations on sheep pox tissue culture vaccine.

Ind. Vet. J. 66, 10, 908-912; 5 ref.

Jassim, F. A. and keshavamurthy, B.S. (1982):

Propagation of sheep pox virus in cell culture.

Acta Virologica, 26(3), 190-192.

Joklik, S.K. (1966):

The pox viruses.

Bacterial Rev. 30, 33-36.

Joklik, S.K. (1968):

The pox viruses.

Bacterial Rev. 41-45.

Kates, J. Beeson, J. (1970):

Ribonucleic acid synthesis in vaccinia virus. I. The mechanism of synthesis and release of RNA in vaccinia cores.

J. Mol. Biol. 28; 50(1), 1-18.

PMID: 5453356 [PubMed - indexed for MEDLINE].

Keck, J. C., C. J. Baldick, Jr., and B. Moss. (1990):

Role of DNA replication in vaccinia virus gene expression; a naked template is required for traanscription of three late –transactivator genes.

Cell 61, 801-809.

Kirubaharan,J. Sugirtha,A. and Padmanaban, V. (1993):

Adaptation of Sheep pox virus in (Ranipet strain)to BHK-21 cell line.

Ind.Vet. J, 70(1), 4-6.

Kitching, R.P. and Taylor, W.P. (1985):

Clinical and antigenic relationship between isolates of sheep and goat pox viruses. Trop. Anim. Health and Prod. 17: 64-74.

Kitching, R.P.;Mc. Grane, J.J. and Taylor, W.P. (1986):

Capripox in the Yemen Arab Republic and the Sultanate of Oman.

Trop. Anim. Health and Prod. 18 (2): 115-122.

Kitching, RP, Hammond JM, and Taylor, WP. (1987):

A single vaccine for the control of capripox infection in sheep and goats.

Res. Vet. Sci. Jan;42(1),53-60.

Kitching, RP and Mellor, PS. (1986):

Insect transmission of capripoxvirus.

Res. Vet. Sci. 40(2), 255-8.

Kitching, RP. Smale, C.(1986):

Comparison of the external dimensions of capripoxvirus isolates.

Res. Vet. Sci. 41,425–7.

Kitching RP, Hammond JM, Taylor WP. (1987):

A single vaccine for the control of capripox infection in sheep and goats.

Res. Vet. Sci. Jan; 42(1), 53-60.

Kitching, RP. (1999):

Diseases of Sheep.

Martin Wartin W.B. and Aitken. I. D. Black well Science Ltd., 3rd Ed.

Kitching, RP. (2003):

Vaccines for lumpy skin disease, sheep pox and goat pox.

Dev. Biol. 114:161–7.

Koylu. A and Nitzschke.E (1968):

Characterization of sheep and goat pox virus from Turkey. 1. Studies on some thermostability.

Pendik Vet Kontrol ve.Ara. Enst. Derg, 1: 57-66.

Koylu, A. and Nada, S.M. (1970):

The cultivation of sheep pox virus on sheep embryo skin cells.

Pendik Vet. Kontrol, Ara. Enst. Derg., 3, 88-93.

Lall, HK. Sing, G. and Singh, J. (1947):

An outbreak of goat pox in Hissar District (Punjab).

Ind. J. of Vet. Sci. and Animal Husbandry 17: 243–246.

Likhachev, N.V.and Zhikova, L.A. (1972):

Propagation of sheep pox virus in cell cultures.

Doklady Vsesoyuznoi Akademii Sel skokhozyaist- vennkh Nauk 11, 20-22.

Magnana- Vougiouka, O. Markoulatos, P. Koptopoulos, G. Nomikou, K.

Bakandritsos, N. and Papadoponios, O. (1999):

Sheep pox virus identification by PCR in cell culture.

J. Viral Methods. 77(1), 75-79.

Mariner, J.C. House, J.A.; Wilson, T.M.; Ende, M. van Den and Diallo, I.

(1991):

Isolation of sheep pox virus from alamb in Niger.

Trop. Anim. Health and Prod, 23(1):27-28.

Martin, W.B.; Ergin, H. and Koylo, A. (1973):

Tests in sheep of attenuated sheep pox vaccines.

Res. Vet. Sci,14(1), 53-61.

Mathew, T. (1975):

Immunological studies on pox group of viruses with special reference to buffalo pox virus.

Ind. Vet. J. 52:7, 517-525; 1p1.

Matthews, R. E. F. (1982):

Classification and nomenclature of viruses.

Intervirology. 17: 1-199.

Medzon, E.L. and Bauer, H. (1970):

Observations on the morphology and development of pox virus.

Virology, 40-680.

Michael; A; Soad, M. Soliman, Saber; M. S; Fayed; A. A., Hosein, A. N. H and Moussa,A. (1994):

Vaccination of cattle against lumpy skin disease with tissue culture sheeppox vaccine.

6th. Sci. Cong. Fact. Vet. Med. Assiut. 237-541.

Mohamed KA, Hago BE, Taylor WP, Nayil AA, Abu-Samra MT. (1982):

Goat pox in the Sudan.

Trop. Anim. Health Prod.; 14 (2):104-8.

Moss, B. (1990):

Poxviridae and their replication, P. 2079-2111.

In B.N. Fields, D. M. Knipe,(ed).

Virology, 2nd ed. Raven press, New York.

Mullis, K. M. and Falloena, F. A. (1987):

Specific synthesis of DNA in vitro via a polymerase catalyzed chain reaction methods enzyme. 155, 335-351.

Murray, M., Martin, W.B. and Koylu (1973):

Experimental sheep pox. A histological ultrastructure study.

Res. Vet. Sci. 201-208.

Oda, K. I., and W. K, Joklick.(1967):

Hybridization and sedimentation studies on early and late vaccinia messenger RNA.

J. Mol. Biol. 27, 395-419.

OIE. (2002):

World Organization for Animal Health (OIE)

Manual of Diagnostic Tests and Vaccines for Terrestrial Animals

Part 2 Section 2.1.Chapter 2.1.10.

Onar, B. (1973):

Growth curves of sheep pox virus in sheep thyroid cell cultures.
Pendik Vet. Kontrol, ve Arastirma Enstitusu Dergisi, 6(1), 91-96.

Orlova, ES, Shcherbakova AV, Diev VI, Zakharov VM. (2006):

Differentiation of capripoxvirus species and strains by polymerase chain reaction.
Mol. Biol. (Mosk).40(1), 158-64.

Pandey,A.K.; Malik, B.S. and Bansal, M.P. (1969):

Studies on sheep pox virus. I. Adaptation and propagation of virus in cell culture.
Ind.Vet. J. 46, 1017-1023.

Pandey, R. and Singh, I.P. (1970):

A note on heat, chlorophorm and ether sensitivity of sheep pox and goat pox viruses.
Acta Virol. Prague, 14, 318-319.

Payne, L. G.; and E. Norrby.(1978):

Adsorption and penetration of enveloped and naked vaccinia virus particles.
J. Virol. 27, 19-27.

Peter C. Turner and Richard. W.Moyer (1991):

Department of Immunology and medical microbiology, University of Florida, Gainesville, Florida.

Plowright,W. and Ferris, R.D. (1959):

Ether sensitivity of some mammalian pox viruses.
Virology, 7, 357-358.

Prasad, IJ. and Datt, NS. (1973):

Observation on the use of live and inactivated vaccines against goat pox.
Ind.Vet. J. 50: 1–10.

Precausta P, Kato F, Vellut G. (1979):

A new freeze-dried living virus vaccine against sheep-pox.
Comp Immunol Microbiol Infect Dis.1(4),305-19.IFFA-
MerieuxLaboratoire de Microbiologie Veterinaire, Lyon, France.

Puranchand, Rao, VDP. Garg SK, Singh IP, Chandra R. (1985):

Counter immuno-electrophoresis for rapid diagnosis of sheep pox.
Br.Vet. J.141-124.

Radostits, O. M; Blood, D. C and Gay, C. C (1994):

Veterinary Medicine 8th Edit. Baillier Tindall, England.

Ramyar, H. Hessami, M. and Ghaboussi, B. (1974):

Goat pox: immunogenicity of vaccine virus modified in cell culture.
Cited in Vet. Bulletin 44-472.

Rafyi, A and Ramyar, H. (1959):

Goat pox in Iran. Serial passage in goats and the developing eggs, and
relationship with sheep pox.
J. comp. Path.69, 141-147.

Rao, B. M.; and Rao, M.V.S. (1999):

An indirect IgM enzyme linked immuno-sorbent assay for diagnosis of
sheep pox virus infection.
Ind.Vet. J.76(12) 1050-1054.

 Raof, A. M. A., Mahmoud, N. A., Ahmed, A. S., (2005).

Some studies on goat pox virus.

 *Assiut Vet. Med. J., Vol. 51, No. 106, pp. 103-112, 30.*

Rao, M.V.S. and Malik, B.S.(1982):

Behaviour of sheep pox, goat pox and contagious pastular dermatitis viruses in cell culture.

Ind. J. of comp. microbiol. Immunol. and Infect. Dis.3 (1), 177-179.

Rao, R. S. (1938):

Cultivation of sheep pox on chorioallantoic membrane of chick embryo.

Ind.J. M. Res. 2L, 497-504.

Rao, R. S. and Adlakha, S.C. (1970):

Studies on cultivation and propagation of fowl and pigeon pox viruses on cell culture.II haemagglutination and haemagglutination -inhibition tests.

Ind. J. Amin. Health, 9:145.

Rao, T.V.S, Negi, BS. Dhar, P. and Asgola, D. (1996):

Evaluation of latex agglutination test for rapid detection of goat poxvirus antigen and antibodies. Acta Virologica 40, 95–97.

Rao, TV. And Negi, BS. (1997):

Evaluation of different serological tests for the diagnosis of goat pox using soluble antigens.

Trop. Anim. Health Prod. 29(4),235-9.

Rao, T. V. and S. K. Bandyopadhyay. (2000):

A comprehensive review of goat pox and sheep pox and their diagnosis.

Animal Health Research Reviews 1(2); 127–136

Reddy, AB. Orlandella, BM. (1985):

Ultrastructural studies on buffalo pox virus.

Acta Medica Veterinaria. 31, 3-4, 133-142. 7 fig.; 11 ref.

Rizkallah, S.S. (1989):

Studies on some immunological changes in colostrums, milk and blood of ewes vaccinated with sheep pox vaccine during the pregnancy period.
Fac. Of Vet. Med. Cairo Univ.

Roberts, J.A. (1962):

Histopathogenesis of mouse pox. II. Cutaneous infection.
Br. J. Exp. Path. 43, 462-468.

Sabban, M.S. (1955):

Sheep Pox and its control in Egypt using desiccated live virus vaccine.
AM.J. Vet. Res. 16: 209-213.

Sabban, M.S. (1957):

The cultivation of sheep pox virus on chorioallantoic membrane of the developing chicken embryo.
AM.J. Vet. Res. 18: 618-624.

Sahar, I. M. (2003):

Studies on Some Viruses Affecting Small Ruminants.
PH. D. Virol. Dep. Suez Canal University.

Sambrook, and J. Gething, MJ. (1989):

Protein structure. Chaperones, paperones.
Nature. 16; 224-5.

Sarker, P. Singh, S.P. and Pandey, A.K. (1984):

Adaptation and neutralization of Sheep pox virus in cell culture.
Ind. Vet. J. 61(6), 443-447.

Scott, G.R (1966):

Sheep pox. In International encyclopedia of veterinary medicine edited by T.Dalling, W.Green and Sons, Edinburgh pp 2411-2419

Sharma, S.N. and Dhanda, M.R. (1971):

Studies on Sheep pox and goat pox virus haemagglutination.
Ind. J. Animal health., 10(1), 43-46.

Sheikh Ali, M. A., M. E. Hamad, B. H. Ali, A.s. Ali. (2004):

Alterations in some epidemiological patterns and virus heterogeneity recently observed in sheep pox outbreaks in Sudan.
Vet. Arhiv. 74, 341-350.

Singh, B. and Rai, A. (1991):

Adaptation and growth of Sheep pox virus in Vero cell culture.
Ind.Vet.Med. J, 15(4), 245-250.

Singh, I.P, Pandey, R and Srivatava, R.N. (1979):

Sheep pox.
A rev.Vet. Bulletin vol. 49 No 3 PP 145-154.

Slabaugh, M. N. Roseman; R. Davis, and C, Mathews. (1988):

Vaccinia virusus-encoded ribonucleotide reductase; sequence conservation of the gene for the small subunit and its amplification in hydroxyurea-resistant mutants.
J. virol. 62, 519-527.

Soad, M.; Wafaa, A.z.; Micheal, A.; Fayed, A.A. and Taha, M.M.(1996):

Studies on Sheep pox and goat pox viruses from normally infected animals.
Assiut Vet. Med. J. 35(70), 29-38.

Solk, JE. (1944):

A simplified procedure for titerating haeagglutinating capacity of influenza virus and that corresponding antibody.
J. Immunol. 49, 87-98.

Solyom F, Perenlei L, Roith J(1982):

Sheep-pox vaccine prepared from formaldehyde inactivated virus adsorbed to aluminium hydroxide gel.

Acta. Microbiol. Acad Sci. Hung; 29(2), 69-75.

Soman,J.P. and Singh, I.P.(1980):

Cytopathic and immunogenic studies on Sheep pox virus serially cultivated in cell culture.

J. of comparative path, 90(1), 99-106.

Stern, W. and S, Dales. (1974):

Biogenesis of vaccinia: concerning the origin of the envelope phospholipids.

Viol. 62, 293-306.

Subba_ Rao, M.V.S. and Malik, B.S.(1983):

Application of electro-immunodiffusion test for detection of antigenic relationship between sheep pox and goat pox viruses.

Acta. Virol. 27(2), 177-9.

Subba_ Rao, MV. Malik BS, Sharma, SN.(1984):

Antigenic relationships among sheep pox, goat pox and contagious pustular dermatitis viruses.

Acta. Virol. 28(5), 380-7.

Tawfik, A,; Ali, A.A; Ibrahim, E.M.; Mervat, M. Mahmoud and Shahin, M.A. (2001):

Studies on sheep pox in Kafr – ElSheikh Governorate.

J. Egypt Vet. Med. Ass., 6(A),195-206.

Thornton, B. (1980):

The antigenicity and immunogenecity of the intracellular and extracellular forms of vaccinia virus. I. The production of high- titre vaccinia extra-cellular virus and its antigenicity after inactivation.

Br. J. Exp. Pathol. 61, 444-450.

Tiwari, A.K. Rao, T.V.S. Negi, B.S.(1996):

Spot agglutination test for the rapid diagnosis of goat pox.

Ind. Vet. Res. Ins. Trop. anim. Health prod. 28 (3) p. 213-215.

Tulman, ER. Afonso, CL. Lu Z. Zsak, L. Sur, JH. Sandybaev, NT. Kerembekova, UZ. Zaitsev, VL. Kutish, GF. And Rock, DL. (2002):

The genomes of sheep pox and goat pox viruses.

J. Virol. 76(12), 6054-61.

Uppal, PK. Nilakantan, PR. (1970):

Studies on the serological relationships between avian pox, sheep pox, goat pox and vaccinia viruses.

J .Hyg (Lond). 68 (3), 349-58.

Westwood, J. C. N. W.J. Harris, H. T. Zwartouw, D. H. J. Titmuss. and G. Appleyard. (1964):

Studies on the strucyure of vaccinia virus.

J. Gen. Virol. 34, 67-78.

Wilcox, W.C.J. and Cohen, G.ff. (1969):

Review on the antigenic characters of the poxviridae.

Curr. Top. Microbiol. Tmmim.,47:1.

Younger, J. S. , H. Thacore, and M. E. Kelly. (1972):

Sensitivity of ribonucleic acid and deoxyribonucleic acid viruses to different species of interferone in cell cultures.

J. Virol. 10, 171-178.