CONTENTS

Contents	Page
LIST OF TABLES.	VII
LIST OF FIGURES.	XI
I.INTRODUCTION	1
II.REVIEW OF LITERATURE	4
1.Properties of bread baking ingredients.	4
1.1.Wheat flour.	4
1.1.1.Gross composition of wheat flour 72% ext.	4
1.1.2.Wheat flour minerals	6
1.1.3.Falling number of wheat flour.	6
1.2.Wheat gluten	7
1.3.Wheat pentosans.....	10
1.4.Ascorbic acid.....	14
1.5.Milk proteins	17
2. Role of wheat flour gluten in sedimentation test, and alkaline water- retention capacity for whole wheat flour, 82% and 72% extraction	20
3.Bread staling	20
4. Effect of adding gluten,pentosans, ascorbic acid, and milk casein to wheat flour on the rheological properties of dough	26
4.1.Effect of gluten	26
4.2.Effect of pentosans	32
4.3.Effect of ascorbic acid	34

4.4.Effect of milk proteins..... 36
5.Effect of adding gluten, pentosans, ascorbic acid, and milk casein on baking and sensory properties of pan and balady bread 38
5.1.Effect of gluten 38
5.2. Effect of pentosans 42
5.3.Effect of ascorbic acid 44
5.4.Effect of milk casein 46
III.MATERIALS AND METHODS..... 49
1.1MATERIALS..... 49
1.1.Wheat..... 49
1.2Wheat gluten..... 49
1.3.Pentosans of wheat..... 49
1.4.Milk casein..... 49
1.5.Ascorbic acid 49
2.Methods..... 50
2.1.Blends 50
2.2.Chemical analysis 52
2.2.1.Moisture, Protein, Ash, Crud fiber, Fat, Mineral, Falling number..... 52
2.2.2.Determination of alkaline water retention-capacity (AWRC) for wheat andflour:..... 52
2.2.3.Determination of gluten viscosity for wheat flour..... 53

2.2.4. Determination of sedimentation figures for wheat flour 53
2.2.5.Determinationof wet and dry gluten for wheat flour 53
2.2.6.Determination of glutenin for wheat flour..... 54
2.2.7.Determination of gliadin for wheat flour 55
2.2.8.Determination of total pentosans for wheat flour
2.2.9.Determination of water -soluble and insoluble pentosans for wheat flour 55
2.3.Rheological properties 56
2.3.1.Farinograph test..... 57
2.3.2.Extinsograph test 57
2.3.3.Amylograph test 57
2.4.Baking techniques 58
2.4.1.Pan bread 58
2.4.1.1.Procedure 58
2.4.1.2.Physical analysis for pan bread 58
2.4.1.3.Sensory evaluation of pan bread 59
2.4.2.Balady bread 60
2.4.2.1.Measurement of bread staling rate 61
2.4.2.1.1.Determination of alkaline water retention capacity 62
2.4.2.1.2.Struct-o-graph method 62
2.5. Statistical Analysis 62
64

IV. RESULTS AND DISCUSSION.....
1. Properties of the starting baking materials..... 65
65

1.1. Chemical and physical composition of wheat flour with different extraction rates 65
1.2.Wheat flour protein,wet and dry gluten 69
1.3. Structural of wheat flour pentosans..... 74
1.4.Gliadin,glutenin and their ratio in whole wheat, 72%, and 82% extraction flours 75
2. Effect of the extraction rate of wheat flour on sedimentation test, sedimentation value, and alkaline water retention capacity..... 76
3. Efect of adding different levels of gluten, pentosans, ascorbic acid, and milk casein to 72% ext. and 82% ext. wheat flours on the rheological properties of dough 79
3.1.Effect of gluten 79
3.2.Effect of pentosans 86
3.3.Effect of ascorbic acid 91
3.4.Effect of milk casein .....
4. Effect of adding gluten, pentosans, and milk casein on amylograph dough viscosity 98
4.1. Effect of gluten 104
4.2. Effect of pentosans 104
4.3. Effect of milk casein 104
5. Effect of adding gluten, pentosans, and milk casein on dough viscosity 108
5.1. Effect of gluten 113
5.2. Effect of pentosans 113
5.3. Effect of milk casein 114
6. Effect of adding gluten, pentosans, ascorbic acid, and milk casein on physical properties and sensory characteristics of balady and pan bread .. 115

6.1.Effect of adding gluten, pentosans, ascorbic acid, and milk casein on sensory characteristice of balady and pan bread 116
6.1.1.Effect of gluten 116
6.1.2.Effect of pentosans 116
6.13.Effect of ascorbic acid 119
6.1.4.Effect of milk casein 119
6.2.Effect of adding gluten, pentosans, ascorbic acid, and milk casein on the sensory characteristics of pan bread 123
6.2.1.Effect of gluten 125
6.2.2.Effect of pentosans 125
6.2.3.Effect of ascorbic acid 125
6.2.4.Effect of milk casein 128
7.Effect of adding gluten, pentosans, ascorbic acid, and milk casein to wheat flour on the physical properties of pan bread 131
7.1.Effect of gluten 134
7.2.Effect of pentosans 134
7.3.Effect of ascorbic acid 136
7.4.Effect of milk casein 136
8.Effect of adding different levels of gluten, pentosans, ascorbic acid, and milk casein to wheat flour on bread staling..... 137
8.1. Effect of adding different levels of gluten, pentosans, ascorbic acid, and milk casein to wheat flour (72%, and 82% ext.) on pan bread and balady bread staling determined as (Alkalin Water Retention Capacity)..... 138

8.1.1.Alkalin water retention capacity as affecting by adding different levels of gluten, pentosans, ascorbic acid, and milk casein to wheat flour(72%) on pan bread staling 138
8.1.2.Alkalin water retention capacity as affected by adding different levels of gluten, pentosans, ascorbic acid, and milk casein to wheat flour (82%) on balady bread staling 138
8.2.Compressibility (Softness) of pan bread..... 144
8.2.1.Compressiblity of pan bread baked with different levels of gluten..... 148
8.2.2.Compressiblity of pan bread baked with different levels of pentosans..... 148
8.2.3.Compressibility of pan bread baked with different levels of ascorbic acid 152
8.2.4.Compressibility of pan bread baked with different levels of milk casein..... 152
V.SUMMARY 161
VI.REFERENCES 170
ARABIC SUMMARY..... -