

6. REFERENCES

- Abd El-Ghani, A.A.; El-Barody, M.A.A. and Saad, O.A.O. (1995).** Milk yield and composition, blood metabolites and rumen activity as affected by different levels of *Saccharomyces cerevisiae* plus growth medium supplementation in Egyptian buffaloes. 5th Sci. Conf. Animal Nutrition, Ismailia, 1: 115-128.
- Abd El-Hafeez, A.M. (2001).** Effect of dry live yeast as feed additive on lactating cows and growing sheep performance. M. Sc. Thesis, Fac. of Agric., Fayoum, Cairo Univ.
- Abdel-Khalek, A.E.; Mehrez, A.F. and Omar, E.A. (2000).** Effect of yeast culture (Lacto-sacc) on rumen activity, blood constituents and growth of suckling Friesian calves. Proc. Conf. Anim. Prod. In The 21th Century, Sakha, 18-20 April 2000: 201-210.
- Abdel-Samee, A.M.; Abou-Fandoud, E.I. and El-Gendy, K. (1996).** The role of probiotics in ameliorating heat load in lactating Friesians during summer under North Sinai conditions. Egyptian J. Anim. Prod., 33(suppl. Issue): 277-286.
- Abo El-Nor, S.A.H. and Kholif, A.M. (1998).** Effect of supplementation of live yeast culture in the diet on the productive performance of lactating buffaloes. Milchwissenschaft., 53: 633-666.
- Abou-Akkada, A.R. and El-Shazly, K. (1964).** Effect of ciliate Protozoa from the rumen on microbial activity and growth of lambs. App. Microbial., 12: 384-388.
- Abou Ammou, F.F.M. and El-Hosseiny, H.M. (1999).** Performance and carcass characteristics of lambs fed Bio-Tonic and Bospro as feed additives in summer and winter seasons. Egyptian J. Nutrition and Feeds, 2(Special Issue): 57-66.
- Abou-Selim, I.A. (1980).** Ad lib versus controlled feeding in fattening buffalo calves. Ph.D. Thesis, Fac. of Agric., Ain Shams Univ., Egypt.
- Adams, D.C.; Galyean, M.L.; Kiesling, H.E.; Wallace, J.D. and Finkner, M.D. (1981).** Influence of viable yeast culture, sodium bicarbonate and monensin on

- liquid dilution rate, rumen fermentation and feedlot performance of growing steers and digestibility in lambs. J. Anim. Sci., 53(3): 780-789.
- Afifi, **Y.A.; Sahin, M.A.; Omar, S.F. and Youssef, F.A. (1974).** Meat production from buffalo male calves at different ages. Agric. Res. Rev., Cairo, 52: 1-20.
- Aitken, A.; Casey, J.C.; Penny, I.F. and Voyls, C.A. (1962).** Effect of drying temperature on the accelerated freeze drying pork. J. Sci. Fed., Agric., 13: 439.
- Akin, D.E. and Borneman, W.S. (1989).** The role of rumen fungi in fiber degradation. J. Anim. Sci., 67(suppl. 1): 474.
- Alikhani, M.; Hemken, R.W. and Xin, Z. (1992).** Effects of yeast supplementation of alfalfa silage or alfalfa hay fed to lactating dairy cows. J. Anim. Sci., 70(suppl. 1): 309.
- Allam, **A.M.; Shazly, K.; Borhami, B.E.A. and Mohamed, M.A. (2001).** Effect of baker's yeast (*Saccharomyces cerevisiae*) supplementation on digestion in sheep and milk response in dairy cows. Egyptian J. Nutrition and Feeds, 4 (special Issue): 315-323.
- Allen and Kilkenny **(1980). Planted** beef production. Published, Granda Publishing Limited Technical books Division.
- Allen, D.; Tillman, S. and Sidhu, M. (1969).** Nitrogen metabolism in ruminants, rate of ruminal ammonia production and nitrogen utilization by ruminants. J. Anim. Sci., 28: 689-697.
- Alonzo, R.; Mirales, E.; Sidelac; Maracaibo; Venezuela, and Killen, J. (1993).** Effect of yeast culture (Yea-sacc 1026) on milk yield of Holstein cows and on weight gain of calves at 90 days. J. Anim. Sci., 71 (suppl. 1): 289.
- Alsmeyer, R.H. (1962).** Personal communication, USDA, ARS. (cited from Proc., Meat Tenderness, Symposium by Samden, U.S.A.).
- Alvarez, J. L.; Zaldivar, V.; Boado, A.; Lannes, M.; Tamayo Aviles, A. and Faure, R. (1995).** Influence of the energy and protein levels in rations on the onset of puberty and semen quality in male Holstein. Revista de Salud Animal, 17(2): 189-200.

- Andrighetto, I.; Bailoni, L.; Cozzi, G. and Berzaghi, P. (1993).** Effect of yeast culture addition on digestion in sheep fed a high concentrate diet. *Small Ruminant Research*, 12: 27-34.
- Angeles, S.C.; **Mendoza, G.D.; Cobos, M.A. Crosby, M.M. and Castejon, F.A. (1998).** Comparison of two commercial yeast cultures (*Saccharomyces cerevisiae*) on ruminal fermentation and digestion in sheep fed on corn-stover diet. *Small Ruminant Research*, 31: 45-50.
- Arambel, M.J. and Kent, B.A. (1988).** Effect of yeast culture on milk production response and apparent nutrient digestibility in early lactating cows. *J. Dairy Sci.*, 71(suppl. 1): 220.
- Arambel, M.J. and Kent, B.A. (1990).** Effect of yeast culture on nutrient digestibility and milk yield response in early- to mid lactation dairy cows. *J. Dairy Sci.*, 73: 1560-1563.
- Arambel, M.J. and Wiedmeier, R.D. (1986).** Effect of supplemental *Saccharomyces cerevisiae* and/or *Aspergillus oryzae* on rumen fermentation. *J. Dairy Sci.*, 69(suppl. 1): 188.
- Arambel, M.J.; Wiedmeier, R.D. and Walters, J.L. (1987).** Influence of donor animal adaptation to added yeast culture and/or *Aspergillus oryzae* fermentation extract on *in vitro* rumen fermentation. *Nutrition Report International*, 35: 433-436.
- Arcos-Garcia, J. L.; Castrejon, F. A.; Mendoza, G. D. and E. P. Perez-Gavilan. (2000).** Effect of two commercial yeast cultures with *Saccharomyces cerevisiae* on ruminal fermentation and digestion in sheep fed sugar cane tops. *Livestock Prod. Sci.*, 63, Issue 2: 153-157
- Association of Official Analytical Chemists, AOAC. (1995).** Methods of Analysis. International. 16th Ed. Vol. 1. "Agricultural Chem. Contaminants, Drugs", Washington DC, USA.
- Awad, A.S.S. (1996).** The use of growth promoters for cattle and buffaloes. Ph.D. Thesis, Fac. of Agric., Cairo Univ., Egypt.

- Batra, T.B. and Tochberry, R.W. (1964).** Weights and body measurements of pure breed Holstein and Guernsey female and their crossbreeds. J. Dairy Sci., 57: 842.
- Bedeir, L.H.; El-Sabban, F.; Abou-Selim, I.A. and El-Nouby, H. (1980).** Effect of castrating suckling buffalo calves on feedlot performance and carcass characteristics. Agric. Res. Rev., 58: 73-83.
- Beharka, A.A.; Nagaraja, T.G. and Morrill, J.L. (1991).** Performance and ruminal function development of young calves fed diets with *Aspergillus oryzae* fermentation extract. J. Dairy Sci., 74: 4326-4336.
- Berchielli, T.T; De Andrad, P.; Kronka, S.; De carvalho. J.L.; Andrade, P. and Pinotti, R.F. (1989).** Digestibility of diets containing hydrolysed sugarcane bagasse supplemented with cotton seed meal, yeast and maize meal. Revista-da. Sociedade. Brasileira, de-zootecnia. 18: 532-537.
- Bernard, J.K. (1992).** Influence of supplemental yeast on the performance of Holstein cows during early lactation. J. Dairy Sci., 75(suppl. 1): 312.
- Bertrand, J.A. and Grimes, L.W. (1997).** Influence of tallow and *Aspergillus oryzae* fermentation extract in dairy cattle rations. J. Dairy Sci., 80: 1179-1184.
- Besong, S.; Hackson, J.A.; Hicks, C.L. and Hemken, R.W. (1996).** Effect of a supplemental lipid yeast product on feed intake, ruminal profiles, and yield, composition, and organoleptic characteristics of milk from lactating Holstein cows. J. Dairy Sci., 79: 1654-1658.
- Bidner, T.D.; Schupp, A.R.; Mohamed, A.B.; Rumore, N.C.; Montgomery, R.E.; Bagley, C.P. and McMillin, K.W. (1986).** Acceptability of beef from Angus-Hereford or Angus-Hereford-Brahman steers finished on all forage of high energy diet. J. Anim. Sci., 62: 381.
- Birkelo, C.P. and Rops, B. (1995).** Effect of a yeast culture product (Yea-sacc) on feedlot performance of yearling cattle self-fed an all-concentrate finishing diet. URL: <http://ars.sdstate.edu/BeefExt/BeefReports/1995/95-13.htm>.
- Boing, J.T.P. (1983).** Enzyme production. In: Industrial Microbiology. 4th ed. G. Reed, ed. AVI Publ. Co., Inc., Westport, CT.

- Cabrera, E.J.I.; Mendoza, M.G.D.; Aranda, I.E.; Garcia-Bojalil, C.; Barcena, G.R. and Ramos, J.J.A. (2000).** *Saccharomyces cerevisiae* and nitrogenous supplementation in growing steers grazing tropical pastures. Anim. Feed Sci. and Tech., 83: 49-55.
- Caja, F.G.; Romero, R. and Mesia, J. (2003).** Malate in concentrate improves growth performance and digestibility of intensively fattened lambs. J. Anim. Sci., 81(suppl. 1): 149.
- Callaway, T.R. and Martin, S.A. (1996).** Effects of organic acid and monensin treatment on in vitro mixed ruminal microorganism fermentation of cracked corn. J. Anim. Sci., 74: 1982-1989.
- Callaway, T.R.; Martin, S.A.; Wampler, J.L.; Hill, N.S.; Hill, G.M. (1997).** Malate content of forage varieties commonly fed to cattle. J. Dairy Sci., 80: 1651-1655.
- Campos, M.R.; Herrera-Saldana, R.; Viniegas, G.G. and Diaz, C.M. (1990).** The effect of *Aspergillus niger* and *Aspergillus oryzae* (Amaferm) as probiotics on in situ digestibility of high fiber diet. J. Dairy Sci., 73(suppl. 1): 133.
- Carro, M.D.; Lebzien, P. and Rohr, K., (1992).** Effect of yeast culture on rumen fermentation, digestibility and duodenal flow in dairy cows fed a silage based diet. Livestock Prod. Sci., 32(3): 219-229.
- Caton, J.S.; Erickson, D.O.; Carey, D.A. and Ulmer, D.L. (1993).** Influence of *Aspergillus oryzae* fermentation extract on forage intake, site of digestion, in situ degradability, and duodenal amino acid flow in steers grazing cool-season pasture. J. Anim. Sci., 71: 779-787.
- Chadema, I. and Offer, N.W. (1990).** The effect of dietary inclusion of yeast culture on digestion in the sheep. J. Anim. Prod., 50: 483.
- Chaucheyras, F.; Fonty, G.; Berlin, G.; Salmon, J.M. and Gouet, P. (1996).** Effects of a strain of *Saccharomyces cerevisiae* (Levucell SC 1), a microbial additive for ruminants, on lactate metabolism in vitro. Can. J. Microbiol., 42: 927-933.

- Chiericato, G. M. (1983).** Experimental results on beef production from Charolais x Italian Friesian crossbreds compared with the parent breeds. 2. Carcass characteristics. *Rivista di Zootecnia e Veterinaria*, 11(2): 119-125.
- Chiquette, J. (1995).** *Saccharomyces cerevisiae* and *Aspergillus oryzae*, used alone or in combination, as a feed supplement for beef and dairy cattle. *Can. J. Anim. Sci.*, 75: 405-415.
- Church, D.C. (1988).** The Ruminant Animal Digestive Physiology and Nutrition. 2nd Ed., Reston Book, New Jersey.
- Cocimano, M.R. and Leng, R.A. (1967).** Metabolism of urea in sheep. *Brit. J. Nutr.*, 21 : 253.
- Coffey, K.P.; Brazle, F.K. and Moyer, J.L. (1996).** Performance by stocher cattle offered feedstuffs containing Acremonium coenophialum and supplemented with Aspergillus oryzae fermentation extract, *Prof. Anim. Sci.*, 12: 86-90.
- Coles, E.H. (1974).** Veterinary Clinical Pathology. Text book 2nd., W.b. Saunders co., Ph. Ladeelphia, Pennsylvania.
- Con-Way, E.F. method (1962).** Modification analysis and volumetric error. Rev. Ed. Look Wood. London.
- Cornelius, C.E. (1960).** Serum transaminases in veterinary diagnosis calf. *Vet.*, 13: 22.
- Cornelius, C.E. (1970).** Liver Function in Clinical Biochemistry of Domestic Animals. P 161., Kanek of Cornelius, New York Acad. Press (Eds).
- Corona, L.; Mendoza, G.D.; Castejon, F.A.; Crosby, M.M. and Cobos, M.A. (1999).** Evaluation of two yeast cultures (*Saccharomyces cerevisiae*) on ruminal fermentation and digestion in sheep fed a corn stover diet. *Small Ruminant Research*, 31: 209.
- Cosar, S.; Acan, A.; Kinet, H. and Akdeniz, C. (1991).** Growth, viability and sperm characteristics of male progeny of pregnant imported American Holsteins under Lalahan state farm conditions. *Lalahan Hayvancilik Arastirma Enstitilij Dergisi*, 31(1-2): 14-25.

- Dawson, A. (1988). Manipulating ruminal fermentation's are there natural alternatives to ionophores for beef production. Biotechnology in Feed Industry, of Alltech Fourth Annual Sumposium, Kentuchy, USA. P 101.
- Dawson, K.A. (1990). Designing the yeast culture of tomorrow-mode of action of yeast culture for ruminants and non-ruminants. In: Biotechnology in the feed industry, vol. V. Altech Technical publications, Nicholasville, KY.
- Dawson, **K.A.; Newman, K.E. and Boling, J.A. (1990).** Effects of microbial supplements containing yeast and lactobacilli on roughage-fed ruminal microbial activities. J. Anim. Sci., 68: 3392-3398.
- Denigan, M.E.; Huber, J.T.; Alhadhrami, G. and Al-Dehneh, A. (1992).** Influence of feeding varying levels of Amaferm on performance of lactating dairy cows. J. Dairy Sci., 75: 1616-1621.
- Desai, H.B. and Shukla, P.C. (1989).** Effect of feeding bio-mass (SCP) on growth, body measurements and economics in growing calves. Gujarat Agricultural University Research Journal, 14(2): 63-69.
- Dhuyvetter, D.V.; Caton, J.S.; Ringwall, K. and Ottmar, G. (1996).** Effects of Banbermycins (gainpro) and *Aspergillus oryzae* (amaferm) fed to growing heifer calves in North Dakota. J. Anim. Sci., 74(suppl. 1): 296.
- Doreau, M. and Jouany, J.P. (1998).** Effect of *Saccharomyces cerevisiae* culture on nutrient digestion in lactating dairy cows. J. Dairy Sci., 81: 3214-3221.
- Doumas, B.T.; Watson, W.A. and Biggs, H.G. (1971).** Colorimetric determination of albumin. Clin. Chem. Acta, 31: 87.
- Drennan, M.J. and Moloney, A.P. (1993).** Effect of yeast culture on growth of beef cattle fed on grass silage plus barley-based concentrates. Irish J. Agric. And Food Res., 32(2): 125-132.
- Duncan, D.B. (1955).** Multiple range and multiple F-test. Biometrics., 11:1-42.
- Edwards, L.E. (1991).** Practical uses of yeast culture in beef production in sight into its mode of action. In : Biotechnology in the feed industry. Vol. VI. Alltech technical publications, Nicholasville, KY.

- El-Ashry, M.A.; Fayed, A.M.; Youssef, K.M.; Salem, F.A. and Aziz, H.A. (2003).** Effect of feeding flavomycin or yeast as feed supplement on lamb performance in Sinai. *Egyptian J. Nutrition and Feeds*, 6(Special Issue): 1009-1022.
- El-Ashry, M.A.; Kholif, A.M.; El-Alamy, H.A.; El-Sayed, H.M. and El-Hamamsy, T.A. (2001a).** Effect of different yeast cultures supplementation to diet on the productive performance of lactating buffaloes. *Egyptian J. Nutrition and Feeds*, 4(1): 21-33.
- El-Ashry, M.A.; Motagally, Z.A. and Maareek, Y.A. (2001b).** Effect of live dried baker's yeast and yeast culture on performance of growing buffalo calves. *Egyptian J. Nutrition and Feeds*, 4(Special Issue): 607-617.
- El-Badawi, A.Y.; Gado, H.M. and Tawila, M.A. (1998).** Influence of dietary yeast culture on the lactation performance of goats. *Arab. Univ. J. Agric. Sci., Ain-Shams Univ., Cairo*, 6(1): 111-121.
- El-Barbary, A.S.A.; Mandy, A.E. and Kassab, M.S. (1995).** Body measurements and growth from birth to 18 months of age in Friesian calves and their crossbreds. *Alex. J. Agric. Res.*, 40(1): 19-35.
- El-Basiony, A.Z.; Ragheb, E.E. and Metwally, H.M. (1998).** Effect of lasalocid and Yea-sacc supplementation on performance, digestibility and carcass characteristics of buffalo calves. *Arab. Univ. J. Agric. Sci., Ain-Shams Univ., Cairo*, 6(1): 99-109.
- El-Gaafarawy, A.M. (1992).** Improvement of production and reproductive efficiency in Friesian calves. Ph.D. Thesis, Fac. of Agric., Al-Azhar Univ.
- El-Hassan, S.M.; Newbold, C.J.; Edwards, I.E.; Topps, J.H. and Wallace, R.J. (1996).** Effect of yeast culture on rumen fermentation, microbial protein flow from the rumen and live-weight gain in bulls given high cereal diets. *British J. Anim. Sci.*, 62: 43.
- El-Hommosi, F.F and Abdel-Hafiz, G.A. (1979).** Effect of different concentrate levels in diets of Ossimi lambs.11. Physical and chemical characters of carcass. *Assiut. Vet. Med. J.*, 6(11 and 12): 75-95.

- El-Kholy, A.F. (1991).** Studies in meat production in cattle. Ph.D. Thesis, Fac. of Agric., Cairo Univ.
- El-Kholy, A.F.; Salem, M.A.I.; Ibrahim, M.A.M. and Sami, A.S. (1999).** Meat quality of Egyptian Buffalo and Friesian males implanted with anabolic agents. Egyptian J. Anim. Prod., 36(1):1-8.
- El-Maghawry, A.M.; Tawfeek, M.I. and Habeeb, A.A. (1993).** Growth, liver and kidney functions and carcass traits of rabbits as affected by supplementation with Bospro, under conditions of Egypt. Egyptian J. Rabbit Sci., 3(1): 1-11.
- El-Mekass, A.A. (2002).** Effect of adding baker's yeast to different rations on the performance of lactating cows. Ph.D. Thesis, Fac. of Agric., Cairo Univ.
- El-Mounir, T.I. (1990).** Effect of feeding ammoniated rice straw on performance of Friesian calves. M.Sc. Thesis, Fac. of Agric., Moshtoher, Zagazig Univ.
- El-Sheikh, A.R.; Samy, H.M. and El-Sherbiny, M. (1995).** Role of diet supplemented with Bospro on alopecia, milk production and ovarian inactivity in buffaloes. 3rd Sci. Cong., Egyptian Society for Cattle Diseases, 3-5 Dec. 1995, Asyut, Egypt.
- El-Talty, Y.I.; Abdul-Aziz, G.M. and Ali, A.M. (2001).** Calcium hydroxide treatment of some organic wastes. 2- Effect on performance of growing goats without or with yeast supplementation. Egyptian J. Nutrition and Feeds, 4 (special Issue): 415-422.
- El-Waziry, A.M.; Kamel, H.E.M. and Yacout, M.H.M. (2000).** Effect of bakers' yeast (*Saccharomyces cerevisiae*) supplementation to berseem (*Trifolium alexandrinum*) hay diet on protein digestion and rumen fermentation of sheep. Egyptian J. Nutrition and Feeds, 3(2): 71-82.
- Enjalbert, F.; Garrett, J.E.; Moncoulon, R.; Bayourthe, C. and Chicoteau, P. (1999).** Effects of yeast culture (*Saccharomyces cerevisiae*) on ruminal digestion in non-lactating dairy cows. Anim. Feed Sci. and Tech., 76: 159.
- Erasmus, L.J.; Botha, P.M. and Kistner, A. (1992).** Effect of yeast culture supplement on production, rumen fermentation, and duodenal nitrogen flow in dairy cows. J. Dairy Sci., 75: 3056-3065.

- Erdman, R.A. and Sharma, B.K. (1989).** Effect of yeast culture and sodium bicarbonate on milk yield and composition in dairy cows. J. Dairy Sci., 72: 1292.
- Erwin, E.S. (1960).** Comparative serum constituents in Brahman and Angus cows. J. Dairy Sci., 43: 98.
- Etman, K.I. (1985).** The effect of limit of concentrate feeding and roughage on meat production. Ph.D. Thesis, Fac. of Agric., Moshtoher, Zagazig Univ.
- Fawcett, J.K. and Scott, J.E. (1960).** Determination of serum urea. J. Clin. Path., 13: 156.
- Fayed, A.M. (2001).** Effect of using Yea-Sacc on performance of sheep and goats in Sinai. Egyptian J. Nutrition and Feeds., 4(2): 67-80.
- Fenner, H.; Dickinson, F.N. and Barnes, H.D. (1967).** Relationship of digestibility and certain rumen fluid components to level of feed intake and time of sampling after feeding. J. Dairy Sci., 50(3): 334-344.
- Fiems, L. O.; Cottyn, B. G. and Boucque, C. V. (1995).** Effect of yeast supplementation on health, performance and rumen fermentation in beef bulls. Arch iv fuer Tierernaehrung, Langhorne, 47(3): 295-300.
- Firkins, J.L.; Weiss, W.P.; Eastridge, M.L. and Hull, B.L. (1990).** Effects of feeding fungal culture extract and animal-vegetable fat on degradation of hemicellulose and on ruminal bacterial growth in heifers. J. Dairy Sci., 73: 1812-1822.
- Fisher, L.J.; Bittman, S.; Mir, Z.; Mir, P.S. and Shelford, J.A. (1993).** Nutritional evaluation of ensilage made from intercropped corn and sunflowers. Cand. J. Anim. Sci., 73:539.
- Fondevila, M.; Newbold, C. J.; Hotten, P. M.; Orskov, E. R. (1990).** A note on the effect of *Aspergillus oryzae* fermentation extract on the rumen fermentation of sheep given straw. Anim. Prod., 51(2): 422-425.
- Forrest, R.J. (1981).** Differences in meat tenderness between sires and breeds. Res. Rev., Res. Station, Agassiz, B.C., May, 9-10. (cited from FSTA., 14: 598, 1982).

- Fouad, M.T.; Awad, Y.L.; Elde, M.S. and Fahmy, F. (1975). Certain biochemical abnormalities associating alopecia in buffalo calves. Egyptian J. Vet. Sci., 12:23.
- Frumholtz, P.P.; Newbold, C.J. and Wallace, R.J. (1989). Influence of *Aspergillus oryzae* fermentation extract on the fermentation of a basal ration in the rumen simulation technique (Rusitec). J. Agric. Sci., (Camb.), 113: 169-172.
- Gaafar, H.M.A. (2001). Performance of growing calves fed rations containing corn silage. Ph.D. Thesis, Fac. of Agric., Kafer El-Sheikh, Tanta Univ.
- Gado, H.M.; Badawi, A.Y.; Helal, F.L.S. and Nasr, S.A. (1998). Effect of yeast culture supplementation level on the growth performance of growing goats. Arab. Univ. J. Agric. Sci., Ain-Shams Univ., Cairo, 6(1): 123-133.
- Galev, B.; Kosova, T.; Pribylov, V. **and Sechin, V.** (1982). Enzymes in diets for young beef cattle. Nutr. Abstr. Rev. Ser. B. 52: 711.
- Galloway, D.L.Sr.; Goetsch, **A.L.; Sun, W. and Forster, L.A.Jr. (1991).** Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay. Anim. Feed Sci. and Tech., 32: 261-273.
- Garin, D.; Caja, G. and Mesia, J. (2000).** Effect of the use of Gustor XXI as a substitute of growth promoters in the intensive fattening of lambs. Conference of Feed Manufacturers of the Mediterranean, 2000/03/22-24, Reus (Spain).
- Goll, D.E.; Straomer, M.H.; Olson, D.G.; Dayton, W.R.; Suzuki, A. and Robison, R.M. (1974).** The role of myofibrillar proteins in meat tenderness. Proc. of Meat Industry Res. Conf. 75-98. (cited from FSTA, 8:259, 1976).
- Gomez-Alarcon, R.A; Dudas, C. and Huber, J.T. (1987).** Effect of *Aspergillus oryzae* (Amaferm) and yeast on feed utilization by Holstein cows. J. Dairy Sci., 70(suppl. 1): 218.
- Gomez-Alarcon, R.A; Dudas, C. and Huber, J.T. (1990).** Influence of cultures of *Aspergillus oryzae* on rumen and total tract digestibility of dietary components. J. Dairy Sci., 73: 703-710.

- Gomez-Alarcon, R.A.; Huber, J.T.; Higginbotham, G.E.; Wiersma, F., Ammon, D. and Taylor, B. (1991)** Influence of feeding *Aspergillus oryzae* fermentation extract on the milk yields, eating patterns, and body temperatures of lactating cows. J. Anim. Sci., 69: 1733-1740.
- Grau and Hamm (1957).** Mitteilung uber die bestimmung der wasser Bindung des Muskels. Zeitschrift für Lebensmittel, untersuchung und forschung, 105(6): 446.
- Gunther, K.D. (1990).** Yeast culture-yeast-succ.¹⁹²⁶ success under German dairy conditions. Feed compounder, 10: 24-27.
- Habeeb, A.A.; Ayyat, M.S. and Basiuny, S.M. (1989).** Thyroid function, some blood constituents and fattening performance of rabbits as affected by thyroxine treatments. 3rd Egyptian-British Conf. on Animal, Fish and Poultry Production, Alex., Egypt, 2: 1017-1025.
- Hackett, H.; Kreider, D.L.; Hardesty, D. and Hornsby, P. (1995).** Effect of malic acid supplementation in postpartum cows. J. Anim. Sci., 73(suppl. 1): 254.
- Hamm, R. (1972).** Kidchemie de Fleisches. Pout Pareyin Beilin und Huamburg, Leipzig. (C.F. Proc. Congress Dokumentation, 26th European Meeting of Meat Research Workers, 2, P. 124, 1980).
- Hanafy, M.A. (1997).** Effect of yeast culture supplementation in ruminant diets on feed utilization, rumen fermentation and growth performance. J. Agric. Sci. Mansoura Univ., 22(4): 1047-1055.
- Hancock, D.L.; Brake, A.C.; Montgomery, A.L.; Dominey, J.R.; Mattingly, C.A. and Cecava, M.J. (1994).** Influence of yeast addition and Compudose® implantation on feedlot performance and carcass characteristics of growing and finishing steers. J. Anim. Sci., 72(suppl.1): 300.
- Harrison, G.A.; Hemken, R.W.; Dawson, K.A. and Harmon, R.J. (1988).** Influence of addition of yeast culture supplement to diets of lactating cows on ruminal fermentation and microbial populations. J. Dairy Sci., 71: 2967-2975.
- Henry, R.J.; Cannon, D.C. and Winkelman, J.W. (1974).** Clinical Chemistry, Principles and Technics, 2nd, Harper and Row, Publ., P. 415.

- Herring, M.A. and Halford, D.M. (1990).** Growth and carcass characteristics and serum growth hormones, insulin and prolactin in lambs supplemented with Amaferm. *SID Sheep Res.*, 6:5.
- Higginbotham, G.E.; Bath, D.L. and Butler, L.J. (1993).** Effect of feeding an *Aspergillus oryzae* extract on milk production and related responses in a commercial dairy herd. *J. Dairy Sci.*, 76: 1484-1489.
- Higginbotham, G.E.; Collar, C.A.; Aseltine, M.S. and Bath, D.L. (1994).** Effect of yeast culture and *Aspergillus oryzae* extract on milk yield in a commercial dairy herd. *J. Dairy Sci.*, 77: 343-348.
- Higginbotham, G.E.; Merriam, J.; DePeters, E. and Sullivan, J. (2001).** Effect of live yeast versus yeast culture on milk yield and related parameters in early lactation cows. *J. Anim. Sci.*, 79(suppl. 1): 281.
- Hudyma, W.T. and Gray, D. (1990).** Effect of feeding yeast culture and sorting calves by weight on feedlot performance of calves fed a corn silage diet. *J. Anim. Sci.*, 68(suppl. 1): 471.
- Huffman, J.; Flanders, J.R.; Hancock, D.L.; Neary, M.K. and Berg, E.P. (1995).** Effect of Ralgro implantation and yeast supplementation on performance and carcass traits of finishing lambs. *J. Anim. Sci.*, 73(suppl. 1): 284.
- Huhtanen, P. and Hissa, K. (1996).** The influence of molasses and yeast culture on the performance of growing bulls on grass silage-based diet. *J. Anim. and Feed Sci.*, 5(3): 201-214.
- Humphry, J.B.; Coffey, K.P.; Moyer, J.L.; Brazle, F.K. and Lomas, L.W. (2002).** Intake, digestion, and digestive characteristics of *Neotyphodium coenophialum*-infected and uninfected fescue by heifers offered hay diets supplemented with *Aspergillus oryzae* fermentation extract or laidlomycin propionate. *J. Anim. Sci.*, 80: 225-234.
- Hussaini, S.A.; Deartherage, F.B. and Kunkle, L.E. (1950).** Studies on meat. II-observations on relation of biochemical factors to change in tenderness. *Fd. Technol.*, 4 (9): 366.

- Ibrahim, I.L.; El-Gaafarawy, A.M. and Omar, E.A. (1997).** Effect of adding probiotics to Friesian calves diet on their growth performance. J. Agric. Sci. Mansoura Univ., 22(4): 1035-1045.
- Jeong, H. Y.; Kim, J. S.; Ahn, B. S.; Cho, W. M.; Kweon, U. G.; Ha, J. K. and Chee, S. H. (1998).** Effect of direct-fed microbials (DFM) on milk yield, rumen fermentation and microbial growth in lactating dairy cows. Korean J. Dairy Sci., 20(4): 247-252.
- Jouany, J.P.; Mathieu, F.; Selland, J.; Bohatier, i.; Bertin, G. anti Mercier, M. (1998).** Effect of *Saccharomyces cerevisiae* and *Aspergillus oryzae* on the digestion of nitrogen in the rumen of defaunated and refunated sheep. Anim. Feed Sci. and Tech., 75: 1-13.
- Judkins, M.B. and Stobart, R.H. (1988).** Influence of two levels of enzyme preparation on ruminal fermentation, particulate and fluid passage and cell wall digestion in wether lambs consuming either a 10% or 25% grain diet. J. Anim. Sci., 66: 1010-1015.
- Jung, H.G. and Varel, V.H. (1987).** Adaptation of the rumen microflora to different forage fiber types. J. Anim. Sci., 65(suppl 1): 451.
- Kamra, D.N.; Chaudhary, L.C.; Agarwal, N.; Singh, R. and Pathak, N.N. (2002).** Growth performance, nutrient utilization, rumen fermentation and enzyme activities in calves fed on *Saccharomyces cerevisiae* supplemented diet. Indian J. Anim. Sci., 72(6): 472-475.
- Kaneko, J.J. (1989).** Clinical biochemistry of domestic animals. 4¹ Ed. Academic Press, Inc., New York.
- Kar, D.; Sengupta, B.P.; Vale, W.G. (ed.); Barnabe, V.H. (ed.) and Mattos, J.C.A. de. (1994a).** Effect of yeast culture feeding on body weight changes, feed and water intake and feed conversion efficiency in lactating Murrah buffaloes. Proceedings 4¹¹ World Buffalo Congress, Sao Paulo, Brazil, 27-30 June, 1994: Vol. 2, 184-186.
- Kar, D.; Sengupta, B.P.; Vale, W.G. (ed.); Barnabe, V.H. (ed.) and Mattos, J.C.A. de. (1994b).** Effect of biological feed additive (Yeast Culture) on some rumen

- metabolite and blood parameters in lactating Murrah buffaloes. Proceedings 4¹ World Buffalo Congress, Sao Paulo, Brazil, 27-30 June, 1994: Vol. 2, 254-256.
- Kellems, R.O.; Lagerstedt, A. and Wallentine, M.V. (1990). Effect of feeding *Aspergillus oryzae* fermentation extract or *Aspergillus oryzae* plus yeast culture plus mineral and vitamin supplement on performance of Holstein cows during a complete lactation. J. Dairy Sci., 73: 2922-2928.
- Khalifa, H.H.; EI-Ashry, M.A.; Shahen, K.; EI-Kholi, N.M. and Khalifa, H.A. (2001).** Effect of non-hormonal growth promoters on growth, carcass characteristics and body composition of buffalo calves. I- Effect of yeast culture. Egyptian J. Nutrition and Feeds. 4(special Issue): 619-631.
- Khalil, F.F.M. (1981). Studies on animal production "Studies on the meat production of buffaloes". M.Sc. Thesis, Fac. of Agric., Mansoura Univ.
- Khattab, H.M.; Ahmed, S.M. and Fozey, S.A. (1997b).** Effect of Lacto-sacc supplementation in the rations of lactating Friesian cows on nutrients digestibility, some ruminal and blood serum parameters, milk yield and milk composition. Egypt. J. Appl. Sci., 12(5): 25 -34.
- Khattab, H.M.; Fayed, A.M. and Ragheb, A.A. (1997a).** Effect of using non-hormonal growth promoters on the productive performance of buffalo calves. Egyptian J. Nutrition and Feeds, 1(special Issue): 81-89.
- Khattab, H.M.; Salem, F.A.; Sayeda, M.M. and Nagh, H.M. (2003).** Effect of Yea-sacc, Lacto-sacc supplementations and energy levels on performance, rumen activity, some blood constituents and carcass traits in growing sheep. Egyptian J. Nutrition and Feeds, 6(special Issue): 991-1007.
- Khinizy, A.E.M. (1999).** Effect of using some growth promoters on rations digestibility and lamb performance. Egypt. J. Appl. Sci., 14(2): 318-323.
- Khinizy, A.E.; Fouad, R.T.; Mohy El-Deen, M.M.; Matter, B.B. and Fahmy, A.A. (1997).** Effect of feeding whole green maize with urea-molasses minerals mixture on performance of buffalo calves. Egypt. J. Appl. Sci., 12:408.
- Kim, D.Y.; Dawson, D.P.; Kent, B.A. and Arambel, M.J. (1994).** Effect of supplemental viable yeast culture with or without *Aspergillus oryzae* on body

weight gain, milk production and nutrient digestibility in early lactating Holstein heifers. J. Anim. Sci., 72(suppl. 1): 299.

Kobayashi, T.; Oda, S.; Takenaka, A. and Itabashi, H. (1995). Effects of yeast culture supplement on milk protein yield, ruminal fermentation, and blood components in early-to mid lactation dairy cows. Bulletin of National Institute of Anim. Industry, No. 55, 13-20.

Kumar, N.; Singh, U.B. and Verma, D.N. (1980). Effect of different levels of dietary protein and energy on growth of male buffalo calves. Indian J. Anim. Sci., 51: 513.

Kumar, S. and Kurar, C.K. (1999). Supplementation of *Aspergillus oryzae* fermented extract on the apparent digestibility of nutrients and growth rate in Murrah buffalo calves. Indian J. Anim. Sci., 69(10): 859-861.

Kumar, U.; Sareen, V. K. and Singh, S. (1994). Effect of *Saccharomyces cerevisiae* yeast culture supplement on ruminal metabolism in buffalo calves given a high concentrate diet. Anim. Prod., 59:209.

Kung, L. Jr. (1993). Direct-fed microbial and enzyme feed additives. 1993. Page 17 in Direct-fed Microbial, Enzyme and Forage Additive Compendium. Vol. 1. Miller Publ. Co., Minnetonka, MN.

Kung, L.Jr. (2001). Direct-fed Microbials for Dairy Cows. Proceedings, 12th Annual Florida Ruminant Nutrition Symposium, pp 22-28.

Kung, L.Jr.; Huber, J.T.; Krummrey, J.D.; Allison, L. and Cook, R.M. (1982). Influence of adding malic acid to dairy cattle rations on milk production, rumen volatile acids, digestibility, and nitrogen utilization. J. Dairy Sci., 65(7): 1170-1174.

Leng, R.A.; Steel, J.W. and Luick, J.R. (1967). Contribution of propionate to glucose synthesis in sheep. Biochem. J., 103: 785.

Lesmeister, K.E.; Heinrichs, A.J. and Gabler, M.T. (2004). Effects of supplemental yeast (*Saccharomyces cerevisiae*) culture on rumen development, growth characteristics, and blood parameters in neonatal dairy calves. J. Dairy Sci., 87(6): 1832-1839.

- Malcolm, K.J. and Kiesling, H.E. (1990). Effects of whole cottonseed and live yeast culture on ruminal fermentation and fluid passage rate in steers. J. Anim. Sci., 68: 1965-1970.
- Mangurkar, B.R. and Desai, R.N. (1978).** Studies on the physical measurements of body size in buffaloes. 1- Genetic and phenotypic variation. Indian. J. Dairy Sci., 31:3.
- Martin, S.A. (1998).** Manipulation of ruminal fermentation with organic acids: a review. J. Anim. Sci., 76: 3123-3132.
- Martin, S.A. and Nisbet, D.J. (1992).** Effect of direct-fed microbials on rumen microbial fermentation. J. Dairy Sci., 75:1736-1744.
- Martin, S.A. and Streeter, M.N. (1995).** Effect of malate on in vitro mixed ruminal microorganism fermentation. J. Anim. Sci., 73: 2141-2145.
- Martin, S.A.; Streeter, M.N.; Nisbet, D.J.; Hill, G.M. and Williams, S.E. (1999).** Effects of DL-Malate on ruminal metabolism and performance of cattle fed a high-concentrate diet. J. Anim. Sci., 77: 1008-1015.
- Martin, S.A.; Sullivan, H.M. and Evans, J.D. (2000).** Effect of sugars and malate on ruminal microorganisms. J. Dairy Sci., 83: 2574-2579.
- Maynard, L.A.; Loosli, J.K.; Hintz, H.F. and Warner, R.G. (1979).** Animal Nutrition. 7th Edition, Tata McGraw-Hill Publishing Comany Limited, New Delhi, 1: 602.
- McCullough, M. E. (1990).** How feed additives fit into our rations. Hoard's Dairyman., 135(12): 589.
- McDonald, I.W. (1952).** The role of ammonia in ruminal digestion of protein. Biochem. J., 5: 86-91.
- McKain, N.; Newbold, C.J. and Wallace, R.J. (1991).** Combined effects of *Aspergillus oryzae* fermentation extract (Amaferm) and monensin on fermentation in the rumen stimulation technique (Rusitec). Anim. Prod. 52:593.
- McLeod, K.R.; Karr, K.J.; Dawson, D.A.; Tucker, R.E. and Mitchell, G.E. (1990).** Rumen fermentation and nitrogenflow in lambs receiving yeast culture and/or monensin. J. Dairy Sci., 73(suppl. 1): 266.

- Mehany, **A.A. (2000).** The use of non-hormonal growth enhances with different nutritional levels for growing Friesian calves until slaughter. M. Sc. Thesis, Fac. of Agric., Ain Shams Univ.
- Mehany, S.B. (1999). Evaluation of some feeding systems for meat production. Ph.D. Thesis, Fac. of Agric., Cairo Univ.
- Merchen, N.R. (1988).** Digestion, absorption and excretion in ruminants. In: D.C. Church (Ed.). The Ruminant Animal, Digestive Physiology and Nutrition. P. 178. Prentice-Hall, Englewood Cliffs, NJ.
- Michalate-Doreau, B. and Morand, D. (1996).** Effect of yeast culture, *Saccharomyces cerevisiae*, on ruminal fermentation during adaptation to high-concentrate feeding. Ann. Zootech. (Paris) 45(suppl. 1): 337.
- Mir, P.S. and Mir, Z. (1992).** Effect of addition of live — yeast culture (*Saccharomyces cerevisiae*) on feed digestibility, degradability in the rumen and performance of steers. J. Anim. Sci., 70(suppl. 1): 309.
- Mir, Z. and Mir, P.S. (1994). Effect of the addition of live yeast (*Saccharomyces cerevisiae*) on growth and carcass quality of steers fed high-forage or high-grain diets and on feed digestibility and in situ degradability. J. Anim. Sci. 72: 537-545.
- Miranda, R.L.A.; Mindoza, M.G.D.; Barcena-Gama, J.R.; Gonzalez, M.S.S.; Ferrara, R.; Ortega, C.M.E. and Cobos, P.M.A. (1996).** Effect of *Saccharomyces cerevisiae* or *Aspergillus oryzae* cultures and NDF level on parameters of ruminal fermentation. Anim. Feed Sci. and Tech., 63: 289-296.
- Mohi El-Din, A.M. (1992).** Performance of Egyptian cattle under semi intensive system of production. M.Sc. Thesis, Fac. of Agric., Mansoura Univ.
- Moloney, A.P. and Drennan, M.J. (1994).** The influence of basal diet on the effects of yeast culture on ruminal fermentation and digestibility in steers. Anim. Feed Sci. and Tech., 50: 55-73.
- Montano, M.F.; Chai, W.; Zinn-Ware, T.E. and Zinn, R.A. (1999).** Influence of malic acid supplementation on ruminal pH, lactic acid utilization, and digestive

- function in steers fed high-concentrate finishing diets. J. Anim. Sci., 77: 780-784.
- Mutsvangwa, T. (1992). The effect of the inclusion of yeast culture supplement on digestion and patterns of ruminal fermentation in steers. Zimbabwe J. Agric. Research, 30: 21.
- Mutsvangwa, T.; Edwards, I.E.; Topps, J.H. and Paterson, G.F.M. (1992).** The effect of dietary inclusion of yeast culture (Yea-Sacc) on patterns of rumen fermentation, food intake and growth of intensively fed bulls. Animal Production, 55: 1, 35-40.
- Na, K. J.; **Kim, H. S.; Chung, S. B.; Lee, K. S. and Lee, K. W. (1981).** Study on crossbreds between Korean native and Holstein-Friesian cattle. 1. Comparison of Korean native and crossbred Holstein-Friesian calves. Research Reports of the Office of Rural Development, Suweon (Livestock and Veterinary), 23: 48-54.
- Nadim, M.A. and Soliman, M.K. (1966).** Paper electrophoretic studies on the serum of health and leukemic cows. J. Vet. Sci., U.A.R. (2) : 125.
- Nagah, H.M. (2002).** Use of growth promoters (non-hormonal) in rations of growing lambs. M. Sc. Thesis, Fac. of Agric., Ain Shams Univ.
- Newbold, C.J. (1990).** Probiotics as feed additives in ruminant diets. Proceedings of the fifty-first Minnesota nutrition conference (ed.) M. Sellner): 102-119. Univ. of Minnesota.
- Newbold, C.J.; Brock, D.R. and Wallace, R.J. (1991).** Influence of autoclaved or irradiated *Aspergillus oryzae* fermentation extract on fermentation in the rumen simulation technique (Rusitiec). J. Agric. Sci., (Camb)., 116: 159-162.
- Newbold, C.J.; Frumholtz, P.P. and Wallace, R.J. (1992).** Influence of *Aspergillus oryzae* fermentation extract on rumen fermentation and blood constituents in sheep given diets of grass hay and barley. J. Agric. Sci., (Camb)., 119: 423-427.
- Newbold, C.J.; Wallace, R.J.; Chen, X.B. and McIntosh, F.M. (1995).** Different strains of *Saccharomyces cerevisiae* differ in their effects on ruminal bacterial numbers in vitro and in sheep. J. Anim. Sci., 73: 1811-1818.

- Nigm, A.A. (1979). The productive characteristics of the Baladi carcasses with different European cattle breeds. Ph.D. Thesis, Fac. of Agric., Cairo Univ.
- Nisbet, D.J. and Martin, S.A. (1989).** Factors affecting lactate uptake by *Selenomonas ruminantium* HD4. Conference of Rumen Function. 20: 8 (Abstract).
- Nisbet, D.J. and Martin, S.A. (1991).** Effect of *Saccharomyces cerevisiae* on lactate utilization by the ruminal bacterium *Selenomonas ruminantium*. J. Anim. Sci., 69: 4628-4633.
- Nisbet, D.J. and Martin, S.A. (1993).** Effects of fumarate, L-malate, and an *Aspergillus oryzae* fermentation extract on D-lactate utilization by the ruminal bacterium *Selenomonas ruminantium*. Current Microbiology, 26: 133-136.
- Nisbet, D.J. and Martin, S.A. (1994).** Factors affecting L-lactate utilization by *Selenomonas ruminantium*. J. Anim. Sci, 72:1355-1361.
- Oellermann, S.O.; Aramber, M.J.; Kent, B.A. and Walters, J.L. (1990).** Effect of graded amounts of *Aspergillus oryzae* fermentation extract on ruminal characteristics and nutrient digestibility in cattle. J. Dairy Sci., 73(9): 2413-2416.
- Offer, N.W. (1990). Maximizing fiber digestion in the rumen: the role of yeast culture. In: Biotechnology in the feed industry. Lyons T.P. (Ed.) Alltech, Nicholasville Kentucky, USA. P. 66.
- Omar, E.A. (1984).** Effect of genetic and environmental factors on the growth of male and female calves. M.Sc. Thesis, Fac. of Agric., Kafer El-Sheikh, Tanta Univ.
- Oscar, S.C.; Rafael, C.R. and Gerardo, S.C. (2001).** Stimulation of the *Megasphaera elsdenii*'s Butyrate production in continuous culture by a yeast additive. Brazilian Archives of Biology and Technology, 44(2): 179-184.
- Osion, K.C.; Caton, J.S.; Kirby, D.R. and Norton, P.L. (1994).** Influence of yeast culture supplementation and advancing season on steers grazing mixed-grass prairie in the northern great plains: I. Dietary composition, intake and in situ nutrient disappearance. J. Anim. Sci., 72: 2149-2157.

- Osterc, J.; Zagozen, F. and Cepin, S. (1976).** Longissimus dorsi muscle fibre diameter in some cattle breeds and their crosses. Stocarstvo, 30(11-12): 401-404.
- Pearsoon, R.M. and Smith, J.A.B. (1943).** The utilization of urea in the bovin rumen 2: Conversion of urea to ammonia, Bioc. J., 27: 148-157.
- Pet-Ag Inc. (1993).** Bospro 30W 423, Route 20, Elgin, [Hollis, 60120, USA.
- Piva, G.; Belladonna, S.; Fusconi, G. and Sicbaldi, F. (1993).** Effects of yeast on dairy cow performance, ruminal fermentation, blood components, and milk manufacturing properties. J. Dairy Sci., 76: 2717-2722.
- Plata, F.P.; Gonzalez, S.S.; Mendoza, G. and Barcena, R. (1993).** Effect of a yeast culture (*Saccharomyces cerevisiae*) on nutritive value of oat straw based diets fed to Holstein steers. J. Anim. Sci., 71(suppl. 1): 288.
- Plomp, M. (1994).** Feed additives for fattening bulls. Monensin flavomycin and yeast culture in a high starch diet. Publikatie Proefstation voor de Randveehou derij Schapenhoudorij en paardenhouderij. No. 90: 16-20.
- Potter, E.L.; Purser, D.B. and Cline, J.H. (1968).** Effects of various energy sources upon plasma free amino acids in sheep. J. Nutr., 95: 655.
- Putnam, D.E.; Schwab, C.G.; Socha, M.T.; Whitehouse, N.L.; Kierstead, N.A. and Garthwaite, B.D. (1997).** Effect of yeast culture in the diets of early lactation dairy cows on ruminal fermentation and passage of nitrogen fractions and amino acids to the small intestine. J. Dairy Sci., 80: 374-384.
- Quigley, J.D., Wallis, L.B.; Dowlen, H.H. and Heitmann, R.N. (1992).** Sodium bicarbonate and yeast culture effects on ruminal fermentation, growth, and intake in dairy calves. J. Dairy Sci., 75: 3531-3538.
- Quionez, J.A.; Bush, L.J.; Nalsen, T. and Adams. G.D. (1988).** Effect of yeast culture on intake and production of dairy cows fed high wheat rations. J. Dairy Sci., 71(suppl. 1): 275.
- Ragheb, E.E.; Mehrez, A.F. and Abdel-Khalek, A.E. (2003).** Digestibility coefficients, blood parameters, feed efficiency and growth performance of

- weaned Friesian calves fed diet supplemented with Lacto-sacc. Egyptian J. Nutrition and Feeds, 6(special Issue): 693-702.
- Rai, G.S.; Paney, A.B. and Rawat, J.S. (1972).** Biochemical and microbial changes in goat rumen under maintenance feeding stader, Indian Vet. J., 49: 1069-1100.
- Ralston, A.T.; Church, D.C. and Oldfield, J.E. (1962).** Effect of enzymes on digestibility of low quality roughage. J. Anim. Sci., 21: 306.
- Raper, K.B. and Fennell, D.I. (1965).** *Aspergillus flavus* group. P. 345 in The Genus *Aspergillus*.
- Reyes-Balcazar, O.; Gonzalez, S.S.; Garcia-Bojalil, C.; Barcena, R.; Cobos, M.; Ramos, J. and Mendoza, G.D. (1996).** Effect of nitrogen supplementation and yeast culture (*Saccharomyces cerevisiae*) on growing bulls on a tropical pasture. J. Anim. Sci., 74: 286.
- Roa, M.L.; Barcena-Goma, J.R.; Gonzalez, M.; Mendoza, G; Ortega, M.E. and Garcia, C. (1997).** Effect of fiber source and a yeast culture (*Saccharomyces cerevisiae*1026) on digestion and the environment in the rumen of cattle. Anim. Feed Sci. Tech., 64: 327-336.
- Robinson, P.H. (1997).** Effect of yeast culture (*Saccharomyces cerevisiae*) on adaptation of cows to diets postpartum. J. Dairy Sci., 80(6): 1119-1125.
- Rush, I.G.; Weichenthal, B.A. and Van Pelt, B.G. (1994).** Yucca extract with and without *Aspergillus oryzae* for finishing steers. J. Anim. Sci., (suppl. I) 72: 299.
- SAS (1988).** User's guide statistics. SAS Inst., Cary, NC.
- Sadek, R.R. (1980).** Gentic and phenothypic parameters of some productive traits in buffaloes. M.Sc. Thesis, Fac. of Agric., Cairo Univ.
- Salama, A.A.K.; Caja, G.; Garin, D.; Albanell, E.; Such, X. and Casals, R. (2002).** Effect of adding a mixture of malate and yeast culture (*Saccharomyces cerevisiae*) on mild production of Murciano-Granadina dairy goats. Anim. Res., 51: 295-303.
- Salama, A.M.A. (1995).** Studies on some nutritional factors affecting meat production from cattle. M.Sc. Thesis, Fac. of Agric., Ain Shams Univ.

- Salama, A.M.A.; Omar, E.A.; El-Gaafarawy, A.M. and Ibrahim, S.A. (2001).**
New approach for using heart girth for calculating nutritive requirements. 2- for fattening Friesian male calves. Egyptian J. Nutrition and Feeds 4 (Special Issue): 439-451.
- Salem, F.A.; El-Mandy, M.R.; Zaza, E.H. and Abo Donia, F.M.A. (2002).** Effect of non hormonal growth promoters on digestibility, rumen fermentation, some blood constituents and growth rate in sheep. Annals of Agric. Sci., Moshtohor, 40(3): 1449-1460.
- Salem, F.A.; Soliman. A.S.; El-Mandy, M.R.M. and Abd El-Mawla, S.M. (2000).**
Effect of some feed additives to diets of growing sheep on growing performance, rumen fermentation, blood constituents and carcass characteristics. Annals of Agric. Sci. Moshtohor, 38: 1733.
- Samy, H.M.; Ibrahim, M.T. and Abd El-Razik, M.S. (1994).** Body weight development, ruminal fluid characteristics and some blood constituents of lambs fed on diet supplemented with Bospro. Assiut Vet. Med. J., 31(61): 97-107.
- Sanson, D.W. and Stallcup, O.T. (1984).** Growth response and serum constituents of Holstein bulls fed malic acid. Nutr. Rep. Int., 30: 1261-1267.
- Satter, L.D. and Slyter, L.L. (1974).** Effect of ammonia concentration on rumen microbial protein production in vitro. Br. J. Nutr., 32, 199-208.
- Seymour, W.M; Siciliono-Jones; English, J. and Nocek, J.E. (1991).** Effect of feeding *Saccharomyces cerevisiae* as live yeast culture on milk and dry matter intake in high producing cows. J. Dairy Sci., 74(suppl. 1): 176.
- Seymour, W.M.; Nocek, J.E. and Siciliano-Jones. (1995).** Effects of a colostrum substitute and of dietary brewer's yeast on the health and performance of dairy calves. J. Dairy Sci., 78: 412-420.
- Shamsudin, A.B.; Mohd-Shukri, I; Shukri, I.M; Djajanegara, A.(ed.) and Sukmawati, A. (1994).** Effects of feeding Bospro on growth performance and carcass characteristics of swamp buffaloes. Sustainable animal production and

- the environment. Proceedings of the 7¹ AAAP Animal Science Congress, Bali, Indonesia, 11-16 July. 1994. Vol. 2: contributed papers, 367-368. (Abst).
- Shen, Y; Zinn, T.E.; Nontano, M. and Zinn, R.A. (1995).** Influence of supplemental malic acid on digestive function in feedlot steers. J. Anim. Sci., 73(suppl. 1): 284.
- Sievert, S.J. and Shaver, R.D. (1993a).** Carbohydrate and *Aspergillus oryzae* effects on intake, digestion, and milk production by dairy cows. J. Dairy Sci., 76: 245-254.
- Sieved, S.J. and Shaver, R.D. (1993b).** Effect of nonfiber carbohydrate level and *Aspergillus oryzae* fermentation extract on intake, digestion, and milk production in lactating dairy cows. J. Anim. Sci., 71: 1032-1040.
- Soder, K.J. and Holden, L.A. (1999).** Dry matter intake and milk yield and composition of cows fed yeast prepartum and postpartum. J. Dairy Sci., 82: 605-610.
- Soltan, M.A. (1998).** Effects of yeast culture on the growth performance in cattle bulls. 8¹ Sci. Con., Fac. Vet. Med., Assiut University, Egypt. 15-17 November 1998., 214-222.
- Sommart, K.; Wanapat, M.; Wongerikeao, W. and Ngarmsak, S. (1993).** Effects of yeast culture and protein levels on ruminal fermentation, intake, digestibility, and performance in ruminant fed straw based diets. J. Anim. Sci., (suppl. 1) 71: 281.
- Sorenson, M.J. (1982).** Blood circulation and the cardio vascular system. In. Dukis Physiology of Domestic Animals. 9¹ Ed., London, P. 14-36.
- Soroor, E.A. (1993).** The effect of flavomycin supplement to Friesian calves on physical and chemical characteristics of meat. M.Sc. Thesis, Fac. of Agric., Cairo Univ.
- Stallcup, O.T. (1979).** Influence of addition of DL-malic acid to diets of lactating dairy cows. J. Dairy Sci., 62(suppl. 1): 225.

- Starness, S.R.; Spears, J.W.; Froetschel, M.A. and Croom, W.J.Jr. (1984).** Influence of monensin and lasalocid on mineral metabolism and ruminal urease activity in steers. J. Nutr., 114: 51.
- Streeter, M.N.; Nisbet, D.J.; Martin, S.A. and Williams, S.E. (1994).** Effect of malate on ruminal metabolism and performance of steers fed a high concentrate diet. J. Anim. Sci., 72(suppl. 1): 384.
- Strzeteleski, J.; Bilik, K.; Niwinska, B.; Maciaszek, K.; Lipiarska, E. and Stroka, M. (1996).** Efficiency of Yea-sacc preparation in calf feeding in relation to the source of starch and the activity of various yeast strains in the rumen of young bulls in relation to dietary protein source. Roczniki-Naukowe Zootechniki, 23(1): 143-157.
- Taie, H.T. (1998).** Effect of dietary levels of protein and fiber on digestion performance and carcass traits of sheep. Egyptian J. Nutrition and Feeds, 1: 23.
- Turnbull. (1989).** In Vitro research report. Pet-Ag. Feed Products Research and Development. File Data. P. 18. Illinois, 60120, USA.
- Udin, V.M. (1967).** Histological studies on the Longissimus Doris and semimembranosus muscles. Proceeding of Riazanski Research Veterinary, Institute, 17:37, Moscow.
- Udomprasert, P.; Tassanawat, T. and Tipayrak, T. (1992).** Impact of feeding Bospro on reproduction and lactation performance of lactating Holsteins. Pet-Ag. Feed Products Research and Development, File data. Illinois, 60120, USA.
- Umesh-Kumar; Sareen, V. K. and Singh, S. (1998).** Effect of supplementation of yeast culture (Yea-sacc 1026) in the diet on live weight gain in buffalo calves. Indian J. of Anim. Sci., 68(5): 501-503.
- Van Horn, H.H.; Zometa, C.A.; Welcox, C.J.; Marshal, S.P. and Harris, B. (1979).** Complete rations for dairy cattle. VIII. Effect of percent and source of protein on milk yield and ration digestibility. J. Dairy Sci., 62:1086.
- Van Horn, H.H; Harris, B.; Taylor, M.J.; Bachman, K.C. and Wilcox, C.J. (1984).** By-product feeds for lactating dairy cows: effects of cottonseed hulls, sunflower hulls, corrugated paper, peanut hulls, sugarcane bagasse, and whole

- cottonseed with additives of fat, sodium bicarbonate, and *Aspergillus oryzae* product on milk production. J. Dairy Sci., 67(12): 2922-2938.
- Van Keulen, J. and Young, B.A. (1977). Evaluation of acid-insoluble-ash as a natural marker in ruminant digestibility studies. J. Anim. Sci., 44(2): 282-287.
- Van Soest, P.J. (1982). Nutritional Ecology of the Ruminant. Comstock Publishing Associates, Ithaca and London.
- Vaneeta-Koul; Umesh-Kumar; Sareen, V.K.; Sudashan-Singh; Koul, V.; Kumar, M. and Singh, S. (1998). Mode of action of yeast culture (Yea-sacc 1026) for stimulation of rumen fermentation in buffalo calves. J. of the Sci. of Food and Agric., 77(3): 407-413.
- Varel, V.H. and Kreikemeier, K.K. (1994a). Influence of feeding *Aspergillus oryzae* fermentation extract (Amaferm) on in situ fiber degradation, ruminal fermentation, and microbial protein synthesis in nonlactating cows fed alfalfa or brome grass hay. J. Anim. Sci., 72: 1814-1822.
- Varel, V.H. and Kreikemeier, K.K. (1994b). Response to various amounts of *Aspergillus oryzae* fermentation extract on ruminal metabolism in cattle. J. Dairy Sci., 77: 3081-3086.
- Wagner, D.G.; Quinonez, J.; Bush, L.J. (1990). The effect of corn- or wheat-based diets and yeast culture on performance, ruminal pH, and volatile fatty acids in dairy calves. Agri-Practice., 11: 2, 7-9, 11,12.
- Wali, T.K. (1994). Role of yeast culture in rumen ecosystem and animal performance. Inter. J. Anim. Sci., 9: 117.
- Wanderley, R.C.; Huber, J.T.; Theurer, C.B. and Poore, M. (1985). Ruminal digestion of protein and fiber in duodenally cannulated cows treated with Vitaferm. J. Dairy Sci., 68(suppl. 1):123.
- Wiedmeier, R.D. (1989). Optimizing the utilization of low quality forages through supplementation and chemical treatment. In: 9th Annual Utah Beef Cattle Field Day. Provo, Utah : Brigham Young University.

- Wiedmeier, R.D.; Arambel, M.J. and Walters, J.L. (1987).** Effect of yeast culture and *Aspergillus oryzae* fermentation extract on ruminal characteristics and nutrient digestibility. J. Dairy Sci., 70(10): 2063-2068.
- Williams, P.E.V. and Newbold, C.J. (1990).** Rumen probiosis: The effects of novel microorganisms on rumen fermentation and ruminant productivity. In: W. Hresign and D.J.A. Cole (Ed.) Recent Advances in Animal Nutrition. pp. 211-227. Butterworths, London.
- Williams, P.E.V.; Newbold, C.J.; Walker, A. and Wallace, R.J. (1989).** Rumen probiosis: the effects of including yeast culture (*Saccharomyces cerevisiae* plus growth medium) in diets for sheep fed continuously or in meal fed steers. J. Dairy Sci., 72(suppl. 1): 522.
- Williams, P.E.V.; Tait, C.A.G.; Innes, G.M. and Newbold, C.J. (1991).** Effects of the inclusion of yeast culture (*Saccharomyces cerevisiae* plus growth medium) in the diet of dairy cows on milk yield and forage degradation and fermentation patterns in the rumen of steers. J. Anim. Sci., 69: 3016-3026.
- Wohlt, J.E.; Corcoine, T.T. and Zajac, P.K. (1998).** Effect of yeast on feed intake and performance of cows fed diets based on corn silage during early lactation. J. Dairy Sci., 81: 1345-1352.
- Wohlt, J.E.; Finkelstein, A.D. and Chung, C.H. (1991).** Yeast culture to improve intake, nutrient digestibility, and performance by dairy cattle during early lactation. J. Dairy Sci., 74: 1395-1400.
- Yadav, M.S.; Sengupta, B.P.; Vale, W.G. (ed.); Barnabe, V.H. (ed.) and Mattos, J.C.A. de. (1994a).** The effect of addition of commercial yeast culture (*Saccharomyces cerevisiae*) on some rumen metabolic and blood parameters in female buffalo calves. Proceedings 4th World Buffalo Congress, Sao Paulo, Brazil, 27-30 June, 1994: Vol. 2: 245-247.
- Yadav, M.S.; Sengupta, B.P.; Vale, W.G. (ed.); Barnabe, V.H. (ed.); Mattos, J.C.A. de (1994b).** The effect of biological feed additives on growth and feed conversion efficiency in post-weaned buffalo calves. Proceedings 4th World Buffalo Congress, Sao Paulo, Brazil, 27-30 June, 1994: Vol. 2: 295-297.

- Yamazaki, T. (1981).** The effect of age and fattiness on meat quality and quantity of beef cattle, IV-The changes of color and tenderness of meat with advance of age. Bull. Of the National Grassland Res. Inst., 20: 119.
- Yoon, I.K. and Stern, M.D. (1996).** Effect of *Saccharomyces cerevisiae* and *Aspergillus oryzae* cultures on ruminal fermentation in dairy cows. J. Dairy Sci., 79: 411-417.
- Yousef, H.M.; El-Masry, K.A. and Aboulnaga, A.I. (1996).** Effect of dried live yeast supplement on haembiochemical levels and milk production responses of lactating buffaloes, under hot summer conditions in Egypt. Egyptian J. Anim. Prod., 33(1): 11-21.
- Youssef, K.M. and Fayed, A.M. (2001).** Utilization of some organic wastes as feed supplement for growing goats under desert conditions. Egyptian J. Nutrition and Feeds., 4(2): 91-99.
- Yu, P.; Huber, J.T.; Theurer, C.B.; Chen, K.H.; Nussio, L.G and Wu, Z. (1997).** Effect of steam-faked or steam-rolled corn with or without *Aspergillus oryzae* in the diet on performance of dairy cows fed during hot weather. J. Dairy Sci., 80: 3293- 3297.
- Zahed, S.M. and El-Gaafarawy, A.M. (2001).** Prediction of body weight using body dimensions of Egyptian Baladi calves. Annals of Agric. Sci., Moshtohor, 39(4): 2009-2020.
- Zayed, A.E.; Daghash, H.A.; Abou-Elmagd, A. and El-Hafiz, G.A.A. (1997).** Thyroid picture and growth performance of Egyptian Saidi rams fed some agricultural residues treated with urea and supplemented with live yeast. Assuit Vet. Medical J., No. 75: 119-141.
- Zelenak, I.; Jalc, D.; Kmet, V. and Siroka, P. (1994).** Influence of diet and yeast supplement on in vitro ruminal characteristics. Anim. Feed Sci. and Tech., 49: 211-221.
- Zinn, R.A. and Borquez, J.L. (1993).** Interaction of restricted versus ad libitum access to feed on effects of yeast culture supplementation on digestive function in feedlot calves. J. Anim. Sci., 71(suppl. 1): 289.