References

6. References

Adriano, D.C. (1986). Trace elements in the terrestrial environment. Springer-Verlag, New York.

Aichberger, K.; Bachler, W. and Pichler, H. (1982). Content and distribution of heavy metals in soils and soil profiles from different geological regions of Upper Austria. Landwirtschaftliche Forschung, Sonderheft. 38: 350-362.

Aide, M.T. (1992). Influence of organic matter and o-phasphate on chromium (VI) adsorption. Transactions of the Missouri Academy of Science. 26: 79-90.

Aide, M.T. and Cummings, M.F, (1997). The influence of pH and phosphorus on the adsorption of chromium (VI) on behind. Soil Science, 162: 599-603.

Amacher, M.C. (1981). Redox reactions involving chromium pollution and manganese in soil. Ph. D. Dissertation. The Pennsylvania State Univ. pp. 166.

Aquino-Neto, V. and Camargo, O. A. (2000). Growth and chromium accumulation by lettuce grown in two latosols treated with $CrCl_3$ and tannery sludges. Revista Brasileria de Ciencia do Solo, 24:223-235.

Barcelo, J., Poschenrieder, C. Vazqez, M. D., Gunse, B. and Vernet, J. P. (1993). Beneficial and toxic effects of chromium in plants: Solution culture, pot and field studies. Environmental contamination, 147-171, paper presented at the 5th international conference on Environmental Contamination, Merges, Switzerland, 29 Sep. -1 Oct. 1992.

Bartlett, R. and James, B.R. (1979). Behavior of chromium in soils: II. Oxidation. Environ. Qual. 8:31-35.

Bartlett, R. and Kimble, M. (1976a). Behavior of chromium in soils: I. Trivalent forms. J. Environ. Qual. 5: 379-383.

Bartlett, R. and Kimble, M. (1976b). Behavior of chromium in soils: II. Hexavalent forms. J. Environ. Qual. 5: 383-386.

Barnhart, J.; Proctor; D.M.; Finely, B.L. and Rabbe, D. (1997). Chromium chemistry and implications for environmental fate and toxicity. Special Issue. Chromium in soil: perspectives in chemistry, health, and environmental regulation. Journal of Soil Contamination. 6: 561-568.

Berrow, M.L. and Reaves, G.A. (1986). Total chromium and nickel contents of Sottish soils. Geoderma, 37: 15-27.

Bishnoi, N. R., Dua, A., Gupta, V. K. and Sawhney, S. K. (1993). Effect of chromium on seed germination, seedling growth and yield of peas. Agriculture, Ecosystems and Environment, 47:47-57.

Bloomfield, C. and Pruden, G. (1980). The behaviour of Cr(VI) in soil under aerobic and anaerobic conditions. Environmental Pollution. 23: 103-114.

Breeze, V.G. (1973). Land reclamation and river pollution problems in the Croal Valley caused by waste from chromate manufacture. Journal of Applied Ecology. 10: 513-525.

Brinkman, R.; Reyes, R.Y.; Scharpenseel, H.W. and Eichwald, E. (1981). Iron and chromium uptake by crops on well drained soils and on poorly drained wetland soils. China, Institute of Soil Science, Academia Sinica,, Nanjing: Proceedings of Symposium on Paddy Soil. 20: 816-824.

Cary, E.E.; Allaway, W.H. and Olson, O.E. (1977). Control of chromium concentration in food plants. 2. Chemistry of chromium in soils and it's availability to plants. J. Agric. Food Chem. 25: 305-309.

Cary, E.E. and Langard, S. (1982). Chromium in air, soil and natural waters. Biological and environmental aspects of chromium. 5: 49-64.

Chen-NengChang; Kanazawa, S.; Horiguchi, T and Chen, N.C. (2000). Chromium (VI) reduction in wheat rhizosphere. Pedosphere, 10: 31-36.

Chen, Y.; Luo, Y.G.; Zhu, Z.X. and He, Z.Y. (1994). Study of chemical behaviour of chromium in soils. V. Factors affectibg Cr(III) adsorption and precipitation in soils. Acta Pedologica sinica. 31: 77-85.

Chino, M. (1981). In Kitagishi and I. Yamane (eds). Heavy metal pollution in soil of Japan. pp. 66-80. Japan Science. Press Tokyo.

Cifuentes, F. R., Lindemann, W. C. and Barton, L. L. (1996). Chromium sorption and reduction in soil with implications to bioremediation. Soil Science, 161: 233-241.

Connell, S. L. and Al-Hamadani, S. H. (2001). Selected physiological responses of kudzu to different chromium concentrations. Canadian Journal of plant Science, 81:53-58.

Cresser, M., Kilham, K. and Edwards, T. (1993). Soil chemistry and its applications Cambridge Univ. Press, Cambridge, England.

Echeverria, J.; Morera, T. and Garrido, J. (1999). Metal-induced chromium(VI) sorption by two calcareous soils. Australian Journal of Soil Research. 37: 431-443.

Eleiwa, M. E. (1990). Effect of certain heavy metals on germination and seedling growth of three wheat verities. Bull. Fac. Sci. Cairo Univ. Egypt, 58:329-341.

Flores-Tena F. J., Munoz-Salas E.M. and Morquecho-Bendia O. (1999). Uptake of chromium and lead by alfalfa and orchard grass. Agrochemical, 33: 381-388.

Foroighi, M.; Vent, F. and Teicher, K. (1982). Experimental determination of heavy metals accumulation and distribution bush beans. Landwirt. Forsch., 38: 239-248.

Golovatyj, S. E.; Bogatyreva, E. N. and Golovatyj, S. E. (1999). Effect of levels of chromium content in a soil on its distribution in organs of corn plants. Soil research and use of fertilizers, 15: 197-204.

Grahn, A.; Matthess, G.; Pekdeger, A. and Scholtios, A. (1985). The role of dissolved organic substances in the transport of heavy metals in the unsaturated zone.

Mitteilungen der Deutschen, Bodenkundilchen, Gesellschaft. 41: 417-427.

Griffin, R.A.; Au, A.K. and Frost, R.R. (1977). Effect of pH on adsorption of chromium from landfill-leachate by clay minerals. J. Environ. Sci. Health part AA. 12: 431-449.

Grove, J.H. and Ellis, B.G. (1980). Extractable chromium as related to soil pH and applied chromium. Soil Sci. Soc. Am. J. 44: 238-242.

Hale, M. G., Moore, L. D. and Griffin, C. J. (1978). Root exudates and exudation. P. 163-203. In Y. R. Dommergues and S. V. Krupa (ed.). Interactions between non-pathogenic soil microorganisms and plants. Elsevier, Amsterdam.

Hauschild, M. Z., Slooff, W. and Kruif, H. (1993). Chromium content of leaves reveals chromium (III)-Stress of higher plants before sensitive biomarkers do. Science of the Total Environment, 93:1345-1352.

Huffman, E. Jr. (1973). Chromium essentially to plant forms and distribution in plants and availability of plant chromium to rates. Ph.D. Dissertation. Cornell Univ. pp. 107.

Huffman, E. Jr. and Allaway, W.H. (1973). Growth of plants in solution culture containing low levels of chromium. Plant Physiol, 52: 72-75.

Jackson M. L. (1973). Soil chemical analysis. Prentice-Hall of Indian private Limited, New Delhi, P. 139.

Jaiswal, P.C. and Misra, S.G. (1984). Available Fe in soil as influenced by chromium (VI) application. J. of Plant Nutrition. 7: 541-546.

James, B. and Bartlett, R. J (1984). Plant-soil interactions of chromium. J. Environ. Qual., 13:67-70.

James, B.R. and Bartlet, R.J. (1983a). Behavior of chromium in soils: V. Fate of organically complex Cr(III) added to soil. Journal of Environmental Quality. 12: 169-172.

James, B.R. and Bartlet, R.J. (1983b). Behavior of chromium in soils: VI. Interactions between oxidation-reduction and organic complexation. Journal of Environmental Quality. 12: 173-177.

James, B.R. and Bartlet, R.J. (1983c). Behavior of chromium in soils: VII. Adsorption and reduction of hexavalent forms. Journal of Environmental Quality. 12: 177-181.

James, B.R.; Petura, J.C.; Vitale, R.J. and Mussoline, G.R. (1997). Oxidation reduction chemistry of chromium: relevance to the regulation and remediation of chromate-contaminated soils. Special Issue. Chromium in soil: perspectives in chemistry, health, and environmental regulation. Journal of Soil Contamination. 6: 569-580.

James, B.R.; Petura, J.C.; Vitale, R.J. and Mussoline, G.R. (1995). Hexavelent chromium extraction from soils : a comparison of five methods. Environmental Science and Technology, 29: 2377-2381.

Katz, S. A. (1991). The analytical biochemistry of chromium. Environ. Health P respect, 92:13-16.

Khalil, M. E. A. (1995). Studies on some heavy metals in soil and plant. Ph.D. Thesis. Fac. Agric. Moshtohor, Zagazig Uni. (Benha branch).

Khalil, M.S. and M.I. Naguib (1988). Role of heavy metals in growth and enzyme activities during germination of melon seeds. Bull. Fac. Sci. Cairo Univ. 56: 301-313.

Kozuh, N., Stupar, J. and Gorenc B. (2000). Reduction arid oxidation processes of chromium in soils. Environmental Science and Technology, 34:112-119.

Krishnasamy, R.; Begum, S.F.M. and Subburam, V. (1998). Sorption and desorption of Cr(III) in soils of Tamil Nadu. Journal of the Indian Society of Soil Science, 46: 212-216.

Lee, W., Batchelor, B. and Schlautman, M. A. (2000). Reductive capacity of soils for chromium. Environmental Technology, 21:953-963.

Lee-Suenzone; Chang-Lizone; Ehrlich, R.S.; Lee, E.Z. and Chang, L.Z. (1999). The relationship between adsorption of Cr(VI) and soil properties. Journal of Environmental Science and Health. Part A, -Toxic Hazardous substances and Environmental Engining, 34: 809-833.

Lin-Kao Young; Chang-Ben Ven; Wang-YeiShung; Lin, K.Y.; Chang, B.V. and wang, Y.S. (1996). Mobility of copper, zinc and chromium with municipal solid waste leachate in soils. Proceeding of the National Science Council, Republic of China, Part B, Life Sciences, 20, 19-25.

Loch, J.; Gyori, Z. and Vago, I. (1993). Examining the Cr uptake of Italian ryegrass from inorganic compounds and sewage sludge in pot experiment. Science of the Total Environment. No. SUP, 93: 347-355.

Long, D.T. (1983). In Geochemical behaviour of chromium-water-sediment systems. Preliminary Report. EPA Grant No. R808306010. Mich State Univ. East Lansing. Lukashev. K.I. and N.N. Petukhova. Sov Soil Sci., 7: 429-439.

Losi, M.F.E., Amrhein, C. and Frankertberger, W.T. Jr. (1994). Factors affecting chemical and biological reduction of hexavalent chromium in soil. Envronmental Toxicology and Chemistry, 13: 1727-1735.

Loyaux-Lawniczak, S., Lecomte, P. and Ehrhardt, J.J. (2001). Behaviour of hexavalent chromium in a polluted ground water: redox processes and immobilization in soils. Environmental Science and Technology, 35: 1350-1357.

Mattuck, R. and Nikolaids, N.P. (1996). Chromium mobility in freshwater wetlands. Journal of Chromium Hydrology, 23: 213-232.

Mertz, W. (1969). Chromium occurrence and function in biological systems. Physiol. Rev., 49: 163-239.

Mira-Das; Sarkunan, V.; Misra, A.K.; Nayar, P.K. and Das, M. (1990). Chromium oxidation in soils. Journal of the Indian Society of Soil Science, 38; 161-163.

Mishra, S., Shanker, K., Srivastava, M. M., Srivastava, S., Srivastava, R., Dass, S. and Prakash, S. (1997). A study

on the uptake of trivalent and hexavalent chromium by paddy (*Oryza sativa*): Possible chemical modifications in rhizosphere. Agriculture, Ecosystoms and Enviroronment , 62: 53-58.

Mishra, S., Singh, V., Srivastava, S., Srivastava, R., Srivastava, M. M., Dass, S., Satsangi, G. P. and Prakash, S. (1995). Studies on uptake of trivalent and hexavalent chromium by maize (Zea mays). Food and chemical Toxicology, 33:393-397,

Mitchell, R.L. (1964). In F.E. Bear, ed. Chemistry of the soil. 320-366. Reinhold, New York.

Moral, R. Gomez, I., Pedreon, J. N. and Mataix, J. (1996a). Absorption of Cr arid effects on micronutrient content in tomato plant (*Lycopersicum esculentum* M.). Agrochemical, 40:132-138.

Moral, R.; Navarro-Pedreno, J.; Gomez, I., and Mataix, J. (1996b). Effect of chromium on the nutrient element content and morphology of tomato. Journal of Plant Nutrition, 18: 815-822.

Mortredlt, J.J. and Giordano, P.M. (1975). Response of corn to zinc and chromium in municipal wastes applied to soil. J. of Environ. Qual, 4: 170-174.

Myttenaere, C. and Mousmy, G.M. (1974). The distribution of chromium-51 in lowland rice in relation to the chemical form and the amount of stable chromium in the nutrient solution. Pland and Soil., 41: 65-72.

Naguib, M.I.; Hamed, A.A. and Eleiwa, M,E. (1986). Comparative effect of previous spray with different chromium salts woth the effects of seed of dutura strontium. Ann. Agric. Sci. Moshtohor, Egypt., 24: 211-223.

Nakos, G. (1982). Pollution of soil and vegetation in the Thriasion plain Greece. Plant and Soil., 66: 271-277.

National Research Council of Canada. (1976). In Effects of chromium in the Canadian environment. Publ. No. 15017. Ottawa, Canada. Pp. 168.

Nikolove, N.; Zlatareva, E. and Atanassov, I. (1999). Maximum acceptable concentrations of Cd, Ni, Cr and Cr and Hg in agricultural soils depending on pH of the soil. Bulgarian Journal of Agricultural Science, 5: 166-170.

Palmer, C. O. and Wittbrodt, P. R. (1991). Processes affecting the remediation of chromium-contaminated sites. Environ. Health Prespect, 92: 25-40.

Panda, S. K. and Patra, H. K. (1997). Physiology of chromium toxicity in plants: a review. Plant-Physiology and Biochemistry, New Dehi, 24:10-17.

Patterson, R. R. and Fendorf, S. (1997). Reduction of hexavalent chromium by amorphous iron sulfide. Environmental Science and Technology, 31:2039-2044.

Piper, C.S. (1950). Soil and plant analysis. International science publication, Inc. Ney York.

Poomina-Vajpayee; Sharma, S.C.; Tripathi, R.D.; Yunus, M. and Vajpayee, P. (1999). Bioaccumulation of chromium

and toxicity to photosynthetic pigments, nitrate reductase activity and protein content of Nelumbo nucifers Gaertn. Chemosphere, 39: 2159-2169.

Pratt, P.F. (1966). In H.D. Chapman, ed. Diagnostic criteria for plants and soils. Pp. 136-141. Quality Printing Co. Inc. Abilene, TX.

Prokisch, J.; Kovacs, B.; Gyori, Z. and Loch, J. (1995). Determination of chromium (VI) reduction in soil by interfacing inochromatography (IC) and inductively coupled plasma (ICP). Agrokemia-es-Talajta, 44: 101-109.

Ramachandran, V.; D'-Souza, T.J. and Mistry, K.B. (1980). Uptake and transport of crromium in plants. Jornal of Nuclar Agriculture and Biology, 9: 126-128.

Reisenauer, H. M. (1982). Chromium. P. 337-346 In A. L. Page et al., (eds) Methods of soil analysis, Part 2. Chemical and microbiological properties ($_2$nd Edition). Amer. Soc. of Agron., Madison, Wisconsin, USA.

Richard, L.N. (1954). Diagnosis and improvement of Saline and Alkaline Soils. USDAA and book. No. 60 Us Gov. Printing office. Washing on D.C. USA.

Ristovic, S. (1995). Accumulation of Cd and Cr in Lucerne and lettuce plants grown on soils with different pH values. Review of Research work at the Faculty of Agriculture, Belgrad, 40:81-90.

Ross, D.S.; Sjogren, R.E. and Bartlett, R.J. (1981). Behavior of chromium in soils. IV Toxicity to microorganisms. J. Environ. Qual. 10: 145-148.

Sarkunan, V.; Misra, A.K. and Mayer, P.K. (1989). Chromium (VI) toxicity in rice grown under flodded condition in an alluvial soil. Journal of the Indian Society of Soil Science, 37: 513-517.

Singh, A.P.; Satya-Prakash; Sakal, R. and Prakash, S. (1998). Adsorption behaviour of chromium in soils after long-time treatment with sewage sludge. Journal of the Indian Society of Soil Science, 46: 592-599.

Shappered, M.I.; Shappered, S.C. and Thibault, D.H. (1984). Uptake by plant and migration of uranium and chromium in field lysimeters. J. Environ. Qual. 13: 357-361.

Sharma, D. C. and Sharma, C. B. (1996). Chromium uptake and toxicity effects on growth and metabolic activities in wheat (*Triticum aestivum* L.). Indian J. of Experimental Biology, 34: 689-691.

Sharma, D. C. and Sharma, C. P. (1993). Chrcmium uptake and its effects on growth and biological yield of wheat. Sereal Research Communicatiopns, 21: 317-322.

Sharma, D.C. and Mehrotra, S.C. (1993). Chromium toxicity effects on wheat (*Triticum aestivum* L. cv. HD 2204). Indian Journal of Environmental. Health, 35: 330-332.

Sharma, D. C., Chattergee, C. and Sharma, C. P. (1995). Chrcmium accumulation and its effects on wheat (*Triticurn aestivum* L.) metabolism. Plant Sci. Limerick, 111: 145-151.

Sharma, D.C. and Pant, R.V. (1994). Chromium uptake and its effects on certain plant nutrients in maize (*Zea mays* L.

cv. Ganga 5). J. of Environmental of Science and Health part. A. Environmental Science and Engineering, 29: 941-948.

Shewry, P.R. and Peterson, P.J. (1974). The uptake and transport of chromium by barley seedlings (*Hordeum vulgare* L.). J. Exp. Bot., 25: 785-797.

Shewry, P.R. and Peterson, P.J. (1976). Distribution of chromium and nickel in plants and soil from serpentine and other sites. J. Ecol., 64: 195-212.

Srivastava, M. M., Juneja, A. Dass, S., Srivastava, R., Srivastava, S., Mishra, S., Singh, V., and Prakash, S. (1994). Studies on the uptake of trivalent and hexavalent chromium by onion (Allium *cepa*). Chemical Speciation and bioavailability, 6:27-30.

Taylor, R. W., Shen-SiYuan, Bleam, W. F., Tu-Shul, Shen, S. Y. and Tu, S. I. (2000). Chromate removal by dithionite-reduced clays: evidence from direct X-ray adsorption near edge spectroscopy of chromate reduction at clay surfaces. Clay and Clay minerals, 48: 648-654.

Turick, C. E., Apel, W. S. A. and Carmiol, N. S. (1996). Isolation of hexavalent chromium-contaminated and noncontaminated environments. Applied Microbiology and Biotechnology, 44: 663-688.

Turner, M.A. and Rust, R.H. (1971). Effect of chromium on growth and mineral nutrition of soybean. Soil Sci. Soc. Am. Proc., 35: 755-762.

Wallace, A. (1989). Plant responses to some hardly known trace elements and trace element composition and distribution in plants. Soil Sci., 147: 461-464.

Wallace, A.; Alexander, G.V and Chaudhry, F.M. (1977). Phytotoxicity of cobalt, vanadium, titanium, silver and chromium. Communication in Soil Science and Plant Analysis, 8: 751-756.

Walkley, A. and Black, I.A. (1934). An examination of the degtjareff method for determining soil organic matter and a proposed modification of the chromic acid titration method. Soil Sci., 37: 29-38.

Wielinga, B., Mizuba, M. M., Hansel C. M. arid Fendorf, S. (2001). Iron promoted reduction of chromate by dissimulatory iron reducing bacteria. Environmental Science and Technology, 35: 522-527.

Wyszkowska, J.; Kuchareski, J.; Jastrzebska, E and Hlasko, A. (2001). The biological properties of soil as influenced by chromium contamination. Polish Journal of Environmental Studies, 10: 37-42.

Yamaguchi, T. and Aso, S. (1977). Chromium from the standpoint of plants nutrition: 1. Effect of chromium concentration on the germination and growth of several kinds of plants. J. Sc. Soil Manure Jpn, 48: 466-470.

Zayed, A., Lytle, C. M, Qian-JinHong, Terry, N. and Qiati, J. H. (1998). Chromium accumulation, translocation and chemical speciation in vegetable crops. Planta, 206: 293-299.