

REFERENCES

- **Aber CP and Thompson Gs, et al. (1994):** The heart in hypothyroidism. *Am Heart J*; 68(3) : 428-429.
- **Adams J, Trent R and Rawles A. (1993):** Earliest electrocardiographic evidence of myocardial infarction: implications for thrombolytic therapy. *BMJ*; 307:409-413.
- **Albertini A, Ekins RP, et al.(1982) :** Free hormones in blood. Amsterdam: Elsevier Biomedical Press; 206 : 303-309.
- **Aldrman EL, Corley SD, Fisher LD, et al.(1993):** Five-year angiographic follow-up of factors associated with progression of coronary artery disease in the coronary artery surgery study (CASS). CASS Participating Investigators and Staff. *J Am Coll Cardiol*; 22:1141-1154.
- **Allain CC, Poom LS and Chan CS. (1974) :** Enzymatic determination of total serum cholesterol. *Clin Chem*; 20:470-75.
- **Amino N. (1993):** Postpartum autoimmune endocrine syndromes. In : Davies TF. ED. *Autoimmune Endocrine disease*. New York. John Wiley and Sons; 247.
- **Antman EM and Braunwald E. (2001) :** Acute myocardial infarction. In Braunwald E : *Heart Diseases: A Text book of*

-
- Cardiovascular Medicine Philadelphia. WB Saunders; 35 : 1114 – 1118.
- **Antman EM and Braunwald E. (2005)** : ST- segment elevation myocardial infarction in Braunwald's Heart Disease, 7th ed, D zipes et al (eds), Philadelphia, Saunders; P1448 – 1460.
 - **Antman EM, et al. (2000)** : The TIMI risk score for prognostication and therapeutic decision making. JAMA; 824-835.
 - **Antman EM, Wilcox RG, Giugliano RP, et al.(1999)**: Long-term comparison of lanoteplase and alteplase in ST- elevation myocardial infarction: 6 month follow-up in TIME-II trial. Circulation; 100(suppl 1): 498.
 - **Anurad E, Boffa MB, Koschinsky ML and Berglund L. (2006)**: Lipoprotein (a) : a unique risk factor for cardiovascular disease. Clin lab Med. Dec; 26 (4) : 751 – 72.
 - **Ardehali A and Ports TA. (1990)** : Myocardial O₂ supply and demand. Chest; 98 : P 699.
 - **Aronow WS. (1995)** : The heart and thyroid disease. Clin Geriatric Med; 11: 219-229
 - **Assessment of the Safety and Efficacy of a New Thrombolytic (ASSENT-2) Investigators. (1999)**: Single-bolus tenecteplase compared with front-loaded alteplase in acute myocardial infarction: the ASSENT-2 double-blind randomized trial. Lancet;354:716-22.

- **Austin MA, Hokanson JE and Brunzell JD. (1994) :** Characterization of low-density lipoprotein subclasses : Methodologic approaches and clinical relevance. *Curr Opin Lipidol*; 5 : 395-403.
- **Bayer M, et al. (1985) :** Clinical experience with sensitive thyrotropin measurements : Diagnostic and therapeutic implications. *J Nuclear Med* ; 36:1248-56.
- **Belchetz PT. (1994) :** Hormonal treatment of postmenopausal women. *N Engl J Med*; 339:1062 – 1071.
- **Bengel FM, Nekolla SG, Ibrahim T, Weniger C, Ziegler SI and Schwaiger M. (2000) :** Effect of thyroid hormone on cardiac function, geometry, and oxidative metabolism assessed noninvasively by positron emission tomography and magnetic resonance imaging. *J Clin Endocrinol Metab*; 85: 1822-1827.
- **Berkowitz SD, Granger CB, Pieper KS, et al. (1997):** Incidence and predictors of bleeding after contemporary thrombolytic therapy for myocardial infarction. The Global Utilization of Streptokinase and Tissue Plasminogen activator for Occluded coronary arteries. *Circulation*; 95:2508-2516.
- **Bertrand ME, Simoons ML, Fox KA, et al.(2001) :** Management of acute coronary syndromes: acute coronary syndromes without persistent ST- segment elevation. Recommendations of the Task Force of the European Society of Cardiology. *Eur Heart J*; 221 :1406-1432.

- **Beulens JW, Rimm EB, Ascherio SD, Hendriks HF and Mukamal KJ. (2007)** : Alcohol consumption and risk for coronary heart disease among men with hypertension. *Ann Intern Med.* Jan 2 ; 146 (1) : 9-10.
- **Bierman E, George Lyman Duff Meorial Lecture. (1992)** : Atherogenesis in diabetes. *Arterioscler. Thromb*; 12 : 647-656.
- **Biondi B and Klein I. (2004)** : Hypothyroidism as a risk factor for cardiovascular disease. *Endocrine*;24:1-14.
- **Birkhauser M, Busset R, Burger TH and Burger A. (1977)** : Diagnosis of hyperthyroidism when serum thyroxine alone is raised. *Lancet*; 2 : 53 – 56.
- **Boersma E, et al. (2003)** : Acute myocardial infarction. *Lancet* ; 361 : 847.
- **Boersma H, Maas AC, Deckers JW, et al.(1996)**: Early thrombolytic treatment in acute myocardial infarction: reappraisal of the golden hour. *Lancet*; 348:771 – 775.
- **Braunwald E. (1998)**: Unstable angina : an etiologic approach to management. *Circulation*; 98 : 2215 – 2222.
- **Brent GA and Hershman JM. (1986)** : Thyroxine therapy in patients with severe nonthyroidal illness and low serum thyroxine concentration. *J Clin Endocrinol Metab*; 63: 1-8.

- **Brown B, Zhao X and Sacco D.(1993)** : Lipid lowering and plaque regression: New insights into prevention of plaque disruption and clinical events in coronary disease. *Circulation*; 87: 1781-1789.
- **Burke AP, Virmani R, et al. (1993)**: Cardiac myxoma. A clinicopathologic study. *Am J Clin Pathol*; 100- 671.
- **Cacciatori V, Bellavere F and Pezzarossa A. (2003)**: Power spectral analysis of heart rate in hyperthyroidism. *J Clin Endocrinol Metab*; 81 : 2828-2835.
- **Cannon CP and Braunwald E. (2005)**: Unstable angina and non-ST - elevation myocardial infarction in Braunwald's Heart Disease, 7th ed, D Zipes et al (eds), Philadelphia, Saunders; P.1444 – 1447.
- **Canto JG, Shlipak MG, Rogers WJ, et al. (2000)**: Prevalence, clinical characteristics, and mortality among patients with myocardial infarction presenting without chest pain. *JAMA*; 283:3223-9.
- **Castelli WP. (1984)** : Epidemiology of coronary heart disease. The Framingham study. *Am J Med*; 76: (2A) : 4 – 12.
- **Castelli WP. (1986)** : The triglyceride issue : A view from Framingham. *Am Heart J*; 112: 432 – 437.
- **Celermajer DS, Sornesen KE, Georgakopoulos D, Bull C, Thomas O, Robinson J, et al. (1993)**: Cigarette smoking is associated with dose – related and potentially reversible improvement of endothelium – dependent dilation in healthy young adults. *Circulation*; 88:2149 – 2155.

- **Channick BJ, Adlin EV and Marks AD.(1991):** Hyperthyroidism and mitral valve prolapse. N Engl J Med; 305 : 497 – 500.
- **Chopra I. (1983) :** Thyroid function in nonthyroidal illness. Ann Intern Med; 98:946-57.
- **Chopra IJ and Solomon DH. (1979) :** Misleadingly low free T4 index (FT₄) and usefulness of reverse (rT3) measurement in nonthyroid illnesses. Ann Intern Med; 90 : 905 – 912.
- **Chopra IJ andd Huang TS.(1986) :** The role of thyroxine (T4)-binding serum proteins in oleic acid- induced increase in free T4 in non thyroidal illnesses. J Clin Endocrinol Metab; 63:776-779.
- **Chopra IJ, et al.(1996) :** Non thyroidal illness syndrome or euthyroid sick syndrome ? Endocrine practice ; 2: 45-52.
- **Chopra IJ, Hershman JM, Pardridge WM and Nicoloff JT.(1986) :** Thyroid function in nonthyroidal illness. Annals of Internal Medicine; 98 :946- 957.
- **Chopra IJ, Huang TS, Boado R, Solomon DH and Chua Teco GN. (1987) :** Evidence against benefit from replacement doses of thyroid hormones in nonthyroidal illness studies using turpentine oil-injected rat. J Endocir nol Invest; 10 : 550-564.
- **Chopra IJ. (1997) :** Euthyroid sick syndrome. Is it a misnomer? J Clin Endocrinol Metab; 82 : 329-334.

-
- **Chow CC, Mak TW, Chan CH and Cockram CS. (1995) :** Euthyroid sick syndrome in tuberculosis before and after treatment. *Ann Clin Biochem*; 32:385-391.
 - **Collen D and Verstraete M. (1983) :** Systemic thrombolytic therapy of acute myocardial infarction. *Circulation*;68:462-465.
 - **Collins P, Rosano G M, Sarrel P M, Ulrich L, Adamopoulos S, Beale C M, et al. (1995) :** 17 B- estradiol attenuates acetylcholine – induced coronary heart disease. *Circulation*; 92 : 24 – 30.
 - **Corsini F, Scaglione A, Iacomino M, Mascia G, Melorio S, Riccio C, Romano S, Vetrano A, Celardo S, Corsini G and Chieffo C. (2006) :** Acute myocardial infarction in the elderly. A case-control study with a younger population and review of literature. *Monaldi Arch Chest Dis.*;66(1):13-9.
 - **Crowley WF, Ridgway EC and Bough EW. (2001) :** Non invasive evaluation of cardiac function in hypothyroidism : response to gradual thyroxine replacement. *N Engl J Med*; 296: 1-6 .
 - **Danzi S and Klein I. (2004) :** Thyroid hormone and the cardiovascular system. *Minerva Endocrinol*; Sep: 29(3) : p139 – 50.
 - **Davies MJ.(2000) :** The pathophysiology of acute coronary syndromes. *Heart*; 83:361-366.
 - **Davis PJ, Jacobson S,et al. (1999) :** Myxedema with cardiac tamponade and percardial effusion of gold Paint appearance. *J Clin Endocrinol Metab*; 75 : 2871 – 2876.

-
- **Davis TM , Fortun P, Mulder J, Davis WA and Bruce DG. (2004) :** Silent myocardial infarction and its prognosis in a community – based cohort of type 2 diabetic patients : the fremantle Diabetes study *Diabetologia* ;47 (3) : 395 – 9 .
 - **De Groot LJ. (1998) :** The nonthyroidal illness syndrome. *Journal of Clinical Endocrinology and Metabolism*; 77 : 1695-1699.
 - **De Servi S, Arbustini E, Marsica F, et al. (1996) :** Correlation between clinical and morphologic findings in unstable angina. *Am J Cardiol*; 77: 128-132.
 - **Demers LM. (1994):** The influence of non-thyroidal factors on thyroid dysfunctions. *Lab Med*; 24 : 495.
 - **Department of Heart and Human Services. (1983):** The Heart consequences of smoking: Cardiovascular disease. A Report of the surgeon General. D. H.H. S. Publication (PHS) 84 –50204. Washington D.C., Office on Smoking and Health, U.S. Government Printing Office.
 - **Depre C, Wijns W, Robert AM, et al. (1997) :** Pathology of unstable plaque : Correlation with the clinical severity of acute coronary syndromes. *J Am coll cardiol*; 30 : 694-702.
 - **DeWood MA, Spores J, Notske R, Mouser LT, Burroughs R, Golden MS and Lang HT.(1980) :** Prevalence of total coronary occlusion during the early hours of transmural myocardial infarction. *N Engl J Med*; 303:897-902.
 - **Dilhmann WH. (1996) :** Regulation of expression of cardiac sarcoplasmic reticulum proteins under pathophysiological conditions. *Mol Cell Biochem*; 157:125-128.
-

-
- **Dilhmah WH.(2000)** : Biochemical basis of thyroid hormone action in the heart. Am J Med; 88 : 626 – 630.
 - **Docter R, Krenning EP, De Jong M and Henneman G. (1993)** : The sick euthyroid syndrome changes in thyroid hormone serum parameters and hormone metabolism. CLin Endocrinol; 39 : 499 – 518.
 - **Dravall KA, Sam RC, Silverman, Bradburv A W and Adam DJ. (2007)**: Obesity and thrombosis. Eur J vascular Endovasc surg; Feb: 33 (2) : 223 – 33.
 - **Dutka DP, Pitt Paqano D, Monqillo M, Gathercole D, Bonser RS and Camici PG. (2006)** : Myocardial glucose transport and utilization in patients with type 2 diabetes mellitus, left ventricular dysfunction, and coronary artery disease. Am coll cardiol; Dec 5: 48 (11): 2225-31.
 - **Eber B, Schumacher M, Langsteger W, et al. (1995)**:Changes in thyroid hormone parameters after acute myocardial infarction. Cardiology; 86 : 152- 156.
 - **Ekholm R. (1989)** : Thyroid physiology, anatomy and development. In : Endocirnology, De Groot LJ, Cahill GF, Odell WD, Martnil L, potts JT, Nelson DH, Stein Berger E and Wingerfred A. ediotrs (2nd ed.) : Vol.1, Grune and Stralton; 36: P: 505-509.
 - **Elle P, Peters A and John L. (1995)** : The thyroid gland, in peters principles of nuclear medicine (ninth edition): P.A., Saunders section; 4 : 42.

- **Faber J, Kirkegard C, Lumholtz IB, Nielson KS and Friis T.(1987)** : Variations in serum T3 and 3.5` diiodothyronine induced by acute myocardial infarction and propranolol. Acta Endocrinologica; 94: 341 – 345.
- **Factor SM, Bache RJ, et al. (1998)** : Pathophysiology of myocardial ischemia. In Hurst J.W. et al. (eds). The Heart 9th ed. New York, McGraw – Hill; 1241 – 1258.
- **Falk E, Shah PK and Fuster V. (1995)** : Coronary plaque disruption. Circulation; 92:657-671.
- **Falk E. (1985)** : Unstable angina with fatal outcome : dynamic coronary thrombosis leading to infarction and/or sudden death. Autopsy evidence of recurrent mural thrombosis with peripheral embolization culminating in total vascular occlusion. Circulation;71:699-708.
- **Fallon FV, Ross R and Topol EJ. (1996):** Pathology of myocardial infarction and reperfusion in atherosclerosis and Coronary Artery Disease. Philadelphia lippincott-Raven, PP; 791 – 796.
- **Farb A, Burke AP and Tang AL.(1996)** : Coronary plaque erosion without rupture into a lipid core: A frequent cause of coronary thrombosis in sudden coronary death. Circulation; 93:1354-1363.
- **Fibrinolytic Therapy Trialists' (FTT) Collaborative Group. (1994)** : Indications for fibrinolytic therapy in suspected acute myocardial infarction : collaborative overview of early more than 1000 patients. Lancet; 343:311-322.

- **Folsom AR, Wu KK, Davis CE, Colan M G, Sorlie PD and Szklo M. (1991):** Population correlates of plasma fibrinogen and factor VII, protective cardiovascular risk factors. *Atherosclerosis*; 91: 191 – 205.
- **Forfar Jc, Muir AS, Wers SA and Toft AD.(1992) :** Abnormal left ventricular function in hyperthyroidism: evidence for a possible reversible cardiomyopathy. *N Engl J Med*; 307 : 1165 – 1170.
- **Franklin JA, Gammage MD, Rmasden DB, et al. (1984) :** Thyroid status in patients after myocardial infarction. *Clinical Science* ; 67:585.
- **Frans Van de Werf, Chair, Diego Ardissino, Amadeo Betriu, Dennis V, Cokkinos, Erling Falk, Keith AF, Desmond Julian, Maria Lengyel, Franz-Josef Neumann, Witold Ruzyllo, Christian Thygesen S, Richard Underwood, Alec Vahanian, Freek WA, Verheugt and William Wijns. The Task Force on the Management of Acute Myocardial Infarction of the European Society of Cardiology.(2002):** Management of acute myocardial infarction in patients presenting with ST- segment elevation August 6.
- **Frei B, Forte TM, Ames BN and Cross CE. (1991) :** Gas phase oxidants of cigarette smoke induce lipid peroxidation and changes in lipoprotein properties in human blood plasma. Protective effects of ascorbic acid. *Biochem J*; 227 : 133 – 138.
- **Friberg L, Drvota V, Bjelak AH, et al. (2002) :** Association between increased levels of reverse triiodothyronine and mortality after acute myocardial infarction. *Am J Med*; 111: 699-703.

-
- **Friberg L, Werner S and Eggertsen G, (2002)** : Rapid Down-regulation of thyroid Hormones in acute myocardial Infarction. Arch Intern Med. Vol 186, June 24: P 1-13
 - **Friesinger II GC, Hurst JW, et al. (1998)** : The natural history of atherosclerotic coronary heart disease: A histological prospective. In Hurst J. W. et al. (eds). The Heart 9th ed. New York, McGraw – Hill; 1127 - 1136.
 - **Fruchart JC. (1982)** : Estimation of HDL-C and LDL-C by enzymatic method. Rev Fr Des Laboratories; 103: 7.
 - **Furchgott RF and Zawadski JV. (1980)** : The obligatory role of endothelial cells in the relaxation of arterial smooth muscle by acetylcholine Nature; 288:373-376.
 - **Fuster V, Pearson TA et al. (1996)** : 27 the Bethesda conference : Matching the intensity of risk factor management with the hazard for coronary heart disease events. J Am Coll Cardiol; 27 : 957-1047.
 - **Fuster V, Stein B and Ambrose JA.(1990)** : Atherosclerotic plaque rupture and thrombosis-evolving concepts. Circulation; 82 (suppl II): 47-59.
 - **Gatnar A, Marek B, Pakula D, Kajdaniuk D, Kos-kudla B, Borgiel Marek H, Gnot R, Pakula P and Pawlowska M. (2006):** thyroid hormone and the cardiomyocytes. Endocrinol; Mar-Apr ; 57 (2) : p144-8 .
 - **Gazzaruso C, Solerte SB, De Amici E, Mancini M, Pujia A, Fratino P, Giustina A and Garzaniti A. (2006)** : Association of the metabolic syndrome and insulin resistance with silent myocardial
-

- ischemia in patients with type 2 diabetes mellitus. *Am J Cardiol.* Jan 15;97(2):236-9.
- **Giladi M, Aderka D and Zeligman L.(1993):** Is idiopathic atrial fibrillation caused by occult thyrotoxicosis? A study of one hundred consecutive patients with atrial fibrillation. *Int J cardiol*; 30: 309 – 313.
 - **Giroud D, Li JM, Urban P.(1992) :** Relationship of the site of acute myocardial infarction to the most severe coronary arterial stenosis at prior angiography. *Am J Cardiol*; 69:629-731.
 - **Glantz S A and Parmley WW. (1995) :** Passive smoking and heart disease mechanism and risks. *JAMA*; 273 : 107 – 1053.
 - **Glasser SP, Selwyn AP and Ganz P. (1996) :** Atherosclerosis : Risk factors and the vascular endothelium. *Am Heart J*; 131 : 379-384.
 - **Goedeberg A and Winfield f. (1972):** Estimation of cardiac enzymes. *Am J Clin path*; 26:37-39.
 - **Gordon DJ, Probstfield J L, Garrison RJ, Neaton JD, Castelli WP, Knoke JD, et al. (1989) :** High density lipoprotein cholesterol and cardiovascular disease. Four American Prospective Studies. *Circulation*; 79:8-15.
 - **Gore JM, Granger CB, Simoons ML, et al.(1995) :** Stroke after thrombolysis. Mortality and functional outcomes. Global use of strategies to open occluded coronary arteries. *Circulation*; 92:2811-2818.

- **Gotto AM. (1995) :** Lipid lowering, regression and coronary events: A review of the Interdisciplinary Council on Lipids and Cardiovascular Risk Intervention, seventh council meeting. *Circulation*; 92: 646-656.
- **Green WL. (1991) :** Effects of drugs on thyroid hormone metabolism. In: Wu .Sy, ed. *Current issues in endocrinology and metabolism: thyroid hormone metabolism. Regulation and clinical implication.* Boston; PP. 239-45.
- **Greenberg ER, Baron JA, Karagas MR, Stukel TA, Neirenberg DW, Stevens MM, et al. (1996) :** Mortality associated with low plasma concentration of beta carotene and the effect of oral supplementation. *J A M A*; 275: 699 – 703.
- **Grijseels EW, Deckers JW, Hoes AW, et al.(1995) :** Pre-hospital triage of patients with suspected acute myocardial infarction. Evaluation of previously developed algorithms and new proposals. *Eur Heart J*; 16:325-332.
- **Guiles H. (1996):** Thyroid Function. In : Bishop ML, Dubin Engelkerk JL, Cody EP (eds.). *Clinical Chemistry Principles and Correlations*, 3rd ed., Philadelphia, Lippin Cott; PP 431-446.
- **Hambrecht R, Neibauer J, marburger C, Granze M, Kalbere B, Hauer K, et al. (1993) :** Various intensities of leisure time physical activity in patients with coronary artery disease : Effects on cardiorespiratory fitness and progression of coronary atherosclerotic lesions. *J Am Coll Cardiol*; 22: 468-477.

-
- **Hamilton MA. (1990):** Prevalence and clinical implication of abnormal thyroid hormone metabolism in advanced heart failure. *Ann Thorac Surg*; 56 : 548-552.
 - **Hasai D, Begar S, Wallentin L, et al. (2002) :** A prospective survey of the characteristics, treatments and outcomes of patients with acute coronary syndromes in Europe and the Mediterranean basin. The Euro Heart Survey of Acute Coronary Syndromes (Euro Heart Survey ACS). *Eur Heart J*; 15:1190-1201.
 - **Haskell WL. (1994) :** Sedentary life style as a risk factor for coronary heart disease in : Pearson A, Criqui MH, Luepker RV Oberman A, Winstom M, eds. *Primer in Preventive cardiology*. Dallas: American Heart Association; 173 – 187.
 - **Haung TS, Wu HP, Hauang LS, Lai My, Ho Sw and chopra IJ. (1989):** A study of thyroidal response to thyrotropin (TSH) in decompensated liver cirrhosis. *Thyroidology*; 1: 137 – 142.
 - **Hauser AM, Gangadharan V, Ramos RG, et al. (1985) :** Sequence of mechanical electrocardiographic and clinical effects of repeated coronary arterial occlusion in human beings: echocardiographic observation during coronary angioplasty. *J Am Coll Cardiol*;5:193 – 197.
 - **Hay ID, Bayer MF, et al. (1991):** American Thyroid Association assessment of current free thyroid hormone and thyrotropin measurements and guidelines for future clinical assays. *Clin Chem*; 37:2002-8.
 - **Heller GV, Stowers SA, Hendel RC, et al. (1998) :** Clinical value of acute rest technetium-99m tetrofosmin tomographic myocardial
-

- perfusion imaging in patients with acute chest pain and nondiagnostic electrocardiograms. *J Am Coll Cardiol*; 31:1011-1017.
- **Hennemana G, Docter R and Krenning EP. (1998):** Causes and effects of the low T3 syndrome during caloric deprivation and thyroidal illness an overview. *Acta Med Kanusl*; 15:12-45.
 - **Holland FW, Brown PS, Weintraud BD, et al. (1991):** Cardiopulmonary bypass and thyroid function: a "euthyroid sick syndrome". *Ann Thorac Surg*; 52:46-50.
 - **Hollander CS and Shenkman L. (1974):** Radioimmunoassays for triiodothyronine and thyroxine. In Rothfeld B, editor. *Nuclear medicine in vitro*. Philadelphia : Lppincott; 136 – 49.
 - **Hollander CS, Stevenson C, Mitsuma T, Pineda G, Shenkman L and Silva E.(1967) :** T3 toxicosis in an iodine- deficient area, *Lancet*; 1276 – 1278.
 - **Howard-Alpe GM, Sear JW and Foex P. (2006) :** Methods of detecting atherosclerosis in non-cardiac surgical patients; the role of biochemical markers. *Br J Anaesth*. Dec;97(6):758-69.
 - **Hulley S, Grady D, Bush T, et al. (1998):** Randomized trial of estrogen plus progestin for secondary prevention of coronary heart disease in post menopausal women. Heart and Estrogen / progestin replacement study research group. *JAMA*; 280:605 - 613.
 - **Iltumur K , Olmez G , Ariturk Z , Taskesen T and Toprak N. (2005) :** Clinical investigation, thyroid function test abnormalities in

- cardiac arrest associated with acute coronary syndrome. Crit Care; 9(4):416-424.
- **Ingbar SH and woerber KA. (1981):** The thyroid in text book of endocrinology (16th ed), william RH. (editor) W.B. saunders company, philadlephia, London; P: 118 – 157.
 - **Intravenous NPA For The Treatment Of Infarcting Myocardium Early.(2000):** In TIME-II a double-blind comparison of single-bolus lanoteplase vs accelerated alteplase for the treatment of patients with acute myocardial infarction. Eur Heart J; 21:2005-2013.
 - **Ip JH, Fuster V and Badimon L. (1990) :** Syndromes of accelerated atherosclerosis: Role of vascular injury and smooth muscle cell proliferation. J Am Coll Cardiol ;15 : 1667- 1687.
 - **Irvasi G, pingitore A, Landi P, Raciti M, Ripoli A A, Scar Lattini M, L'Abbate A and Donato L. (2003):** Low T3 syndrome : A strong prognostic predictor of death in patient with heart disease. Circulation; 107 : 608 – 713.
 - **James P, Tsikouris, Pharm D, Texas Tech University School of Pharmacy Lubbock, Texas: and Alexander P, Tsikouris B N, University of Cincinnati College of Pharmacy, Cinicinnati, Ohio. (2001):** A Review of Available Fibrin-Specific Thrombolytic Agents Used in Acute Myocardial Infarction. Pharmacotherapy; 21(2):207-217.
 - **Johansson SE, Sundquist K, Qvist J and Sundquist J. (2005):** Smokeless tobacco and coronary heart disease; a 12 year follow up study Eur. J cardiovasc prev Rehabil. Aug; 12 (4) : 387-92.

-
- **Jousilahti P, Twomilehto J, Vartiainen E, Pekkanen J and Puska P. (1996)** : Body weight, cardiovascular risk factors, and coronary mortality: 15 – year follow – up of middle – aged men and women in eastern finland. *Circulation*; 93 : 1372 – 1379.
 - **Kahaly GJ and Dillmann WH. (2005)** : Thyroid hormone action on the heart. *Endocr Rev Aug*; 25 (5) : p704-28 .
 - **Kahaly GJ. (2000)** : Cardiovascular and atherogenic aspects of subclinical hypothyroidism. *Thyroid* ; 10:665-679.
 - **Kamiltanl T, Ikeda U, kawahaml K, Nagano k, Tsuruya Y, et al. (1992)** : Regulation of Na – K- ATP ase gene expression by thyroid hormone in rat cardiomyocytes. *Circ Res*; 71 : 457-464.
 - **Kannel W B. (1996)** : Blood pressure as a cardiovascular risk factor Prevention and treatment. *JAMA*; 275: 1576.
 - **Kannel WB. (1986)** : Silent myocardial ischemia and infarction : insights from the Framingham Study. *Cardiol Clin*;4:583-91.
 - **Kaptein EM, Macintyre SS,Weiner JM, Spencer CA and Nicoloff JT. (1991):** Free thyroxine estimates in non thyroidal illness comparison of eight methods. *J Clin Endocrinol. Metab*; 52: 1073-1077.
 - **Kaptein EM, Robinson WJ, Grieb DA, et al. (1982)** : Peripheral serum thyroxine, triiodothyronime and reverse triiodothyronine kinetics in the low thyroxine state of acute nonthyroidal illnesses : a non compartmental analysis. *J Clin Invest*; 69 : 526 – 535.

- **Kaptein EM, Robinson WJ, Grieb DA, et al. (1993)** : Clinical application of free thyroxine determinations. *CLin Lab Med*; 13 : 653-672.
- **Kerber R, Sherman B, et al., (1995)**: Echocardiographic evaluation of pericardial effusion in myxedema. *Circulation*; 52: 823-827.
- **Kim D, Smith TW and Marsh JD. (1987)** : Effect of thyroid hormone on slow calcium channel function in cultured chick ventricular cells. *J Clin Invest*; 80: 88-94.
- **Kimura T, Kanda T, Kotajima N, et al. (2000)** : Involvement of circulating interleukin –6 and its receptor in the development of euthyroid sick syndrome in patients with acute myocardial infarction. *European J Endocrin* ; 143:179-84.
- **Klag MJ, Ford DE, Mead LA, Whelton PK, Liang KY, et al. (1993)** : Serum cholesterol in young men and subsequent cardiovascular disease .*N Engl J Med*; 313-318.
- **Klein I and Levey GS. (1994)** : Unusual manifestations of hypothyroidism. *Arch Intern Med*; 144 : 123-128.
- **Klein I and Levey GS. (2002)** : Thyroid hormone and the cardiovascular system. *Am J Med* ; 88 : 631-137.
- **Klein I and Ojamaa K. (2001)** : Thyroid hormone and the cardiovascular system. *N Engl J Med*; 344:501-509.
- **Klein I, et al. (2002)** : Thyroid and the heart. *Thyroid*; 12 : 439.

- **Klein I. (2001) :** Thyroid hormone and the cardiovascular system. *Am J Med*; 88 : 631 – 637.
- **Klein I.(2003) :** Thyroid hormone and cardiac contractility. *Am J Cordiol*; 4:331 – 1332.
- **Klemperer JD, Klein I , Gomez M, et al.(1995) :** Thyroid hormone treatment after coronary – artery bypass surgery. *N Engl J Med*; 333 : 1522 – 1527 .
- **Kohn MA, Kwan E, Gupta M and Tabas JA. (2005) :** Prevalence of acute myocardial infarction and other serious diagnoses in patients presenting to an urban emergency department with chest pain. *J Emerg Med. Nov*;29(4):383-90.
- **Kohrle J. (1994):** Thyroid hormone deiodination in target tissue-a regulatory role for the trace element selenium. *CLin Endocrinol*; 102 : 63 – 89.
- **Kreiner M, Okeson JP, Michelis V, Lujambio M and Isberg A. (2007) :** Craniofacial pain as the sole symptom of cardiac ischemia: a prospective multicenter study. *J Am Dent Assoc. Jan*; 138(1):74-9.
- **Krolewski AS, warra JH, Valsania P, Mattin BC Laffel LM B and Christlieb R. (1991) :** Evolving natural history of coronary artery disease in diabetes mellitus. *Am J Med*; 90 (suppl. 2A) 565 – 615.
- **Lacoste L, Lam JYT and Hung J.(1995) :** Hyperlipidemia and coronary disease: Correction of the increased thrombogenic potential with cholesterol reduction. *Circulation*; 92: 3172-3177.

- **Ladenson PW, Goldenheim PD and Ridgway EC.(2002):** Prediction and reversal of blunted ventilatory responsiveness in patients with hypothyroidism. *Am J Med*; 84, 877 – 883.
- **Ladenson PW, Levin AA, Daniels.(1994):** Complication of surgery in hypothyroid patients. *Am J Med* ; 77 : 261 – 266.
- **LaRosa JC and Cleeman JL.(1992):** Cholesterol lowering as a treatment for established coronary heart disease. *Circulation*; 85: 1229-1235.
- **Larry – J, P Wetman P, et al. (2001):** Disorders of the thyroid gland. In *Harrison's Principles of Internal Medicine*, 15th ed; PP 2060-2081.
- **Larsen PR and Ingbar SH.(1992):** The thyroid gland : In *Williams, Textbook of Endocrinology* (eighth edition), (edited by JD Wilson and DW foster); Section 3 : 8 : 487.
- **Larsen PR. (1998) :** The thyroid gland. In : *Wilson JD., Foster D.W., Kconenberg HM.(eds.). Williams Textbook of Endocrinology*, 9th ed., philadelphia, W.B. Saunders Company; P3.
- **Law MR, Wald N J and Thompson SG. (1994) :** By how much and how quickly does reduction in serum cholesterol concentration lower risk of ischemic heart disease ? *Br Med J*; 308 : 367 – 372.
- **Lazar MA. (1993) :** Thyroid hormone receptors : Multiple forms, multiple possibilities. *Endocr Rev*; 14 : 184-193.

-
- **Lee H-Y, SUHI J, Pedary AE and Hershman JM. (1987) :** Secretion of thyrotropin binding activity in patients with severe nonthyroid illness. *J Clin Endocrinol Metab*; 65: 942 – 945.
 - **Lee KL, Woodleff LH, Topol EJ, et al.(1995) :** predictors of 30-day mortality in the era of reperfusion for acute myocardial infarction. Results from an international trial of 41,021 patients. *Circulation*; 91:1659-1668.
 - **Leiggett SB, Shah SD and Cryer Pe.(1999):** Increased fat and skeletal muscle beta- adrenergic receptors but unaltered metabolic and hemodynamic sensitivity to epinephrine in vivo in experimental human thyrotoxicosis. *J clin invest*; 83:803 – 809.
 - **Lengyel M. (1995) :** The role of transesophageal echocardiography in the management of patients with acute and chronic pulmonary thrombo embolism. *Echocardiography*; 12:359-366.
 - **Lesaffre E, Bluhmki E, Wang-Clow F, et al.(2001):** The general concepts of an equivalence trial. Applied to a large-scale mortality study comparing two fibrinolytic agents in acute myocardial infarction. *Eur Heart J*;22:898-902.
 - **Levey D, Salomon M, D’Agostino RB, Belanger AJ and Kannel WB. (1994):** Prognostic implications of base line electrocardiographic features and their serial changes in subjects with left ventricular hypertrophy. *Circulation*; 90: 1786-1793.
 - **Levey GS and Klein L. (1988) :** Catecholamine thyroid hormone interactions and the cardiovascular manifestations of hyperthyroidism. *Am J Med*; 88: 642-646.

- **Levine GN, Keaney JF and Vita JA. (1995)** : Medical progress: Cholesterol reduction in cardiovascular disease. *N Engl J Med* ; 332:512-521.
- **Libby P.(1995)** : Molecular basis of the acute coronary syndromes. *Circulation*; 91: 2844-2850.
- **Macherrow SD, Osborn LA and Levy H.(2003)** : Myxedema associated cardiogenic shock treated with intravenous triiodothyronine. *Ann Intern Med*; 117: 1014-1015.
- **Maggioni AP, Franzosi MG, Santoro E, et al.(1992)** : The risk of stroke in patients with acute myocardial infarction after thrombolytic and antithrombotic treatment. *N Engl J Med*; 327:1-6.
- **Mahajan N, Mehtay, Rose M, Shan J and lichstein E. (2006)** : Elevated troponin level is not synonymous with myocardial infarction. *Int J cardiol.* Aug 28; 111 (3) : 442-9.
- **Maher MG ,Brown BG, et al. (1995):** Lipoprotein (a) and coronary heart disease. *Curr Opin Lipidol*; 6 : 229 – 235.
- **Maldonado KS, Murata GH, Hershman JM and Braunstein GD. (1992)** : Do thyroid function tests independently predict survival in the critically ill?. *Thyroid*; 2 : 119 .
- **Manolio T, Pearson TA, Wenger NK, Barrett- Connor E, Payne GH and Hrlam WR. (1992)** : Cholesterol and heart disease in older persons and women. *Ann Epidemiol*; 2 : 161 – 176 .

- **Maron DJ, Rdiker PM and Pearson TA. (1998):** Risk factors and the prevention of coronary heart disease. In hurst J W, et al. (eds). The heart 9th ed. New York, McGraw – Hill; 1175-1191.
- **Martin WH, Spina RJ and Korte E.(2001) :** Effect of hyperthyroidism of short duration on cardiac sensitivity to beta adrenergic stimulation. J Am coll cardiol; 19 : 1185-1191.
- **Martinez TM , Hernandez MA, Nguyen TI, Munoz ML, Pena H, Moillas C, Lorente D and Molina E. (1998) :** Effect of thyroid hormone replacement on lipoprotein (a), lipids and apolipoproteins in subject with hypothyrodism. Mayo Clin proc 73: 837 – 841.
- **McGowan M W, Artiss JD and Zak B. (1983):** Enzymatic calorimetry of lecithin and sphingomyelin in aqueous solution. Clin Chem; 29: 1513-17.
- **McSweeney JC, Cody MO, Sullivan P, Elberson K, Moser DK and Grvin BJ. (2003):** Women’s early warning symptoms of acute myocardial infarction. Circulation ; 103(21) : 2619 – 23.
- **Meclver B and Gorman CA. (1997) :** Euthyroid sick syndrome anover view. Thyroid; 7 : 125-132.
- **Meigs JB. (2005) :** Prevention of coronary heart disease in diabetes. Curr Treat Options Cardiovasc Med. Aug; 7 (4) : 259 – 71.
- **Mendel CH and Lauaghton CW. (1991) :** Inability to detect an inhibitor of thyroxine – serum protein binding in sera from patients with non thyrodial illness. Metabolsim; 40: 491-502.

- **Mendel CM and Frost PH. (1986)** : Effect of free fatty acids on the concentration of free thyroxine in human serum : the role of albumin. *J Clin Endocrinol Metab* ; 63: 1394 – 1399.
- **Messerli FH and Soria F. (1994)**: Ventricular dysrhythmias, left ventricular hypertrophy and sudden death. *Cardiovasc Drugs Ther*; 8 (suppl 1.3) : 557 – 563.
- **Mintz C, pizzarello R and Kelin I.(1991)** : Enhanced left ventricular diastolic function in hyperthyroidism: noninvasive assessment and response to treatment. *J Clin Endocrinol Metab*; 73 : 146- 150.
- **Mohamed S, et al. (2003)** : **Study of pituitary thyroid axis in patients with heart failure. El Mansouria Univ.**
- **Morkin E, Pennock G, RayaT, Bahi J and Goldman S. (1993)**: Studies on the use of the thyroid hormone and a thyroid hormone analogue in the treatment of congestive heart failure. *Ann Thorac surg*; 56 (supp 11): 554 – 560.
- **Morley JE. (1981)**: Neuroendocrine control at thyrotrophin secretion. *Endocr Rev*, 2 : 396.
- **Morris D. (1999)** : Results from late-breaking clinical trial sessions. *J Am Coll Cardiol*;34:1-8.
- **Morrison LJ, Verbeek PR, McDonald AC, et al. (2000)** : Mortality and prehospital thrombolysis for acute myocardial infarction: a meta analysis. *JAMA*; 283:2686-2692.

- **Mukamal KJ, Chive SE and Rim EB. (2006):** Alcohol consumption and risk for coronary heart disease among men with healthy lifestyles. *Ann Intern Med.* Oct 23; 166 (19) : 2145-50.
- **Nicoloff JT, Spencer CA, et al. (1990):** The use and misuse of the sensitive thyrotropin assays. *J of Clinical Endocrinology and Metabolism:* P71-553.
- **Nishioka T, Luo H and Eigler NL. (1996) :** Contribution of inadequate compensatory enlargement to development of human coronary artery stenosis: An invitro intravascular ultrasound study. *J Am Coll Cardiol;* 27: 1571-1576.
- **Nofer JR, Tepel M and Kehrel B. (1997) :** Low-density lipoproteins inhibit the Na^+/H^+ transport in human platelets: A novel mechanism enhancing platelet activity in hypercholesterolemia. *Circulation ;* 95: 1370-1377.
- **Ogata N, Ogawa H, Ogata Y, et al. (1998) :**Comparison of thrombolytic therapies with mutant tPA (Lanoteplase) and recombinant tPA (alteplase) for acute myocardial infarction. *Jpn Circ J;* 62:801-6.
- **Ojamaa K, Klein I, Sabet A and Steinberg SF. (2000) :**Changes in adenylyl cyclase isoforms as a mechanism for thyroid hormone modulation of cardiac beta –adrenergic receptor responsiveness. *Metabolism;* 49 : 275 – 279.
- **Ojamaa K, Klemperer JD and Klein I. (1996) :**Acute effects of thyroid hormone on vascular smooth muscle. *Thyroid;* 6 : 505-512.

- **Papadopoulos DP, Dalianis N, Benos I, Votteas V and Anagnostopoulou S. (2007) :** Anomalous origin of circumflex artery from right sinus of Valsalva: a rare cause of non-ST elevation syndrome. *Int J Cardiol.* Jan 18;114(3):e105-6.
- **Park KW, Dai HB, Ojamaa K, Lowenstein E, Klein I and Sellke FW. (1997) :** The direct vasomotor effect of thyroid hormones on rat skeletal muscle resistance arteries. *Anesth Analg*; 85: 734-738.
- **Pauline M. Camacho, MD, Arcot A. and Dwarknaathan, MD. (1999):** Sick euthyroid syndrome, what to do when thyroid function tests are abnormal in critically ill patients. *Postgraduate medicine*; 105(4) : 9-15.
- **Pavlou HN, Kliridis PA, Panagiotopoulos AA, et al. (2002) :** Euthyroid sick syndrome in acute ischemic syndromes. *Angiology*; 86 :152-6.
- **Peter A. (2002):** Evaluation of Thyroid Function. In : Norman Lavin(ed.), *Manual of endocrinology and Metabolism*, 3rd ed., P. 373-385.
- **Peter Sinnaeve, MD, John Alexander, MD, Ann Belmans, MSc, Kris Bogaerts, MSc, Anatoli Langer, MD, Rafael Diaz, MD, Diego Ardissino, MD, Alec Vahanian, MD, Kenneth Pehrsson, MD, Paul Armstrong, MD and Frans Van de Werf, MD.(2003) :** One-Year Follow-Up of the ASSENT-2 Trial: A Double-Blind Randomized Comparison of Single-Bolus Tenecteplase and Front-Loaded Alteplase in 16,949 patients With ST-elevation acute myocardial infarction. *Am Heart J* 146(1): 27-32.2003.

- **Petrie and Sabin C. (2000)** : Medical statistics at a glance (book).
- **Phull PS, Collins CE and Norell MS. (1993)** :Variant angina in thyrotoxicosis. Br J Clin Pract; 47 : 17-18.
- **Pilo A, Iervasi G, Vitek F, et al. (1990)** : Thyroidal and peripheral production of 3,5,3` - triiodothyronine in humans by multicompartamental analysis. Am. J. Physiol; 258 : E 715 – E 726.
- **Pimentel RC, Cardoso GP, Escosteguy CC and Abreu LM. (2006)** : Thyroid hormone profile in acute coronary syndromes. Ara Bras Cardiol; Vol: 87 no. 6 sao puale Dec 1-9.
- **Plotnick GD, Corretti MC and Vogel RA.(1996)** : Antioxidant vitamins blunt the transient impairment of endothelium-dependent brachial artery vasoactivity following a fatty meal. J Am Coll Cardiol 94 (suppl 1): 1-462.
- **Polikar R, Burger AG and Scherrer U. (1993)** : The thyroid and the heart. Circulation ; 87 : 1453 – 1441.
- **Rathore SS, Weinfurt KP, Gersh BJ, Oetgen WJ, Schulman KA and Solomon AJ.(2001)** : Treatment of patients with myocardial infarction who present with a paced rhythm. Ann Intern Med; 134:644-51.
- **Reinhardt MJ and Moser E. (1996)** : An update on diagnostic methods in the investigation of diseases of the thyroid. Eur J Nucl Med; 23(5) ; 587.

-
- **Reitman S and Frankel S. (1957)** : Estimation of serum glutamate pyruvate and glutamate oxalate transaminase. *Am J Clin Path*; 28 :56.
 - **Ridker PM, Hennkens CH and Stampfer MJ. (1995)** : A prospective study of lipoprotein (a) and the risk of myocardial infarction. *JAMA*; 270:2195 – 2199.
 - **Rival J, Riddle JM and Stein PD. (1987)** : Effects of chronic smoking on platelet function. *Thromb Res*; 45 : 75 – 85.
 - **Roberts CG and Ladenson PW. (2004)**: Hypothyroidism. *Lancet*; 363:793-803.
 - **Rogers WJ, Canto JG, Lambrew CT, et al. (2001)**: Temporal trends in the treatment of over 1.5 million patients with myocardial infarction in the US from 1990 through 1999: the National Registry of Myocardial Infarction . *J Am Coll Cardiol*;36:2056-2063.
 - **Rosano GM, Peters NS, Kask JC, et al. (1993)** : Abnormal uptake and washout of thallium-201 in patients with syndrome X and normal- appearing scans. *Am J Cardiol* ; 75 : 400 – 2 .
 - **Rozanski A, Barzley CN, Krantz DS, Friedman J, Resser J and Morell M, et al. (1998)**: Mental stress and the induction of silent myocardial ischemia in patients with coronary artery disease. *N Engl J Med*; 318 : 1005 – 1012.
 - **Sablik Z, Samborska- Sablik A, Goch JH and Kulak. (2006)**: Excessive body weight and coexisting with changes in levels of hormones of adrenal and gonadal origin are associated with coronary artery disease in men. *Pol Merkur Lekarski*. Jul; 21 (121) : 15-9.

- **Santini F and Chopra IJ. (1992)** : A radioimmunoassay of rate type I – iodothyronine, 5` - monodeiodinase (5` - MD). *Endocrinology*; 131 : 2521-2526.
- **Satar S, Seydaoglu G, Avci A, Sebe A, Karciogluoi O and Topal M.(2005)** :Prognostic value of thyroid hormone levels in acute myocardial infarction just an epiphenomena? *Am Heart HOSP J*; 3(4) : P227-33.
- **Sawin CT, geller A and Woif PA. (1994)** : Low serum thyrotropin concentrations as a risk factor for atrial fibrillation in older persons. *N EngL J Med*; 149 : 861 – 1864.
- **Scanlon P, Faxon D, Audet A, et al. (1999)** : American College of Cardiology/American Heart Association guidelines for coronary angiography. *J Am Coll Cardiol*; 33:1756-1824.
- **Scanu AM. (1992)** : Lipoprotein (a) a genetic risk factor for premature coronary heart disease. *JAMA*; 267 : 3326 –3329.
- **Schissler GC, Schaffner F and Korn F. (1978)** : Increased serum thyroid hormone binding and decreased free hormone in chronic liver disease. *N Engl J Med*; 229 : 510 – 515.
- **Segrest JP, Anantharamaiah GM, et al. (1994)** : Pathogenesis of atherosclerosis. *Curr Opin Cardiol*; 9:404-410.
- **Selwyn AP and Braunwald E. (2005)**: Ischemic heart disease, in *Braunwald’s Heart Disease, 7th ed*, D zipes et al (eds), Philadelphia, Saunders p.1434 – 1444.

-
- **Sheifer SE, Gersh BJ, Yanez ND, Ades PA, Burke GL and Manolio TA.(2000)** : Prevalence, predisposing factors, and prognosis of clinically unrecognized myocardial infarction in the elderly. *J Am Coll Cardiol*;35:119-26.
 - **Sherman SI and Ladenson PW. (2003)** :Percutaneous transluminal coronary angioplasty in hypothyroidism. *Am J Med*; 90 (3) : 367-370.
 - **Simoons ML, Maggioni AP, Knatterud G, et al.(1993)** : Individual risk assessment for intracranial haemorrhage during thrombolytic therapy. *Lancet*;342:1523-1528.
 - **Siscovick D S, Weiss NS, Fletcher RH and Lasky T. (1984)** : The incidence of primary cardiac arrest during vigorous exercise. *N Engl J Med*; 311 : 874-877.
 - **Spencer CA, Lai-Rosenfeld AO and Guttler RB. (1987)** : Thyrotropin secretion in thyrotoxic and thyroxine treated patients assessment by a sensitive immuno enzymometric assay. *J Clin Endocrinol Metab*; 63 – 319.
 - **Spodick DH. (2004)** : Decreased recognition of the post myocardial infarction (Dressler) syndrome in the post infarct setting : does it masquerade as idiopathic pericarditis following silent infarcts chest; *126 (5) : 1410 – 1.*
 - **Stamler J, Wentworth D and Neaton JD. (1986)** : Is relationship between serum cholesterol and risk of premature death from coronary heart disease continuous and graded ? *JAMA*; 256: 2823-2828.

-
- **Steinberg D, Pathasara S, Carew TE, Khoo JC and Witztum JC. (1989)** :Modification of low- density lipoproteins that increase its atherogenicity. *N Engl J Med*; 320 : 915 - 924.
 - **Stothard JM, vander poll, Endert E, et al. (1994)** : Effects of acute and chronic interleukin-6 administration on thyroid hormone metabolism in humans. *J Clin Endocrinol Metab*; 79 : 1342 – 1346.
 - **Streeten DH, Anderson GH , Howland T, Chiany R and Smulyam H. (1998)**: Effects of thyroid function on blood pressure. Recognition of hypothyroid, hypertension. *Hypertension* 11 : 78 – 83.
 - **Surks MI. (1994)**: Guidelines for the thyroid testing. *Lab Med*; 24 : 270.
 - **Suzuki H, Kadena N, Takeuski K and Na Kagawa S. (1990)** : Effects of three days oral cholecystography on serum iodothyronines and TSH Concentrations : Comparison of the effects of iopanoic on the pituitary thyroid axis. *Acta Endocrinol (Copenh)*; 92: 477-488.
 - **Takasu N. (2006)** : Thyroid hormone and the cardiovascular system. In process citation. *Nippon Rinsho*; Dec: 64 (12) : p2330-8.
 - **Tanswell P, Tebbe U, Neuhaus KL, et al.(1992)** : Pharmacokinetics and fibrin specificity of alteplase during accelerated infusions in acute myocardial infarction. *J Am Coll Cardiol*; 19:1071-5.
 - **The European Myocardial Infarction Project Group. (1993)**: Prehospital thrombolytic therapy in patients with suspected acute myocardial infarction. *N Eng J Med* ;337:1118.
-

-
- **The Joint European Society of Cardiology/American College of Cardiology Committee. Myocardial infarction redefined (2000):** A consensus document of the Joint European Society of Cardiology/American College of Cardiology for the redefinition of myocardial infarction. *Eur Heart J*;21:1502-1513.
 - **The Task Force on the Management of acute Myocardial Infarction of the European Society of Cardiology, Frans Van de Werf, Chair, Diego Ardissino, Amadeo Betriu, Dennis V, Cokkinos. Erling Falk, Keith A.A, Fox Desmond Julian, Maria Lengyel, Franz-Josef Neumann, Witold Ruzyllo, Christian Thygesen. S, Richard Underwood, Alec Vahanian, Freek W.A, Verheugt and William Wijns.(2002):** Management of acute myocardial infarction in patients presenting with ST- segment elevation (Received August 6).
 - **Thompson S G, Kienast J, Pyke SD M, Haverkate F and Van der Loo JC. (1995) :** Hemostatic factors and the risk of myocardial infarction or sudden death in patients with angina pectoris. *N Engl J Med*; 332 : 635 – 641.
 - **Toft AD , Beckett Gyet al. (2003):** Thyroid function tests and hypothyroidism. *BMJ Feb. 8;326(7384): 295-6.*
 - **Topol EJ and Yadav JS. (2000) :** Recognition of the importance of embolization in atherosclerotic vascular disease. *Circulation*; 101:570-580.
 - **Tunstall – Pedoe H, Kuulasmaa K, Mahonen M, et al. (1999) :** Contribution of trends in survival and coronary-event rates to changes in coronary heart disease mortality : 10-year results from 37 WHO MONICA project populations. Monitoring trends and determinants in cardiovascular disease. *Lancet*; 353:1547-1557.
-

- **Utiger RD. (1995)** : Altered thyroid function in nonthyroidal illness and surgery: to treat or not to treat? *N Engl J Med* ; 333 : 1562-1563.
- **Valcavi R, Menozzi C and Roti E. (1992)** : Sinus node function in hyperthyroid patients. *J clin Endocrinol Metab*; 75: 239-242.
- **Vexiau P, Perez –Castiglioni P, Socie G, et al. (1993)** : The euthyroid sick syndrome incidence risk factors and prognostic value soon after allogeneic bone marrow transplantation.
- **Vita JA, Treasure CB and Nabel EG. (1990)** : Coronary vasomotor responses to acetylcholine relates to risk factors for coronary artery disease. *Circulation*; 81:491 – 497.
- **Vogel RA, Corretti MC, Plotnick GD. (1997)** : Effect of a single high-fat meal on endothelial function in healthy subjects. *Am J Cardiol* ;79:350-354.
- **Vogel RA. (1990)** : Comparative clinical consequences of aggressive lipid management, coronary angioplasty and bypass surgery in coronary disease. *Am J Cardiol*; 69: 1229-1233.
- **Vogel RA. (1997)** : Coronary risk factors, endothelial function, and atherosclerosis : A review. *Clin cardiol*; 20: 426-432.
- **Walker J D, Crawford RA, Mukherjee R and Spinale F G. (1995)**: The direct effects of 3,5,3` – triiodothyronine (T3) on myocyte contractile processes. Insights into mechanisms of action. *J thoracic cardiovasc Surg*; 110 : 1369 – 79.

-
- **Wartofsky L and Burman KD. (1982)** : Alterations in thyroid function in patients with systemic illness: the euthyroid sick syndrome. *Endocrin Rev*; 3: 164-217.
 - **Waters D, Cravem TE and Lesperance J. (1993)** : Prognostic significnat of coronary atherosclerosis. *Circulation*; 87:1067-1075.
 - **Weber KT, Szidon JR, et al. (1986)** : Exertional dyspnea in cardiopulmonary exercise testing : physiologic principles and clinical applications. Philadelphia : W.B. Saunders;P. 445- 456.
 - **White HD and Van de Werf FJ.(1998)** : Thrombolysis for acute myocardial infarction. *Circulation*; 97:1632-1646.
 - **Williams PL and Dason M. (1992):** The thyroid Function. In Williams P.L.(eds.), *Gray's Anatomy*, 37th ed., London, Churchill Livingstone. PP 1459-1462.
 - **Wilson BE, New mark SR, et al. (1994)** : Thyrotoxicosis induced congestive heart failure in an urban hospital. *Am J Med*; 308 : 344-348.
 - **Wilson PWF. (1994)** : Established risk factors and coronary artery disease. The Framingham Study. *An J Hypertens*; 7:75 – 125.
 - **Witstum JL. (1993)** : Role of oxidized low density lipoprotein in atherosclerosis. *Br Heart J*; 69 (suppl) : 512 – 518.
 - **Wolfgang H. (1996)** : The Thyroid in: *Cecil Text Book of Medicine*. J Claude Book of Medicine. J Claude Bennett, Ferd Plum (eds.). 20th ed; P.1227-1244.
-

- **Yeung AC, Vekshtein VI, Krantz DS, Vita JA, Ryan TJ and Gantz P. (1991)** : The effect of atherosclerosis on the vasomotor response of coronary arteries of mental stress. *N Engl J Med*; 325:1551 – 1556.
- **Yi – Da Tang, James A, Kuzman A, Suleman Said MS, Brent E, Anderson, BS , Xuejun Wang and Martin Gerses. (2005)** : Low thyroid function leads to cardiac atrophy with chamber dilatation, Impaired myocardial blood flow, loss of arterioles, and severe systolic dysfunction. *Circulation*; 112: 3122 –3130.
- **Zargar AH , Gnaie MA , Masoodi SR , Laway BA , Bashir MI, Wani A and Salahuddin M, (2004)** : Prevalence and pattern of sick euthyroid syndrome in acute and chronic non-thyroidal illness – its relationship with severity and outcome of the disorder. *JAPI* ; 52 (1) 27-31.