

List of tables

	Pages
Table 1 Type, identification and date of observed defects.	50, 51
Table 2 Ream values across the saleable width in the selected samples.	71
Table 3 Variations of the main oxides percentages (in glass composition) and ream values in left, center and right positions in glass ribbon in the sample of 30/4/2002	72
Table 4 Variations of the main oxides percentages (in glass composition) and ream values in left, center and right positions in glass ribbon in the sample of 30/5/2002	72
Table 5 Variations of the main oxides percentages (in glass composition) and ream values in left, center and right positions in glass ribbon in the sample of 30/6/2002	73
Table 6 Variations of the main oxides percentages (in glass composition) and ream values in left, center and right positions in glass ribbon in the sample of 28/7/2002	73
Table 7 Variations of the main oxides percentages (in glass composition) and ream values in left, center and right positions in glass ribbon in the sample of 30/8/2002	74

Table 8	Variations of the main oxides percentages (in glass composition) and ream values in left, center and right positions in glass ribbon in the sample of 16/9/2002	74
Table 9	Variations of the main oxides percentages (in glass composition) and ream values in left, center and right positions in glass ribbon in the sample of 7/10/2002	75
Table10	Variations of the main oxides percentages (in glass composition) and ream values in left, center and right positions in glass ribbon in the sample of 8/10/2002	75
Table 11	The normal composition of normal, Stone-free glass during the period of months from April to October 2002 and the average of that composition during the mentioned period	77
Table12	X-ray analysis of a sample containing silica scum	78
Table13	X-ray analysis of a sample containing cristabolite	79
Table14	X-ray analysis of a sample containing tridymite	79
Table 15	X-ray analysis of a sample containing ream knots	80
Table 16	X-ray analysis of a sample containing super structure rundown	81

Table 17 Typical chemical composition for a type of low-silica brick	81
Table 18 X-ray analysis of a sample containing High alumina refractory	82
Table 19 Typical chemical composition for a type of alumina refractories from mullite class	82
Table 20 absorption & thickness values at constant Fe₂O₃% in glass	83
Table 21 absorption & Fe₂O₃ % values at constant thickness	84
Table 22 Zebra angles at each strip of the 4 equal parts representing the full width of the ribbon in different samples during the period of study	85