

REFERENCES

- Abdein, A.S., 1974,
Oil and Gas discoveries in the Northern Western
Desert of Egypt :
WEPCO., Alexandria (Internal report).
- Abd El-Fattah, A., and Omer, A.M., 1975,
Introduction to statistical methods.
Cairo progress publ. Co., Cairo, 385 P.
- Abd El-Fattah, A., El-Desoky, M., and El-Rahman, M., 1984,
Analysis of seismic stratigraphy and facies in the
eastern part of Qattara Depression, north Western
Desert, Egypt, Abstracts, P.25
- Abd El-Rahman, M., El-Desoki, A., and El-Hefnawy, M., 1984,
Seismic studies and subsurface geologic structural
relation in east Qattara Depression, Egypt : 3rd
Annu. Conf., Egypt. Geophys. Soc., Egypt, P. 23-24.
- Abu El-Ata, A.S.A., 1981,
A study on the tectonics and oil potentialities of
some Cretaceous-Jurassic basins, Western Desert,
Egypt, Using geophysical and subsurface geological
data, PH. D. Thesis, faculty of Science, Ain Shams
Universty, 568 P.

Abu El-Ata, A.S.A., 1984,

Comprative study between the structural origins of
Abu Roash and Khatatba uplifts, Western Desert
Egypt, as deduced from geophysical data : 3 rd Annu.
Conf., Egypt Geophys. Soc., P. 17

Agocs, W.B., 1951,

Least square residual anomaly determination,
Geophys., Vol. 16, PP. 686 - 696.

Amin, M.S., 1959

Summary report of the results of oil exploration in
the Western Desert of Egypt (U.A.R.) Petr. General
Authority (memeographed)

Amin, M.S., 1961,

Subsurface features and oil prospects of the
Western Desert, Egypt, U.A.R., 3rd Arab petroleum
cong., Alexandria, V. 2, 8 P.

Awad, W.K., Riad, S., and Refai, E., 1983,

Gravity trend analysis for the northern plateau of
Bahariya Oasis : 2nd. Ann. Meeting, Egypt. Geophys.
Soc., Egypt, P. 292 - 309.

Ball, J., 1927,

Problems of the Libian Desert, Geograph. J., Vol.
70, PP. 21 - 38, 105 - 128, 209 - 212, 512.

Bancroft, A.M., 1960.

Gravity anomalies over buried step : four.
Geophys. Resear. 65, 1630. I

Barakat, M.G., 1982,

General review of the petroliferous provinces of
Egypt with special emphasis on their Geologic
Setting and oil potentialities. Bull. of the Fac.
of Science, Cairo Univ., No. 42, PP. 325 - 339

Baranov, V., 1954,

Sur une methode analytique de calcule l'anomalie
regionale, geophysical prospecting V. 2, PP. 203 -
226

Bayoumi, A.I. and El-Gamili, M.M., 1969,

An attempt for the estimation of the basement
depths in the north western desert of Egypt. Sci.
and Techn. Bull., Assiut Univ. Vol. 12, part II

Bayoumi, A.I., and Shereef, R., 1969,

The geologic conditions controlling the
distribution of seismic velocities in the northern
Western Desert of Egypt., Bull. of the faculty of
Science, Cairo University No. 43.

Bayoumi A.I. and Sabri, A.M., 1970,

The subsurface geologic conditions in relation to
regional gravity anomalies, Qatrani-Wadi El-Natrun
area, north Western Desert, Egypt, U.A.R. Bull.
Fac. Sci., Ain shams Univ., No. 15, P. 107 - 127

Bayouni, A.I., and Awad, G.M., 1972,

Geophysical study on the area east of Bahariya Oasis, Western Desert, the 8th Arab Pet. Cong. Algiers.

Bayouni A.I., and Bacili, M., 1976,

Implication of gravity anomalies to tectonic parameters, Geological society of Africa (conference on Africa Geology, Khurtoum).

Bayoumi, A.I., and Sayed, M.A., 1976,

Geoelectrical investigation on the underground water resources of Ras El-Hekma, Mediterranean littoral zone, Egypt, Faculty of Science, Cairo University, Bull., Vol. 46, No. 25

Bayoumi, A.I., Abd Allah, A., and Abd El-Rahman, F., 1977,

A contribution to the tectonic activities in the area west of the Nile Delta and Northern Egypt : VI colloquium of the geology of the Aegean region, Bull. Athens, P. 813 - 826

Beadnell, H.J.L., 1905,

The relation of Eocene and Cretaceous systems in Esna Aswan reach of the Nile valley; Quat. Journ. Geol. Soc., London, Vol. 61, PP. 667 - 678

Beckman, J.P., 1967,

Stratigraphy and regional Geology of the Northern
Western Desert, the Geological Society of Egypt,
Cairo.

Bhattacharya, B.K., 1966.

Continuous spectra of the total magnetic field
anomaly due to a rectangular prismatic body,
Geophysics, Vol. 31, P. 97 - 121

Bott, M.H., and Smith, R.A., 1958,

The Estimation of limiting depth of gravitating
bodies. Geoph. Prosp. Vol. 6, P. 1 - 10.

Bott, M. H., 1965,

A geophysical study of the granit problem : Quart.
Jorn. Geol. Soc. London V. 112, P. 45 - 67.

Briden, J.C., 1967,

Recurrent continental drift of Gondwanaland.
Nature, V. 215, P. 1334.

Bullard, E.O., and Cooper, R.I., 1948,

Determination of the masses necessary to produce a
given gravitational field, proc. Roy, Soc. Asv.
(London) ser, A 194, PP. 332 - 347

Butzer, K.W., 1959,

Environment and human ecology in Egypt during predynastic and early dynastic times : Bull. Soc. Geograph. Egypt. V. 32, P. 42 - 88.

Cassano, E., and Rocca, F., 1975,

Interpretation of magnetic anomalies using spectral estimation techniques. Geoph. Prosp. Vol. 23, P. 663 - 681

Constantinescu, L., and Batezatu, R., 1961

Contributii la interpretarea fizica a anomaluor cimpurilor potentialae. Problem de Geophysica, R.P.R.I., I.

Cotton, 1942,

Climatic accidents in landscarpes-making. John Wiley and sons, New York, 354 PP.

Danes, Z.F., and Oncley, L.A., 1962,

The analysis of some second derivative methods : Geoph. Vol. 27, PP. 611 - 616.

Darwish, Y.A.M., 1979,

Geological interpretation of gravity anomalies on the Qattara Depression area Western Desert, Egypt PH.D.Thesis, Asuit Univ. Geol. Depart. Asuit, 177 P

Deibis, S., 1976,

Oil potential of the Upper Cretaceous sediments in North Western Desert, Egypt : Fifth Exploration Seminar of Egyption General Petroleum Corporation, Cairo, 20 P.

Demenitskaya, R.M., and Belaevsky, N.A., 1969

The relation between the Earth's Crust, Surface Relief, and Gravity field in the USSR. "In the Earth's crust and upper Mantle" ed. Hart, P.J., geophysical monograph, 13, American Geophysical Union, Washington, 312 -319

Dennis, S.W., 1984:

The tectonic framework of petroleum occurrence in the Western Desert of Egypt, EGPC 7th Exploration Seminar, Cairo.

El-Etr, H.A., 1971,

Analysis of Air photo Lineation of Darheeb district, south Eastern Desert, U.A.R. Annals Geol. Surv., Egypt, V.1, P. 83 - 108.

El-Etr, H.A., and Moustafa, A.R., 1978,

Structural setting of Siwa region, a morphotectonic approach in Monograph on the Geology and Prehistory of Siwa Oasis (ed. F.A. Hassan). Washington state Univ., Pullman. P. 344 - 379.

El-Gamili, M.M., 1968,

Regional geophysical investigation, Northern
Western Desert, Egypt : PH.D. Thesis, Fac : of
Sci., Assiut Univ., Assiut, Egypt, 276 P.

El-Hussaini, A.M., 1973,

Geological interpretation of gravity data of
Faghur-Umbarka area, Western Desert, Egypt : PH.D.
Thesis, Fac. of Sci., Assiut Univ., Assiut, Egypt.

El-Kins, T.A., 1951,

The second derivative method of gravity
interpretation : Geophysics, Vol. 16, P. 29 - 50.

El-Malky, M.G., 1974,

Geophysical study on the area south west of wadi
El-Natrun Northern Western Desert of Egypt, M. Sc.
Thesis, Ain Shams Univ. Geol. Dept.

El-Shazly, E.M., 1964,

The classification of the Precambrian and other
rocks of magnetic affiliation in Egypt, Intern.
Geol. Congr., India.

El-Shazly, E.M., 1966,

Structural development of Egypt, UAR : Geol. Soc.
Egypt, Abstracts, P. 31 - 38

El-Shazly, E.M., Abd El-Hady, M.A., El-Ghawaby, M.A., Khawasik,

S.M. and El-Shazly, M.M, 1976 ,
Geological interpretation of landsat images for the
Qattara Depression area, Egypt : Remote sensing
Research Project, Acad. Sci. Res. & Technol.,
Cairo, Egypt. 34 P.

El-Shazly, E.M., 1977,

Geology of the Egyption region, In : NARIN,
A.E.M., STEHLI, F.G. & KANES W.H. (eds.) The Ocean
basins and margins, 4 A, the Eastern Mediterranean,
P. 379 - 344.

El-Shazly, E.M., Abd El-Hady, M.A., El-Ghawaby, M.A., Salman,

A.B., El-Kassar, I.A., Khawasike, S.M., El-Amin,
H., El-Rakaiby, M.M., 1980,

The structural Lineaments Map of Egypt (scale 1 :
1000,000) based on landsat-1 imagery interpretation
and field investigations (Remote sensing center,
Cairo, OKL. State. Univ., Stillwatter, OKL., U.S.A.

Evjin, H.M., 1936,

The place of the vertical gradient in gravitational
interpretation. Geophys. Vol. I, No. I, P. 127 -
136.

Faltas, F., 1959,

The Western Desert through the Ages; Egypt first
Arab Petroleum Cong. P. 46 - 53

Fisher, J.W., 1941

Limiting Values of gravity and magnetic anomalies
due to subterranean structures bounded by a single
differential surface : Geophysics, V.6, No. 1, P. 1
- 33.

Geldart, L.P., Gill, D.E. and Sharma, B., 1966,

Gravity Anomalies of two-Dimensional Faults.
Geophys., Vol. 31, No. 2, P. 372 - 397.

Ghorab, M., 1960,

Geologic observations on the surface and subsurface
petroleum indications in the United Arab Republic :
2nd Arab Cong., Beirut, V.2, P. 25 - 38

Girdler, R.W., 1965,

The Role of transitional and rotational movements
in the formation of the Red Sea and Gulf of Aden.
The world Rift system, Geol. Surv. of Canada, Paper
66 - 14, P. 65.

Girdler, R.W., 1969,

The Red Sea, A geophysical background in Hot Brines
and Recent Heavy Metal Deposits in the Red Sea.
Springer-Verlag, New York, pp. 38 - 58.

Grant, F.S., 1952 ,

Three dimensional interpretation of Gravitational
Field Geophys. Vol. 17

Grant, F.S., 1954 ,

A theory for the regional correction of potential
fields, Geophysics, Vol. 19. pp. 23 -41.

Grant, F.S., and West G.F., 1965,

Interpretation theory in applied geophysics. Mc.
Graw-Hill co., New York, 320 PP.

Green, R., 1976,

Accurate determination of the dip angle of a
geological contact using the gravity method :
Geophys. Prosp., 24, pp. 265 - 272.

Griffin, W.R., 1949,

Residual gravity in theory and practice. Geophys.,
Vol. 14.

Gudmundsson, G., 1966,

Interpretation of one-dimensional magnetic anomalies by use of the Fourier transform, Geophys. J.R. Astron. Soc., Vol. 12, p. 87 - 97.

Hadyson, R.A., Gay, S.P., Jr., and Benjamins, Janet, Edlors, 1976, proceedings of the first Internatinal Congerence on the New Basement tectonics, Utah Geophysical Association Publication No. 5, P. 636.

Halsey, J.H., 1975,

Interpretation of Erts Linears : unpublished lecture delivered from Egyption Geologists in Cairo, GPC.

Halsey, J.H., and Gardner, W.C., 1975,

Tectonic analysis of Egypt using Earth Satellite data : lecture given to Egyptian geologists in Cairo.

Hammer, S., and Anzoleaga, R., 1975,

Exploration for stratigraphic trap with gravity gradients, Geophysics, Vol. 40, P. 256 - 268.

Health, G.P.M., 1975,

Transcurrent Faulting and Tectonic of the Gulf of Suez area "Gulf of Suez Petroleum Co." Explor. Report No. 223.

Henderson, R.G. and Zietz, L. 1949,

The computation of second vertical derivative of geomagnetic fields. Geophysics, Vol. 14, PP. 517 - 534 .

Henderson, R.G., 1960,

A comprehensive system of automatic computation for magnetic and gravity interpretation Geophysics, Vol. 25, No. 3, PP. 576 - 585.

Hughes, D.S., 1942,

The analytical basis of gravity interpretation Geophys., Vol. 7, No. 2, P. 169 - 179.

Hume, W.F., 1925,

The surface features of Egypt, their determining causes and relation to geological structure, Geology of Egypt, Vol. 1, Egypt survey Dept. Cairo, PP. 408.

Ibrahim, A.H., 1986,

Gravitational and Evolutionary studies on the Abu Gharadiq sedimentary basin and the surrounding Areas, North Western Desert, Egypt, PH.D. Thesis, Fac. of Sci., Assiut Univ. Assiut, Egypt, PP. 183.

Kostandi, A.B., 1963,

Eocene facies map and tectonic interpretation in the Western Desert, U.A.R. Inst. Francais Petrole. Rev. V. 18(10), P. 17 - 29.

Meshref, W.M., and El-sheikh, M.M., 1973,

Magnetic tectonic trend analysis in northern Egypt : Egypt. J. Geol. V.17(2), P. 179 - 184.

Meshref, W.M., 1982,

Regional structural setting of Northern Egypt : 6th E.G.P.C. Exploration seminar, Cairo, Egypt., V.1, P. 17 - 34.

Mesko, C.A., 1965,

Some notes concerning the Frequency Analysis for Gravity interpretation : Geophys. Prosp., Vol. 13, P. 17 - 29.

Moody, J.D., 1973,

Petroleum Exploration aspects of Wrench Fault Tectonics. Am. Assoc. petr. Geol. Bull., Vol. 57 No.3., P. 449 - 477.

Murray, G.W. 1951,

The Egyptian Climate. An Historical outline. Geograph J., V.117. P. 422 - 434.

Neidel, N.S., 1966,

Spectral studies of marine geophysical data,
Geophys., Vol. 31, P. 122 - 134

Nettleton, L., 1954,

Regional residuals and structures : Geophys., Vol.
19, No. 1, P. 1 - 22.

Nettleton, L., 1976,

Gravity and Magnetics; Mc Graw Hill Book Company,
New York, P. 464.

Odegard, M.E., and Berg, T., 1965,

Gravity interpretation using Fourier integral,
Geophys., Vol. 30, P. 424 - 438.

Othman, A.A., 1975,

Geophysical study of Bahariya Oasis area, Western
Desert, Egypt : M. Sc. Thesis, Fac. Sci., El-Azhar
Univ., Cairo.

Paul, M.K., 1967,

A Method of Computing Residual Anomalies from
Bouguer Gravity map by applying relaxation
technique : Geophys., Vol. 32.

Peters, L., 1949,

The direct approach to Magnetic interpretation and its applications. Geophys., Vol. 31.

Pick, M., Picha, J., and Vyskocil, V., 1973,

"Theory of the Earth's Gravity Field" Academia, publ. House of the Czechoslovak Academy of Sciences, Prague, 538 p.

Podwysocki, M., 1976,

Proceedings of the second international conference on the new Basement Tectonics. New York, Del.

Rao, K.G.C., and Avasthi, D.N., 1973,

Analysis of the Fourier spectrum of the gravity effect due to two-dimensional trigonal prism, Geophys. Prospect., Vol. 21, P. 526 - 542.

Refai, E., Riad, S., and Tealab, A., 1973,

The main tectonic trends of West Cairo area, Egypt. Bull, No. 2, P.22 - 35.

Riad, S., 1969,

Using gravity survey for studying deep structures of the North African Platform within the North-Eastern part of U.A.R. Ph.D. Thesis, Moscow.

Riad, S., 1975,

Shear zones in Northern Egypt interpreted from Gravity data, 16, IUGG, General Assembly, Inter. Dsciplinary Symposium No.5, 12 PP.

Riad, S., 1977,

Shear zones in North Egypt, interpreted from gravity data. Geophys., Vol. 42, No. 6

Riad, S., Alia El-Housseini and Darwish, Y., 1978

Analysis of Gravity anomalies in the Qattara Depression area, Western Desert Egypt, and their Tectonic Significances. Bull. Fac. Sci., Assiut Univ., Vol. 7, No 1, P. 335 - 348 .

Riad, S., El-Etr, H.A., and Mohamed, M.A., 1978,

Gravity Tectonic trend analysis of Siwa-Al- Jajboub Oasis area, Proceedings of the second symposium on the Geology of Libya, Trepoli, Septem. 16 - 21. Vol. 111, P. 979 - 989.

Riad, S., Refai, E., and Shafei. S., 1978,

Gravity tectonic trend analysis in Tushka area, southeastern corner of the Western Desert, Egypt. Bull faculty of Science, Assiut Universty, Vol.7, No. 1, P. 319.

Riad, S., 1979,

Determination of the parameters of inclined faults using gravity data : paper presented at the 41st. EAEG.meeting, Hamburg.

Riad, S., Refai, E., and Ghalib, M., 1982,

Bouguer anomalies and crustal structure in the Eastern Mediterranean, Tectonophysics, Vol. 71, PP. 253 - 266.

Riad, S., El-Etr, H.A., and Abdel Mokhles, 1983,

Basement tectonics of Northern Egypt as interpreted from gravity data. Proceedings of the 4th Inter. Conferr. on Basement Tectonics, Vol. 4.

Riad, s. and El-Etr, H.A., 1985,

Bouguer Anomalies and Lithosphere - Crustal thickness in Uganda. Jour.of Geodynamics, 3, 169 - 186.

Riad, S., and Tealeb, A., 1985,

Regional Gravity Anomalies in North-Eastern Africa and their structural significance Geophysics, V. 42 (6), P. 1207 - 1214.

Romberg, F.E., 1958,

"Key variables of gravity" Geophys., Vol. 23.

Rosenbach, O., 1953,

A Contribution to the Computation of "Second derivative" from gravity data Geophys. Vol. 18, PP. 894 - 912.

Said, R., 1960,

New light on the origin of the Qattara depression. Bull. Soc. Geograph. Egypt, Vol 33, PP. 37 - 44.

Said, R., 1962,

The Geology of Egypt., El-Sevier publ., Co., Amestrdam, New York.

Said, R., and Issawi, B., 1965,

Geology of the northern plateau Bahariya Oasis, Egypt: Geological survey of Egypt, paper No. 29, P. 170 - 186.

Said, R., 1974,

The Geological evaluation of the River Nile In international conf. Northeast African and Levantine Pleistocene prehistory southern Methodist Unv., Dellas, Texas.

Salem, M.R., 1976 ,

Evolution of Eocene-Miocene sedimentation patterns in parts of northern Egypt. AAPG Bulletin, vol. 60, No. 1.

Saxov, S., and K. Nygaard, 1953,

Residual anomalies and depth estimation. Geophys.,
Vol. 18.

Sazhina, N., and Grunshinsky, N., 1966,

Gravity prospecting. Mir publisher, U.S.S.R.
(Translated from Russian in 1971).

Sharaf, M., 1984,

Interpretation of Bouguer anomalies of El-Faiyum
area in terms of subsurface geologic structures :
Ph.D. Thesis, Fac.Sci., Assiut Univ., Sohag, 161 P.

Sharma, B., and Geldart, L.P., 1968,

Analysis of gravity anomalies of two-dimensional
faults using Fourier transforms, Geophys.
Prospect., Vol. 16, No 1, P. 77 - 93.

Sharma, B. and Vays, M.P., 1970,

Gravity anomalies of a fault cutting a series of
Beds. Geophys. Vol. 35(4), P.708.

Shata, A.A., 1953,

A New light on the structural development of the
Western Desert of Egypt. Bull. Inst. Desert,
Egypt, Vol. 3(1), P. 101 - 106.

Shata, A.A., 1955,

An introductory Note on the Geology of Northern
portion of the Western Desert. Bull Inst. Desert,
Egypt, Vol. 4, P. 96 - 106.

Shukri, N.M., 1954,

Remarks on the geological structure of Egypt :
Bull. Soc. Geograph. Egypt, V.27, P. 65 - 82.

Sigaev, N.A., 1959,

The main tectonic Features of Egypt an explanatory
not to the tectonic map of Egypt published in
1967, Geol. Surv., Cairo, paper No.39,26 P.

Simpson, S.M., (Jr), 1954,

Least square polynomial fitting to gravity data and
density plotting by digital computers, Geophys.,
Vol. 19, PP. 255 - 269.

Skeels, D.C., 1947,

Ambiguity in gravity interpretations, Geophys. Vol.
12, P. 43-56.

Skeels, D.C., and Watson, R.J., 1949,

Derivation of magnetic and gravitational quantities
by surface integrations, Geophys., Vol. 14, P. 133
- 150.

Skeels, D.C.,1963,

An approximate solution of the problem of maximum
depth in gravity interpretation, Geophys. Vol. 28,
No. 5, P. 724.

Smith, R.A., 1959,

Some depth formula for local magnetic and gravity anomalies. Geophysical prospecting, Vol. 7, P. 55-63.

Soliman, S.M., and El-Badry, O., 1970,

Nature of Cretaceous sediments in Western Desert, Egypt. Am. Assoc. Petroleum Geologists Bull., V. 54(12), P. 2349 - 2370.

Solovyev, O.A., 1962,

Use of the Frequency Method for the determination of some parameters of Magnetic Bodies, V, 12 Akad Naukss Geopfizika, PP. 122 - 152.

Spector, A., 1968,

Spectral analysis of aeromagnetic data, Ph.D., Thesis, University Toronto, Canada.

Spector, A., and Grant, F.S., 1970,

Statistical models for interpreting aeromagnetic data, Geophysics, Vol. 35, P. 293 - 302.

Swartz, C.A., 1954,

Some Geometrical properties of regional maps : Geophys. Vol. 19, PP. 46 - 70.

Swidan, A., Ibrahim, A., EL-Nattar, I., and Abbas, M., 1982,

Geology of area north of Bahariya Oasis and south of Qattara depression, Western Desert, Egypt. In Ann. of Geological Survey of Egypt, Vol. XII, PP. 283-303.

Tadros, S., and Babaev, A.G., 1968,

Geology of U.A.R., report about oil and gas
prospect of U.A.R. General Petroleum Company,
Vol.1, Book 2.

Tealeb, A., 1979,

Major tectonic patterns in north Egypt in View of
statistical analysis of the Bouguer anomaly :
Helwan Institute of Astronomy and Geophysics paper
presented at the 6th. annual meeting of the EGS at
Vienna, Sept. 1979.

Telford, W.M., Geldart, L.P., Sheriff, R.E. and Keys, D.A., 1976,
Applied Geophysics : Cambridge University Press,
London, 860 P.

Till, R., 1974,

The Spareman rank correlation coefficient.
Statistical method for the earth scientist, PP. 131
- 134.

Treitel, S., Clement, W.G., and Kaul, K., 1971,

The spectral determination of depth to buried
magnetic basement rocks, Geophys. J. R. astr. Soc.,
vol. 24, P. 415 - 428.

Trejo, C.A., 1953,

A note on the Downward continuation of Gravity :
Geophys. vol.19, PP. 71 - 75.