

Content

| Contents | | Page |
|---------------------|-----------------------------------------------------|------|
| Summary | | ix |
| Introduction | | |
| 1 | Functional dyes | 1 |
| 1.1 | Functional dyes can be used in the following fields | 3 |
| 2 | Antimicrobial dyes | 4 |
| 3 | Chemical finishes | 6 |
| 3.1 | Requirements for antimicrobial finish | 7 |
| 3.2 | Necessity of antimicrobial finishes | 7 |
| 3.3 | Types of antimicrobial | 8 |
| 3.3.1 | Leaching type (conventional antimicrobial) | 8 |
| 3.3.2 | Non- leaching type | 8 |
| 4 | Antimicrobial agents | 9 |
| 4.1 | Chlorinated phenols | 9 |
| 4.2 | Silyquatarnary compounds | 9 |
| 4.3 | Tolysulfone compounds | 10 |
| 4.4 | Inorganic compounds | 10 |
| 4.4.1 | Silver zeolite complexes | 10 |

Content

| | | |
|-------|-------------------------------------------|----|
| 4.4.2 | Silver- polyhexamethylbiguanide complexes | 11 |
| 4.4.3 | Zn-silver, zeolite complexes | 11 |
| 4.4.4 | Silver – zirconium salts | 11 |
| 4.5 | Organic compounds | 11 |
| 4.5.1 | Polyvinyl pyridines | 12 |
| 4.5.2 | Diammonium rings | 12 |
| 4.5.3 | Photosensitizing compounds | 12 |
| 4.5.4 | Quaternary ammonium compounds | 12 |
| 4.5.5 | Chitosan | 12 |
| 4.5.6 | N-Halamine compounds | 13 |
| 5 | The combination of dyeing and finishing | 13 |
| 6 | Cationic (Basic) Dyes | 14 |
| 6.1 | Historical and General | 14 |
| 6.2 | Chemical Nature of cationic (Basic) Dyes | 15 |
| 6.3 | Classification of Basic Dyes | 16 |
| 6.3.1 | GROUP 1 | 16 |
| 6.3.2 | GROUP 2 (Derivatives of triphenylmethane) | 17 |
| 6.3.3 | GROUP 3 | 17 |
| 6.3.4 | GROUP 4 | 18 |

Content

| | | |
|-------|---------------------------------------------|----|
| 6.3.5 | GROUP 5 | 18 |
| 6.3.6 | GROUP 6 | 19 |
| 6.3.7 | GROUP 7 | 19 |
| 6.3.8 | GROUP 8 | 20 |
| 6.4 | Chemistry and General | 22 |
| 6.5 | Properties of Basic Dyes | 24 |
| 6.6 | Use of cationic (Basic) Dyestuffs | 27 |
| 6.7 | Theory of Dyeing with Basic Dyestuffs | 27 |
| 6.8 | Nature of Substantivity | 29 |
| 6.9 | Dissolving Basic Dyes | 29 |
| 6.10 | Assistants | 29 |
| 6.11 | Application of Basic Dyes to Silk | 30 |
| 6.12 | Application of Basic Dyes to Wool | 30 |
| 6.13 | Application of Basic Dyes to Cellulose | 31 |
| 6.14 | Application of Basic Dyes to Acrylic Fabric | 31 |
| 7 | Acrylic Fibers | 31 |
| 7.1 | Historical and General | 31 |
| 7.2 | Manufacture of Acrylic Fibres | 35 |
| 7.2.1 | Acrylonitrile Properties | 35 |

Content

| | | |
|----------|--------------------------------------------|----|
| 7.2.2 | Polymerization | 35 |
| 7.3 | Chemical Composition | 35 |
| 7.4 | Properties of Acrylic Fibres | 38 |
| 7.4.1 | Physical Properties | 38 |
| 7.4.1.1. | Shape and Appearance | 38 |
| 7.4.1.2 | Density | 39 |
| 7.4.1.3 | Tensile | 39 |
| 7.4.1.4 | Tenacity | 39 |
| 7.4.1.5 | Specific Gravity | 39 |
| 7.4.1.6 | Moisture Absorption | 39 |
| 7.4.2 | Thermal Properties | 39 |
| 7.4.3 | Mechanical Properties | 40 |
| 7.4.4 | Chemical Properties | 40 |
| 7.4.4.1 | Effect of Alkalis | 40 |
| 7.4.4.2 | Effect of Acids | 40 |
| 7.4.4.3 | Effect of Organic Solvents | 40 |
| 7.4.4.4 | . Effect of Oxidizing Agent and Detergents | 41 |
| 7.4.4.5 | Effect of Sunlight | 41 |

Content

| 2.Results and Discussion | | |
|---------------------------------|-------------------------------------------------------------------------------------------|----|
| 2.1. | Introduction | 42 |
| 2.ॲ | Synthesis of mono and di–substituted cationic dyes | 46 |
| 2.ॲ.1 | Synthesis of mono– substituted cationic dyes | 46 |
| 2.ॲ.1.1 | Synthesis of 1-chloroacetamido 9,10 – anthracenedione | 46 |
| 2.ॲ.1.2 | Synthesis of mono– substituted cationic dyes | 47 |
| 2.ॲ.2 | Synthesis of di– substituted cationic dyes | 48 |
| 2.ॲ.2.1 | Synthesis of 1,4-bis (chloroacetamido)9, 10 – anthracenedione | 48 |
| 2.ॲ.2.2 | Synthesis of di– substituted cationic dyes | 49 |
| 2.ॳ | Structure Elucidation of the synthesized dyes | 49 |
| 2.ε | Dyeing performance and fastness properties of the synthesized antibacterial cationic dyes | 51 |
| 2.ε.1 | Factors affecting dyeing of acrylic fabric | 51 |
| 2.ε.1.1 | Effect of dyeing pH | 51 |
| 2.ε.1.2 | Effect of dyeing temperature | 53 |
| 2.ε.1.3 | Effect of dyeing time | 55 |
| 2.ε.1.4 | Effect of dye concentrations | 56 |
| 2.4.Υ. | Fastness Properties | 58 |

Content

| | | |
|-----------------|----------------------------------------------------------------------------------------------------------|----|
| 2.5 | Effect of Number of washing Cycles on antibacterial efficacy and colour strength. | 60 |
| 2.5.1 | Antibacterial Activity | 60 |
| 2.5.2 | Effect of Number of washing Cycles on antibacterial efficacy and colour strength. | 61 |
| 3. Experimental | | |
| 3.1 | Materials | 76 |
| 3.1.1 | Substrate | 76 |
| 3.1.2 | Chemicals and instrumentation | 76 |
| PART I | | |
| 3.2 | Synthesis of mono and bi substituted cationic dye | 77 |
| 3.2.1 | Synthetic procedures, Elemental analysis and Spectral data; IR, ¹ HNMR and ¹³ CNMR | 77 |
| 3.2.1.1 | Synthesis of IH | 77 |
| 3.2.1.2 | Synthesis of ID | 78 |
| 3.2.1.3 | Synthesis of IHD | 78 |
| 3.2.1.4 | Synthesis of IB | 79 |
| 3.2.1.5 | Synthesis of IO | 79 |
| 3.2.1.6 | Synthesis of IIH | 79 |
| 3.2.1.7 | Synthesis of IID | 80 |

Content

| | | |
|------------|------------------------------------------------------------------------------------------------------------------|----|
| 3.2.1.8 | Synthesis of IIHD | 81 |
| 3.2.1.9 | Synthesis of IIB | 81 |
| 3.2.1.10 | Synthesis of IIO | 82 |
| 3.3 | Dyeing procedures, Color measurements, Fastness testing and measuring antibacterial activity of the Dyed Samples | 83 |
| 3.3.1. | Exhaust dyeing and application properties of the synthesized dyes | 83 |
| 3.3.1.1 | Dyeing of acrylic fabric | 83 |
| 3.3.1.2 | Color measurements | 83 |
| 3.3.1.2.1 | Color Strength | 83 |
| 3.3.1.3 | Fastness testing | 84 |
| 3.3.1.3.1 | Color Fastness to Rubbing | 84 |
| 3.3.1.3.4 | Color Fastness to Washing | 85 |
| 3.3.1.3.5 | Light Fastness | 85 |
| 3.3.1.3.6 | Color Fastness to Perspiration | 85 |
| 3.4 | Antibacterial Test Method | 86 |
| 3.4.1 | Quantitative method | 86 |
| Conclusion | | 76 |
| Reference | | 78 |

Content

List of Tables

| Table | | Page |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| 1.1 | Major Types of Polyacrylonitrile Fibres | 32 |
| 1.2 | Some Substituents in Acrylic and Modacrylic Fibre Co monomers | 35 |
| 2.1 | List of synthesized dyes | 44 |
| 2.2 | Effect of dyeing pH on the colour strength (K/S) value of acrylic fabric dyed with antibacterial dyes (2% (w.o.f.), L.R 1:50, dyeing temp 100 °C for 45 min.). | 52 |
| 2.3 | Effect of dyeing temperature on the colour strength (K/S) value of acrylic fabric dyed with antibacterial dyes (2% (w.o.f.), L.R 1:50, for 45 min). | 54 |
| 2.4 | Effect of dyeing time on the colour strength (K/S) value of acrylic fabric dyed with antibacterial dyes (2% (w. o. f.), PH: 3, L. R 1:50, dyeing temperature: 100 °C). | 55 |
| 2.5 | Effect of dye concentration on the colour strength(K/S) value of acrylic fabric dyed with antibacterial dyes (2% (w.o.f.), pH :3 , L.R 1:50,dyeing temp 100 °C for 60 min) | 57 |

Content

| | | |
|-----|----------------------------------------------------------------------------------------------------------------------|----|
| 2.6 | Fastness Properties of antimicrobial cationic dyes (2% dye, L.R 1:50, pH3 and dyeing for 60 min. at 100 °C). | 59 |
| 2.7 | Effect of contact time on antimicrobial efficacy. | 61 |
| 2.8 | Effect of washing cycle on antibacterial efficacy. Of dyed acrylic fabrics against Gram-negative (E.Colie) bacteria. | 62 |
| 2.9 | Effect of washing cycle on color strength (K/S) of dyed fabric | 63 |

List of Figures

| | | |
|------|------------------------------------|----|
| 1.1 | The structure of functional dyes | 3 |
| 1.2 | List of Figures | 15 |
| 1.3 | C.I. Basic Yellow 1 | 16 |
| 1.4 | Resonance C.I. Basic Yellow 1 | 17 |
| 1.5 | Malachite Green C.I. Basic Green 4 | 17 |
| 1.6 | Thiazine dyes structure | 17 |
| 1.7 | C.I. Basic Blue 9 | 18 |
| 1.8 | C.I. Basic Blue 6 | 18 |
| 1.9 | The azines structural unit | 18 |
| 1.10 | Perkin's Mauve | 19 |
| 1.11 | The xanthenes basic dyes | 19 |

Formatted: Justified

Content

| | | |
|------|---------------------------------------------------------------------|----|
| 1.12 | Rhodamine B (C.I. Basic Violet 10) | 19 |
| 1.13 | Acridine | 20 |
| 1.14 | Acridine Orange (C.I. Basic Orange 14) | 20 |
| 1.15 | Bismarck Brown (C.I. Basic Brown 1) | 20 |
| 1.16 | C.I. Basic Blue 49 | 21 |
| 1.17 | C.I. Basic Violet 7 | 21 |
| 1.18 | Dyes with a heterocyclic ring containing a quaternary nitrogen atom | 22 |
| 1.19 | AQ; e.g., C.I. Basic Blue 22. | 23 |
| 1.20 | Azo; e.g., C.I. Basic Red 18 type. | 23 |
| 1.21 | Oxazines; e. g., C.I. Basic Blue 3 | 23 |
| 1.22 | Thiazines; e. g., C.I. Basic Blue 9 | 24 |
| 1.23 | Xanthenes; e.g., C.I. Basic Violet 10. | 24 |
| 1.24 | Triphenylmethanes, TPM; e.g., C.I. Basic Green 4 | 24 |
| 2.1 | The chemical structure of intermediate | 44 |
| 2.2 | IR of spectra of mono- substituted dyes | 65 |
| 2.3 | IR of spectra of di – substituted dyes | 66 |

Content

| | | |
|------|-----------------------------------------------------------------------------------------------------------------------|----|
| 2.4 | ¹ H-NMR of spectra of IH | 67 |
| 2.5 | ¹ H-NMR of Spectra of ID | 68 |
| 2.6 | ¹ H-NMR of Spectra of IHD | 69 |
| 2.7 | ¹ H-NMR of Spectra of IHH | 69 |
| 2.8 | ¹ H-NMR of Spectra of IID | 70 |
| 2.9 | ¹ H-NMR of Spectra of IIHD | 71 |
| 2.10 | ¹³ C-NMR of spectra of IH | 72 |
| 2.11 | ¹³ C-NMR of spectra of ID | 72 |
| 2.12 | ¹³ C-NMR of spectra of IHD | 73 |
| 2.13 | ¹³ C-NMR of spectra of IHH | 74 |
| 2.14 | ¹³ C-NMR of spectra of IID | 75 |
| 2.15 | Effect of dyeing pH on the colour strength (K/S) value 2% (w.o.f.), L.R 1:50, dyeing temp 100 °C for 45 min. | 52 |
| 2.16 | Effect of dyeing temperature on the colour strength (K/S) value 2% (w.o.f.), L.R 1:50, for 45 min. | 54 |
| 2.17 | Effect of dyeing time on the colour strength (K/S) value 2% (w.o.f.), pH: 3, L.R 1:50, dyeing Temperature: 100 °C. | 56 |
| 2.18 | Effect of dye concentration on the colour strength (K/S) 2% (w.o.f.), pH: 3, L.R 1:50, dyeing temp 100 °C for 60 min. | 58 |
| 2.19 | K/S measurement of dyed fabric after washing. | 64 |