

REFERENCES

Abdel Salam A.Z.E; Wafaa A.M. Abdel-Naby; A.A. El-Gohary and Hanan M. Abd El-Ghll (2000): "Mutagenic effect of current application of pesticides on some cotton varieties". 2nd Arab Cong. Genet. Biotech., 239-265.

Abdel Salam, A.Z.E.; H.Z. Hassan, Fatma M.I. Badawy and Wafaa M. Abdel Naby (1993): "The mutagenic potentialities of three pesticides on three biological systems. Egypt Journal of Genetic cytology, 22: 109-128.

Abdel-Naby, Wafaa (1992): "Genetic study on some mutagenic parameters in different living system" Ph.D. Thesis Ain Shams University.

Amer, S.M. and F.A.E. Aly (2001): "Genotoxic effect of 2,4-dichlorophenoxy acetic acid an its metabolite 2,4 dichlorophenol.", Mut. Res., 494: 1-12.

Ankrah, N.A.; P.G. Addo, C.A. Abrahams, F.A. Ekuban and N.M.Addae (1993): "Cooperative effects of aflatoxin G1 and B1 at levels within human exposure limits on mouse liver and kidney" Wst. Afr. J. Med 12(2): 105-109.

- Aronson, A.I. (1994):** "*Bacillus thuringiensis* and its use as a biological insecticide". Journal of Plant breeding, Reviews, 12: 19-45.
- Atalla, F.A. (2003):** "Effect of host plant on the efficacy of *Bacillus thuringiensis* and midgut protein content in larvae of *Spondoptera littoralis* (Boisd). Egyptian Journal of Biological Pest Control, 13(1/2): 51-54.
- Attalah, F.A.; Shoeb, M.A. and Abbas, M.S.T. (2003):** "Evaluation of Agerin, a commercial formation of *Bacillus thuringiensis* against certain insect pests of cabbage" Egyptian Journal of Biological, Pest Control, 13(1/2): 115-117.
- Auerbach, C. (1962):** "Mutation, An introduction to research on mutagenesis" Part 1, Methods, Oliver and Boyd Edinburghed.
- Bagchi, D.; Balmoori, J.; Bagchi, M.; Ye, X.; Williams, C.B. and Stohs, S.J. (2000):** "Role of P53 Tumor suppressor gene in the toxicity of TCDD, endring naphthalene, and chromium (VI) in liver and brain tissues of mice". Free Radic-Biol. Med., 28(6): 895-903.
- Basyezynki, C.L.; B.D. Walden and G.B. Atkinson (1980):** "Cycloheximide induced nuclear alterations in maize root tips". Can. Journal of Gentic Cytology, 22: 319-331.

- Bertona, A.; Campagna, C. and Pasquali, F. (1994):** "Delfin: a new preparation based on *Bacillus thuringiensis*". Journal of Informatore-Fitopatologico, 44: 7-8, 20-26.
- Bollag, D.M. and S.J. Edelman (1994):** "Protein Methods". Wiley-Liss Inc., 605 Third Avenue, New York, NY 10158-0012. ISBN: 0-471-56871-6.
- Bothwell, A.; G.D. Yanco Pouls and W.A. Fredrick (1990):** "Methods for cloning and analysis of Eukaryotic genes". P.6-7.
- Boutibonnes, P. (1977):** "Effect of aflatoxin B1 on enzyme activities of *Bacillus thuringiensis* (Berliner)". Canadian Journal of Microbiology, 23(7): 931-932.
- Brian B. Spear (1987):** "Genetic Engineering of Bacterial insecticides". American Chemical Society.
- British Columbia Ministry of Health (1992):** *Bacillus thuringiensis*", Unpublished Report. (December 3).
- Cantwell, G.E., Gingrich, R.E., and Kunz, S.E. (1982):** "Activity of a thermostable extoxin of *Bacillus thuringiensis* subsp. Morrisoni in the *Salmonella* microsomal assay for bacterial mutagenicity". Journal of Invertebrate Pathology, 40, 350-358.
- Cantwell, G.E.; Argauer, R.J., and Cantelo, W.W. (1985):** Activity on the beta-exotoxin of *Bacillus thuringiensis* var. *thuringiensis* in the *E. coli* DNA Repair Assay for

bacterial genotoxicity. "Journal of Entomological Science, 20(1), 104-108.

Cantwell, G.E.; Dougherty, E. and Cantelo, W.W. (1983):

"Activity of the beta-exotoxin of *Bacillus thuringiensis* var. *thuringiensis* against the colorads potato beette (*Coleoptera: Chrysonelidae*) and bacterial mutagenic response as determined by the Ames Test. Journal of Environmental Entomology, 12 (5): 1424-1427.

Carlberg, G.; Tikkanen, L. and Abdel-Hameed, A.H.A.

(1995): 'Safety testing of *Bacillus thuringiensis* preparations, including thuringiensin, using the *Salmonella* assay" Journal of Invertebrate pathology, 66 (1), 68-71.

Carlberg, G; Kihamia, C.M. and Minjas, J. (1985):

"Microbial control of flies in latrines in Daresalaam with a *Bacillus thuringiensis* and related organisms". Journal Invertebrate Pathology 9: 12-18.

Carrie Swadener (1994): "*Bacillus thuringiensis* (B.t.)" Journal of Pesticide Reform, Vol. 14, No.3.

Champe, Pamela C. and R.A. Harvey (1987): "Lippincott's

illustrated Reviews: Biochemistry J.B. Lippincott Company, East Washington Square, Philadelphia, Pennsylvania 19105. ISBN: 0-397-50801-8.

Champe; Pamela C.; and R.A. Harvey (1987): Lippincott's

Illustrated Reviews: Biochemistry. J.B. Lippincott

Company, East Washington Square, Philadelphia, Pennsylvania 19105. ISBN: 0-397-50801.

Curtis, C.A. and G.G. Doyle (1991): "Double meiotic mutants of maize: implications for the genetic regulation of meiosis" J. Heredity, 82: 156-163.

De Barjac, H. and E. Erachon (1990): "Classification of *Bacillus thuringiensis* strains", Entomophaga. 35(2): 233-240.

El-Adawy, R.A. Wafaa, M. Abd El-Naby, S.H. Hassnein, A.S.H. Shawky and Salam, A. Z. El-Abdin (1988): "Mutagenic potentially of tetrazophos, sumithion fenephrathrin and amitraz in yeast *Saccharomyces cerevisia*". Six Annual Conf. Egypt Soc. Genet. (March).

El-Adawy, R.A.; Wafaa, M. Abd El-Naby; S. H. Hassnein, A.S.H. Shawky and Salam, A.Z. El-Abdian (1988b): "Cytogenetic effect of a nitrazin in bone marrow cells of *Rattus norvigicus*". Six Annual Conf. Egypt Soc. Genet. (march).

El-Ashry Zeinab M. (2003): "Effects of vitamin A on phosphamidon-induced mutagensis in *Vicia faba* L." Egypt, Journal of Genetic Cytology, 329: 303-316.

El-Ashry Zeinab, M. (2003): "Vitamin C antimutagenic effect against genotoxicity of cadmium chloride in *Vicia faba*". Egypt Journal, Genetic, Cytology, 32: 89-99.

El-Bandary, F.E. and Al-Khalaf, A.A. (2004): "Laboratory studies of two commercial formulations of *Bacillus thuringiensis* (Berliner) for activity against 1st larval instar of *Spodoptera littoralis* (Boisd) (Lepidoptera: Noctuidae)". Annals of Agricultural Science, Moshtohor, 42(3): 1395-1404.

Ellis, R. (1991): BTK Unpublished report. Winnipeg, MB, Canada: prairie Pest Management. (January).

El-Sherbeny, K.M.; F.I. Mohamed and M.H. Abou-Deif, (2002): "Genotoxic effect of insecticide cascade in mice and *Vicia faba*", Egypt, Journal Genetic Cytology 31: 135-150.

El-Zemaity, M.S.; Bayoumi, A.E.; Rofail, M.F.; Moustafa, H.Z. (2006): "Cross resistance of Dipel 2x resistant strain of Pink bollworm *Pectinophora gossypiella* (Saund) to some conventional and bioinsecticides". Arab Universities, Journal of Agricultural Sciences, 14(2): 823-833.

Elzoghbey, A.A.; Atalla, F.A. and Mesbah, A.A. (2003): "Effect of two biocides in controlling *Cassida vittata* (Vill) and *Spodoptera littoralis* (Boisd) infesting sugarbeet plants". Annals of Agricultural Science Moshtohor, 41(1): 339-346.

Enger, M.E. Campbell and R. Raflift (1997): "Cadmium induced alteration in RNA metabolism in culture of

Chinese hamster cells sensitive and resistant to the cytotoxic effects of cadmium". *Journal of Toxicology of Environmental Health*, 5: 711-728.

Entwistle, P.F. et al.,(eds.) (1993): "*Bacillus thuringiensis*, An environmental Biopesticide". Theory and practice. New York: John Wiley & Sons.

F.M. Abdel-Tawab, A.I. Allam, Alla A. E. L. Seoudy, A.A. Awad, Nermin M. Abdel-Gawad and A. Abo-Domal (2000): "Assessment of the genetic effects of stevioside on some biological systems". 2nd Arab, Cong. Genet. Biotech., 41-50.

Farazi, P.A.; Glickman, J.; Horner, J. and Depinho, R.A. (2006): "Cooperative interactions of P53 mutation, telomere dysfunction, and chronic liver damage in hepatocellular carcinoma progression" *Cancer Res.*, 66(9): 4766-4773.

Farkas, J.; Sebesta, K.; Harska, K.; Samek, Z.; Dolejs, L.; and Sorm, F. (1969): "The Structure of Exotoxin of *Bacillus thuringiensis*" Var. *Gelechia*. *Collect. Czech. Chem. Commun.*, 34: 1118-1120.

Farm Chemicals Handbook (1992): Willoughby, OH: Meister Publishing Company.

Feitelson, J.S.; J. Payne and L. Kim. (1992): "*Bacillus thuringiensis*": Insect sand beyond. *Biology Technology*, 10: 271-275.

- Foster, P.L.; E. Eisentadt and J.H. Miller (1983):**
"Substitution mutations induced by metabolically activated aflatoxin B₁". Proc. Nat. Acad. Sci., 80: 2695-2693.
- Frantivsek Marec, Vladimir Matha; and Jaroslav Weiser (1989):** "Analysis of the Genotoxic Activity of *Bacillus thuringiensis* β -Exotoxin by Means of the *Drosophila* Wing Spot Test", Journal of Invertebrate Pathology, 53: 347-353.
- Friberg, C.; G. Elindez; T. Kjeistrom and G.F. Nordberg (1986):** "Cadmium and Health a toxicological and epidemiological appraisal". CRC Press, Boca Raton, Fl.
- Fu, W.Y.; Chen, J.P., Wang, X.M. and Xu, L.H. (2005):**
"Altered expression of P53, BCl-2 and Bax induce by microcystin-LR in vivo and in vitro" Toxicol, 46 (2): 171-177.
- Gert B. Jensen; Preben Larsen; Bodil, L.; Jacobsen; Bodil Madsen; Lasse Smidt, and Lars Andrup (2002):**
"*Bacillus thuringiensis* in Fecal Samples from Greenhouse workers after exposure to *B. thuringiensis*, based pesticides". Applied and Environmental Microbiology Vol. 68, No. 10, p: 4900-4905.
- Gohri, T.S. and V.R. Sadagopau (1989):** "Aflatoxin occurrence in feedstuffs and its effect on poultry production". Journal of Toxicology, 8 (1-2): 281-287.

- Gordon, R.E.; Haynes, W.C. & Pang, C.H., N. (1973):** "The genus *Bacillus*", Washington, DC: US Department Agriculture.
- Gorior, L.E.; W.E. Wuff; R.B. Harney; M.A. Elissalde; D.A. Witrel; A.G. Yersin and G.W. Zvie (1991):** "The individual and combined toxicity of Kojuc and Aflatoxin in broiler chickens. *Poultry Science*, 70(6): 1351-1356.
- Gottschalk, W. and G. Wolf (1993):** "Induced mutation in plant breeding. Monographs on theoretical and applied genetics, 7 Springer Verlag, Berlin, 1-230.
- Gottschalk, W. and G. Wolf (1993):** "Induced mutation in plant breeding". Monographs on theoretical and Applied genetics 7 Springer Verlag, Berlin, 1-230.
- Grover, I.S. and P.K. Mathi, (1988):** "Genotoxic effects of some organophosphorus pesticides III. In vivo chromosomal aberration bioassay in root meristems of *Allium* and *Hordeum*". *Cytologia* 53: 181-191.
- Gunnel Carlberg; Leena Tikkanen and Abdel Hameed, (1995):** "Safety Testing of *Bacillus thuringiensis* Preparations, Including Thuringiensin, Using the *Salmonella* Assay." *Journal of Invertebrate Pathology*, 66:68-71.
- Guzman, R.E.; Solter, P.F. and Runnegar, M.T. (2003):** "Inhibition of nuclear protein phosphatase activity in

mouse hepatocytes by the cyanobacterial toxin microcystin-LR". *Toxicon*, 41 (7): 773-781.

Hassan, H.Z. (1986): "Evaluation of mutagenic effects of the two insecticide basudin and decis on *Vicia faba* plants". *Egypt. Journal of Genetic Cytology*, 25: 27-38.

Hollstein Monica; D. Sidrarnsky; B. Vogelslum and C.C. Harris (1991): "P53 mutations in human cancer". *Science*, Vol. 253: 49-53.

Hollstein, M.C.; P. Christopher; B. Francoise; C. Sopa and C. Curtis (1993): "P53 mutations and aflatoxin B1 exposure in hepatocellular carcinoma patients from Thailand *Int. Journal of Cancer*, 53: 51-55.

Hsu, T.C.; R.N. Metcalf, Sunt; J.A. Welsh; N.J. Wang and C.C. Harris (1991): "Mutation hotspot in the P53 gene in human hepatocellular carcinomas". *Nature (Lund)*, 350: 427-428.

ICIPE (The International Center of Insect Physiology and Ecology), Kenya, and Provivo OY, Finland (1990): "Pilot study for evaluating the feasibility of utilizing *Bacillus thuringiensis* as an insecticide against flies in tropical countries". Final Report.

Jenkins, J. (1992): "Environmental Toxicology and Chemistry Memo", Subject: B.t. Corvallis, OR: Oregon State University Extension Service.

- Joanne M. Gough, David H. Kemp, Raymond J. Akhurst, Roger D. Pearson and Kritaya Kongsuwan (2005):** "Identification and characterization of proteins from *Bacillus thuringiensis* with high toxic activity against the sheep blowfly *Lucilia curprina*" *Journal of Invertebrate Pathology*, 90(1): 39-46.
- Kander, S.S.; J. Katz and T.H. Finlay (1992):** "Esterase 1. Developmental expression in the mouse and distribution of related proteins in other species". *Arch. Biochemistry Biophysics*, 1. 296 (2): 435-441.
- El-Sherbeny Kawser, M., Fawzia I. Mohamed and M.H. Abou Deif (2002):** "Genetic effect of insecticide cascade in mice and *Vicia faba* L." *Egypt Journal of Genetic Cytology*, 31: 135-150.
- Kutnyuk, P.I.; A.I. Kotik; V.A. Trufanova and Y.U. Bondarenko (1991):** "A search for genetic biological markers of resistance to mycotoxin T-2 in fowls". *Animal Genetics*, 108-109.
- Kwang-Hyeonkim, Michio Ohba and KeioAiz awa (1984):** "Purification of the toxic protein from *Bacillus thuringiensis* serotype 10 isolate demonstrating a preferential larvicidal activity to the mosquito". *Journal of Invertebrate Pathology*, 44(2): 214-219.

- Laemmli, U.K. (1970):** "Cleavage of structural proteins during assembly of head bacteriophage T4". *Nature*, 227: 680-685.
- Lambert, B. and M. Peferoen (1992):** "Insecticidal promise of *Bacillus thuringiensis*", *Bioscience*, 42 (2): 122-122.
- Larsen A.L. and W.C. Benson (1970):** "Variety specific variants of oxidative enzymes from soybean seed". *Crop science* 10: 493.
- Lechner, S.; Mayr, R.; Francis, K.P.; PruB, B.M.; Kaplan, T.; WieBener-Gunkel, E.G.; Stewart, G.S. & Scherer, S. (1998):** "*Bacillus weihenstephanensis* Sp. Nov. Is a New Psychrotolerant Species of the *Bacillus cereus* group".
- Leu, Y.H.; J. Taylor; P.Link; G.W. Lucier and C.L. Thompson (1991):** "Glutathione S-transferase mu in human lymphocyte and liver role in modulating carcinogen-derived DNA adducts". *Carcinogenesis* 12: 2269-2275.
- Lu, S.; Shen, K.C.; Wang, Y.; Brooks, S.C., Wang, Y.A. (2005):** "Impaired hepatocyte survival and liver regeneration in Atm-deficient mice". *Human Molecular Genetic* 14(20): 3019-3025.
- M.E. Mayes, G.A. Held, C. Lou, J.C. Seely, R.M. Roe, W.C. Dauterman and C.Y. Kawanishi, (1989):** "Characterization of mammalian toxicity of the crystal

polypeptides of *Bacillus thuringiensis* subsp. *israelensis*". Journal of Fundamental and Applied Toxicology 13(2): 310-322.

Maagd, R.A. de, Bravo, A. and Crickmore, N. (2001): "How *Bacillus thuringiensis* has evolved specific toxins to colonize the insect world." Trends in Genetics, 17(4): 193-199.

Margan, J.A.W. and Hales, B.A. (1997): "PCR detection of *Bacillus thuringiensis* toxigenes in the environment". Journal of Microbial insecticides, 16-18 April, 267-270.

Markert, C.L. and L. Faulhaber, (1965): "Lactate dehydrogenase patterns of fish Journal of Experimental Zoology 159: 319-332.

Marroquin, L.D.; El-Yassnia, D.; Griffiths, J.S.; Feitelson, J.S. and Aroian, R.V. (2000): "*Bacillus thuringiensis* (Bt) toxin susceptibility and isolation of resistance mutants in the nematode *Caenorhabditis elegans*". Journal of Genetics, 155 (4): 1693-1699.

Mobio, T.A.; Tavan, E.; Baudrimont, I.; Anane, R.; Carratu, M.P.; Sanni, A.; Gbeassor, M.F.; Shier, T.W..F. and Creppy, E.E. (2003): "Comparative study of the toxic effects of fumonisin B1 in rat C6 glioma cells and P53-null mouse embryo fibro blast". Toxicology, 183 (1/3): 65-75.

- Muller, H.P. and Gottschelk (1973):** "Quantitative and qualitative situation of seed protein in mutants and recombinants of *Pisum sativum*". In nuclear Techniques for seed protein improvement. IAEA. Vienna, 235-253.
- Nair, M.G.; K.I. Maryamma and A. Rajan (1988):** "Immunopathological response of pigs in aflatoxicosis". Kernala, Journal of Science, 15(2): 143-157.
- Oh, Hye-Young; Han-Eui, SiK; Choi-Dan-Woong; Kim-Jong-Won; Eom-Mi-Ok; Kang-II-Hyun; Kang Hyuck-Joon and Ha-Kwang-Won (1999):** "In vitro and in vivo evaluation of genotoxicity of sterioside and steviol, natural sweetener". Yakhak-Hoeji, 43(5): 614-622.
- Penttinen, P.; Tampio, M.; Maki-Paakkanen, J.; Vahakangas, K.; Pelkonen, J. and Hirvonen, M.R. (2007):** "DNA damage and P53 in RAW 264.7 cells induced by the spores of co-cultivated *Streptomyces californicus* and *Stachybotrys chartarum*". Toxicology, 235 (1-2): 92-102.
- Peter Y.K. Heung, Richard M. Roe, Bruce D. Hammock, Charles L. Judson and Mary Ann Montague (1985):** "The apparent in vivo neuromuscular effects of the δ -endotoxin of *Bacillus thuringiensis* var. *israelensis* in mice and insects of four orders". Journal of Pesticide Biochemistry and Physiology, 23(1): 85-94.

- Priest, F.G., Goodfellow, M. & Todd, C. (1988):** "A Frequency matrix for probabilistical identification of some *Bacilli*". *Journal of Genetic and Microbiology*, 134: 1847-1882.
- Qhosh, R.C.; H.V.S. Chauhan and S. Roy (1990):** "Immunosuppression in broilers under experimental aflatoxicosis" *British veterinary Journal*, 146 (5): 457-462.
- Rani, M.V.U.; O.S. Reddi and P.P. Reddy (1980):** "Mutagenicity studies involving aldrin, endosulfan, dimethoate, phosphamidon, carbaryl and ceresin." *Bull. Environ. Contain Toxicol*, 25, 277-282.E
- Salam, A.Z.; Ebtissam H.A.; Hussein, Hamaiya A.; El-Itriby, Wagida A.A.; Anwar and S.A. Mansour (1993):** "The mutagenicity of gramoxone (paraquat) on different eukar., Systems". *Mut. Res.*, 319: 89-101.
- Sarhan, A.A. (2004):** "One of the applied biological control programs against the potato tuber moth, (*Phthorimad apercullla* (zeller) in stores" *Egyptian Journal of Biological Pest Control*, 14(1): 291-298.
- Sato, T.; Koseti, T.; Yamato, K.; Saiki, K.; Konishia, K.; Yoshikawa, M.; Ishikawa, I. and Nishihara, T. (2002):** "P53-independent expression of P21 (CIP1/WAF1) in plasmacytic cells during G(2) cell cycle arrest induced by *Actinobacillus*

actinomycescomitans cytolethal distending toxin"
Infect Immun., 70(2): 528-534.

Scandalios, E. (1964): "Tissue-specific isozyme variation in maize", Journal of Heredity 55: 281-285.

Selim, A.R.; M.M. Hussein; H.Z. Allam and A.R. Fahmy (1981): "The effect of three synthetic organic insecticides (Nuracron, Cyolane and Kelthane, Dimoethoate) on the cytological features and morphological characters in cotton (*Gossypium barbadense* L) I. The effect of the three insecticides on mitotic division". Bull. Fac. Agric. Cairo Univ. 32: 52-66.

Sharma, A.K. and A. Sharma (1980): "Chromosome techniques 3rd Ed". London, PP. 150-151.

Sharma, A.K. and D.C. Goutam, (1991): "Chromosomal aberrations induced by phosphamidon and endosulfan in the bone marrow cells of mice in vivo". Cytologia, 56: 37-78.

Sharma, C.B.S.R.; Panigrahi, S. and Sahu, R.K. (1977). "Mitodepressive activity of two bacterial toxins in the root meristems of *Allium cepa*" Zeitschrift fur Pflanzenphysiologie, 84 (2): 163-166.

Smela, M.E.; Hamm, M.L.; Henderson, P.T.; Harris, C.M.; Harris, T.M. and Essigmann, J.M. (2002): "The aflatoxin B1 formamidopyrimidine adduct plays a

major role in causing the types of mutations observed in human hepatocellular carcinoma". Proceeding of the National Academy of Sciences of the United States of America, 99(10): 6655-6660.

Studies, F.W. (1973): "Analysis of bacteriophage T2 early RNAs and protein on slab gels, Journal of Molecular Biology 79: 237.

Sum-JianGuang, Gao-Junlian and Soberon, M. (2006): "Clone and expression of mosquitocidal toxin gene cry11 Aa of *Bacillus thuringiensis*". Chinese Journal of Vector Biology and Control, 17(4): 282-285.

Suneja, S.K.; S.D. Wagle and G.C. Ram (1989): "Effect of oral administration of T-2 toxin and glutathione shuttle enzymes, microsomal reductases and lipid peroxidation in rat liver". Toxicon, 27(9): 995-1001.

Symdyar, V.I.; Karpilovskaya; ED, Salrij, N.S.; Tsopko, E.V.; Lawshenko, L.F.; Gulich, M.P.; Kvryshe Vich, L.P. and Grigovenko, S.N. (1992): "Effect of a new sweetener from *Stevia rebaudiana* in laboratory animals." Voprosy pitaniya, 1: 60-63.

Tan-Weijia, Liang-GeMei, Guo-YuYuan; Wang-WuGag (1997): "Study on the mechanism alleviate of cotton bollworm to insecticides by B.t. treatment" Scientia-Agricultura-Sinica-China, 30(5): 13-19.

Tong-Weimin; Lee Mingkei; Galendo, D.; Wang-Zhao; Qi and Sabapathy, K. (2006): "Aflatoxin-B exposure does not lead to P53 Mutations but results in enhanced liver cancer of Hupki (Human P53 Knock-in) mice". *International Journal of Cancer*, 119 (4): 745-749.

Toskulkoa, C.; P. Lohakachonpan and T. Glinsukon (1991): "Time Source effects of ethanol pretreatment on hepatic necrosis and fat accumulation induced by aflatoxin B1 in the rat. " *Toxicology Letters*, 55(1): 1-9.

Ttea, F.; Fugazza; M., Faustle; S., Bianchi; A., Tateo; S., Bertef, M. and Bianchi, L. (1990): "Technical and toxicological problems with formulation of low-energy foods" "Mutagenic and fertility-modify activity of extracts and constituents at stevia rebaudiana Bertoni". *Revista-Della-Societ, Italian, Die Scienza-dell Alimentation*, 19 (1-2), 13-22.

Turnbull, P.C.B. & Kramer, J.M. (1991): "Bacillus. In *Manual of Clinical Microbiology*". 5th edn., pp.296-303 Edited by A. Balows, W.J. Hanseler, K.L. Hermann, H.D. Isenberg & H.J. Shadomy, Washington, DC: American Society for Microbiology.

Wang BaoMin; He-ZhangPei; Tian-Xiaoli; Wang, B.M., He-Zp and Tian, X.L. (2000): "Preparation of monoclonal antibodies of Cry IA insecticidal crystal protein and its

application in determining toxin level in Bt Cotton"
Journal of Acta-Gossypli-Spinica, 12:1, 34-39.

Wang, X.M., Chen, J.P.; Fu, W.Y. and Xu, L.H. (2005):
"Expression of P53 and Bax in rat liver induced by
microcystin LR in vivo" Zhejiang, Da, Xue, Xue, Bao,
Yi, Xue, Ban; 34(3): 220-222.

Wu, A., Ren, T.; Hu, Q. and Liu, Y. (2000): "Deltamethrin
induces altered expression of P53, Bax and BCl-2 in rat
brain". Neurosci, Lett.; 284 (1-2): 29-32.

**Wu-AiGuo; Ren-Tieling; Hu-Qian Sheng and Liu-YuGu
(2000):** "Delta methrin induces altered expression of
P53, Bax and Bcl-2 in rat brain." Neuroscience, Letters,
284 (1/2): 29-32.

Yamamoto K.; O. Moritani and A. Ando (1982): Karyotypic
and Isozymatic poly morphism in species of section
faba (*Guenus vicia*). Tech, Bull. Agric Kagawa Univ.,
34: 1.

**Yoo-ChongMyung; Jeong-SeongEun; Park-Eunkyung; Lee-
Hyungchul (1995):** "Changes in haemolymph esterase
of *Helicoverpa assulta* treated with *Bacillus*
thuringiensis delta-endotoxin". Korean Journal of
Entomology, 25(1): 43-55.

Yoon, K.H.; Kim, Y.D.; Shim, J.C. (1989): "Mutants of
Bacillus thuringiensis var. *Srrallensis*". Korean Journal
of Entomology. 19: 3, 237-245.

Zhang-Guang; Mei; Liu-Shusheng; Akhurst, R.; Zhang, G.M. and Liu, S.S. (2000): "Analysis of five Chinese *Bacillus thuringiensis* formulations for the endotoxin components". *Journal of Acta Entomologic Sinica* 43 (2): 127-133.

Zhang-ShaoYan; Li-DianMo; Xie-BaoYu (2004): "Effect of Bt toxic protein on development and activities of several relative enzymes in *Helicoverpa armigera*". *Entomological Knowledge*, 41(6): 536-540.