

REFERENCES

REFERENCES

(A)

- *Alarcon A, Leon C, Maino A*. Compliance with nasal continuous positive airway pressure (CPAP) treatment in sleep apnea-hypopnea syndrome [in Spanish]. *Arch Bron-coneumolog* 1995; 31(2): 56 – 61.
- *Aldrich MS and Chauncy JB*. Are morning headache parts of obstructive sleep apnea *Arch. Intern. Med.* 1990; 150: 1256-7.
- *Ali JN, Davies RJ, Fleetham JA & Stradling JR*. The acute effects of continuous positive airway pressure and oxygen administration on blood pressure during OSA. *Chest*, 1992; 101: 1526-32.
- *American J. Respir. Crit. Care Med.* The international Classification of sleep disorders 2000; Allen R Liss: 56-8.
- *American Sleep disorders Association (ASDA)*. The international Classification of Sleep Disorders, 1990. The clinical use of multiple sleep latency test. *Sleep* 1992; 15: 268-76.
- *American Thoracic Society (ATS)*. Indications and standards for use of n-CPAP in sleep apnea syndrome. *Am.J. Respir. Crit. Care Med.* 1994, 150: 1738-45.
- *Ancoli-israel S, Klauber M, Kripke R & Parker L*. Sleep apnea in female patients in a nursing home: Increase risk of mortality. *Chest*, 1989; 96: 1054-8.

- **Arbour P, and Kern EB (1998)**: Paradoxical nasal obstruction. Can. Journal of Otolaryngology, 4: 333-338, 1975. Quoted after Otolaryngology Head and Neck Surgery, 3rd edition, 42: 799-832.

(B)

- **Babatolo F, and Eccles R (1986)**: Nasal vasomotor responses in man in breath-holding and hyperventilation recorded by means of intranasal balloonal. Rinology, 24: 271-276.
- **Baker DC (1980)**: Physiology in aesthetic plastic surgery, WB saunders: Philadelphia: 87-95.
- **Baker TL**. Introduction to sleep and sleep disorders, Med. Clin. North. Am. 69: 1989; 69-1123.
- **Bamford CR & Quan SF**. Bacterial meningitis: A possible complication of n-CPAP therapy in patients with OSA and a mucocele. Sleep 1993; 16: 31-32.
- **Bancroft D Jon, Alan stevens, David R. Turner**; Theory and Practice of Histological Techniques 1996; 4th edition: 189-194.
- **Becker DG (1997)**: Technical considerations in powered instrumentation Otolaryngology clinics of North American, 30 (3):421-434.
- **Becker H, Brandenburg U, Peter J & Von Wichert P**. Reversal of sinus arrest and atrioventricular conduction block in patients with sleep apnea during nasal continuous poitive pressure. An. J. Respir. Crit. Care Med. 1995; 151: 215-8.

- *Beckingham E, Jones AS, Weight RE (1989)*: Radical trimming of the inferior turbinate and its effect on nasal resistance to airflow. *Journal of Laryngology and Otology* 102: 694-696.
- *Belal, A. (1987)*: Snoring etiology, diagnosis and treatment. *Egyptian J. Otolaryngol.*, 4 (2): 167-171.
- *Benecke JA and Stahl BA (1994)*: Otologic instrumentation. In Brackmann DA (ed): *Otologic surgery*. Philadelphia, WB Saunders. P102.
- *Benninger MA, Sebeck BA and Levine HL (1989)*: Mucosal regeneration of the maxillary sinus after surgery. *Otolaryngology Head and Neck surgery*, 101 (3): 605-607.
- *Blocker JA, Boysen PG, Wynne JW & Hunt LA*. Sleep apnoea, hypopnea, and oxygen desaturation normal subjects. A strong male predominance. *N.Engl. J. Med.* 1979; 300: 513-7.
- *Bloom, J.W.; Kaltenborn, W.T. and Quan, S.F. (1988)*: Risk factors in general population for snoring: Importance of cigarette smoking and obesity. *Chest*, 93 (4): 678-683.
- *Blwisie B, Biliwise N, Partinen M, Pursley A & Dement W*. Sleep apnea and mortality in an aged cohort. *Am. J. Public Health.* 1988; 78: 544-7.
- *Borowiecki B, CP, Weitzman ED, Rakoff S and Imperato J*. Fibro optic study of pharyngeal airway during sleep in patients with hypersomnia obstructive sleep apnea syndrome. 1988; 131-131.

- **Borowiecki, B.; Kukwa, A.A. and Blanks, R.H. (1982):** Indications for palatopharyngoplasty. Archives of otolaryngology, 111, 659-663.
- **Boysen PG.** Nocturnal pulmonary hypertension in patients with chronic obstructive pulmonary disease. Chest 1979; 76:536.
- **Bridger GP and Proctor DF (1970):** Maximum nasal inspiratory flow and nasal resistance. Annals Otorhinolaryngology, 79: 481-488.
- **Brooks B, Cistulli PA, Borkman M, Ross G, McGhee S, Grunstein RR, Sullivan CE & Yue DK.** Obstructive sleep apnea in obese noninsulin dependent diabetic patients: Effect of CPAP treatment on insulin responsiveness. J.Clin. Endocr. Metab. 1994; 79: 1681-5.
- **Brouillett RT, Fernback SK, Hunt CE.** Obstructive sleep apnea in infants and children J. pediat. 1982; 100:31-40.
- **Browman, C.P.; Sampson, M.G. and Yolles, S.F. (1984):** Obstructive apnea and body weight. Chest, 85 (3): 435-46.
- **Brownell Lg, West P, Sweatman P, Arcres JC & Kryger MH.** Protriptyline in obstructively sleep apnea. N. Engl. J. Med. 1982; 307-1037-1042.
- **Buckle P, Kerr P and Kryger MH.** Cluster headache associated with sleep apnea. Case report. Sleep 1993; 16: 540-44.

(C)

- **Canter RJ. (1986):** A non-invasive method of demonstrating the nasal cycle using flexible liquid crystal thermography. Clinical Otolaryngology, 11: 329-336.

- *Cartwright RD*. Predicting Response to the tongue retaining device for sleep syndrome. *Arch Otolaryngol*, 1985, 111: 385-388.
- *Chaban, R.; Cole, P. and Hoffstein, V. (1988)*: Site of upper airway obstruction with idiopathic obstructive sleep apnea. *Laryngoscope* 90: 641-7.
- *Charles B and David G*. Uses and complications of uvulopalatoplasty. *J. Oto. Laryngol.* 1990; 104:871.
- *Charles B, Croft Ohydaira T, Muramatsu Y*. Sleep disorders center, pulmonary and critical care medicine service. *Chest.* 1997 Jun; 212 (7): 970-82.
- *Cheshire K, Engleman H, Deary, I, Shapiro C and Douglas N*. Factors impairing daytime performance in-patients with SAHS, *Arch. Intern. Med.* 1992; 152: 538-41.
- *Christmas DA and Krouse JH (1996)*: Powered instrumentation in functional endoscopic sinus surgery. *Surgical techniques, Ear Nose and Throat Journal*, 75 (1): 80-89.
- *Cirignota F, Mondini S, Pasquali R, Rinaldiceroni A, Schiavinia M & Lugarsi E*. Terapia della sindrome delle apnea ostruttive: I Farmacie will dimagamento. In: *Atti III incontro interdiscip su "Idistturbi respiratori nel sonno"* lecce, 10-12 Maggio 1990: 107-110.
- *Cocagna, G.; Mantovani, M. and Brignani, F. (1972)*: Continuous recording of the pulmonary and systemic blood pressure during sleep in syndrome of hypersomnia with periodic breathing. *Bull Physiopathology. Resp.*, 8: 1159.

- *Cole P (1989)*: Rhinomanometry: Practice and trends. *Laryngoscope*, 99: 311-315.
- *Cole P, Ayimanimitis A, Ohki M (1989)*: Anterior and posterior rhinomanometry. *Rhinology*, 27 (4): 257-262.
- *Collop N*: Medroxyprogesterone acetate and ethanol induced exacerbation of obstructive sleep apnea. *Chest* 1994; 106: 792-9.
- *Conway WA, Victor, LD, Magilligan DJ, Fujita S*. Adverse effects of tracheostomy for sleep apnea. *Journal of the American Medical Association*. 1998; 246: 347-350.
- *Cooper, B.G.; Veale, D.; Griffiths, C.J. and Gibson, G.J. (1991)*: Value of nocturnal oxygen saturation as a screening test for sleep apnea. *Thorax* 46: 586-588.
- *Courtiss EH and Goldwin RM (1983)*: The effect of nasal surgery on airflow. *Plastic and Reconstructive surgery*, 72: 9-19.
- *Croft CB and Pringle M*. Snoring and sleep apnea. In : Scott-Brown otolaryngology. Volume 7 Rhinology. Chapter 19; 1997:1-22.
- *Croft, C.B. and Pringle, M.B. (1991)*: Sleep nasendoscopy: a technique of assessment in snoring and obstructive sleep apnea, *Clinical otolaryngology*, 16: 504-509.
- *Croft CB, Pringle M. Sleep Nasendoscopy*: A technique of assessment in snoring and obstructive sleep apnea. *Clin. Otolaryngol.* 1992; 16:504-09.

- *Crumely, R.L., Stein, M. and Gamsa, G. (1987)*: Determination of obstructive site in obstructive sleep apnea. *Laryngoscope*, 97, 301-308.
- *Cumberworth VL, Sudderick RM and Mackay IS (1994)*: Major complications of functional endoscopic sinus surgery. *Clinical Otolaryngology*, 19: 248-253.

(D)

- *Dallimore N and Eccles R (1997)*: changes in human nasal resistance associated with exercise, hyperventilation and rebreathing: *Acta Otolaryngologica*, 84:416-421.
- *Davies RJ, Ali NJ, Stradling JR*. Neck circumference and other clinical features in the diagnosis of obstructive sleep apnea syndrome. *Thorax*, 1992; 47:101-105.
- *Dawes PJD (1987)*: The early complications of inferior turbinectomy. *Journal Laryngology and Otology* 101: 1139.
- *Dequesne JH, Galliant A, Garza JG (1997)*: Thermoregulated radiofrequency endometrial ablation. *Int.J. Fertil Women Med*, 42:311-318.
- *Devinsky O, Ehrenberg B, Barthlen GM, Abramson HS & Luciano D*. Epilepsy and sleep apnoea syndrome. *Neurology*, 1994; 44: 2060-4.
- *Dewidar H (1999)*: Submucosal turbinate reduction using the microdebrider. *Medical journal of Cairo University*, Vol 67 No3 Sptember 1999.

- *Dickson RI Blokmain A*. Treatment of obstructive sleep apnea by uvulopharyngopalatoplasty. *Laryngoscope* 1997; 97: 1054-1059.
- *Draf W (1991)*: Endonasal micro-endoscopic frontal sinus surgery otoaryngology *Head and Neck surgery*, 200: 202.
- *Drake-Lee A (1997)*: The physiology of the nose and paranasal sinuses. In *Scott Browns Otolaryngology*, 7th edition. Kerr G Alan (editor). Publisher butterworths Great Britain, 1: 1-6.

(E)

- *Eccles R (1990)*: other techniques for assessing nasal function. *Facial plastic surgery*, 3: 260-265.
- *Eccles R and Jones AS (1983)*: The effect of menthol on nasal resistance to airflow. *Journal Laryngology and Otology*. 97:705-709.
- *Eccles R (1982)*: Neurological and pharmacological considerations in: the nose upper airway physiology and the atmospheric environment. Proctor IF, Anderson, I editors. Amsterdam Elsevier Biomedical press, 191-214.
- *El fouly S, Gemaie R, Helat (2001)*: inferior nasal turbinectomy Laser versus radiofrequency management. Master thesis. Cairo University.
- *Elbrond O, Hiberg O, Felding JU (1991)*: Acoustic rhinometry: A new method to evaluate the geometry of the nasal cavity and the epipharynx. *American Journal Rhinology* 5:7-11.

- *Ellis PD, Williams JE and Schneerson JM*. Surgical relief of snoring due to palatal flutter: a preliminary report. *Annals of the royal college of surgeons of England*, 1993; 75 (4): 286.
- *Ellis PDM, Harries ML, Fowcs Williams JE and Shneerson JN*. The relief of snoring by nasal surgery *clinical otolaryngology*, 1992; 17: 525-527.
- *Elwany S and Harrison R (1990)*: inferior turbinectomy: comparison of four techniques. *Journal Laryngology and Otology* 104:206-209.
- *Elwany S, Gemeie R, Abdel Fattah H (1999)*: Radiofrequency bipolar submucosal diathermy of the inferior turbinates. *American journal of Rhinology*, 13(2): 45-1479.
- *Elwany S, Kamal T, mekhamer A (1986)*: Pneumatic nasal catheters: Advantages and drawbacks. *Journal Laryngology and Otology* 100: 644-647.
- *Engleman HIM, Martin SE, Deary IJ & Douglas NJ*. Effect of continuous positive airway pressure treatment on daytime function in sleep apnea/hypopnea syndrome. *Lancet*, 1994; 345: 572-5.
- *Eveloff SE, Rosenberg CL, Carlisle CC & Milliman RP*. Efficacy of mandibular advancement device in obstructive sleep apnea. *AM. J. Respir. Crit. Care Med.* 1994; 194 905-9.

(F)

- **Fairbanks DNF. Snoring:** Surgical versus non-surgical management. *Laryngoscope* 1984; 94: 1188-1192.
- **Fairbanks DN.** Snoring: and overview with historical perspectives. In: *Snoring and obstructive sleep apnea.* David N.E. Fairbanks et al., Raven Press. New York 1987; 1-18.
- **Fairbanks DN.** Surgical treatment of snoring and obstructive sleep apnea. In *snoring and obstructive sleep apnea.* 2nd edition. Fairbanks D.F. et al., (ed.) Raven Press, New York, 1994.
- **Fateen M (1967):** Concho-antropexy in vasomotor rhinitis and chronic nasal obstruction. *International Rhinology*, 1:20-24, 1967. Quoted after Salam MA, Wengraf C, *Journal Laryngology and Otology* 107:1125-11128, 1993.
- **Findley, L.; Fabrizio, M. and Knight, H. (1989):** Driving simulator performance in patients with sleep Apnea. *Am. Rev. Respir. Dis.* 140: 529-530.
- **Findley LJ, arht JT Powers DC, Wilhoit Sc, Boyd DG and Surat PM.** Cognitive impairment with obstructive sleep apnea and associated hypoxaemia. *Chest* 1986; 90: 686-90.
- **Fischer AQ, Chandary BA, Taormina MA & Akhtar B.** intracranial haemodynamics in sleep apnea. *Chest*, 1992; 102: 1402-6.

- *Fisher Y, Gosepath J, Amedree RG, Mann WJ (2000)*: Radiofrequency volumetric tissue reduction of inferior turbinates: a new method in the treatment of chronic nasal obstruction. *Am. J. Rhinol* 14 (6): 355-360.
- *Franceschi M, Zamproni P, Crippa D and Simirne S*. Excessive daytime sleepiness: a year study in an unselected inpatient population. *Sleep*. 1982; 5: 239-47.
- *Frank Y, Algeff G, Molho M, Katz I, Benzaray S*. Sleep disordered breathing. *Physiol*. 1993; 108:157.
- *Frederick AK and Martin JC (1997)*: Advances in postoperative care following functional endoscopic sinus surgery. *Otolaryngology Head and Neck surgery*, 30 (3): 250-261.
- *Friedman M, Tanyeri Hlim J, Landsberg R, Caldarelli D (1999)*: A safe alternative technique for inferior turbinmate reduction. *Laryngoscope* 107 (11): 1834-1837.
- *Fujita S, Conway W, Zorick F and Roth T*. Surgical correction of anatomic abnormalities in obstructive sleep apnea syndrome: uvulopalatopharyngoplasty. *Otolaryngeal head neck surg*. 1981; 89: 923-927.
- *Fujita S*. pharyngeal surgery for obstructive sleep apnea and snoring. In: *Snoring and obstructive sleep apnea*. David N.E. Fairbanks et al., Raven Press. New York, 1987; 101-127.
- *Fujita S, postesta E and Clark JL*. Upper airway anatomic abnormality of chronic snores with obstructive sleep apnea (methods of evaluation

and classification) in: Chronic rhonchopathy. Ed. C.H. Chourard, 1988. John libey Eurotext Ltd.: 82-84.

- *Fujita, S. (1991)*: Midline laser glossectomy with linguo-plasty: a treatment of obstructive sleep apnea syndrome. Operative Techniques in Otolaryngology-Head and Neck Surgery, 2, 127-131.
- *Fujita A Conway W, Linholm C, Almqvist M*. Evaluation of the effectiveness of uvulopharyngoplasty. Laryngoscope 1994; 70-75.
- *Fujita S, Conway W, Linholm C, Almqvist M*. Surgical correction of anatomic abnormalities in obstructive sleep apnea syndrome. Otolaryngol. Head neck surgery. 1999; 84: 923.

(G)

- *George, C.F., Nickerson, P.W. and Hanly, P.J. (1987)*: Sleep apnea patients have more automobile accidents. Lancet, 2: 447. letter.
- *George, C.F.; Millarm, T.W. and Kryger, M.H. (1988)*: Identification and quantification of apnea by computer based analysis of oxygen. American Review of Respiratory Diseases, 137: 1238-1240.
- *Gislason T*. Uvuloplastopharyngoplasty in the sleep apnea syndrome. Arch. Otolaryngol. Head neck surg. 1988; 114:45.
- *Golding wood DG, Brockbank MJ, Swanston AR & Croft CB*. Assessment of chronic snorers. Jour. Soc. Med. 1990 Jn. 83 (6). 363-367.

- *Goldsher M, Joachims Hz, Krepsi YP (1995)*: Nd YAG Laser turbinate surgery, animal experimental study: preliminary report. *Laryngoscope* 105:319-321.
- *Gonzalez-Rothi RJ, Foresman GE & Block AJ*. Do patients with sleep apnea die in their sleep? *Chest*, 1988; 531-8.
- *Gordon A, Mcaffery T, Kern E (1989)*: Rhinomanometry for preoperative and postoperative assessment of nasal obstruction. *Otolaryngology Head and Neck surgery*, 101 (1): 20-26.
- *Becker DG (1996)*: Powered instrumentation in endoscopic sinus surgery. *Operative techniques Otolaryngology Head and Neck Surgery*, 5: 112-118.
- *Gould GA, Whyte KF, rhind GB, Airlie MA, Catterall JR and Shapiro CM*. The sleep Hypopnea syndrome. *Am. Rev. Respir. Dis.*, 1988; 137-895-8.
- *Gould, D.A.; Whyle, K.F.; Rhind, G.B.; Alfile, M.A.A.; Catterall, J.R. and Shapiro, G.M. (1988)*: The sleep hypopnea syndrome. *American Review of Respiratory Diseased*, 137: 895-898.
- *Grunstein RR, Handelsman DJ, Lawrence SJ, Blackwell C, Caterson, D and Sullivan CE*. Neuroendocrine dysfunction in sleep apnea. Reversal by n-CPAP. *J. Clin. Endocrinol. Metab*, 1989; 68:352-8.
- *Grymer LF, Hilberg O, Elbrond O, Pedersen O (1989)*: Acoustic rhinometry: Evaluation of the nasal cavity with septal deviations before and after septoplasty. *Laryngoscope*, 99: 1180-1186.

- *Guilleminault C, Tilkian A and Dement WC.* The sleep apnea syndrome. Ann. Rev. Med. 1976; 27: 465-84.
- *Guilleminault C and Dement WC.* Sleep apnea syndrome. New York: Alan R. Liss Inc. 1978.
- *Guilleminault C, Conolly S & Winkle R.* Cardiac Arrhythmia and Conduction disturbances during sleep in 400 patients with sleep apnea syndrome. Am. J. Cardiol. 1983; 52: 490-4.
- *Guilleminault, C. and Dement, W.C. (1984):* Sleep apnea syndromes. New York. Alan R.Liss Inc.
- *Guilleminault C, Simmons FB, Motta J, Cumiskey J, Rosekind M, & Schoeder JS.* Obstructive sleep apnea syndrome and tracheostomy long term follow up experience. Arch. Intern. Med. 1981; 141: 985-8.
- *Guilleminault C, Quera-Salva MA, Partinen M and Jamieson A.* Women and the obstructive sleep apnea syndrome. Chest 1988; 93: 104-9.
- *Guilleminault C, Stoohs R, Clerk A, Simmons J and Labanowski M.* From obstructive sleep apnea syndrome to upper airway resistance syndrome: Consistency of daytime sleepiness. Sleep, 1992; 15 (Suppl.): 513-16.

(H)

- *Haight J and Cole P (1983)*: The site and function of the nasal valve. Laryngoscope, 93: 29-55.
- *Hamilton JW, McRae RD, Philips DE, Jones AS (1995)*: The accuracy of acoustic photometry using a pulse train signal. Clinical Otolaryngology, 20: 279-282.
- *Hanly PJ, George CF, Millar TW & Kryger MH*. Heart rate response to breath hold. Valsalva and Mueller maneuvers in OSA. Chest 1989; 95: 735-9.
- *Hanly PJ, Sasson Z, Zabeeri N and Lunn K*. ST segment depression during sleep in obstructive sleep apnea. Am. J. Cardiol. 1993; 71: 1341-5.
- *Hanly PJ, Sasson Z, Zubeeri N & Alerson M*. Ventricular function in snorers and patients with OSA. Chest, 1992; 102: 100-5.
- *Hanzel DA, Proia NG & Hudgel DW*. Response of OSA to fluioxetine and protriptyline. Chest, 1991; 100: 416-21.
- *Haraldsson, P.O., Carenfelt, C. and Diderichsen, F. (1990)*: Clinical symptoms of sleep apnea syndrome and automobile accidents. ORLJ. Otorhinolaryngol Relat Spec, 52:57-62.
- *Hasan N, Fletcher EC J Kentucky*. Upper airway resistance syndrome. Med Assoc 1998; 96 (7) 261-263.

References

- *Hassan N, Fletcher EC*. Upper airway resistance syndrome. Kentucky Med Assoc 1998; 96 (7): 261 – 263.
- *Hasegawa M (1982)*: Nasal cycle and postural variations in nasal resistance. Annals Oto, Rhino, Laryngol, 91: 112-114.
- *He J, Kryger MH, Zorick FJ*. Mortality and apnea index in obstructive sleep apnea. Experience in 385 male patients. Chest 1988; 94:9-14.
- *Hegstrom, T.; Emmons, L.L.; Hoddes, E.; Kunedy, T.; Christopher, K. and Collins, T. (1988)*: Obstructive sleep apnea syndrome: preoperative radiological evaluation. Am. J. Radiology 150:67-69.
- *Heinberg CE and Kern EB (1973)*: The cottle sign: An aid in the physical diagnosis of nasal airflow disturbances. Rhinology, 11: 89-96.
- *Hiberg O, Jackson AC, Swift DL (1989)*: Acoustic rhinometry: Evaluation of nasal cavity geometry by acoustic reflection Journal applied Physiology, 66: 295-303.
- *Hilberg O, Grymer LF, Elbrond Q (1990)*: Turbinate hypertrophy: Evaluation of nasal cavity by acoustic rhinometry. Arch. Otolaryngol Head and Neck Surgery, 116: 283-289.
- *Hindereer KH (1963)*: Diagnosis of anatomic obstruction of airway. Arch. Otolaryngol, 78: 660-662.
house HP (1951): Submucous resection of the inferior turbinate bone. Laryngoscope, 61: 637-648.
- *Hoffstein V and Mateika J*. Evening to morning blood pressure variations in snoring patients with an without obstructive sleep apnea. Chest, 1992; 101: 379-84.

- *Hudgel, D.W. (1988)*: Variable site of airway narrowing among obstructive sleep apnea patients. *Journal of Applied Physiology* 6: 1403-1409.
- *Hudgel, D.W. and Hendricks, C. (1998)*: Palate and hypopharynx-sites of inspiratory narrowing of the upper airway during sleep. *American Review of Respiratory Diseases*, 138: 1542-1547.
- *Hung J, Whitford EG, Parsons RE and Hillman DR*. Association of sleep apnea with myocardial infarction in men. *Lancet*, 1990; 336: 261-4.

(I)

- *Ikematsu T. John. Libbey Eurotext. Ltd.* Clinical study of snoring for the past 30 years. In *Chronic rhinopathy*. C.H. Chourard (ed.). 5-14, 1988.
- *Ikematsu T. Study of snoring*, 4th report, therapy (in Japanese, J. Jpn. Otol. Rhinol. Laryngol Soc, 1994; 64: 434-435.
- *Issa FG and Sullivan CE*. Reversal of central sleep apnea using n=CPAP. *Chest* 1986; 90: 165-71.

(J)

- *Jackman WM, Wang XZ, Friday KJ (1991)*: Catheter ablation of accessory arterioventricular pathways by radiofrequency current, N. England. *J. Med.* 324: 1605-1611.
- *JARJOUR NN & Wilson P*. Pneumocephalus associated with n-CPAP in-patients with OSA. *Chest*, 1989; 96: 1425-6.

- *JE Harkness and JE wagner*: Anesthesia in animals. HAND BOOK for the USE of ANIMALS, 2nd edition, 2000; vol IV; 1-12.
- *Jeffery A, bavis C, Sijol, A, Jennum P*. Epidemiology of snoring and obstructive sleep apnea in a deep population sleep. Res. 1995-71:240.
- *Jia LR Hansen PD Habib N (1999)*: Clinical short term results of radiofrequency ablation in primary and secondary liver tumors. American Journal surgery, 177:303-306.
- *Johns MW*. A New method for measuring daytime sleepiness: The Epworth sleepiness scale. Sleep 1991; 14L540-545.
- *Jones AS and Lancer JM (1987)*: Does submucosal diathermy to the inferior turbinate reduce nasal resistance to airflow in the long term. Journal Laryngology and Otolog, 101: 448-451.
- *Juto JE and Lundberg C (1982)*: An optical method for determining changes in mucosal changes in the nose in man. Acta Otolaryngol (Scotch), 94:149-156.

(K)

- *Kales A, Caldwell Ab, Cadieux RJ, Vela-Bueno A, Ruch LG and Mayes SD*. Severe obstructive sleep apnea-II: Associated psychopathology and psychological consequences. J. Chr. Dis. 1985; 38: 427-34.
- *Kamalvand K, Sulke N*. Recent advances in the non-surgical management of atrial fibrillation. Int J Clin Pract. 1999; 53:44-49.

References

- **Kamami YV.** Laser CO2 for snoring. Preliminary results. Acta Otorhino-laryngologica Belg. 1990; 44: 451-456.
- **Kamami YV.** Out patient treatment of sleep apnea syndrome with CO2 laser: Assisted U.P.P.P. results on 46 patients. Journal of clinical laser Medicine & Surgery, volume 12, No. 4, 1994, 215-219.
- **Kamami YV.** Outpatient treatment of snoring with CO2 laser: laser assisted UPPP. J. Of otolaryngol., 23 (6): 391, 1994.
- **Kamami YV.** Outpatient treatment of snoring and sleep apnea syndrome ENT News, Vol. 4, No. 6, 22, 1996.
- **Katsantonis, G.P. and Walsh, J.K. (1986):** Somnofluroscopy: its role in the selection of candidates for uvulopalatopharyngoplasmy. Otolaryngology, Head and Neck Surgery, 94: 56-60.
- **Kimmelman C (1989):** The problem of nasal obstruction. The Otolaryngologic clinics of North America, 22 (2): 253-264.
- **King C and Mabry L (1993):** A practical guide to the management of nasal and sinus disorders. Anatomy and Physiology. Thieme medical Publishers, Inc, New York: 8.
- **Knonno A (1982):** Participation of Vascular reflex in mucosal swelling in nasal allergy. Acta Otolaryngol. (Scotch), 94: 131-140.
- **Krespi Y & Keider A.** Laser assisted uvulopalatoplasty for treatment of snoring. Oper Tech in Otolaryngol Head & Neck Sug, 1994: vol 5 (4): 228-234.

- *Kripke, D.; Mason, W.; Bloomquist, J.; Cobarrubias, M.; Engler, R. and Ancoli-isreals, S. (1998)*: Relationships of respiratory tract apnea-hypopnea counts and 4% distortions sleep. *Research* 17:208.
- *Kryger MH, Roth T, Dement WC, eds.* Principles and practice of sleep medicine, 2nd edition, WB saunders, 1994.
- *Kyzer S, Charuzi I.* Obstructive sleep apnea in the obese. *World J Surg* 1998; 22 (9): 998-1001.

(L)

- *Lavergene T, Sebag C, chouari S, Guizel L (1996)*: Radiofrequency ablation: physical basis and principles. *Arch. Molecular Vaiss*, 89: 57-63.
- *Lavie P, Yoffe N, Berge4r I and Peled R.* The relationship between the severity of sleep apnea syndrome and 24-h blood pressure values in patients with obstructive sleep apnea. *Chest*, 1993; 10.: 717-21.
- *Lavie P.* incidence of sleep apnea in a presumably healthy working population. *Sleep*, 1983; 6:312-8.
- *Leach J, Olsen J, Herman J, Mannings S.* Polysomnographic and clinical findings in children with obstructive sleep apnea. *Arch, Otolaryngol. Head Neck Surg.* 1992; 118: 741-4.
- *Lee J, Brooks MD, Bryan M, Stephens BA and Ann Mary Bacevices BA.* Adenoid size in related to severity but not to the number of episodes of obstructive apnea in children. 1999.

- **Lender H and Pirig W (1990)**: Diagnostic value of acoustic rhinometry: Patients with allergic and vasomotor rhinitis compared with normal controls. *Rhinology*, 28:5-16.
- **Lender H, Schaefer J, Pirsig W (1991)**: Turbinate hypertrophy in habitual snorers and patients with obstructive sleep apnea: Findings of acoustic rhinometry. *Laryngoscope*, 101:614-618.
- **Lender H, Scholl R, Brunner M (1992)**: Acoustic rhinometry: The principles in the nose. *HNO (Hals, Nasen and Ohren Klinik)*, 40: 239-274,1992. Quoted after *Otolaryngology Head and Neck surgery*, 3rd edition, 42:799-832(1998).
- **Lenz. H, Eichler J, Salk J (1977)**: Parameters for Argon Laser surgery of the lower human turbinate: invitro experiments. *Acta Otolaryngol (Scotch)*, 83: 360-365.
- **Li KK, Powel NB, Troell RG (1998)**: Radiofrequency volumetric tissue reduction for treatment of turbinate hypertrophy: A pilot study. *Otolaryngology Head and Neck surgery*, 119 (6): 569-573.
- **Lionel M. Nelson, MD**. *Arch otolaryngol Head Neck Surg* Vol. 126. June 2000: 736-740.
- **Little SW (1988)**: Management of enlarged turbinates. *Virginia M, Month*. 90: 484, 1963. Quoted after *Otolaryngology Head and Neck surgery* 3rd edition, 42: 799-832.
- **Lopez MJ, Fanto GS, Thabit G (1998)**: The effect of radiofrequency energy on the ultrastructure of joint capsular collagen. *Arthroscopy*, 14: 495-501.

- *Lugaresi, E.; Cirignotta, F. and Montagna, P. (1988)*: Snoring: Pathophysiology and clinical consequences *Semin. Respir*, 9:577-585.
- *Lugaresi, E.; Coccagna, G. and Cirignotta, F. (1978)*: Snoring and its clinical complication. In *sleep apnea syndrome*, edited by C.Guillemnault and W,C,Dement., P 13-12.
- *Lund V (1989)*: Objective assessment of nasal obstruction. *Otolaryngologic clinics of North America*, 22 (2): 279-290.

(M)

- *Mabry RL (1979)*: Intranasal corticosteroid injection: indications, technique and complications. *Otolryngology Head and neck surgery*, 87: 207-211.
- *Mabry RL (1984)*: Surgery of the inferior turbinate: How much and When? *Otolaryngology Head and Neck surgery*, 92:571-576.
- *Maisel and Goding, Olson LG, Ambrogetti A, Gyulay SG*. Prediction of sleep disordered breathing: *J sleep Res. Mar; 1999* 8 (1): 51-5.
- *Mandel EM, Parsia P, Negretto GG, Frigo V monaldi*. *Arch. Chest. Dis.* 1981.
- *Maran A and Lund V (1990)*: A basic science- investigation test. In *Clinical Rhinology*. Maran A and Lund V (editors), Goerge Thiemes (stuttgart, New York): 51-58.
- *Maran AGD (1979)*: The deviated nose and nasal airway. *Journal f royal society of medicine*, 72: 848-855.

- *Maranta CA, Scherrer JL, Simmen D (1995)*: The mask: Style and volume do not influence rhinomanometry. *Rhinology*, 33: 84-85.
- *Mark, J.D. and Brooks, J.G. (1984)*: Sleep obstructive airway problems in children. *Psychiatric Clinics of North America*, 31 (4): 907-918.
- *Martinez SA, Nissen AJ, Stock CR (1983)*: Nasal turbinate resection for relief of nasal obstruction. *Laryngoscope*, 93: 871-875.
- *Mathur R, Douglas NJ*. Family studies in patients with the sleep apnea syndrome. *Ann Intern Med*. 1995; 122: 170-174.
- *Mattila VJ (1974)*: Correlation of nasal symptoms and signs in random sampling study. *Acta Otolaryngol (Suppl)*, 318:-48.
- *May M and Schaitkin B (1995)*: Frontal sinus surgery: Endonasal drainage instead of an external osteoplastic approach. *Operative techniques, Otolaryngology Head and Neck surgery*, 6: 184-192.
- *Mayer J, Becker H, Brondenug U, Penzel T, Peter JH & Wichert PV*. Blood pressure and sleep apnea: Results of long term n-CPAP therapy. *Cardiology* 1991; 79: 84-92.
- *Mc Combe Aw, Cook J, Jones AS (1992)*: A comparison of Laser cautery and submucosal diathermy for rhinitis. *Clinical Otolaryngology*, 17: 297-299.
- *Mc Gahan J, Schneider P, Brock J (1995)*: Treatment of liver tumors by percutaneous radiofrequency electrocautery. *Semin Intervent Radiol*, 10: 143-149.

- **McNamara SG, Grunstein RP and Sullivan CE.** Obstructive sleep apnea. *Thorax*, 1993; 48: 754-64.
- **Meyer TJ, Hill NS.** Noninvasive positive pressure ventilation to treatment of obstructive sleep apnea/ hypopnea syndrome. *Am. J. Respir. Crit Care. Med.* 1996; 153: 794-798.
- **Mezon, B.J.; West, P.; Maclean, J.B. and Krygr, M.H. (1980):** Sleep apnea in acromegaly. *Am. J. Medicine* 69: 625-618.
- **Mezzanotte WS, Tangel DJ and White DP.** Working genioglossal EMG in sleep apnea patients versus normal control. *J. Clin. Invest.* 1992; 89: 1571-9.
- **Min YG and Jung YJ (1995):** Measurements of cross-sectional area of the nasal cavity by acoustic rhinometry and CT scanning. *Laryngoscope*, 105: 757-759.
- **Moran WB.** Uvulopalatopharyngoplasty; variations. In: Snoring and obstructive sleep apnea. *Fairbanks DN et al. Raven Press.* New York 1987, 156-160.
- **Moran, W.B. Fairbanks D.N.F. (eds.), Raven Press (1987):** Obstructive sleep apnea: Diagnosis by history, physical exam and special studies. In snoring and obstructive sleep apnea. First edition. New York.
- **Moran WB. Fairbanks DNF. (eds.) Raven Press** Obstructive sleep apnea: Diagnosis by history, physical examination and special studies. In : snoring and obstructive sleep apnea. Second Edition.. New York, 1994.

- *Moser NJ, Phillips BA, Berry DTR & Harbison L*, What is hypopnea,? Chest, 1994: 105426-28.
- *Motta J, Guilleminault C, Schroeder JS & Dement WC*. Tracheostomy and haemodynamic changes in sleep induced apnea. Ann. Intern. Med. 1978; 89: 454-8.

(N)

- *Neil J. Douglas, Olsen LG., King MT Croften.*: Respiratory disorders, chapter 47 sleep Apnea/hypopnea syndrome 2000, P 1250-1263.
- *Nelson B. Povell, MD; Rohert W. Riley DDS, MD; Robert J. Troell, MD; Kasey Li, DDS, MD; Mare B. Blumen, MD; and Christian Guilleminault, MD* Radio frequency Volumetric Tissue Reduction of the Palate in Subjects With Sleep-Disordered Breathing. Chest 1998; 113: 1163-1174.
- *Nelson LM (2000)*: Radio frequency treatment for obstructive tonsillar hypertrophy. Arch Otolaryngol Head and Neck surgery, 126 (6): 736-740.
- *Ninimaa V, Cole P, Miniz S, Shepard RJ (1979)*: A heat out body polysmnography. J. Appl. Physiology, 47 (6): 1336-1347.

(O)

- *O'Sullivan RA, Hillman DR, Mateljan R, Pantin C & Finucane KF*. Mandibular advancement splint: An appliance to treat snoring and obstructive sleep apnea. Am. J. Respir. Crit. Care. Med., 1995; 151: 194-8.

- **Olson LG, King MT, Hensley MJ, Saunders NA.** A community study of snoring and sleep-disordered breathing. Health outcomes. *Am J Respir Crit Care Med* 1995; 152 (2): 717 – 720.
- **Olson LG, King MT, Hensley MJ, Saunders NA.** A community study of snoring and sleep-disordered breathing. Health outcomes. *Am J Respir Crit Care Med* 1995; 152 (12): 1077-1085.
- **Ophir D, Shapira A, Marshake G (1985):** Total inferior turbinectomy for nasal airway obstruction. *Arch Otolaryngol*, 111:93-95.
- **Oturai AB, Jensen K, Eriksen J, Madsen F (1996):** Neurosurgery for trigeminal neuralgia comparison of alcohol block, neurectomy and radiofrequency coagulation. *Clinical Journal of pain*, 12: 311-315.

(P)

- **Pack, Ferguson KA, Onolow AA, Keenan SP, Fleetham JA.** Crossova Study of treatment of the multi-mderate obstructive sleep apnea. 1999; 109: 1269-1301.
- **Pallanch JE, Mc Caffery TV, Kern EB (1998):** Evaluation of nasal breathing function with objective airway testing. In *Otol, aryngology Head and Neck surgery*, 3rd edition, Charles Coming (editor), Mosby year book, st. Lewis, 42:799-832.
- **Palomakilt, H.; Partinen, M.; Juvela, S. and Kaste, M. (1988):** Snoring and occurrence of brain infarction: In: *Chronic rhonchopathy*. Editor C.H. Chouard, John Libbey Euro text Ltd., 105-108.

- *Papasidero MJ.* The nose and its impact on snoring and obstructive sleep apnea. In: Snoring and obstructive sleep apnea. Second edition. Faribanks DNF and Fujites (eds.) raven Press Ltd. New York. 1994.
- *Parsons DS (1993):* Rhinologic uses of powered instrumentation in children beyond sinus surgery. Otolaryngologic clinics of North America, 29: 105-114.
- *Partinen M, Guilleminault CG, Quera-Salva MA & Jamieson A.* Long term outcome for OSA patient's mortality. Chest, 1988, 94: 1200-4.
- *Pepin JL Ieger P, Veale D, Langevin B, Robert D & Levy P.* Side effects of n-CPAP in sleep apnea syndrome. Chest, 1995; 107: 375-381.
- *Phillipson, E.A. (1983):* The influence of sleep fragmentation on arousal and ventilation responses to respiratory stimuli. Sleep, 3: 281.
- *Phillipson EA.* Sleep apnea. A major public health problem. New Engl. J.Med. 1993; 328: 1271-1273.
- *Pieyre JM.* The positional treatment of snoring. In: Chronic rhonchopathy Ed. C.H. Chouard 1988. John Libbey Eurotext Ltd. P 244-249.
- *Pirising W, Schafer J, Yildiz F and Nagel J.* Uvulopalatopharyngoplasty without complications: a Modification of Fujita's techniques. Laryngo-Rhino-Otol, 1989. 68: 585-590.
- *Plate and Asboe (1981):* Visual loses after intranasal corticosteroid injection. Arch Otolaryngology, 107: 484-486.

- **Potsic WP, Marsh RR.** Snoring and obstructive sleep apnea in children in: Fairbanks DNF, editor. Snoring and obstructive sleep apnea. New York, Raven Press. 1987.

- **Powell NB, Riley RW, Troell RJ, Blumen MB (1997):** Radio frequency volumetric reduction of the tongue: A porcine pilot study for the treatment of obstructive sleep apnea syndrome. *Chest*, 111: 1348-1355.

- **Powell NB, Riley RW, Troell RJ, Li K, Blumen MB (1998):** Radio frequency volumetric reduction of the palate in subjects with sleep disordered breathing. *Chest*, 113: 1163-11174.

- **Powell NB. Riley RW. Troell RJ. LiK, Blumen MB. Guilleminaut C.** Radiofrequency volumetric tissue reduction of the palate in subjects with sleep disordered breathing. *Chest*. 1998; 119-1163-1174.

- **Price SD, Hawkins DB, Kahlstrom EJ.** Tonsil and adenoid Surgery for airway obstruction: preoperative respiratory morbidity. *Ear Nose Throat J*. 1993; 72:526-531.

- **Pricipato JJ (1979):** Chronic vasomotor rhinitis: Cryogenic and other surgical modes of treatment. *Laryngoscope*, 89: 619-638.

- **Pringle, M.B. and Croft, C.B. (1993):** A grading system for obstructive sleep apnea based on sleep nasendoscopy. *Clinical otolaryngology*, 18:480-484.

- **Prosise GL & Berry RB.** Oral nasal continuous positive airway pressure as a treatment for obstructive sleep apnea. *Chest*, 1994; 106: 180-6.

(Q)

- *Quan SF, Howard BV, Iber C, et al.* The sleep heart health study: design, rationale and methods. *Sleep* 1997; 20 (12): 1077 – 1085.

(R)

- *Raine RJ.* The investigation of treatment of sleep related breathing disorders. *Respir. Med.* 1993, 87; 253-259.
- *Rallph E and Gaskius JR (1989):* Use of a modified microdrill in endoscopic sinus surgery for improved exposure and reduced adhesions. *Laryngoscope*, 99: 556-557.
- *Ramalingam KK.* Simple treatment for snoring, also a mean of prediction of uvulopalato-pharyngoplasty success? *The Journal of laryngology and otology*, May 1990; (164), 428-429.
- *Redline S, Tishler PV, Tosteson TD, et al.,* The familial aggregation of obstructive sleep apnea. *Am. J. Respir. Crit Care. Med.* 1995; 151: 682-687.
- *Reeves-Hoche mK, Meck R and Zwillich CW. Nasal CPAP:* An objective evaluation of patient compliance. *Am. J. Respir. Med.* 1996; 141: 781-788.
- *Reinsich L (1996):* Laser physics and tissue interaction. *The Otolaryngologic clinics of North America*, 29 (6): 893-914.

- *Reuben C and Setliff RC (1996)* : Minimally invasive sinus surgery, the rational and technique. Otolaryngologic clinics of North America, 29:115-128.
- *Rhee CS, Kin DY, Won TB Lee HG SW, Kwon TY, Lee CH, Min YG (2001)*: changes of nasal unction after temperature controlled radiofrequency tissue volume reduction for the turbinate. Laryngoscope, 11 (1): 153-158.
- *Rice, D.H. (1986)*: Snoring. Otolaryngologic Clinics of north America 19 (L).
- *Rice, D.H. (1991)*: Snoring and Obstructive Sleep Apnea. Medical clinics North America, 75 (6): 1367-1371.
- *Richard J, King MT, Heusley MJ, Saunders NA*. A community study of snoring and sleep disordered breathing health outcome. 1991; 431:701.
- *Richard J, King MT, Heusley MJ, Saunders NA*. A community study of snoring and sleep disordered breathing health outcome. 1991; 152:717.
- *Richard J Schwalb, T-Scott Johnosn, Jerry Hablerstadt, Colin E Sullivan*. American sleep apnea association, the phantom of the night. 1999; 431 :701.
- *Richard J, Schwab Andrew N, Goldberg Allan I*. Pack chapter 102 sleep apnea syndrome. 2000; 1617-1637.

References

- **Richardson JR. (1998):** Concho-antropexy or total inferior turbinectomy for hypertrophy of the inferior turbinate? A prospective study. *Journal Laryngology and Otology*, 107: 1125-1128.

- **Riley, R.; Gulleminault, C. and Powell, N. (1985):** Palatopharyngoplasty Failure, cephalometric role to diagnose the obstructive sleep apnea. *Otolaryngol. Head and Neck Surgery*, 93: 240-244.

- **Riley RW, Powell NB and Guillemnault C.** inferior mandibular osteotomy and hyoidmyotomy suspension for obstructive sleep apnea: A review of SS patients. *J. Oral. Maxillbfac. Surg.*, 1989; 49: 159.

- **Riley RW, powell NB and Guilleminault C.** Maxillofacial surgery and nasal CPAP; a comparison of treatment for obstructive sleep apnea syndrome. *Chest* 1990; 98:6:1421-1425.

- **Riley RW, Powell NB, Guilleminault C.** Obstructive sleep apnea and maxillary, mandibular and hydroid advancement in the treatment. *J. Oral Maxillofacial surg.* 1990; 48 (1): 20-6.

- **Riley RW, Powell NB and Guilleminault C.** Obstructive sleep apnea syndrome: A review of 306 consecutively treated surgical patients. *Otolaryngology Head and Neck, Surgery.* 1993; 108:117.

- **Riley RW and Powell NB.** Maxillary, mandibular and hyoid advancement: An alternative to tracheotomy in obstructive sleep apnea syndrome. *Otolaryngol Head and Neck Surg.*, 1996; 94: 584.

References.

- *Rodgers GK, Chan KH, Dahi RE.* Antro choanal polyp. presenting as obstructive sleep apnea syndrome. Arch. Otolaryngol. Head and Neck Surgery. 1991; 117: 914.
- *Rosen CL, D'Andrea L and Haddad GG.* Adult criteria for obstructive sleep apnea don't identify children with serious obstruction. Am. Rev. Respir. Dis., 1992; 146: 1231-4.
- *Rudman D, Feller Ag, Nagraj HS, Gergans GA, Lalitha PY abd Goldbergh AF.* Effect of human growth hormones deficiency in men over 60 years old. N.Engl. J.Med. 1990; 323:1-6.

(S)

- *Said AM, Tag El-Din MA, Madkour M, Safwat T & Ashmawy S.* Nasal CPAP in management of some cases with OSA. MD thesis, Ain-Shams University, 1995.
- *Sami Allaam:* Breeds of rabbits. CARE of ANIMALS 3rd edition, 2001; vol II; 161-164.
- *Sanders, M.H.; Martin, R.J.; Pennockl, B.E. and Rogers, R.M. (1981):* The detection of sleep apnea in the awake patients. The "saw tooth sign" Journal of Americal Medical Association, 245: 2414-2418.
- *Sanders, M.H. (1987):* Non Surgical management of snoring and obstructive sleep apnea. In: Fairbanks, D.F.; Fujita, S.; Ikematus, T. and Simmons, F.B. (eds): Snoring and obstructive sleep apnea, New Uork, Raven Press, P. 79-100.

- *Sanders MH, Kern NB, Stiller RA, Martin TJ & Atwood CW. CPAP therapy via oronasal mask for OSA. Chest, 1994; 106:774-9.*
- *Santamaria JD, Prior JC and Fleetham JA. Reversible reproductive dysfunction in men and obstructive sleep apnea. Clin. Endocrinol., 1988; 28: 461-70.*
- *Saunders WH (1982): Surgery of the inferior nasal tubinate. Annal Otol, Rhinol, Laryngol, 91: 445-447.*
- *Schmidt WW, Thomas E & Marvin B. Treatment of snoring and obstructive sleep apnea with a dental prosthesis. Chest 1991; 99 (6) 1378-1385.*
- *Schmidt-Nowara WW. Mead T, Hays MB. Treatment of snoring and obstructive sleep apnea. Chest. 1995; 99: 1378-85.*
- *Schroeder JS, Motta J and Guilleminault C. Haemodynamic studies in sleep apnea. In : Sleep apnea Syndromes. (eds. Guilleminault C, and Dement WC), 1st edition, New York: Alan Liss, 1978: 177-99.*
- *Scrima L, Brondy M, Nay KN and Cohn MA. Increased severity of obstructive sleep apnea after bed time alcohol ingestion. Sleep, 1982; 5: 318-28.*
- *Selkin SG (1985): Laser turbinectomy as an adjuvant to rhinoseptoplasty. Arch Otolaryngol, 111: 446-449.*
- *Series F, Cormier V, Desmeules M, Forge L (1989): influence of respiratory drive on upper airway resistance in normal men. Journal applied physiology, 66: 1242-1249.*

- *Serway AR (1990)*: Physics for scientists and engineers. In electromagnetic waves, 3rd edition, published by saunders Golden sunburst Series, ch. 34: 955-975.
- *Setliff RC and Parsons DS (1994)*: The hummer: A new instrumentation for functional endoscopic sinus surgery. *Am. J. Rhinol*, 8: 66-67.
- *Setliff RC (1996)*: The hummer: A remedy for apprehension in functional endoscopic sinus surgery. *Otolaryngologic clinics of North America*, 29: 93-103.
- *Sforza E, Kreiger J, Weitzenblum E, Apprill M, Lambert E & Ratamaharo J*. Long-term effects of treatment with n-CPAP on day time function and pulmonary hemodynamics in patients with OSA. *Am. Rev. Respir. Dis.* 1990; 141: 866-70.
- *Sher, A.E.; Therpy, M.J.; Shprintzen, R.J.; Spielman, A.J.; Burackl, B. and McGreyor, P.A. (1985)*: Predictive value of Muller maneuver in selection of patients for uvulopalatopharyngoplasty. *Laryngoscope* 95, 1483-1487.
- *Sher AE, Schechtman KB, Piccirillo JF*. The efficacy of surgical modifications of the upper airway in adults with obstructive sleep apnea syndrome. *Sleep* 1996; 19(2): 156 – 177.
- *Sher AE, Schechtman KB, Piccirillo JP*. The efficacy of surgical modifications of the upper airway in adults with obstructive sleep apnea syndrome. *Sleep* 1996; 19 (2): 156-177.
- *Sherer P, Hahn I, Mozell M (1989)*: The biophysics of nasal airflow. *The Otholaryngologic clinics on North America*, 22 (2): 265-278.

- *Shintani T, Asakura K, Kataura A.* The effect of adenotonsillectomy in children with OSA. *Int J Pediatr Otorhinolaryngo.* 1998; 44:51-58.
- *Simmons FB, Guilleminault C and Silvestri R.* Snoring and some obstructive sleep apnea can be cured by oropharyngeal surgery. *Arch. Otolaryngol* 1983 (109): 503-507.
- *Sito A and Nishihata S (1981):* Nasal airway resistance in children. *Rhinology*, 49: 149-154.
- *Skatrud JB, Dempsey JA & Kaiser DG.* Ventilatory response to medroxyprogesterone acetate in normal subjects: time course and mechanisms. *J. Appl. Physiol.* 1978; 44 : 939-944.
- *Smith TL, Correa AJ, Reinisch L (1999):* Radiofrequency tissue ablation of the inferior turbinate using a thermocouple feedback electrode. *Laryngoscope*, 109:1760-1765.
- *Sofer S, Weinhouse E, Tal A, Wandrman KL, Margulis G, Lieberman A.* Cor pulmonale due to adenoidal or tonsillar hypertrophy or both in children *chest* 1988; 93: 119-22.
- *Somers VK, Dyken ME, Claray MP, Abboud FM.* Sympathetics neural mechanisms in obstructive sleep apnea. *J. Clin. Invest.* 1996; 96: 1897-1904.
- *Stanffer JL, Zwillich CW, Cadiaeux RJ, Xicxler ED, Kales A, Varano LA and White DP.* Pharyngeal size and resistance in obstructive sleep apnea. *Am. Rev. Respir. Dis.*, 1197; 136: 623-7.

- *Stanley E, Thawley Mawhinney H, Spector SL, Berthong J.* Study of snoring and sleep disordered breathing. 1993; 17: 113-136.
- *Stein, M.G.; Gamus, G.; DeGeer, G.; Golden, J.A.; Crumley, R.L. and Webb, W.R. (1987):* Cine CT in obstructive sleep apnea. American Journal of Radiology, 148: 1069-1074.
- *Stoohs R and Guilleminault C. Mesam :* An ambulatory device for the detection of patients at risk for obstructive sleep apnea syndrome. Chest, 1992; 101: 122-7.
- *Stradling JR & Crosby JH.* Relation between systemic hypertension and sleep hypoxaemia or snoring: Analysis in 748 men drawn from general practice. BMJ, 1990; 300: 75-8.
- *Stradling JR and Crosby JH.* Predictors and prevalence of obstructive sleep apnea and snoring in 1001 middle-aged men. Thorax, 1991; 46: 85-90.
- *Strobel RJ, Roson RC.* Obesity and weight loss in obstructive sleep apnea. A critical review: sleep 19.1996; 104-115.
- *Strumpf DA, Harrop P, Dobbin J & Millman RP.* Massive epistaxis from n-CPAP therapy. Chest, 1989; 95: 1141-3.
- *Suen JS, Arnold JE, Brooks LJ.* Adenotomysillectomy for treatment of obstructive sleep apnea in children. Arch. Otolaryngol. Head Neck Surg. 1995; 121: 523-30.

- *Suzuki M, Otsuka K & Guilleminault C.* Long term nasal CPAP can normalize hypertension in obstructive sleep apnea patients. *Sleep* 1993; 16: 545-9.
- *Snyder F, Hobson JA, Morrison DF & Gold-Fronk F.* Changes in respiration, heart rate, and systolic blood pressure in human sleep. *J. Appl. Physiol.*, 1994; 19 417-22.

(T)

- *Tal A, Leiberman A, Margulis G and Sofes S.* Ventricular dysfunction in children with obstructive sleep apnea. *Pediatr pulmonol.*, 1988; 44: 139-43.
- *Taylor G, Macneil AR, Freed DL (1973):* Assessing degree of nasal patency by measuring peak expiratory flow rate throughout the nose. *Journal of allergy and clinical immunology*, 52: 193-198.
- *Teculescu D.* Can snoring induce or worsen obstructive sleep apnea? *Med Hypotheses* 1998; 27 (2): 125-129.
- *Teculescu D.* Can snoring induce or worsen obstructive sleep apnea? *Med Hypotheses* 1998; 50(2): 125 – 129.
- *Thawley SE.* Surgical treatment of obstructive sleep apnea, *Med. Clin. North. Am.* 1985; 69: 1387.
- *Tilkian, Wadd W, Kuhlo W.* Neuropsychological studies of abnormal night's sleep. *Prog. Brain. Res.* 1976.

- *Tolle FA, Judy WV, Yu PL & Marka ON*. Reduced stroke volume related to pleural pressure in obstructive sleep apnea. *J.Appl. Physiol.*, 1983; 55: 1718-21.
- *Tousignant P, Cosio M, Levy RD & Groome PA*. Quality adjusted life years added by treatment of obstructive sleep apnea. *Sleep*, 1994; 17: 52-60.

(U)

- *Utley DS, Goode RL, Hakim I (1999)*: Radiofrequency energy tissue ablation for treatment of nasal obstruction secondary to turbinate hypertrophy. *Laryngoscope*, 109: 683-686.

(V)

- *Van cauwenberge PB and Delaye L (1984)*: Nasal cycle in children. *Arch Otolaryngol*, 110: 108-110, 1984.
- *Van delden MR, Cook PR, Davis WE (1999)*: Endoscopic partial inferior turbinoplasty. *Otolaryngol. Head and Neck surgery*, 121 (4): 400-409.

(W)

- *Walsh JT & Montplaisir J*. Familial Glaucoma with sleep apnea: A new syndrome? *Thorax*, 1982; 37: 845-9.
- *Walsh JT and Montplaisir J*. Familial glaucoma with sleep apnea: A new syndrome? *Thorax*, 1992; 37:845-6.

References.

- *Weitzenhblum E, Krieger J, Apprill M, Valle E, Ehrhart M and Ratomaharo J.* Daytime pulmonary hypertension in patients with obstructive sleep apnea. *Am. Rev. Respir. Dis.*, 1988; 138:345-9.
- *Weitzman, E.D.; Pallock, C.P. and Borowiecki, B. (1978):* The hypersomnia-sleep apnea syndrome: site and mechanism of upper airway obstruction. In: *Sleep apnea syndrome* C. Guilleminault W.C. Dement (Eds): Alan R. Liss Inc., New Work, N.Y.
- *Wheatly JR, Messanotte WS, Tangel DJ and White DP.* Influence of sleep on genioglossal muscle activation by negative pressure in normal men. *Am. Rev. Respir. Dis.*, 1993; 148: 597-605.
- *White DP.* Pathophysiology of obstructive sleep apnea. *Thorax*, 1995; 50: 797-804.
- *Williams IIL (1970):* The clinical physiology and pathology of the nasal airway and adjoining air filled cavities. *Annal. Otorhinolaryngol*, 79: 513-520.
- *Williams HOL Fischer EW, Goldingwood DG (1991):* Two stage turbinectomy: Sequestration of the inferior turbinate following submucosal diathermy. *Journal Laryngology and Otology*, 105:14-16.
- *Whyte KF, Allen MB, Jeffery AA, Gould GA & Douglas NJ.* Clinical features of the sleep apnea hypopnea syndrome *Q.J. Med.*, 1989; 72: 659-66.
- *Woolford T & Faringion T.* Laser-assisted uvulopalatoplasty. The British method, operative techniques in otolaryngology head and neck surgery, 1994; (4): 292.

(Y)

- *Young WC (1989):* Roarcks formulas for stress and strain, 6th edition
New York, McGraw-hill.
- *Young T, paltra M, Dempsey Jet al.* The occurrence of sleep
disordered. Breathing among middle-aged adults. N. Engl. J. Med.
1993; 328: 1230-1235.
- *Young T, Palta M, Dempsey, J, Skatud J, Weber S, Badr S.* The
occurrence of sleep disordered breathing among middle-aged adult N.
Engl. Med. 1995; 928: 123.

(Z)

- *Zinder, D.J. and Postma, G.N. (1995):* Out patient cautery-assisted
uvulopalatoplasty. Laryngoscope 1995; 105:1256-7.