

REFERENCES

- Allison, J. R., (1984).
Radiation- induced basal cell carcinoma. J.
Dermatol. Surg. oncol., 10 : 200 - 203
- Amonette, N.R.A., Salasche, S. J, and Chesney, T.M.C.C., (1981):
Metastatic basal cell carcinoma. J. Dermatol.
Surg., 7 : 397 - 400
- Anderson, T. E., and Best, P. V., (1962) :
Linear basal cell nevus. Brit J. Dermatol., 74:
20 - 23
- Andrew, W. B., (1982):
Epidermal naevi and tumours . In : Diseases of the
skin, 7th ed, W. B. Saunders and Company
Philadelphia, PP. 810 - 828
- Argenta, L. C. (1984) :
Controlled tissue expansion in reconstructive
surgery. Brit. J. Plastic surg., 37 : 520 - 529
- Assor, D., J., (1967):
Basal cell carcinoma with metastasis to bone.
Cancer, 20 : 2125 - 2137
- Avelar, J. M. Psillakis, J. M. and Viterbo, F., (1984):
Use of large composite grafts in the
reconstruction of deformities of the nose and
ear. Brit. J. Plastic Surg., 37 : 55 - 60

B

- Barr, R. J., and Graham, J. H., (1979):
Granular cell basal cell carcinoma Arch.
Dermatol., 115 : 1064 - 1067

- Barron, J. N., (1979) :
Flap repairs and principle of delay. In:
Operative surgery, 3 rd ed., by Charles Rob and
Rodney Smith. Butterworths, london, PP. 34 - 40
- Beare, R. L. P., (1979) :
Local skin flaps. In: Operative surgery, 3 rd ed.
Edited by Charles Rob and Rodney Smith,
Butterworth, London, PP. 49 - 60
- Belisario, J. C., (1975) :
5- Fluorouracil and other cytotoxic agents. In :
Current dermatologic management. 2 nd ed., by Stuart
Maddin, The C. V. Mosby Company, Saint Louis. PP. 24 - 25
- Bennett, R. G., (1987) :
Mohs' surgery, new concepts and applications.
Dermatologic clinics, 5: 409 - 428
- Blanchard, L., Hodge, S. J., and Owen, L. G., (1981) :
Linear eccrine nevus with comedones. Arch.
Dermatol., 117 : 357 - 359
- Bleiberg, J., and Brodtkin, R. H., (1969) :
Linear unilateral basal cell nevus with ccomedones.
Arch. Dermatol., 100 : 187 - 190
- Borel, D. M., : (1973) :
Cutaneous basosquamous carcinoma. Arch. Path., 95
: 293 - 297

C

- Camisa, C., Rossana, C. and Little, L., (1985) :
Naevoid basal-cell carcinoma syndrome with
unilateral neoplasms and pits. Br. J. Dermatol.,
113 : 365 - 367
- Caro, M. R., and Howell, J. B., (1952) :
Morphea - like epithelioma. Arch. Dermatol. Syph.,
63 : 471 - 476

- Ceilley, B. I., Bumstead, R. M., and Panje, W. R., (1983):
Delayed skin grafting. J. Dermatol. Surg. Oncol.,
9 : 288 - 293
- Chernosky, M. E., (1987) :
Scalpel and Scissors surgery as seen by the
dermatologist. In : Epstein, E. and Epstein, E.,
Jr., Skin Surgery, 6 th ed., by Bill Lamsback. W.
B. Saunders Company, Philadelphia, PP. 88 -127
- Cherry, G. W., Austad, E. D., Pasyk, K. A., McClatchy, K.
D., and Rohrich, R.J., (1982) :
Increased survival and vascularity of random
pattern flaps elevated in controlled expanded skin.
Plastic and reconstructive surgery, 72 : 680 - 686
- Chu, A. Eisinger, M., and Lee, J. S., (1982) :
Immunoelectron microscopic identification of
langerhans cells. Invest. Dermatol., 78 : 177 - 180
- Cobbett, J. R., (1979) :
Microsurgical techniques. In: Operative Surgery,
3 rd ed., by Charles Rob and Rodney Smith.
Butterworths, London, PP. 176 - 178
- Cottel, W. I., and Proper, S., (1982) :
Mohs' Surgery. J. Dermatol. Surg. Oncol., 8 : 576 -
582

D

- Darrier, J., and Ferrand, M., (1955) :
Mixed basal squamous and intermediary types of
BCC. Ann. Dermatol. syph., 82 : 124 - 139
- Deane, M., (1984 a) :
Free grafts. In :Atlas of general surgery, edited
by Charles Rob and Rodney Smith. Butterworths,
London, PP. 41 - 62

Deane, M., (1984 b) :
Skin flaps. In : Atlas of general surgery. edited
by Charles Rob and Rodney Smith. Butterworths,
London, PP. 62 - 78

De Boer, E. M., and Bruynzeel, D. P., (1986):
Basal cell nevus syndrome and webbed neck.
Dermatologica, 173 : 245 - 247

Deppe, R., Pullmann, H. and Steigleder, G. K., (1976) :
Dopa positive cell and melanin in basal cell
epithelioma. Arch. Dermatol. Res., 256 :79 - 83

Dufourmentel, C., (1963) :
An L Shaped flap for lozenge shaped defects.
Transactional of the third international congress
of plastic surgery, Amsterdam, Exerpta Medica
Foundation, PP. 772 - 793

Dubin, N. and Kopf, A. W., (1983) :
Multivariate risk score fore recurrence of
cutaneous basal cell carcinomas. Arch. Dermatol.,
119 : 373 - 377

Dvoretzky, I. and Fisher, B. K., (1978) :
Mutilating basal cell carcinoma. Arch. Dermatol.,
114 : 239 - 240

E

Early, M. J., (1983) :
Basal cell carcinoma arising in tattoos . Brit.
J. Plastic Surg., 36 : 258 - 259

Epstein, E., (1985):
Fluorouracil paste treatment of thin basal cell
carcinomas. Arch. Dermatol., 121 : 207 - 213

Epstein, E., and Epstein, E. Jr., (1987):
Skin surgery, 6 th ed., by Lamsback, W. B.
Saunders Company, Philadelphia.

F

Farmer, E. R., and Helwig, E. B., (1980):
Metastatic basal cell carcinoma, a clinico
pathological study. Cancer, 46 : 748 - 757

Flemming, A. F., Colles M. J., and Guillianootte, R.,
(1988):
Laser assisted microvascular anastomosis. Brit. J.
Plastic Surg., 41 : 378 - 384

Freeman, R. G., (1976):
Histopathologic consideration in the management of
skin cancer, J. Dermatol. Surg., 2 : 215 - 219

G

Goldman, L., (1975):
Laser therapy : Dermatologic procedures. In : Current
dermatologic management, 2 nd., ed., by Stuart Maddin.
The C. V. Mosby Company, Saint Louis. PP. 15 - 53

Goldman, L., (1987):
Laser skin surgery. In : Epstein, E and Epstein, E.
Jr. skin surgery, 6 th ed., by Bill Lamsback,
W. B. Saunders Company, Philadelphia, PP. 348 -356

Gormley, D., and Hirsch, P., (1978):
Aggressive basal cell carcinoma of the scalp.
Arch. Dermatol., 114 : 782 - 783

Grimwood. R. E. Charles. F. Mercill, D. B., and Huff, C.,
(1986):
Proliferating cells of human basal cell
carcinoma are located on the periphery of tumour
nodules. J. Invest. Dermatol., 86 : 191 - 194

H

Hackett, M. J., (1984):
Restoration of skin cover, the use of free
grafts. In : Atlas of general surgery, edited by
Charles Rob and Rodney Smith, Butterworths, London,
PP. 18 - 33

Hanke, C. W., (1987):
Repair of surgical defects. Dermatologic clinics.
5 : 287 - 302

Harris, J. D., (1973):
Toxic effects of aerosol propellants on the
heart. Arch.Int. Med., 131 : 162 - 166

Harrison, P. V., (1987):
Therapy of basal cell carcinoma. Brit. J.
Dermatol., 117 : 349 - 357

Hashimoto, K., and Tarnowski, W. M. (1968):
Some new aspects of the Langerhans cell. Arch.
Dermatol., 97 : 450 - 464

Hashimoto, K., (1972):
Fine structure of merkel cell. J. Invest.
Dermatol., 58 : 381 - 387

Hauben, D. J., Zirken, H., Mahler, D., and Sacks, M. (1982):
Biologic behaviour of basal cell carcinoma. Plastic
and Reconstructive surgery., 69 : 103 - 106

- Helm, F., and Klein, E., (1965):
Effects of allergic contact dermatitis on Basal
cell epitheliomas. Arch. Dermatol., 91 : 142 - 144
- Hermans, E. H., Grosfeld, J. C. M., and Spaus, J. A., (1965):
The fifth phakomatosis. Dermatologica 130 :446-476
- Hill, T. G., (1983):
Reconstruction of nasal defects using full
thickness skin grafts. J. Dermatol. Surg. Oncol.,
12 : 591 - 596
- Holman, C. D. J., Armstrong, B. K., Evans, P. R., Lumsden,
G.J., Dallimore, K. J., Meehan, C. J., Beagley, J.,
and Gibson, I, M., (1984):
Relationship of solar keratosis and history of
skin cancer to objective measures of actinic
skin damage. Brit. J. Dermatol., 110 : 129 - 138
- Holmes E. J., Bennington, J, L., and Haber, S, L., (1968):
Citrulline-containing basal cell carcinomas. Cancer,
22 : 663 - 670
- Horio T., and Komura, J. (1978):
Linear unilateral basal cell nevus with comedo
like lesions. Arch, Dermatol., 114 : 95 - 79
- Howat, A. J., and Levick, P. L., (1987):
Metastatic basal cell carcinoma. J. Dermatologica.
174 : 132 - 134
- Howell, J. B., and Freeman R. G., (1980) :
Structure and significance of the pits with their
tumours in the nevoid basal cell carcinoma
syndrome. J. AM., Acad. Dermatol., 2 : 224 - 238

Hughes, N. C., (1979):
Excision of tumours with direct closure of the defect. In Illustrative surgery, 3rd ed., by Charles Rob and Rodney Smith, Butterworths., London, PP. 12 - 14

I

Ibrahim, W., Wertz , P. W., Landmann, L., and Downing, D. T., (1987):
Stratum corneum lipid liposomes : calcium-induced transformation into lamellar sheets. J. Invest. Dermatol., 88 : 212 - 214

J

Jacobs, G. H., Rippey, J.J., and Altini. M. (1982):
Prediction of aggressive behavior in basal cell caricoma. Cancer , 49 : 533 - 537

K

Keenan , R., and Hopkinson, J. M., (1981):
Pulmonary metastases from a basal cell carcinoma. J. cut. path., 8 : 235 - 240

Kidd, R. L., Krawczyk W. S., and Wilgram,G.,(1971):
The Merkel cell in human epidermis. Its differentiation from other dendritic cells. Arch. Dermatol. Forsch, 241 : 374 - 384

Klein, E., Holtermann, O. A., (1972) :
Immunotherapeutic approaches to the management of neoplasms. Natl. Cancer. Inst. Monogr., 35 : 372 - 380

Klein, E., Holterman, O. A., Helm, F., and Rosner, D., (1975) :
Immunologic approaches to the management of
primary and secondary tumours involving the skin
and soft tissues. Transplant proc., 7 : 297 - 315

Koplin, L. and Zarem, H. A., (1980) :
Recurrent Basal Cell Carcinoma. Plast. Reconst.
Surg., 65 : 656 - 662

L

Leeson, C. R., Leeson, T. S., and Paparo, A. A., (1985) :
The skin and its appendages. In : Textbook of
Histology, 5th ed. W. B., Saunders company,
Philadelphia, PP. 291 -311

Lever, W. F., (1948) :
Pathogenesis of benign tumours of cutaneous
appendages and of basal cell epithelioma. Arch.
Dermatol. Syph., 57 : 679 - 724

Lever, W. F., and Schaumburg -Lever, G., (1983 a) :
Histology of the skin. In : Histo-pathology of the
skin. 6th ed. J.B., Lippincott. Philadelphia, PP. 3-41

Lever, W.F., and Schaumburg-Lever, G., (1983 b) :
Tumours of epidermal appendages. In :Histo-pathology
of the skin. 6th ed. J.B., Lippincott. Philadelphia,
PP. 556 - 588

Lister, G. D., and Gibson, T., (1972) :
Closure of rhomboid skin defects, the flaps of
limberg and Dufourmentel. Brit. J. Plast. Surg.,
25 : 300 - 306

Lubritz, P., (1987):
Superficial cryosurgery. In: Epstein, E. and
Epstein, E. Jr., Skin surgery, 6th ed., edited
by Bill Lamsback. W. B., Saunders company,
Philadelphia, PP. 448- 456

Lynch, N. T., (1977):
Cancer control in xeroderma pigmentosum. Arch.
Dermatol., 113 : 193 - 195

M

Maddin, S., (1975) :
Basal cell carcinoma. In : Current dermatologic
managment. 2 nd ed., The C. V. Mosby company, Saint
Louis. PP. 92 - 95

Marchac, D., and Toth, B. (1985):
The axial frontonasal flap revisited. Plast.
Reconst. Surg., 76 : 686 - 694

Mc Carthy, J. G., Lorence, Z.P., Cutting , C. and Rachesky,
M., (1985):
The median forehead flap revisited, the blood
supply, Plast. Reconst. Surg., 76 : 866 - 869

Mc Gregor, I. A., (1973) :
Eye lid reconstruction following subtotal
resection. Brit. J., Plast. Surg., 26 : 346 - 351

Menn, H., Robins, P., and Kopf, A. W., (1971):
The recurrent basal cell epithelioma. Arch.
Dermatol., 103 :628 - 631

Merot, Y., Carraux, P., Didiergean, L., and Saurat, J., (1986):
Merkel cells do not express bullous pemphigoid
antigen, Dermotologica. 172 : 69 - 76

Miller, R. A., and Spittle, M. F., (1982):
Electron beam therapy for difficult cutaneous
basal and Squamous cell carcinoma. Br. J.
Dermatol., 106 : 429 - 435

Mohs, F. E., (1976) :
Chemosurgery for skin cancer: Fixed tissue and
fresh tissue techniques. Arch. Dermatol., 112: 211
- 215

Mohs, F. E., (1987) :
Microcontrolled sugery for skin cancer, Epstein, E
and Epstein, E. Jr. Skin surgery. 6 th ed., edited by
Bill Lamsback W. B., Saunders company philadelphia.
PP. 380 - 396

Montagna, W., Chase, H. B., and Lobitz, W. C., (1963) :
Histology and cytochemistry of human skin. The
eccrine sweat glands. J. Invest. Dermatol., 20 :
415 - 423

N

Nicholas, W., (1974) :
Are freon propellants inert? NY Journal of
medicine, 74 : 1939 - 1945

Noodleman, R. R., and Pollack, S. V., (1986) :
Trauma as a possible factor in basal cell
carcinoma. J. Dermatol. Surg. Oncol., 12/8 : 841 -846

O

Odom, R. B., (1987) :
Fluorouracil . In : Epstein, E and Epstein, E, Jr.
Skin surgery, 6 th ed. by Bill Lamsback, W. B.,
Saunders company, philadelphia. PP.396 - 400

Ohtsuka, H., Mili,y and Shioya, N., (1982) :
Trilobed flap in facial reconstruction. Brit. J.
Plast. Surg., 35 : 493 - 498

Okun, M. R., and Blumental, G., (1964) :
Basal cell epithelioma with giant cell and
nuclear atypicality, Arch. Dermatol., 89 : 598 - 600

Orfanos, C. E., and Mahrle, G., (1973) :
Ultrastructure of human cutaneous nerves. J.
Invest. Dermatol., 61 : 108 -120

P

Pascal, R.R., (1968) :
Prognosis of incompletely excised versus completely
excised basal cell carcinoma. Plastic and
reconstructive surgery. 41 : 328 - 335

Paver, K., Poyzen, K., and Burry, N., (1973) :
The incidence of basal cell carcinoma and their
metastases in Australia and New Zealand. Aust J.
Dermatology. 14 : 53 - 55

Pinkus, H., (1953) :
Premalignant fibroepithelial tumours of the skin.
Arch. Dermatol. Syph., 67 : 598 - 615

Pinkus, H., (1965) :
Epithelial and fibroepithelial tumours of the
skin. Arch. Dermatol., 91 : 24 - 37

Pinkus, H., (1972) :
Anatomy and histology of the skin. In : Graham,
J. H., Johnson, W. C., Helwig, E. B., (Eds) : Dermal
Pathology, Hagerstown, Harber and Row PP. 1 - 24

Pollack, S. V., Goslen, J. B., Sheretz, E. F., and Jegasothy, B.V., (1982) :
The biology of basal cell carcinoma : a review.
J.Am. Acad. Dermatol, 7 : 569 - 577

Popkin, G. L., (1987) :
Electrosurgery. In : Epstein, E. and Epstein, E.Jr. Skin Surgery, 6 th ed., by Bill Lamsback, W. B. Saunders company, Philadelphia, PP. 164-184

Q

Quaba, A . A., and Sommerland, B. C., (1987):
"A square peg into a round hole" a modified rhombic flap and its application". Brit. J. Plastic Surg., 40 : 163 - 170

R

Rahbari, H. and Mehregan, H. A., (1982) :
Basal cell ephthelioma in children and teenagers. cancer, 49 : 350 - 353.

Rains, H., and Ritchie, D., (1981) :
Malignant tumours of the skin. In : Short Practice of Surgery, 18 th ed. H. K. Lewis and Co. Ltd. London, PP. 120 - 126

Rank, B. W., and Wakefield, A. R., (1958) :
Surgery of basal cell carcinoma. Brit. J. surg., 45 : 531 -536

Reed, J. C. (1968) :
Nevoid basal cell carcinoma syndrome with associated fibrosarcoma of the maxilla. Arch. Dermatol., 97 : 304 - 306

Reidbord, H. E., Wechsler, H. L., and Fisher, E. R., (1971):
Ultrastructural study of basal cell carcinoma. Arch. Dermatol., 104 : 132 - 140

- Richmond, J. D., and Davie, R. M., (1987):
The significance of incomplete excision in Patients with
Basal cell carcinoma. Brit .J. Plastic surg., 40 :63-67
- Robins, p., (1981):
Chemosurgery, 15 years experience.
J. Dermatol. Surg. Oncol., 7 :779 - 786
- Rook, A., Wilkinson, D. S. and Ebling. R. J. G., (1979):
Tumours of the skin. In : Text book of
dermatology. vol. 2, Blackwell scientific
publications, Oxford, London, PP. 2171 - 2179
- Rulon, D. B., and Helwig E. B. (1974):
Cutaneous sebaceous neoplasms. Cancer, 33 : 82 - 102

S

- Safai, B., and Myskowski, P. L., (1987):
Immunotherapy. In : Epstein, E., and Epstein, E. Jr.,
Skin surgery. 6 th ed., by Bill Lamsback, W. B.
Saunders company, Philadelphia, PP. 439 - 452
- Sanchez, N. P., and Winkelmann, R. K., (1982):
Basal cell tumours with eccrine differentiation.
J. Am. Acad. Dermatol., 6 : 514 - 518
- Sanderson, K. V., (1961):
The architecture of basal cell carcinoma.
Brit. J. Dermatol., 73 : 455 - 474
- Sarks, F.C., Silverstein, M, J., Hunt. J. S., and Haskell, C. M.,
(1973):
Complications of BCG immunotherapy in patients with
cancer. N. Engl. J. Med., 289 : 827 - 830

- Silberberg., I. (1976):
The role of langerhans cells in allergic contact hypersensitivity. J. Invest. Dermatol., 66 : 210 - 217
- Silvers, D. N., (1982):
The skin, basic pathophysiology. In : Diseases of the skin, 3rd ed by Andrew, W. B., Saunders and Company. Philadelphia, PP. 1 - 14
- Sloane, J. P., (1977):
The value of typing basal cell carcinoma in predicting recurrence after surgical excision. Brit. J. Dermatol., 96 : 127 - 132
- Snell, R. S., (1983):
Skin and its appendages. In : Clinical and Functional histology. 1st ed., Little Brown and company, Boston, PP. 689 - 728
- Southwick, G. J., and Schwartz, R. A., (1979):
The basal cell nevus syndrome. Cancer, 44 :2294-2305
- Salasche, S. J., (1983):
Curettage and electrodesiccation in the treatment of midfacial basal cell epithelioma. J Am. Acad of Dermatol., 8 : 496 - 503
- Spearman, R. I. C., (1970):
Some light microscopical observations on the stratum corneum of the guinea pig, man and common seal. Brit J. Dermatol., 83 : 582 - 590
- Spiller. N. F., and Spiller, R. F., (1984):
Treatment of basal cell carcinoma by Curettage and electrodesiccation. J. Am. Acad, of Dermatol., 11 : 808 - 814

Stern, J. P., (1985):
Malignant tumours of the surface epithelium. In :
Karcioglu & Someren's textbook of practical
surgical pathology. 1st ed. Lexington, Massachusetts,
PP. 959 - 963

Stewart, W. D., Danto. J. L., and Maddin, S., (1978):
Dermatologic therapeutics and techniques. In :
Diagnosis and treatment of cutaneous disorders, 4 th
ed., The C. V., Mosby company, Saint Louis.
PP. 72 - 74

Stjernsward, J., and Levin, A., (1971):
Delayed hypersensitivity-induced regression of human
neoplasms. Cancer, 28 : 628 - 640

Suhge d'Aubermont, P. C., and Bennett, R. G., (1984):
Failure of curettage and electrodesiccation for
removal of basal cell carcinoma Arch. Dermatol.,
120 : 1456 - 1460

Swanson, N. A., (1983):
Basal cell carcinoma, treatment modalities and
recommendations. Primary Care, 10 : 443 - 452

Synkwoski, D. R., Schuster, K.P. and Orlando, J.C., (1985):
The immunobiology of basal cell carcinoma. Br.
J. Dermatol., 113 : 441 - 446

T

Taylor, W. B., and Wilkins, J. W., (1970):
Nevoid basal cell carcinoma of the palm.
Arch. Dermatol., 102 : 654 - 655

Taylor, W. B., Anderson, D. E., and Howell, J. B., (1968):
Nevoid basal cell carcinoma syndrome. Arch.
Dermatol., 98 : 612 - 614

Torre, D., (1975):
Alternate cryogens for cryosurgery, J. Dermatol.
Surg. Oncol., 1 : 56 - 58

Totten, J. R., (1980):
The multiple nevoid basal cell carcinoma syndrome.
Cancer, 46 : 1456 - 1462

Tromovitch, T. A., and Stegman, S. J., (1974) :
Microscopic controlled excision of skin tumours.
Fresh tissue technique, Arch. Dermatol., 110 : 231-232

U

Urban, P. H., and Winkelmann, P. K., (1961):
Sebaceous malignancy. Arch. Dermatol., 84 : 63 - 72

V

Vasarinch, P., (1982):
Diagnosis and therapy of common skin diseases. In :
Clinical dermatology. 1st ed., Butterworths, London.
PP. 541 - 548

W

Watson, J., (1979):
Repair with direct and indirect flaps. In: Operative
Surgery. 3rd ed., by Charles Rob and Rodney Smith,
Butterworths, London, PP. 61- 78

- Weedon, D., and Shand, E., (1979):
Amyloid in basal cell carcinoma. Brit. J.
Dermatol., 101 :141 - 146
- Weiss, D. W., Bonhag, R. S., and Leslie, P., (1966):
Studies on the heterologous immunogenicity of a
methanol - insoluble fraction of BCG. J. Exp. Med.,
24: 1039 - 1065
- Wikner, N. E., Dixit, V. M., Frazier, W. A., and Clark, R. A.,
(1987):
Human Keratinocytes synthesize and secrete the
extracellular matrix protein, Thrombospondin.
J. Invest. Dermatol., 88 : 207 - 211
- Winkelmann, R. K., (1977):
The merkel cell system and a comparison between it
and the neurosecretory or APUD cell system.
J. Invest Dermatol., 69 :41 - 46

Y

- Yeh, S. (1973):
Skin cancer in chronic arsenicism. Human Path., 4
:469 - 485
- Zacarian, S. A., (1985):
Cryosurgery for skin cancer and cutaneous
disorders. St Louis, C. V. Mosby Co. PP. 199 - 214
- Zacarian, S. A., (1987):
Cryosurgery of malignant tumours of the skin in :
Epstein, E. and Epstein, E. Jr., Skin surgery. 6 th
ed., by Bill Lamsback. W. B., Saunders Company,
philadelphia, PP. 457 - 465

Zelickson, A. S., Goltz, R. W., and Hartmann, J. F., (1961)
A histologic and electron microscopic study of
pigmented basal cell carcinoma.
J. Invest. Dermatol., 36 : 299 - 302

Zelickson, A. S., and Mottaz, J. H., (1968):
Epidermal dendritic cells.
Arch. Dermatol., 98 : 652 - 659