

References

- Adams DJS, Feuerstein SS.(1984): Looking under the epidermis: a histologic study of implants. In: Ward P, Berman WE, eds- Plastic and reconstructive surgery of the Head and neck.St. Louis: CV Mosby.
- Adams JS.(1987): Grafts and implants in nasal and chin augmentation: a rational approach to material selection. *Oto-laryngol Clin North Am*; 20(4):913.
- Adams WP jr., et al (2006). "Enhancing patient outcomes in aesthetic and reconstructive breast surgery using triple antibiotic breast irrigation: six-year prospective clinical study.". *Plast Reconstr Surg.*; 117 (1): 30-36.
- Adler RH (1957): An evaluation of surgical mesh in the repair of hernias and tissue defects.*Arch.Surg*; 85:156-160.
- Akin-Olugbade O, Parker M, Gubring P, Mulhall J.(2006): Determinants of patient satisfaction following penile prosthesis surgery. *J Sex Med. Jul* ;3(4):743-8.
- Alam M, Yoo SS.(2007): Technique for calcium hydroxylapatite injection for correction of nasolabial fold depressions. *J Am Acad Dermatol Feb.* 56(2):285-9.
- Alasdair B and Mathon, (1997): Wounds and minor surgery . In: Fye's Surgical Handicraft. Chapter 5 p.44:48.
- Albrektsson T, Brånemark PI, Jacobsson M, et al.(1987): Present clinical applications of osseointegrated percutaneous implants. *Plast Reconstr Surg*; 79(5):721.
- Amard, P (2001): PLA (New-Fill) as management of lipotrophy of the face. *Magazin Aesth Surg* 1:28.
- Amid PK, Shulman AG, Lichtenstein IL, Hakakha M. (1994): Biomaterials for abdominal wall hernia surgery and principles of their applications. *Langenbecks Arch Chir*; 379:168-71.
- Anderson P, Agarwal V, Soden F, Ralph D, Minhas S.(2007): Outcome from Penile Prostheses Revision Surgery: MP-04-126. *Journal of Sexual Medicine.*; 4S2:146.
- Arion HG (1965):Retromammary prosthesis. *C R Soc Fr Gynecol* 5.

- Anderson RR, Parrish JA. (1986): Microvasculature can be selectively damaged using dye lasers. *Lasers Surg Med* 1981; 1:263-276.
- Arepelli S, et al. (2002): Allergic reactions to platinum in silicone breast implants. *J Long-Term Effects Medical Implants*: 299-306.
- Argenta LC, Austad ED, eds. (1987): *Tissue Expansion, Clinics in Plastic Surgery: An International Quarterly*. (July)Vol. 14:3.
- Armando C Soto and Jeffrey M ReUly, (1999): *Washington Manual of Surgery*.Chapter 9.Wound healing and care, p.142-154.
- Austad ED, Thomas SB, Pasyk K. (1986): Tissue expansion: Dividend or loan? *Plast Reconstr Surg*; 78:63-67.
- Azzolini A, Riberti C, Cavalca D. (1992): Skin expansion in head and neck reconstructive surgery. *Plast Reconstr Surg*; November 90(5): 799-807.
- Baker SR, and Swanson NA.(1990): Clinical applications of tissue expansion in head and neck surgery. *Laryngoscope*. March 100:313-319.
- Baker SR, and Swanson NA. (1990): Rapid intraoperative tissue expansion in reconstruction of the head and neck. *Arch Otolaryngol Head Neck Surg*; December 116: 1431-1434.
- Baker SR, and Swanson NA.(1990): Tissue expansion of the head and neck: Indications, technique, and complications. *Arch Otolaryngol Head Neck Surg*; October 116: 1147 1153.
- Baker SR.(1991): Fundamentals of expanded tissue. *Head and Neck*; July-August. 13 (4): 327-333.
- Barnsley GP. (2006): Textured surface breast implants in the prevention of capsular contracture among breast augmentation patients: a meta-analysis of randomized controlled trials." *Plast Reconstr Surg*; 117 (7): 2182-90.
- Bass ls., Treat MR. (1995):Laser tissue welding: A comparative review of current and future clinical applications, *Laser surg. Med* .;17:315-349.

- Becher E, Borghi M, de Oca LM, et al. (2003): Improvement of penile glans engorgement in patients with penile implants using topical alprostadil. *Int J Impot Res*; 15:s11.
- Bennett RA.(1988): Materials for wound closure. In: *Fundamentals of Cutaneous Surgery*. St. Louis, Mo: Mosby-Year Book.
- Bent, AE, Foote, J, Siegel, S, Faerber, G, Chao, R, Gormley, EA (2001): Collagen implant for treating stress urinary incontinence in women with urethral hypermobility. *J Urol* 166:1354.
- Berghaus A, Mulch G, Handrock M. (1984): Porous polyethylene and Proplast: their behavior in a bony implant bed, *Arch Otolaryngol Head Neck Surg* ;240:115.
- Beutler LE, Scott FB, Rogers RR Jr, Karacan I, Baer PE, Gaines JA.(1986): Inflatable and noninflatable penile prostheses: comparative follow-up evaluation. *Urology*. Feb.; 27(2):136-43.
- Bikhazi HB, Antwerp RV.(1991): The use of Medpor in cosmetic and reconstructive surgery: experimental and clinical evidence. In: Stucker FJ (ed). *Plastic and reconstructive surgery of the head and neck*. Philadelphia: BC Decker.
- Blais P.(1983): Industrial polymers as implants: their value and their limitations. In: Rubin LR (ed). *Biomaterials in reconstructive surgery*. Philadelphia: CV Mosby.
- Bondurant S, Ernster V, Herdman R. (1999): Committee on the Safety of Silicone Breast Implants (eds). *Safety of Silicone Breast Implants*. Institute of Medicine, 21. ISBN 0-309-06532-1.
- Bondurant S, Ernster V, Herdman R. (1999): Committee on the Safety of Silicone Breast Implants.
- Borges AF, (1973): *Elective incisions and scar revision*. Boston: Little, Brown.
- Bringman S, Wollert S, Osterberg J et al. (2006): Three-year results of a randomised clinical trial of lightweight or standard polypropylene mesh in Lichtenstein repair of primary inguinal hernia. *Br J Surg*; 93: 1056-1059.

- Brinton L, Brown S, Colton T, Burich M, Lubin J (2000): Characteristics of a population of women with breast implants compared with women seeking other types of plastic surgery. *Plast Reconstr Surg.*; 105 (3): 919-27; discussion 928-9.**
- Brinton LA, Lubin JH, Murray MC, Colton T, Hoover RN (2006): Mortality rates among augmentation mammoplasty patients: an update. *Epidemiology.*; 17 (2): 162-9.**
- Brinton LA, Malone KE, Coates RJ, et al. (1996): "Breast enlargement and reduction: results from a breast cancer case-control study". *Plast Reconstr Surg* 97 (2): 269-75.**
- Brown MH, Shenker R, Silver SA (2005): Cohesive silicone gel breast implants in aesthetic and reconstructive breast surgery. *Plast Reconstr Surg.*; 116 (3): 768-79; discussion 780-1.**
- Brown SL, Middleton MS, Berg WA, Soo MS, Pennello G. (2000): "Prevalence of rupture of silicone gel breast implants revealed on MR imaging in a population of women in Birmingham, Alabama". *AJR Am J Roentgenol* ;175 (4): 1057-64.**
- Brown SL, Pennello G, Berg WA, Soo MS, Middleton MS (2001): Silicone gel breast implant rupture, extracapsular silicone, and health status in a population of women. *J Rheumatol* ;23 (5): 996-1003.**
- Butterwick KJ, Niotheti PK, Hsu JW, et al.(2007): Autologous fat transfer: an in-depth look at varying concepts and techniques. *Facial Plast Surg Clin North Am.*Feb.15 (1):99-111.**
- Carlin GA.(1973): Personally fabricated chin implant . *Plast Reconstr Sur.*; 51(2):121.**
- Carrico TJ, MehrhofAL, Cojen IK, (1984): Biology of wound healing. *Surgical Clinics of North America.*, 64:721.**
- Carson CC, Hodge GB, Anderson EE. (1983):Penile prosthesis in Peyronie's disease. *Br J Urol.* Aug 1983; 55(4):417-21.**
- Carson CC, Mulcahy JJ, Govier FE. (2000): Efficacy, safety and patient satisfaction outcomes of the AMS 700CX inflatable penile prosthesis: results of a long-term multicenter study. AMS 700CX Study Group. *J Urol.* Aug; 164(2):376-80.**

- Carson CC.(2003): Diagnosis, treatment and prevention of penile prosthesis infection. *Int J Impot Res. Oct; 15 Suppl 5:S139-46.*
- Chahraoui K, et al. (2006): Aesthetic surgery and quality of life before and four months postoperatively. *J Long-Term Effects Medical Implants: 207-210.*
- Chandiramani VA, Katara AN, Pandya SM, Nair NS. (2003): Prolene hernia system in the tension free repair of primary inguinal hernias. *Indian J Surg; 65:488-91.*
- Chantararak ND, Milner RH.,(1989): A comparison of scar quality in wounds closed under tension with PGA (Dexon) and Polydioxanone (PDS). *Br J Plast Surg. Nov; 42(6):687-91.*
- Chen ML, Chai JK, Song HF, Xu MH, Wu YQ, Chen BJ, Sheng ZY.(2007): Repairing of lower eyelid ectropion with expanded flap. *Zhonghua Zheng Xing Wai Ke Za Zhi. Jul; 23(4):295-6.*
- Chiu ES, Young VL, et al. (2006): The efficacy of breast augmentation: breast size increase, patient satisfaction, and psychological effects. *Plast Reconstr Surg.; (Dec): 958-69.*
- Cilurzo P, Canale D, Turchi P, Giorgi PM, Menchini Fabris GF.(1992):The Rigiscan system in the diagnosis of male sexual impotence. *Arch Ital Urol Nefrol Androl. Jun 1992;64 Suppl 2:81-5.*
- Clark CP, Peters GN, O'Brien KM. (1993): "Cancer in the augmented breast. Diagnosis and prognosis.". *Cancer: 2170-4.*
- Clark RA.(1985): Cutaneous tissue repair:basic biologic considerations. I. *J Am Acad Dermatol. Nov; 13(5 Pt 1):701-25.*
- Cobb WS, Kercher KW, Heniford BT.(2005): The argument for lightweight polypropylene mesh in hernia repair. *Surg Innov.; 12:T1-T7.*
- Cohen J. (1983): Metal implants: historical background and biological response to implantation, In; Rubin LR (ed).*Biomaterials in reconstructive surgery. St. Louis: CV Mosby.*

- Coskun F, Ozmen MM, Moran M and Ozazon O (2005): New technique for inguinal hernia Repair; 9(1):32-36.
- Costantino PD, Friedman CD, Lane A.(1993): Synthetic biomaterials in facial plastic and reconstructive surgery. *Facial Plast Surg. Jan.*; 9(1):1-15.
- Costantino PD.(1994):synthetic biomaterials for soft tissue augmentation and replacement in the head and neck .*Otolaryngeal Clin North Am* ;27:223-261.
- Craig PH, Williams JA, Davis KW, Magoun AD, Levy AJ, Bogdansky S, et al.,(1975): A biologic comparison of polyglactin 910 and polyglycolic acid synthetic absorbable sutures. *Surg Gynecol Obstet. Jul*; 141(1):1-10.
- Cranin AN, Sher J, Shpuntoff R. (1988): Reconstruction of the edentulous mandible with a lower border graft and subperiosteal implant. *J Oral Maxillofacial Surg*;46:264.
- Crerand CE, et al. (2006): Body dysmorphic disorder and cosmetic surgery . *Plast Reconstr Surg.*; (July): 1672-1802.
- Cronin TD, Gerow FJ (1963): Augmentation mammoplasty: New "natural feel" prosthesis. *Excerpta Medica International Congress Series.*; 66: 41.
- Culver DH, Horan TC, Gaynes RP.(1991): Surgical wound infection rates by wound class, operative procedure, and patient risk index. *National Nosocomial Infections Surveillance System. Am J Med. Sep* 16;91(3B):152S-157S.
- Cunha MS, Nakamoto HA, Herson MR,(2002): Tissue expander complication in plastic surgery. A 10 year experience. *REV. HOSP. CLÍN. FAC. MED. S. PAULO* 57(3):93-97.
- Cunningham B (2006): Breast cancer diagnosis and prognosis in augmented women-*Discussion. Plast Reconstr Surg.*: 594-5.
- Czerny V (1895): Plastischer Ersatz der Brusthus durch ein Lipoma. *Zentralbl Chir* .;27: 72.

References

- Daniel V.B , Nathaniel A.D , Denis L.B , Jason T.S , David L.B.(2008): **BIOMECHANICAL COMPARISON OF ABDOMINAL WALL HERNIA REPAIR MATERIALS** Proceedings of the ASME Summer Bioengineering Conference (SBC2008)June 25-29, Marriott Resort, Marco Island, Florida, USA.
- Das S., (1994): **A Concise Text Book of Surgery**, 1st ed. Chapter 1. Wound healing, p.1-7.
- Davidson TM, (1987): Subcutaneous suture placement. *Laryngoscope*, 97: 501.
- Debord JR. (1998): The historical development of prosthetics in hernia surgery *Surg Clin North Am*; 78:973.
- Douglas MacKay, ND,and Alan L. Miller, ND.(2003): **Alternative Medicine Review , Volume 8, Number 4 , p 360.**
- Douglas MacKay, ND,and Alan L. Miller, ND.(2003): **Alternative Medicine Review , Volume 8, Number 4 , p 361.**
- Duffy DM, (2005): **Complications of Fillers: Overview.***Dermatol Surg* .31:1626–1633.
- Eckersley JRT, Dudley HAF, (1988): **Wound and wound healing.** *Br. Med. Bull* 44: 423-436.
- Ellenbogen R, Rubin LR.(1983): **Toxicity associated with injectable silicone.** in: Rubin LR (ed). *Biomaterials in Reconstructive Surgery*. St Louis: CV Mosby.
- Elliot D, Mahaffey PJ.(1989): **The stretched scar: the benefit of prolonged dermal support.** *Br J Plast Surg*. Jan; 42(1):74-8.
- Ellis DAF, and Shaikh A, (1990): **The ideal tissue adhesives in Facial,plastic and reconstructive surgery.** *J Otolaryngol* 19:68-72.
- European Committee on quality assurance and medical devices in plastic surgery .(2007):**Consensus Declaration on Breast Implants.** (2000-06-23) Retrieved on 2007-05 04.

References

- Falanga V, Zitelli JA, Eaglstein WH. (1988): Wound healing. *J Am Acad Dermatol. Sep*; 19(3):559-63.
- Feil W, Lippert H, Lozac'h P, Palazzini G, (2000): Atlas of surgical stapling. Johann Ambrosms Barth. Skin staplers, p.29.
- Feldman HA, Goldstein I, Hatzichristou DG, Krane RJ, McKinlay JB.(1994): Impotence and its medical and psychosocial correlates: results of the Massachusetts Male Aging Study. *J Urol. Jan.*;151(1):54-61.
- Feretis, C, Benakis, P, Dimopoulos, C et al. (2001): Endoscopic implantation of Plexiglas (PMMA) microspheres for the treatment of GERD. *Gastrointest Endosc* 53:423.
- Figueroa-Haas CL (2007): Effect of breast augmentation mammoplasty on self-esteem and sexuality: a quantitative analysis. *Plast Surg Nurs.*; (Mar): 16-36.
- Fischer J, Metzler G, Schaller M,(2007):Cosmetic Permanent Fillers for Soft Tissue Augmentation , A New Contraindication for Interferon Therapies.*ARCH DERMATOL/VOL 143, Apr.*p507-510.
- Ford HR, Jones P, Gaines B, Reblock K, Simpkins DL,(2005): Intraoperative handling and wound healing: controlled clinical trial comparing coated VICRYL plus antibacterial suture (coated polyglactin 910 suture with triclosan) with coated VICRYL suture (coated polyglactin 910 suture). *Surg Infect (Larchmt).* ; 6(3):313-21.
- Forrester JD, (1973): Mechanical, biochemical, and architectural features of surgical repair. *Advances in Biological and Medical Physics* 14: i.
- Fosko SW, Heap D., (1998): Surgical pearl: an economical means of skin closure with absorbable suture. *J Am Acad Dermatol. Aug*; 39(2 Pt 1):248-50.
- Freeman BS, Wiemer U.(1983): Clinical uses of Proplast: expectations and results. In: Rubin LR cd. *Biomaterials inReconstructive Surgery*. St. Louis; CV Mosby,
- Freytes D.O., Rundell A.E., Vande Geest, J., Vorp D.A., Webster T.J., and Badylak S.F. (2005): Analytically derived material properties of multilaminated extracellular matrix devices using the ball-burst test.*Biomaterials*, 26, pp. 5518–5531.

- Fruhstorfer BH, Hodgson EL, Malata CM (2004): Early experience with an anatomical soft cohesive silicone gel prosthesis in cosmetic and reconstructive breast implant surgery. *Ann Plast Surg*; 53 (6): 536-42.
- Fuller T.(1983): Fundamentals of lasers in surgery and medicine. In Dixon JA, ed. *Surgical Applications of Lasers*. Chicago: Year Book; 11-27.
- Gabel EA, Jimenez GP, Eaglstein WH, Kerdel FA, Falanga V.(2000): Performance comparison of nylon and an absorbable suture material (Polyglactin 910) in the closure of punch biopsy sites. *Dermatol Surg*. Aug;26(8):750-2; discussion 752-3.
- Galal SA, Barsoum MS, Mohsen A, et al (1996):Kasr El-Aini Introduction to Surgery. 1st ed. By University Book Centre.Chapter 1. The healing and managements of wounds, p. 1-6.
- Gaynes RP.(2001): Surgical-site infections (SSI) and the NNIS Basic SSI Risk Index, part II: room for improvement. *Infect Control Hosp Epidemiol*. May;22(5):266-7.
- Gillman T, (1981): Healing of cutaneous wounds. *GIaxo volume* 31:5.
- Greco F, dePalma L, Spagnolo N, et al., (1991):Fibrin-antibiotic mixtures: An in-vitro study assessing the possibility of using a biological carrier for local drug delivery. *J. Biorned Master Res*.25:39-51.
- Hafezi F, Naghibzadeh B, Pegahmeh M, Nouhi A.(2008):Use of overinflated tissue expanders in the surgical repair of head and neck scars.*J Plast Reconstr Aesthet Surg*.Aug 5.
- Hallock GG.(1995): Safety of clinical overinflation of tissue expanders. *Plas Reconstr Surg*; July 96 (1): 153-157.
- Handel N, Silverstein M J, Gamagami P. (1992): "factors affecting mammographic visualization of the breast after augmentation mammaplasty.". *JAMA*: 1913-17.
- Handel N, et al (may 2006). Long-term safety and efficacy of polyurethane foam covered breast implants. *Aesth. Surg Journal*; 26 (3): 265-74.

- Handel N, et al. (2006): A long-term study of outcomes, complications, and patient satisfaction with breast implants. *Plast Reconstr Surg.*; (Mar): 757-67.
- Haralson MA, (1993): Extracellular matrix and growth factors: an integrated interplay controlling tissue repair and progression to disease. *Laboratory Investigation.* 69: 369.
- Heden P, et al (2006): Style 410 cohesive silicone breast implants: safety and effectiveness at 5 to 9 years after implantation. *Plast Reconstr Surg.*; 118 (6): 1281-7.
- Heden P, et al (2006): Prevalence of rupture in inamed silicone breast implants. *Plast Reconstr Surg.*; 118 (2): 303-8.
- Heden P, Jernbeck J, Hober M (2001): Breast augmentation with anatomical cohesive gel implants: the world's largest current experience. *Clin Plast Surg.*; 28 (3): 531-52.
- Hester TR Jr, Tebbetts JB, Maxwell GP (2001): The polyurethane-covered mammary prosthesis: facts and fiction (II): a look back and a "peek" ahead. *Clin Plast Surg.*; 28 (3): 579-86.
- Hino M ,Ishiko O ,Honda KI , Yamane T, et al.(2000):transmission of symptomatic parvovirus B19 by fibrin sealant used during surgery. *Br J Haematol*; 108(1):194-195.
- Holmich LR, et. al (2004): "Untreated silicone breast implant rupture". *Plast Reconstr Surg.*; 114 (1): 204-14.
- Holmich LR, et al. (2003): Incidence of silicone breast implant rupture.". *Arch Surg.*; 138 (7): 801-6.
- Holmich LR, Fryzek JP, Kjoller K, et al.(2005): The diagnosis of silicone breast implant rupture: clinical findings compared with findings at magnetic resonance imaging". *Ann Plast Surg* ; 54 (6): 583-9.
- Holste JL.(2005): Are meshes with lightweight construction strong enough? *Int Surg.*; 90(suppl 3); S10-S12.
- Homsey CA (1983): Proplast: chemical and biological considerations. In: Rubin LR, ed. *Biomaterials in reconstructive surgery.* St Louis: CV Mosby.

- Horn DB, Maisel RH.(1992): Angiogenic growth factors: their effects and potential in soft tissue wound healing. *Ann Otol Rhinol Laryngol* ; 101,349-354.
- Jackson, DS, (1980): The biochemical basis of repair in:Hunt T.K.:Wound Healing and Wound Infection. New York: Appleton Century Crafts. p. 76-99.
- Jarow JP.(1996): Risk factors for penile prosthetic infection. *J Urol*. Aug ;156(2 Pt 1):402-4).
- Johnson CM, Toriumi DM.(1989): Chin augmentation. in: Johnson CM, Toriumi DM (eds). *Open Structure Rhinoplasty*. Philadelphia: WB Saunders.
- Johnson GW, Christ JE. (1993): The endoscopic breast augmentation: the transumbilical insertion of saline-filled breast implants. *Plast Reconstr Surg.*; 92 (5): 801-8.
- Junge K, Kling U, Rosch R and Schumpelick V.(2002):Function and morphological properties of modified mesh for inguinal hernia repair.*World J.Surgery* ;26:1472-1480.
- Kalaaji A, Bruheim M. (2008): Tissue expansion for reconstruction of skin defects. *Tidsskr Nor Laegeforen..Aug 14; 128(15):1673-6.*
- Kamer FM and Joseph JH, (1989): Histoacryl. Its use in aesthetic facial plastic surgery. *Arch Otolaryngol Head Neck Surger*. 115:193-7.
- Kana GS, Hutschenreiter G, Haina D, et al.(1981): Effect of low-power density radiation on healing of open skin wound in rats. *Arch Surg.*; 116:293-296.
- Kasperbauer IL, Kem EB, Neel HB.(1986): Grafts and implants in rhinologic surgery: laboratory findings and clinical considerations. *Fac Plast Surg*; 3(2):125.
- Katz AR, Mukherjee DP, Kaganov AL, and Gordon S. (1985): A new synthetic monofilament absorbable suture made from polytrimethylene carbonate. *Surg Gynecol Obstet*. Sep; 161(3):213-22.
- Katzin, William E, Ceneno, Jose A, Feng, Lu-Jean et al (2001):Pathology of Lymph Nodes From Patients With Breast Implants: A Histologic and Spectroscopic Evaluation.. *American Journal of Surgical Pathology.*; 29 (4): 506-511.

-Ketcham AS, Hoyer RC, Riggle GC. (1967): A surgeon's appraisal of the laser. *Surg Clin North Am.*; 47:1249-1263.

-Key SJ, Thomas DW, et al. (1995): The management of soft tissue facial wounds. *Br. J. Oral Maxillofac. Surg.* P.33-76.

-King GD, Salvnan FA, (1970): Keloid scars. *Surgical Clinics of North America* 50:595.

-Kingnorth AN and Slavin J (1991): Peptide growth factors and wound healing. *British Journal of Surgery* 78:1286.

-Kirsch AJ , Cooper CS , Gatti J,et al. (2001):Laser tissue soldering for hypospadias repair:Results of a controlled prospective clinical trial. *J Urol*; 165(2):574-577.

-Krause HG, Galloway SJ, Khoo SK, Lourie R, Goh JT. (2006): Biocompatible properties of surgical mesh using an animal model. *Aust N Z J Obstet Gynaecol*;46: 42-5.

-LaBagnara J Jr. (1995): A review of absorbable suture materials in head & neck surgery and introduction of monocryl: a new absorbable suture. *Ear Nose Throat J. Jun*; 74(6):409-15.

-Lauto A, Ohebshalom M, Esposito M, et al. (2001):Self-expandable chitosan stent: design and preparation.*Biomaterials*; 22:1869-1874.

-Leber GE, Garb JL, Alexander AI, Reed WP.(1998): Long term complications associated with prosthetic repair of incisional hernia. *Arch Surg* ;133:378-82.

-Le GM, O'Malley CD, Glaser SL, et al. (2005): "Breast implants following mastectomy in women with early-stage breast cancer: prevalence and impact on survival.". *Breast Cancer Res.*: R184-93.

-Leighton WD, et al.(1988): Experimental pretransfer expansion of free-flap donor sites: I. Flap viability and expansion characteristics. *Plast Reconstr Surg.*; July 82 (1): 69-75.

-Leighton WD, et al.(1988): Experimental pretransfer expansion of free-flap donor sites: II. Physiology, histology, and clinical correlation. *Plast Reconstr Surg.*; July 82 (1): 76-84.

References

- Lemperle G.(2007): **Injectable Dermal Fillers – Resorbable or Permanent?. In: Dimitrije E. Panfilov. Aesthetic Surgery of the Facial Mosaic.2ndedition. p 650-651. Springer-Verlag Berlin Heidelberg.**
- Liakakos T, Karanikas I, Panagiotidis H, Dendrinis S.(1994): **Use of Marlex mesh in the repair of recurrent incisional hernia. Br J Surg ;81:248-9.**
- Liew SM, and Haw CS, (1993): **The use of taped skin closure in orthopedic wounds. Aust. N. Z. J. Surg. P.63-131.**
- Lober CW, Fenske NA.(1986):**Suture materials for closure of the skin and subcutaneous tissues, Aesthetic plast surg. 10:245-248.**
- Lotan Y, Roehrborn CG, McConnell JD, Hendin BN.(2003): **Factors influencing the outcomes of penile prosthesis surgery at a teaching institution. Urology. Nov.; 62(5):918-21.**
- Lupo MP.(2006): **Hyaluronic acid fillers in facial rejuvenation. Semin Cutan Med Surg.Sep. 25(3):122-6.**
- Luu HM, Hutter JC, Bushar HF (1998):**A physiologically based pharmacokinetic model for 2,4-toluenediamine leached from polyurethane foam-covered breast implants. Environ Health Perspect.; 106 (7): 393-400.**
- Lux M, Reyes-Vallejo L, Morgentaler A, Levine LA.(2007): **Outcomes and satisfaction rates for the redesigned 2-piece penile prosthesis. J Urol. Jan. ;177(1):262-6.**
- Lykissa E.D. and Maharaj S.V.M. (April 2006): **"Total Platinum Concentration and Platinum Oxidation States in Body Fluids, Tissue, and Explants from Women Exposed to Silicone and Saline Breast Implants by IC-ICPMS". Anal. Chem.. (due publication May 2006). Retrieved on 2006 -04-06.**
- Madden JW.(1971) : **Wound healing. In Sabiston D. (ed). Text book of surgery W.B. Saunders Co. Philadelphia, 271.**
- Madden JW.(1977): **Wound Healing: Biologic and clinical features. In Sabiston D (ed).Davis Christopher : Text book of surgery, 11th ed., chapter. 14, p.271-294.**

References

- Marks M W and Marks C, (1998): *Fundamentals of Plastic Surgery*. W.B. Saunders Company. Chapter 1. Wound management, p. 1-18.

- Martin K and Allan E. (2005): Inguinal hernia repair an update in : Taylor I and Johnson CD (Eds.) *Recent Advances in Surgery* ; Royal Society of Medicine press Ltd;28;75-86.

- Marx G, Blankenfeld A, et al (1993): Kinetic and mechanical parameters of pure cryoprecipitate. *Blood Coagul.Fibrinolysis*4:73-78.

- Maturri L, et al (1992): Long-term histopathologic evaluation of human expanded skin. *Plast Reconstr Surg.*; October 90(4): 636-642.

- Maw JL, Quinn JV, Wells JA, et al (1997): A prospective comparison of octylcyanoacrylate tissue adhesive and sutures for closure of head and neck incisions. *J otolaryngol.* 126; 892-895.

- May M. (1987): Gold weight and wire spring implants as alternatives to tarsorrhaphy, *Arch Otolaryngo] Head Neck Surg* 1987;113:656.

- McClarcken ME, Mchaney JM and colone Wan (1986): Physical properties and test methods for expanded polytetrafluoroethylene (PTFE) grafts. *American Society for Testing and Material*; 45:22-25.

- McCallough EG, Weil C.(1979): Augmentation of facial defects using Mersilene mesh implants. *Otolaryngol Head Neck Surg.*; 87:515.

- McLaughlin JK, Lipworth L, Fryzek JP, Ye W, Tarone RE, Nyren O (2006): Long term cancer risk among Swedish women with cosmetic breast implants: an update of a nationwide study. *J Natl Cancer Inst.*; 98 (8): 557-60.

- Meiring L, Cilliers K, Barry R, Nel CJ.(1982): A comparison of a disposable skin stapler and nylon sutures for wound closure. *S Afr Med J.* Sep 4; 62(11):371-2.

- Mester A, Mester AF.(1986): Mester's method of laser biostimulation. *Lasers Surg Med* 1986; 6:171-172.

- Mester E, Spiery T, Szende B.(1971): Effect of laser rays on wound healing. *Am J Surg* ; 122:532-535.
- Mitchell P. (1999):No syndrome linked to breast implants, says IoM, *Lancet* 1999;353:2215.
- Mladick RA (1993): "No-touch" submuscular saline breast augmentation technique." *Aesth. Surg Journal*; 17 (3): 183-92.
- Monstrey SJ, Pitaru S, Hamdi M, et al.(2007): A two-stage phase I trial of Evolence30 collagen for soft-tissue contour correction. *Plast Reconstr Surg*.Jul.120(1):303-11.
- Montague DK.(1987): Periprosthetic infections. *J Urol*. Jul ;138(1):68-9.
- Montague DK, Angermeir KW.(2003): Surgical approaches for penile prosthesis implantation: penoscrotal vs infrapubic. *Int J Impot Res*. Oct ;15 Suppl 5:S134-5.
- Moy RL, Kaufman AJ.(1991): Clinical comparison of polyglactic acid (Vicryl) and polytrimethylene carbonate (Maxon) suture material. *J Dermatol Surg Oncol*. Aug ;17(8):667-9.
- Moy RL, Waldman B, Hein DW.(1992): A review of sutures and suturing techniques. *J Dermatol Surg Oncol*. Sep; 18(9):785-95.
- Mulcahy JJ. (1999): penile prosthesis in Lue TF. : atlas of impotence.1st ed.5.2-5.12.Science press Ltd.
- Mulcahy JJ.(2000): Long-term experience with salvage of infected penile implants. *J Urol*. Feb; 163(2):481-2).
- Murray JC, Pollack SY, Pinnell SR, (1981):Keloids: a review. *Journal of theAmerican Academy of Dermatology*, 4-461.
- Mustoe TA, Bartell TH, and Garner NL. (1989): Physical, biomechanical, histologic, and biochemical effects of rapid versus conventional tissue expansion. *Plast Reconstr Surg*.; 83: 687.

- Nazerani S, Motamedi MH.(2008): Reconstruction of Hair-bearing Areas of the Head and Face in Patients with Burns. *Eplasty*. Aug 11; 8:e41.**
- Niamtu J., (2008): Accurate and Anatomic Midface Filler Injection by Using Cheek Implants as an Injection Template. *Dermatol Surg*; 34:93-96.**
- Nienhuijs SW, van Oort I, Keemers-Gels ME, Strobbe LJ, Rosman C. (2005): Randomized trial comparing the Prolene Hernia System, mesh plug repair, and Lichtenstein method of open inguinal hernia repair. *Br J Surg*; 92:33-8.**
- Nilsson T, (1983): Abdominal wound repair: An experimental study of the wound healing mechanism in the rabbit. *Danish Med Bull* 30: 394-407.**
- Norderstedt RE.(2003): skin closure with dermabond . A knot tying primer. Ethicon product. *Johnson& Johnson*. P 38.**
- Nordstrom RE, Nordstrom RM.(1986): Absorbable versus nonabsorbable sutures to prevent postoperative stretching of wound area. *Plast Reconstr Surg*. Aug;78(2):186-90.**
- Nordstrom RE.(1988): Tissue expansion, *International Quarterly: Monographs of Facial Plastic Surgery*.; July Vol. 5.**
- Ono K , Saito Y, Yura H, et al.(2000):Photocrosslinkable chitosan as a biological adhesive . *J Biomed Mater Res*; 49:289-295.**
- Orenteich N. (1983): Soft-tissue augmentation with medical-graft fluid silicone- hi: Rubin LR, ed. *Bsomaterials in reconstructive surgery*. St Louis: CV Mosby.**
- Parkes ML, Kramer FM, Menin ML. (1976): Proplast chin augmentation, *Laryngoscope*; 86:1829.**
- Peacock EE, (1983): Age related differences in healing of superficial skin wounds in humans. *The year book of surgery*. Year book Medical Puplishers. INC-London..p. 102.**
- Pearman RO.(1967): Treatment of organic impotence by implantation of a penile prosthesis. *J Urol*. Apr ; 97(4):716-9.**

- Petter-Puchner A. H., Walder N., Redl H., Schwab R., Öhlinger W., Gruber-Blum S., and Fortelny R.H.(2008): Fibrin Sealant (Tissucol) Enhances Tissue Integration of Condensed Polytetrafluoroethylene Meshes and Reduces Early Adhesion Formation in Experimental Intraabdominal Peritoneal Onlay Mesh Repair. *Journal of Surgical Research* doi:10.1016/j.jss.12.796.
- Pipan CM, Glasheen WP, Matthew TL, et al, (1992): Effect of antifibrinolytic agents on the life span of fibrin sealant. *J. Surg.Res.* 53:402-407
- Planas J (2001): Five-year experience on ultrasonic treatment of breast contractures. *Aesthetic Plast Surg*; 25 (2): 89-93.
- Poole GW, (1985): Mechanical factors in abdominal wound closure; The prevention of fascial dehiscence. *Surgery* 97: 631-639.
- Porto da Rocha R, Lucio DP, Souza Tde L, et al.(2002): Effects of a vitamin pool(vitamins A, E, and C) on the tissue necrosis process: experimental study on rats. *Aesthetic Plast Surg.*; 26:197-202.
- Postlethwait RW, WWigan DA, UUn AW, (1975): Human tissue reaction to sutures. *Am. Surg.* 181: 144-150.
- Price JM, Rosenberg ES.(2000): The silicone gel breast implant controversy: the rise of expert panels and the fall of junk science. *J R Soc Med.* Jan;93(1):31-4.
- Quatela VC, Sabini P.(2002):Synthetic implants in , Papel ID. *Facial Plastic and Reconstructive Surgery.* Chapter 6. p61-72. Thieme Medical Publishers.
- Ray JA, Doddi N, Regula D, Williams JA, Melveger A.(1981): Polydioxanone (PDS), a novel monofilament synthetic absorbable suture. *Surg Gynecol Obstet.* Oct;153(4):497-507.
- Reiter D, (1995): Methods and materials for wound closure. *Otolaryngol Clin North Am* 28; 1069-1080.
- Rifaat, (1988):"Manual of general surgery". Wounds. Chapter 1, p.3-10.
- Rodeheaver GT, Nesbit WS, Edlich RF.(1986): Novafil. A dynamic suture for wound closure. *Ann Surg.* Aug ;204(2):193-9.

- Romo T III, Sclafani AP, Sabini P.(1998): Use of porous high-density polyethylene in revision rhinoplasty and in the platyrrhine nose. *Aesth Plast Surg*; 22:211-221.
- Romo T, Foster CA, Korovin GS.(1991): Aesthetic reconstruction of the platyrrhine nose, In: Stucker FJ, ed. *Plastic and reconstructive surgery of the head and neck*. Philadelphia:BC Decker.
- Ross R, (1980): Inflammation, cell proliferation and connective tissue formation. In:Hunt TK.: ed., *Wound healing and wound infection*. New York: AppletonCentury Crafts, p.45-66.
- Sabini P, Sclafani AP, Romo T III, et al.(2000): Modulation of tissue ingrowth into porous high density polyethylene (PHDPE) with basic fibroblast growth factor (bFGF) and autologous blood ci (ABC). *Arch Fac Plast Surg*.:2:27-33.
- Sakai, D, Mochida, J, and Yamamoto, Y et al. (2003): Transplantation of mesenchymal stem cells embedded in Atelocollagen gel to the intervertebral disc: a potential therapeutic model for disc degeneration. *Biomaterials* 24:3531.
- Sapijaszko MJ.,(2007): Dermal Fillers: Ever-Expanding Options For Esthetic Use. *Skin Therapy Lett*.12 (8):4-7.
- Schlesinger SL, et al (2002): Zafirlukast (Accolate): A new treatment for capsular contracture. *Aesthetic Plast Surg*. ;22 (4): 329-336.
- Schmidt SC, et al.(1991): Continuous versus conventional tissue expansion: Experimental verification of a new technique. *Plast Reconst Surg*. ; January 87 (1): 10 15.
- Schoenrock LD, Chernoff WG. (1995): Subcutaneous implantation of Gore-Tex for facial reconstruction. *Otolaryngol ClinNorth Am*; 28:2.
- Schumpelick V., Nyhus L.M. (2006): Meshes: Benefits & Risks; Chapter 1.1 UK; Alani A., P.J. O'Dwyer.
- Schwartz GF, et al. (2006): "Consensus Conference on Breast Conservation". *JACAS*: 198-207.

- Scott FB, Bradley WE, Timm GW.(1973): Management of erectile impotence. Use of implantable inflatable prosthesis. *Urology*. Jul; 2(1):80-2.
- Scuderi N, et al. (2006): The effects of zafirlukast on capsular contracture: preliminary report. *Aesthetic Plast Surg*; 30 (5): 513-20.
- Senapati A, Thompson RP.(1985): Zinc deficiency and the prolonged accumulation of zinc in wounds. *Br J Surg*; 72:583-584.
- Sherris DA, Larrabee WP. (1996): Expanded polytetrafluoroethylene augmentation of the lower face. *Laryngoscope*; 106:658-663.
- Shoshan S,(1981): Wound healing. In: Hall DA.; Jackson, DS. (eds).*International Review of Connective Tissue Research* 9: 10.
- Silver H (1982): Reduction of capsular contracture with two-stage augmentation mammoplasty and pulsed electromagnetic energy (Diapulse therapy). *Plast Reconstr Surg*; 69 (5): 802-8.
- Silver IA.; Editor ofCuscheri "The physiology of wound healing" in Hunt TK (1980) : (ed). *Wound healing and infection: New York. Appleton century crafts* p. 11-28.
- Simhon D, Ravid A, Halpern M,et al(2001):Laser soldering of rat skin,using fiberoptic temperature controlled system.*Lasers Surg Med* ;29(3): 265-273.
- Singer AJ, Clark RA (1999):Cutaneous wound healing. *N Engl Med*. J.Sep 2;341(10):738 46.
- Singer AJ, Hollander JE, Valentine SM, et al (1998): Prospective, .randomized, controlled trial of tissue adhesive (2-Octylcyanoacrylate) vs standard wound closure techniques for laceration repair. *Academic Emergency Medicine*. Vol. 5. P.94-99.
- Skinner KA, Silberman H, Dougherty W, et al. (2001): "Breast cancer after augmentation mammoplasty.". *Ann Surg Oncol*: 138-44.
- Small W IV, Heredia NJ,Maitland DJ, Da Silva LB, Matthews DL.(1997):dye enhanced protein solders and patches in laser assisted tissue welding.*J Clin Laser Med Surg* ;15(5):205-208.

- Sobol SM, Alward PD. (1990): Early gold weight lid implant for rehabilitation of faulty eyelid closure with facial paralysis: an alternative to tarsorrhaphy. *Head Neck Surg.*; 3(4):149.
- Spotnitz WD (1995): Fibrin sealant in the united states: Clinical use at the Univesity of Virginia. *Thromb Haemostat* 74: 482-485.
- Stadelmann WK, Digenis AG, Tobin GR.(1998):Impediments to wound healing. *Am J Surg*; 176:39S-47S.
- Stevens WG, Hirsch EM, Stoker DA, Cohen R. (2006): In vitro deflation of prefilled saline breast implants. *Plast Reconstr Surg.*; 118 (2): 347-9.
- Stoppa R, Petit J, Henry X.(1975): Unstured Dacron prosthesis in groin hernias. *Int Surg*; 60:411-2.
- Stoppa RE, Rives JL, Warlaumont CR, Palot JP, Verhaeghe PJ, Delattre JF.(1993): The use of Dacron in the repair of hernias of the groin. *Surg Clin North Am*; 73:571-81.
- Storch ML, Rothenburger SJ, Jacinto G., (2004): Experimental efficacy study of coated VICRYL plus antibacterial suture in guinea pigs challenged with *Staphylococcus aureus*. *Surg Infect (Larchmt).*; 5(3):281-8.
- Stucker FJ. (1986): The auto-alloplast: a contemporary concept in facial implantation. *Fac Plast Surg*; 3(2):137.
- Synder CC,(1976): On the history of the suture. *Journal of Plastic & Reconstructive surgery.*58:401.
- Tamer S, Borman H, Caglar IB.(2007):A reliable method for the placement and securement of tissue expander remote injection port. *J Plast Reconstr Aesthet Surg.*; 60(12):1362-3.
- Tobias AM, Low DW.(2003): The use of a subfascial vicryl mesh buttress to aid in the closure of massive ventral hernias following damage-control laparotomy. *Plast Reconstr Surg*; 112:766-76.

- Tebbetts T (2002). "A system for breast implant selection based on patient tissue characteristics and implant-soft tissue dynamics.". *Plast Recon Surg* 109 (4): 1396-409.
- Tebbetts JB., (2006): Out points" criteria for breast implant removal without replacement and criteria to minimize reoperations following breast augmentation. *Plast Reconstr Surg.Oct.* 114 (5): 1258-62.
- Tebbetts JB. (2006): Achieving a zero percent reoperation rate at 3 years in a 50 consecutive-case augmentation mammoplasty premarket approval study . *Plast Reconstr Surg.Oct.* 118 (6): 1453-7.
- Thomas, (1985): Wound healing, response to injury.current surgical diagnosis and treatment. Chapter 8, p.86-87.
- Trimbos JB, Brohim R, van Rijssel E.J.,(1989): Factors relating to the volume of surgical knots. *Int J Gynaecol Obstet.* Dec;30(4):355-9.
- United State Pharmacopoenia. Twentieth Revision. Official form July 1.1980.
- Usher FC.(1963): Hernia repair with knitted polypropylene mesh. *Surg.Gynecol.Obstet.*; 117:239-263.
- Van Os J.M., Lange J.F., Goossens R.H.M., Koster R.P., Burger J.W.A., JeekelJ., and Kleinrensink G.J.(2006): Artificial midline-fascia of the human abdominal wall for testing suture strength.*Journal of Materials Science: Materials in Medicine*, 17, pp. 759-765.
- Van Winkle W, Hastings JC, ef al (1972): Considerations in the choice of suture material for varios tissues. *Surg Gynaccol Obestet* 135:113-126.
- Vasey FB, Zarabadi SA, Seleznick M, Ricca L (2003): Where there's smoke there's fire: the silicone breast implant controversy continues to flicker: a new disease that needs to be defined. *J Rheumatol.*; 30 (10): 2092-4.
- Villeneuve PJ, et. al (2006): Mortality among Canadian Women with Cosmetic Breast Implants . *Am J Epidemiol.* June.
- Wahl SM, (1992):Transforming growth factor beta(TGF-beta) in inflammation: a cause and a cure. *Journal of Clinical Immunology* 12(2): 61.

References

- Wallach SG. (2004): Maximizing the use of the abdominoplasty incision.. *Plast Reconstr Surg.*; 113 (1): 411-7.
- Walter JB and Israel MS. (1996): Wound Healing- In *General Pathology*. By Churchill Livingstone co p.165-180.
- Wantez GE.(1991):Incisional hernioplasty with Dacron. *Surg. Gynecol. Obstet.* ;172:129-133.
- Wantz GE.(1994): Prosthetics: Their Complications and Management, Part I. In: Bendavid R (ed). *Prosthesis in Abdominal Wall Hernias*. Austin,Tex: RG Landes Co.;326-9.
- Watanabe K, Miyagi H, Kazumi T.(1984): Augmentation of temporal area by insertion of silicone plate under the temporal fascia. *Am Plast Surg* 1984; 13(4):309.
- Whitehead, WE, Wald, A, Norton, NJ (2001): Treatment options for fecal incontinence. *Dis Colon Rectum* 44:131.
- William, (1985): wound healing ,response to injury.current surgical diagnosis and treatment.chapter 8,p.86-87.
- Williams D.F.,(1999): *Williams &Williams Dictionary of Biomaterials*. Liverpool University Press, ISBN-13: 978-0-85323-734-1; ISBN-10: 0-85323-734-4.
- Wilson SK, Henry GD, Delk JR Jr, Cleves MA.(2002): The mentor Alpha 1 penile prosthesis with reservoir lock-out valve: effective prevention of auto-inflation with improved capability for ectopic reservoir placement. *J Urol. Oct.*;168(4 Pt 1):1475-8.
- Wong CH, Samuel M, Tan BK, Song C. (2006): "Capsular contracture in subglandular breast augmentation with textured versus smooth breast implants: a systematic review". *Plast Reconstr Surg.*; 118 (5): 1224-36.
- Zhernov OA, Kozynets' HP, Khrin TV.(2008): The studying of mechanical properties of endoexpander for optimization of the tissues expanding method *Klin Khir. Jan* ;(1):46-8.