

References

1. Aerts, L. (1979):

The maternal and foetal endocrine pancreas in the rat. A morphometric study in normal and experimental. Diabetic pregnancy pp. 154-157. Thesis, leuven, Belgium.

2. Aerts, L. and Van Assche, F.A. (1977):

Rat fetal endocrine pancreas in experimental. Diabetes J. Endocrinol., 73: 339-346.

3. Aerts, L. and Van Assche, F.A. (1981):

Endocrine pancreas in the offspring of rats with experimentally- induced diabetes. Diabetes J. Endocrinol., 88: 81-88.

4. Agarwal, K.; Mukherjee, A. and Sharma, A. (1993):

In vivo cytogenetic studies on male mice exposed to ponceau 4k and beta carotene. Cytobios, 74: 23-28.

5. Alcolads, J.C. (1991):

Improvement of maternal history of non insulin dependent diabetic patients. Br. Med. J., (6): 786.

6. Ali, I.S.W. (1995):

Some cytogenetic aspects of diabetes mellitus. Ph. D. thesis, Department of histology and cytology, Faculty of Medicine, Benha University.

7. Ali, K.A. (1989):

Ketone bodies metabolism in: Biochemistry for postgraduate 1st edition. University book center. P. 86.

8. Alpers, D.H.; Stenson, W.F. and Bler, D.M. (1995):

Vitamins. In: Nancy M., Richard, W., and James, K. (eds) Manual nutritional. Third edition, Boston, U.S.A. Little, Brown and company: 115-186.

9. Amera, F. (1985):

Diabetes mellitus. In: Basic clinical endocrinology, 1st edition, Alex University. Scin. Public, Inc. Alexandria, p. 124.

- 10. Ames, B.N.; Catheater, R. and Schwies, E. (1981):**
Uric acid provides an anti-oxidant defence in human against oxidant radical causing aging and cancer, a hypothesis.
Proc. Natl. Acad. Sci. U.S.A., 78: 6762-6858.
- 11. Ames, B.N.; Shigenager, M.K. and Hagen, T.M. (1993):**
Oxidants, antioxidants, and degenerative diseases of aging.
Proc. Natl. Acad. Sci. U.S.A., vol. 90: pp. 7915-7922.
- 12. Arshad, M.A.Q.; Bhadra, S.; Cohen, R.M. and Subbiah, M.T.R. (1991):**
Plasma lipoprotein peroxidation potential: a test to evaluate individual susceptibility to peroxidation.
Clin. Chem., 37 (10): 1756- 1758.
- 13. Aruoma, O.I. and Halliwell, B. (1998):**
DNA and free radicals: techniques, mechanisms and applications.
Sanit Lucia: OICA International.
- 14. Atkinson, M.A.; Kafman, D.L.; Campbell, L.; Gibbs, K.A.; Shah, S.C.; Bu, D.F.; Erlander, M.G.; Tobin, A.J. and Macleren, N.K. (1992):**
Response of peripheral blood mononuclear cells to glutamate decarboxylase in insulin dependent diabetes.
Lancet, 339: 458-459.
- 15. Baker, L.; Egler, J.M.; Klein, S.H. and Goldman, A.S. (1981):**
Meticulous control of diabetes mellitus during organogenesis prevents sacral malformation in rats.
Diabetes, 30: 955-959.
- 16. Baroni, M.G.; Pozzilli, D.P. and Puztti, R. (2000):**
Genetics of diabetes: unravelling the complexities. In: diabetes current perspectives, edited by D. John Bethering Martin dunitz, chapter 2, pp. 13: 32.
- 17. Behrens, W.A.; Scott, F.W.; Madere, R.; Wick, K. and Hanna, K. (1986):**
Vitamin E (α -tocopherol): metabolism and transportation.
Ann. Nutr. Metab., 30: 157-165.

18. **Bell, G.I.; Xiang, K.S. and Newman, M.U. (1991):**
Gene for noninsulin dependent diabetes mellitus (Maturity-onset diabetes of the young subtype) is linked to DNA polymorphism on human chromosome 20q.
Proc. Natl. Acad. Sci. USA., 88: 1484-1489.
19. **Bell, J.I. and Hockaday, T. D.R. (1996):**
Diabetes mellitus. In oxford textbook of Medicine, oxford medical publication 3rd edition.
Vol. 2. Pp. 1448-1504.
20. **Belton, O.; Byrne, D.; Kearney, D.; Leathy, A. and Fitzgerald, D.J. (2000):**
Cyclooxygenase, and 2-dependent prostacyclin formation in patients with atherosclerosis.
Circulation, 102: 840-845.
21. **Bennett, P.H. (1994):**
Definition, diagnosis and classification of diabetes mellitus and impaired glucose metabolism. In : Joslin's diabetes mellitus. 13th edition, Kahn C.R. and Weir G.J., Philadelphia. London, Tokyo, p. 193.
22. **Bergman, R.N. (1989):**
Physiological understanding of glucose tolerance: minimal model approach.
Diabetes, 38: 1512-1527.
23. **Bianchini, F.; Elmstahl, S.; Gacia, C.M.; Kappel, A.L.V.; Douki, T.; Cadet, J.; Ohshima, H.; Ribol, E. and Kaaks, R. (2000):**
Oxidative DNA damage in human lymphocytes: correlation with plasma levels of α -tocopherol and carotenoids.
Carcinogenesis, Vol. 21 (2): 321-324.
24. **Bihoreau, M.T.; Ktorza, A.; Kinebayan, M.F. and Picon, L. (1986):**
Impaired glucose homeostasis in adult rat from hyperglycemic mothers.
Diabetes, 35: 979- 984.
25. **Bisbis, S.; Baille, D.; Tormo, M.A.; Picarel, B.F.; Derouet, M.; Simon, J. and Portha, B. (1993):**
Combined treatment with vitamin E & C decrease oxidative stress.
Am. J. physiol., 265: E 807-E 813.
-

26. **Bloom, W. and Fawcett, B.W. (1986):**
Atexbook of hlistology, 10th ed9ition. Pp. 726-737, W.B. Saunderis company, philadelphia.
London, Toronto.
27. **Blumenthal, S.A. and Abdul –Karim, R.W. (1987):**
Diagnosis, classification and metabolic management of diabetes in pregnancy: therapeutic impact of self – monitoring of blood glucose and of newer methods of insulin delivery.
Obstet. Gynecol. Surv., 42: 593-604.
28. **Bolaffi, J.L.; Heldtm, A.; Lewis, L.D. and Grodsky, G.M. (1986):**
The third phase of in vitro insulin secretion: evideance for glucose insensitivity.
Diabetes, 35: 370-373.
29. **Bonet, B.; Viana, M. and Herrera E. (1995):**
Teratogenic effects of diabetes protection by vitamin E (abstract). In: proceedings of the second international symposium on Diabetes and pregnancy in the Jerusalem. 90: 19-23; Jerusalem: the symposium.
30. **Bottazzo, G.F.; Florin- Christensen, A. and Doniach, D. (1974):**
Islet cells antibodies in diabetes mellitus with autoimmune polyendocrine deficiencies.
Lancet, 2: 1279-82.
31. **Breen, A.P. and Murphy, J.A. (1995):**
Reaction of oxyl radicals with DNA.
Free Radic. Biol. Med., 18: 1033-1077.
32. **Brigelius- Flohe, R. and Traber, M.G. (1999):**
Immunotherapy of type one diabetes and selected auto immune disease.
FASEB.J., 13: 1145. 1155.
33. **Buchanam, T.A.; Denno, K.L.; Sipos, G.F. and Sadler, T.W. (1994):**
Diabetic teratogenesis. In vitro evidence for a multifactorial etiology with little contribution from glucose per se.
Diabetes, 43: 656-660.

34. **Burkart, V. and Kolb, H. (1993):**
Effects of nitric oxide toxicity on β -cell of pancreas.
Clin. Exp. Immunol., 93: 273-278.
35. **Burkart, V.; Eick, A. G.; Bellmann, K.; Radons, J. and Kolb, H. (1995):**
Suppression of nitric oxide toxicity in islet cells by α tocopherol.
FEBS. Letters, 364: 259-263.
36. **Burkart, V.; Koike, T.; Brenner, H.H. and Kolb, H. (1993):**
The role of vitamin E in oxidative stress and DNA damage.
Agents actions, 38: 60- 65.
37. **Buse, J.B. Rifae-Haddad, R. and Lees, S. (1985):**
Major histocompatibility complex restriction fragment length polymorphisms define three diabetogenic haplotypes in BB and BBN rats.
J. Exp. Med., 162: 444-458.
38. **Calvo, E.L.; Bernatchez, C.; Pelletier, G.; Lovanna, J.L. and Morisset, J. (1997):**
Down regulation of IGF₁ mRNA expression during postnatal pancreatic development and overexpression after subtotal pancreatectomy and acute pancreatitis in the rat pancreas.
J. Mol. Endocrinol., 18: 233-242.
39. **Carrol, A. (1987):**
Oxygen radicals and human nutrition in davis conference.
Ann. of Int. Med., 107: 526-45.
40. **Ceriello, A.; Giugliano, D.; Quatraro, A.; Donzella, C.; Dipalo, G. and Lefebvre, P.J. (1991):**
Vitamin E reduction of protein glycosylation in diabetes.
Diabetes care, vol. (14): 68-72.
41. **Christie, M.R.; Genorese, S.; Cassidy, D.; Bos, E.; Brown, T.J.; Lai, M.; Bonfacio, E. and Bottazzo, G.F. (1994):**
Antibodies to islet 37 kd antigen, but not to glutamate decarboxylase discriminate rapid progression to IDDM in endocrine autoimmunity.
Diabetes., 43: 1254-59.

42. *Christie, M.R.; Holland, J.A.; Brown, T.J.; Michelson B.K. and Deloritch T.Z. (1993):*
Detection of pancreatic islet 64.000 Mr autoantigens distinct from glutamate decarboxylase.
J. Clin. Invest., 92: p 240-48.
43. *Christie, M.R.; Vohra, G.; Champagne, P.; Danenan, D. and Delovitch, T.L. (1990):*
Distinct antibody specificities to a 64 kilodalton islet cell antigen in type I diabetes as revealed by trypsin treatment.
J. Exp. Med., 172: 789-95.
44. *Clark, A.; Holman, R.R.; Mattheus, D.R.; Hockaday, T.D.R. and Turner, R.C. (1984):*
Non-uniform distribution of amyloid in the pancreas of "maturity-onset" diabetic patients.
Diabetologia, 27: 527-8.
45. *Collins, A.R.; Roslova, K.; Somorovska M.; Petrovska, H.; Ondrusova, A.; Vohnout, B.; Fabry, R. and Dusinska, M. (1998):*
DNA damage in diabetes: correlation with a clinical marker.
Free Radic. Biol. Med., 25: 373-377.
46. *Cook, D.L. and Taborsky, G.J. (1990):*
 β -cell function and insulin secretion. In diabetes mellitus, theory and practice 4th ed. Edited by Rifkin, H. and porte, D. Elksevier.
New York- Amsterdam. London.
47. *Cooper, B.G.; Taylor, R. and Alberti, K. (1990):*
Lung function in patients with diabetes mellitus.
Respiratory Medicine, (89): 235.
48. *Cooper, G.J.S.; Willis, A.C.; Clark, A.; Turner, R.C.; Sim, R.B. and Reid, K.B.M. (1987):*
Differential volumetry of A & B and D cells in the pancreatic islets of diabetic and non diabetic subjects.
Proc. Natl. acad. Sic. USA, 84: 8628-32.
49. *Cormack, D.H. (1987):*
Essential histology textbook 6th ed. Pancreatic islets. Pp. 335- 352.
Lippincot company. Philadelphia and Toronto.

50. **Cormack, D.H. (1997):**
Essential histology: a text book of histology, pancreatic islet,
pp 291-293.
Lippincott- Raven, Philadelphia, New York.
51. **Cotter, M.A.; Lore, A.; Watt, M.J.; Cameran, N.E. and Dines, K.C. (1995):**
Effects of natural free radical scavengers on peripheral nerve
and neurovascular function in diabetic rats.
Diabetologia, 38: 1285-94.
52. **Cracowski, J.K.; Tremel, F.; Marpean, C.; Bagnet, J.P.; Stanke-
labesque, F.; Mallion, J.M. and Bessard, G. (2000):**
Increased formation of F₂- isoprostanes in patients with
severe heart failure.
Heart (London), 84: 439-440.
53. **Cutler, R. G. (1991):**
Antioxidants and Aging.
Am. J. Clin. Nutrition, 53: 3735.
54. **Davi, G.; Alessandrini, P.; Mezzetti, A.; Minotti, G.; Bucciarelli,
T.; Costantini, F.; Cipollone, F.; Bon, G.B.; Ciabattini, G.
and Patrono, C. (1997):**
In vivo formation of 8-epi- prostaglandin f₂ α is increased in
hypercholesterolemia.
Arterioscler. Thromb- Vasc. Biol., 17: 3230- 3235.
55. **Davi, G.; Ciabattini, G.; Consoli, A.; Mezzetti, A.; Falco, A.;
Santarone, S.; Pennese, E.; Vitacolonna, E.; Bucciarelli,
T.; Costantini, F.; Capani, F. and Patrono, C. (1999):**
In vivo formation of 8-iso- prostaglandin F₂ α and platelet
activation in diabetes mellitus. Effects of improved
metabolic control and vitamin E supplementation.
Circulation, 99: 224-229.
56. **Dean, R.T. and Simpson, J.A. (1991):**
Free radical damage to proteins and its role in the immune
response.
Mol. Aspects Med., 12: 121-128.
57. **DeFronzo, R.A.; Bonadonna, R.C. and Ferrannini, E. (1992):**
Pathogenesis of NIDDM: a balanced overview.
Diabetes care, 15: 318-368.
-

58. *Delellis, R.A. and Wolfe, H.J. (1983):*
Contribution of immunohistochemistry to clinical endocrinology and endocrine pathology.
J. Histochem. Cytochem., 31: 187-192.
59. *Dietrich, M.; Block, G.; Hudes, M.; Marrow, J.D.; Norkus, E.P.; Traber, M.G.; Cross, C.E. and packer, L. (2002):*
Antioxidant supplementation decreases lipid peroxidation biomarker F2 – isoprostanes in plasma of smokers.
Cancer Epidemiology Biomarkers and Prevention, vol. 11: 7-13.
60. *Donald, B.; McCormic, P.H.D. and Harry (1994):*
Vitamin essential in human in: tietz text book of clinical chemistry, Carl, A. and Edward. R. (eds), 2nd ed. Ch. 27
W.B. Saunderts company philadelphia.
London- Toronto: 1275.
61. *Donath, M.Y.; Gross, D.J.; Cerasi, E. and Kaiser, N. (1999):*
Hyperglycemia. Induced β -cell apoptosis in pancreatic islets of psammomys obesus during development of diabetes.
Diabetes, vol. 48: 738. 744.
62. *Dormandy, T.L. (1980):*
Free radical reaction in biological systems.
Am. R. Cell Surg. Engl., 62: 188-194.
63. *Drury, R.A.B. and Wallington, E.A. (1980):*
Conleton's histological techniques, 5th, ed. Pp 174- 175 and 188-89. Oxford University press. New York – Toronto.
64. *Durrington, P.N. (1995):*
Ch. 2 Lipoprotein and their metabolism. Lipid metabolism during pregnancy. pp 63-69. In hyperlipidemia diagnosis and management 2nd edition.
65. *Emerit, I. (1990):*
Clastogenic factors: detection and essay.
Methods Enzymol., 186: 554-564.
66. *Emerit, I. (1994):*
Reactive oxygen species, chromosome mutation and cancer: possible role of clastogenic factors in carcinogenesis.
Free Radic. Biol. Med., 16: 99: 109.

67. *Eriksson, U.; Andersson, A.; Efendic, S.; Elde, R. and Hellerstrom, C. (1980):*
Diabetes in pregnancy: Effects on the foetal and newborn rat with particular regard to body weight, serum insulin concentration and pancreatic contents of insulin, glycogen and somatostatin.
Acta. Endocrinol., 94: 354-64.
68. *Eriksson, U.; Dahlstrom, E. and Hellerstrom, C. (1983):*
Diabetes in pregnancy: skeletal malformation in the offspring of diabetic rats after intermittent withdrawal of insulin in early gestation.
Diabetes, 32: 1141- 1145.
69. *Eriksson, U.J. and Siman, M.C. (1996):*
Pregnant diabetic rats fed the antioxidant by tilted hydroxytoluene show decreased occurrence of malformtions in offspring.
Diabetes, 45:1497-1502.
70. *Faintuch, J.; Aguilar, P.B. and Dias, M.C. (1995):*
Nutritional support, free radicals and antioxidants.
Rev -Hosp-Clin. Fac. Med. Sao. Paulo. May, 350 (3): 133-5.
71. *Farrow, M.; Hawk, A.M.; Wetzel, L.T. and Boxill, G.C. (1973):*
A microculture technique utilizing whole blood for mouse chromosome analysis.
Mat. Res., 26: 402-407.
72. *Fawcett, D.W. and Jensch, R.P. (1997):*
Bloom and fawcett: concise histology. A text book, 9th edition p. 224.
Chapman and hall, USA New York.
73. *Fehsel, K.; Jalowy, A.; Sun, Q.; Bnrkart, V.; Hartmann, B. and Kolb, H. (1993):*
Teratogenic effects of diabetes mellitus in the rat: prevention with vitamin E.
Diabetes, 42: 496-500.

74. **Fehsel, K.; Kolb-Bachofen, V. and Kolb, H. (1991):**
Rate and type of congenital anomalies among offspring of diabetic women.
Am. J. pathol., 139: 251-254.
75. **Fehsel, K.; Kolb-Bachofen, V. and Kroncke, D.K. (2003):**
Necrosis is the predominant type of islet cell death during development of insulin-dependent diabetes mellitus in BB rats.
Lab. Invest., 83 (4): 549-559.
76. **Finegood, D.T.; Scaglia, L. and Bonner-Weir, S. (1995):**
Dynamics of β -cell mass in the growing rat pancreas: estimation with a simple mathematical model.
Diabetes, 44: 249-256.
77. **Flody, R.A. (1993):**
Basic free Radical biochemistry. In: free radicals in aging, ed. B.P. Yu, pp. 39-55. Boca Raton: CRC press.
78. **Fraga, C.C.; Shigenaga, M.K.; Pank, J.W. (1990):**
Oxidative damage to DNA during aging: 8-hydroxy-2-deoxyguanosine in rat organ DNA and urine.
Proc. Natl. Acad. Sci. U.S.A., 87: 4533.
79. **Francoise, F. and Balasse, E.O. (1994):**
Glucose metabolism during the starved to fed-transition in obese patients with NID DM.
Diabetes, vol. 43: 1418-25.
80. **Freeman, B.A. and Carop, J.D. (1982):**
Biology of disease: Free radicals and tissue injury.
Lab. invest., 47 (5): 412.
81. **Freund, J.E. and Williams, F.J. (1975):**
Elementary business statistics: the modern approach, 2nd edition. Pp. 267-283 and 475-577, prentice hall international Inc. London.
82. **Friedberg, E.; Walker, G.C.; and Seide, W. (1995):**
DNA repair and mutagenesis.
Washington, D.C.: ASM press.

83. *Froguel, P.; Zouali, H. and Vionnet, N. (1993):*
Familial hyperglycemia due to mutations in glucokinase:
definition of a subtype of diabetes mellitus.
N.Engl. J. Med., 328: 697-702.
84. *Gabbe, S.G.; Mestman, J.H. and Hibbard, L.T. (1976):*
Maternal mortality in diabetes mellitus.
Obstet. Gynecol., 48: 549-51.
85. *Ganda, O.P.L. (1994):*
Secondary forms of diabetes. In: Joslin's diabetes mellitus,
13th edition, Kahn and Weir, Waverly Company Philadelphia.
London Tokyo, P. 300.
86. *Gardner, H.W. (1989):*
Oxygen radical chemistry of polyunsaturated fatty acids.
Free Radical. Biol. Med., 7: 65.
87. *Garg, M.C. and Bansal, D.D. (2000):*
Protective antioxidant effect of vitamin C and E in
streptozotocin induced diabetic rats.
Indian. J. Exp. Biol., 38 (2): 101-4.
88. *Garg, M.C.; Ojha, S. and Bansal, D.D. (1996):*
Antioxidant status of streptozotocin diabetic rats.
Indian. J. Exp. Biol., vol. (3) 164-6.
89. *Garofano, A.; Czernichow, P. and Breant, B. (1997):*
In utero undernutrition impairs rat beta-cell development.
Diabetologia, 40: 1231- 1234.
90. *Garofano, A.; Czernichow, P. and Breant, B. (2000):*
Impaired β -cell regeneration in perinatally malnourished
rats: a study with STZ.
FASEB. J., 14: 2611-2617.
91. *Garofano, A.; Czernichow, P. and Breant, B. (1998):*
Beta- cell mass and proliferation following late fetal and
early postnatal malnutrition in the rat.
Diabetologia, 41: 1114- 1120.

92. **Genest, P. and Auger, C. (1963):**
Observation on the technique for the study of human chromosomes by the culture of leucocytes from peripheral blood.
Can. Med. Assoc. J., 88: 302-308.
93. **George, E. and Cahill, J. (1985):**
General concepts of diabetes In: Joslin's diabetes mellitus, 12th edition, Kahn and Weir, Waverly Company, Philadelphia. London, Tokyo pp. 3: 11.
94. **Giovannelli, L.; Saieva, C.; Masala, G.; Testa, G.; Salrini, S.; Pitozzi, E.; Riboli, E.; Dolara, P. and Palli, D. (2002):**
Nutritional and lifestyle determinants of DNA oxidative damage: a study in a Mediterranean population.
Carcinogenesis, 23 (9): 1483-1489.
95. **Giri, A.K.; Das, S.K.; Talukder, G. and Sharma, A. (1990):**
Sister chromatid exchange and chromosome aberrations induced by curcumin and tartrazine on mammalian cells in vivo.
Cytobios, 62: 111-117.
96. **Giri, A.K.; Saisiram, S.; Khau, K.A. and Sethi, N. (1992):**
Sister chromatid exchange and chromosome aberrations in mice after in vivo exposure of green S. a food colourant.
Environ. Mon. Mutagen, 19: 223-226.
97. **Gomez, G.; Lee, M.H.; He, Q.; Englander, W.E.; Uchida, T. and Greeley, H.G. (2001):**
Acute pancreatitis signals activation of apoptosis associated and survival genes in mice.
Experimental Biology and Medicine, 226 (7): 692-700.
98. **Gomori, G. (1941):**
Observation with differential stains on human islets of Langerhans.
Am. J. Path., 17: 395-406.
99. **Goto, Y.; Suzuki, K.; Ono, T.; Sasaki, M. and Toyota, T. (1988):**
Free radical in biology.
Adv. Exp. Med. Biol., 246: 29-31.

- 100. Goto, Y.; Suzuki, K.; Saraki, M.M. and Abe, S. (1998):**
In: *frontiers in diabetes research. Lessons from animal diabetes II* (shafir, E. and Renold, A.F.; eds), pp. 301-303.
John Libbey, London.
- 101. Graziewicz, M.A.; Zastawny, J.H.; Olinski, R.; Speina, E.; Siedlecki, J. and Tudek, B. (2000):**
Fapyadenine is a moderately efficient chain terminator for prokaryotic DNA polymerases.
Free Radic. Biol. Med., 28: 75-83.
- 102. Greene, M.F. (1993):**
Prevention and diagnosis of congenital anomalies in diabetic pregnancy.
Clin. Perinatol., 20: 533-547.
- 103. Gross, D.J.; Leibowitz, G.; Cerasi, E. and Kaiser, N. (1996):**
Increased susceptibility of islets from diabetes prone psammomys obesus to the deleterious effects of chronic glucose exposure.
Endocrinology, 137: 5610-5615.
- 104. Guthrie, H.A. and Picciano, M.F. (1995):**
Fat soluble vitamins. In *Human nutrition* ch.11 p. 420
Mosby. Company New York.
- 105. Gutteridge, J.M.C. and Wilkins, S. (1983):**
Copper salt- Dependent hydroxyl radical formation, damage to proteins acting as anti-oxidants.
Biophys. Acta., 759: 38-41.
- 106. Guz, Y.; Nasir, I. and Teitelman, G. (2001):**
Regeneration of pancreatic beta cell from intra islet precursor cells in an experimental model of diabetes.
Endocrinology, 142: 4956-4968.
- 107. Hagenlocher, T.; Nair, J.; Becker, N.; Korfmann, A. and Bantsch, H. (2001):**
Influence of dietary fatty acid, vegetable, and vitamin intake on etheno- DNA adducts in white blood cells of healthy female volunteers: A pilot study.
Cancer Epidemiol Biomarkers Prev., 10 (11): 1187-1191.

- 108. Halliwell, B. (1989):**
Superoxide, iron, vascular endothelium and reperfusion injury.
Free radical Res. Commun., 5: 315-8.
- 109. Halliwell, B. (1994):**
Free radicals, anti-oxidants and human disease-curiosity cause or consequence?
Lancet, 344-781.
- 110. Halliwell, B. and Gutteridge, J.M. C. (1990):**
Role of free radicals and catalytic metal ions in human disease. In packer L., and Glazer A. ed. Methods in enzymology oxygen radicals in biological system.
New York Academic press, 186: 185.
- 111. Halliwell, B. and Gutteridge, J.M.C. (1994):**
Free radicals in biology and medicine 2nd ed p.p. 1,22, 188, 166, 146, oxford, English, Clarendon press.
- 112. Halliwell, B.; Gutteridge, J.M.C. and Cross, C.E. (1992):**
Free radicals, anti-oxidant and human disease where are we now?
J. Lab. Clin. Med., 119 (6): 598.
- 113. Halmi, N.S. (1952):**
Stain technol., 27, 61.
- 114. Hanafusa, T.; Fujion- Kurihara, H. and Miyazaki, A. (1987):**
Expression of class II major hitocompatibility complex antigens on pancreatic B-cells in the NOD mouse.
Diabetologia, 30: 104-108.
- 115. Harold, C.F. (1972):**
Streptozotocin induced diabetes mellitus by direct pancreatic infusion in Macaca nemestrina.
Diabetes, 21: 138-142.
- 116. Hattari, M.; Buse, J.B. and Jackson, R.A. (1986):**
The NOD mouse: recessive diabetogenic gene in the major histocompatibility complex.
Science, 231: 1639-54.

117. **Hearse, D.J. (1986):**
Reperfusion of the (Ischemic Myocardium).
J. Mol. Cell Cardiol., 9: 605-15.
118. **Heiniger, H.J.; Wolf, J.M.; Chen, H.W. and Meier, H. (1973):**
Amicromethod for lymphoblastic transformation of mouse lymphocytes from peripheral blood.
Proc. Sec. Exp. Biol. Med., 143: 6-11.
119. **Herr, R.R.; Eble, T.E.; Bergy, M.E. and Jahnke, H.K. (1960):**
Isolation and characterization of streptozotocin.
Antibiot. Annual., p. 236.
120. **Hitman, G.A. and Marshall, B.(1996):**
Genetics of insulin –dependent diabetes Mellitus. In:
Diabetes Mellitus 4th ed. edit by Hitman, G.A. & Marshal, B. Bloackwell, London. Chapter: 14, pp 113: 121.
121. **Hoenig. M.; Macgregon, L.C. and Matschinky, F.M. (1986):**
In vitro exhaustion of pancreatic β -cells.
Am. J. physiol., 250: 511-517.
122. **Hogg, J.; Hill, D.J. and Han, V.K.M. (1994):**
The ontogeny of insulin. Like growth factor (IGF) and IGF binding protein gene expression in the rat pancreas.
J. Mol. Endocrinol., 13: 49-58.
123. **Holemans, K.; Aerts, L. and Ran Assche, F.A. (1991):**
Evidance for an insulin resistance in the adult offspring of pregnant streptozotocin diabetic rats.
Diabetologia, 34: 81-85.
124. **Hosokawa, H.; Hosokawa, Y.A. and Leahy, J.L. (1995):**
Upregulated hexokinase activity in isolated islets from diabetic 90% pancreatectomized rats.
Diabetes, 44: 1328-1333.
125. **Ihara, Y.; Toyokuni, S.; Uchida, K.; Odaka, H.; Tanaka, T.; Ikada, H.; Hiai, H.; Seino, Y. and Yamada, Y. (1999):**
Hyperglycemia causes oxidative stress in pancreatic β -cells of GK rats, a model of type 2.
Diabetes, 48: 927-932.

126. *Ihara, Y.; Yamada, Y.; Toyokuni, S.; Miyawaki, K.; Ban, N.; Adachi, T.; Kuroe, A.; Iwakura, T.; Kubota, A.; Hiaj, H. and Seino, Y. (2000):*
Antioxidant & tocopherol ameliorates glycemc control of GK rats, a model of type 2. Diabetes.
FEBS., Vol. 473: 24-26.
127. *Jenkinson, A. Mc.E.; Collins, A.R.; Duthie, S.J.; Wattle, K.W.J. and Duthie, G.C. (1999):*
The effect of increased intake of polyunsaturated fatty acids and vitamin E on DNA damage in human lymphocytes.
FASEB.J., 13: 2138-2142.
128. *Jialal, I. and Grundy, S.M. (1993):*
Effect of combined supplementation with α -tocopherol, ascorbate and beta carotene on low density lipoprotein oxidation.
Circulation, 88, p. 2780-2786.
129. *Jonas, J.C.; Sharma, A.; Hasenkamp, W.; Ilkova, H.; Patane, G.; Laybutt, R.; Bonner-Weir, S. and Weir, G. (1999):*
Chronic hyperlycemia triggers loss of pancreatic β -cell differentiation in an animal model of diabetes.
J. Biol. Chem., 274: 14112-14121.
130. *Kahn, R.C. (1994):*
Insulin action diabetogenesis and the cause of type II diabetes.
Diabetes, vol. 43: 1066-1084.
131. *Kaldany, A.; Edward, J. and Georges, S. (1985):*
D.M and the immune system in: Joslin's, Diabetes mellitus, 12th edition kahn and weir, waverly company, philadelphia.
London, Tokyo, pp. 51-64.
132. *Kallmann, B.; Burkart, V.; Kroncke, K.D.; Kolb-Bachogen, V. and Kolb, H. (1992):*
Effect of nitric oxide on pancreatic β -cells.
Life Sci., 51: 671-678.

133. **Kaneto, H.; Kajimoto, Y.; Miyagama, J.I.; Matsuoka, T.A. et al., (1999):**
Beneficial effects of antioxidants in diabetes. Possible protection of pancreatic β -cells Against Glucose toxicity. Diabetes, vol. 48: 2398-2406.
134. **Kanner, J.; German, J.B. and Kinsella, J.E. (1987):**
Initiation of lipid peroxidation in biological systems. CRC. Crit. Rev. T. Rev. Food Sci. Nutr., 25: 317.
135. **Kato, S.; Ishida, H.; Tsuura, Y.; Tsuji, K., Nishimura, M.; Horie, M.; Taminato, T.; Ikehara, S.; Odaka, H.; Ikeda, I.; Okada, Y. and Seino, Y. (1996):**
Free radicals and antioxidant protocols. J. Clin. Invest., 97: 2417-2425.
136. **Kaufman, D.L.; Erlanger, M.G.; Clare-Salzer, M.; Atkinson, M.A.; Maclaren, N.K. and Tobin, A.J. (1992):**
Autoimmunity to two forms of glutamate decarboxylase in insuline dependent diabetes mellitus. J. Clin. Invest., 89: 283-92.
137. **Keegan, A.; Walbank, H.; Cotter, M.A. and Canneron, N.E. (1995):**
Chronic vitamin E treatment prevents defective endothelium dependent relaxation in diabetic rat aorta. Diabetologia, 38: 1475-1478.
138. **Kelly, D.E.; Wood, R.L. and Enders, A.C. (1984):**
Bailey's, textbook of microscopic anatomy, 18th ed., pp. 583- 589. William, S and wilkin's. Baltimore, London.
139. **Kligerman, A.; Wilmer, J. and Erexon, H. (1981):**
Characterization of a rat lymphocyte culture system for assessing sister chromatid exchange after in vivo exposure to genotoxic agents. Environ. Mutagen., 3: 531-537.
140. **Kobberling, J. and Tillil, H. (1982):**
Epirical risk figures for first degree relatives of NIDDM. In: The genetics of diabetes mellitus. Proceedings of the Serano Symposia. London, Academic, 47: pp. 201-9.

141. *Krinsky, N. I. (1992):*
Mechanism of action of biological antioxidants.
Proc. Soc. Exp. Biol. Med., 200: 248.
142. *Kuhl, C.; Honnes, P.J. and Andersson, O. (1985):*
Etiology and pathophysiology of gestational diabetes mellitus.
Diabetes, 34 (2): 66-70.
143. *Kunisaki, M.; Bursell, S.E.; Clermont, A.C., et al., (1995):*
Vitamin E prevents diabetes-induced abnormal retinal blood flow via the diacylglycerol- protein kinase C Pathway.
Am. J. Physiol., 269: E 239-246.
144. *Lassila, V. and Virtanen, P. (1989):*
Impact of streptozotocin induced diabetes on rat blood and alveolar bone offspring by occlusal stress.
Scand. J. Dent. Res., 97: 210- 221.
145. *Laybutt, D.R.; Kaneto, H.; Hasenkamp, W.; Grey, S.; A.; Ferran, C.; Weir, S.B.; Sharma, A. and Weir, G.C. (2002):*
Increased expression of antioxidant and antiapoptotic genes in islets that may contribute to beta-cell survival during chronic hyperglycemia.
Diabetes, 51 (2): 413-423.
146. *Lazarus, S.S. and Shapiro, S.H. (1972):*
Streptozotocin. Induced diabetes and islet cell alterations in rabbits.
Diabetes, 21: 129-137.
147. *Leonard, C.; Harrison, A. and Thomas, W.H.K. (1996):*
Transgenic and gene targeting strategies in insulin-dependent diabetes. In: Diabetes Mellitus edit. Ed. By: Derek, L.; Simeon I. Taylor and Jerrold, M. Lippincott – Raven Publishes, Philadelphia, chapter 38: 361-370.
148. *Levine, S.A. and Reingardt, J.H. (1983):*
Biochemical pathology initiated by free radical oxidant chemicals and therapeutic drugs in the etiology of chemical hypersensitivity disease.
J. Othomolec. Prych., 12 (3): 166-83.

149. **Lowy, C.; Beard, R.W. and Goldschmidt, J. (1986):**
The UK diabetic pregnancy survey.
Acta. Endocrinol., 277: 86-9.
150. **Lucas, M.J. Levens, K.J.; Williams, M.L.; Raskin, P. and Whalley, P.J. (1989):**
Early pregnancy glycosylated hemoglobin, severity of diabetes, and fetal malformations.
Am. J. Obstet. Gynecol., 16: 426-431.
151. **Maly, F.E. (1990):**
The B lymphocytes A newly recognized source of reactive oxygen species with immuno-regulatory potential.
Free Radical Res. Commun., 27: 247-8.
152. **Manson, J.E. Rimm, E.B.; Stampfer, M.J.; Colditz, G.A.; Willett, W.C. and Speizer, F.E. (1991):**
Physical activity and incidence of NIDDM in women.
Lancet, (8): 770-774.
153. **Marble, A. and Ferguson, B.D. (1985):**
Diagnosis and classification of diabetes mellitus. In: Joslin's diabetes mellitus. In Marble, A kroll, LB. Bradly RF., et al. 12th edition, philadelphia, Lea and Febriger, p. 332.
154. **Martin, A.O.; Simpson, J.L.; Ober, C. and Freinkel, N. (1985):**
Frequency of diabetes mellitus in probands with gestational diabetes: possible maternal influence on the predisposition to maternal diabetes.
Am. J. Obstet. Gynecol., 151: 471-73.
155. **Martin, M. H. and Hurley, L.S. (1977):**
Egypt of large amounts of vitamin E during pregnancy and lactation.
Am. J. Clin. Natr., 30: 1629-1637.
156. **Matter, B.E. and Grauwiler, J. (1974):**
Micronuclei in bone marrow cells. A simple in vivo model for the evaluation of drug-induced chromosomal aberrations.
Mutat. Res., 23: 239-249.

157. **Matter, B.E.; Jaeger, J. and Grauwiler, J. (1973):**
The relation-ship between the doses of various chemical mutagens required to induce micronuclei in mouse bone marrow and their lethal doses.
Excerpta –Medica International Congress Series, 311: 725-729.
158. **Maxwell, S.R.J. (1993):**
Can antioxidants prevent ischemic heart disease.
Clin. Pharmacy and Therapeutics, vol. 18: 85-95.
159. **Mayes, P.A. (1993):**
Structure and function of lipid soluble vitamins. In: Murray, R.K.; Gvanner. D.K.; Mayes, R.A., Rodwell. V.W., ed.5. Harper's Biochemistry 3rd ed. New jersey, Prentice. Hall International Inc., pp 588- 599.
160. **Mecay, P.B. (1985):**
Vitamin E interactions with free radicals and ascorbate.
Ann. Rev. Nutr., 5: 323-40.
161. **Mendola, J.; Wright, J.R. and Lacy, P.E. (1989):**
Oxygen free radical scavengers and immune destruction of murine islets in allograft rejection and multiple low dose streptozocin induced insulinitis.
Diabetes, 38 (3): 379-85.
162. **Meyer, J.; Sturis, J.; Katschinski, M.; Arnold, R.; Goke, B. and Byrne, M.M. (2002):**
Acute hyperglycemia alters the ability of the normal beta-cell to sense and respond to glucose.
Am. J. physiol., 282: E 917-922.
163. **Mezzetti, A.; Cipollone, F. and Cucurullo, F. (2000):**
Oxidative stress and cardiovascular complications in diabetes: Isoprostanes as new markers on an old paradigm.
Cardiovasc. Res., 47: 475-488.
164. **Michelson, B. and Lenmark, A. (1987):**
Molecular cloning of a polymorphic DNA endonuclease fragment associates insulin-dependent with ALA-DQ.
J. Clin. Invest., 75: 317-320.

165. *Miller, E.; Hare, J.W.; Cloherty, J.P.; Dunn, P.J.; Gleason, R.E.; Soeldner, J.S.; and Kifzmilller, L.J. (1981):*
Elevated maternal hemoglobin a in early pregnancy and major congenital anomalies in infants of diabetic mothers.
N. Engl. J. Med., 304: 1331-1334.
166. *Mills, J. (1982):*
Malformation in infants of diabetic mothers.
Teratology, 25: 385-94.
167. *Mills, J.L.; Baker, L. and Goldman, A.S. (1979):*
Malformations in infants of diabetic mothers occur before the 7th gestational week. Implications for treatment.
Diabetes, 28: 292- 297.
168. *Mills, J.L.; Knopp, P.H.; Simpson, J.L; Janovic-Pterson, L.B.; Aarons, J.H.; Brown, Z.; Reed, G.F.; Bieba, F.R.; Allen, M.V.; Holzman, I.; Ober, C.; Peterson, C.M.; Withiam, M.J.; Duckles, A.; Maeller-Heubach, E. and Polk, B.F. (1988):*
National institute of child health and human development diabetes in early pregnancy lack of relation of increased malformation rates in infants of diabetic mothers to glycemic control during organogenesis.
N. Engl. J. Med., 318: 671-676.
169. *Miodovnik, M.; Mimouni, F.; Tsang, R.C.; Ammar, E.; Kaplan, L. and Siddigi, T.A. (1986):*
Glycemic control and spontaneous abortion in insulin dependent diabetic women.
Obst. Gynec., 68: 366-369.
170. *Moller, D.E.; Cohen, O and Yamaguchi, Y. (1994):*
Prevalence of mutations in the insulin receptor gene in patients with type A syndrome of insulin resistance.
Diabetes, 43: 247-251.
171. *Moller, P. and Loft, S. (2002):*
Oxidative DNA damage in human white blood cells in dietary antioxidant intervention studies.
Am. J. clinical nutrition, 76 (2): 303-310.

172. *Montuschi, P.; Collius, J.V.; Ciabattini, G.; Lazzeri, N.; Corradi, M.; Kharitonov, S.A. and Barnes, P.J. (2000):*
Exhaled 8-isoprostane as in vivo biomarker of lung oxidative stress in patients with COPD and healthy smokers.
Am. J. respir. Crit. Care. Med., 162: 1175-1177.
173. *Morrow, J.D.; Frei, B.; Longmire, A.W.; Gaziano, J.M.; Lynch, S.M.; Shyr, Y.; Strauss, W.E.; Oates, J.A. and Roberts, L.J. (1995):*
Increased in circulating products of lipid peroxidation (F2-isoprostanes) in smokers: smoking as a cause of oxidative damage.
N. Engl. J. Med., 332: 1198- 1203.
174. *Movassat, J. and Portha, B. (1999):*
Beta-cell growth in the neonatal Gotokakisaki rat and regeneration after treatment with streptozocin at birth.
Diabetologia, 42: 1098- 1106.
175. *Murrel, G.A. and Hueston, J.T. (1990):*
Aetiology of Dupuytren contracture.
Aust- N- Z- J surg., 60 (4): 247-52.
176. *Myint, T.; Hoshi, S.; Ookawara, T.; Miyazawa, N.; Suzuki, K, and Taniguchi, N. (1995):*
Immunological detection of glycated protein in normal and streptozotocin induced diabetic rats using antihexitol lysine IgG.
Biochem. Biophys. Acta., 272: 73-79.
177. *Newcombe, T.G. and Loeb, L.A. (1998):*
A mechanism of mutagenicity of oxidatively modified bases
In: Aruoma, O.I.; Halliwell, B.; eds. *Molecular biology of free radicals in human disease*. Saint lucia: OICA International; 139-166.
178. *Nickander, K.K.; Schmelzer, J.D.; Rohwer, D.A. and Low, P.A. (1994):*
The role of oxidative stress in the development of complications of diabetes.
J. Neurol. Sci., 126: 6-14.

179. *Niki, E.; Saito, M. and Yoshisarya, Y. (1986):*
Oxidation of lipids XII: Inhibition of oxidation of soyabean phosphatidyl choline and methylinoleate in a aqueous dispersion by uric acid.
Bull. Chem. Soc. Jpn., 59: 471-477.
180. *Nohl, H. and Koltover (1992):*
An experimental approach to explain the age related increase in oxygen radical generation during cell respiration. Abstract (book) 9th vienna symposium on Experimental Gerontology 27.
181. *Norman, I.K. (1992):*
Mechanism of action of biological antioxidants.
P.S.E. BM., Vol. 200: 248-254.
182. *O'Sullivan, B.O. (1984):*
Subsequent morbidity among gestational diabetic women. In Sutherland, H.W. and Stowers, J.M. (eds) carbohydrate metabolism in pregnancy and the newborn. Pp. 174- 180. Edinburgh: Clinical Livingstone.
183. *Obata, T.; Tomarn, K.; Nagakura, T.; Lzumi, Y. and Kawamoto, T. (2000):*
Smoking and antioxidant stress: assay of isoprostane in human urine by gas chromatography-mass spectrometry.
J. chromatogr. Sci., 746: 11- 15.
184. *Ohneda, M.; Inman, Z.R. and Unger, R.H. (1995):*
Caloric restriction in obese pre-diabetic rats prevents beta-cell depletion, loss of beta-cell GLUT-2 and glucose intolerance.
Diabetologia, 38: 173-179.
185. *Olefsky, J.M. (1992):*
Diabetes mellitus. In: Cecil textbook of Medicine, 9th Edition, Wyngaarden, Smith and Bennett, Saunders company, Philadelphia, London, Tokyo, p. 1291.

186. *Olin, B.R. (1990):*
Loose leaf drug information service In: Olin B.R, editor.
Facts and comparisons.
St. Louis : Facts and comparisons. 649.
187. *Oshiro, S. and Nakajima, H. (1988):*
Intrahepatocellular site of the catabolism of heme and
globin moiety of hemoglobin-haptoglobin after intravenous
administration to rats.
J. Bio. Chem., 263: 16032- 16038.
188. *Packer, L. (1992):*
Interactions among anti-oxidants in health and disease:
vitamin E and its redox cycle in: Diplock, A.T. Machlin,
L.J.; Packer, L.; Pryor, W.A. eds; Vitamin E in health and
diseases.
New York Academy of sci., vol. 200: 271-276.
189. *Palli, D.; Masala, G.; Vineis, P.; Gante, S.; Saiera, C.; Krogh, V.;
Panico, S.; Tumino, K.; Munnia, A.; Riboli, E. and Peluso,
M. (2003):*
Biomarkers of dietary intake of micronutrients modulate
DNA adduct levels in healthy adults.
Carcinogenesis, 24 (4): 739-746.
190. *Palmer, J.P. (1987):*
Insulin autoantibodies. Their role in pathogenesis of IDDM.
Diabetes Metab. Rev., 3 (4): 1005-15.
191. *Palmer, T. (1985):*
Understanding mineral and enzymes. 2nd edition p222-224.
192. *Palmer, T.S.; Kelley, G.F. and Legator, M.S. (1972):*
Method for preparing metaphase figures from rat bone
Marrow.
Mutat. Res., 16: 161-164.
193. *Paolisso, G.; D'amore, A. and Galzerano, D. (1993):*
Daily vitamin E supplements improve metabolic control but
not insulin secretion in elderly type II diabetic patients.
Diabetes care, 16: 1433-7.

194. **Paolisso, G.; D'Amore, A.; Giugliano, D.; Gama, D.; Galzerano, D.; Varrichio, M. and D'onotria, F. (1992):**
Daily vitamin E supplements improve insulin action in type II diabetic patients.
Diabetology, 35 (1): 202 A.
195. **Parham, P. (1988):**
Intolerance secretion in tolerant transgenic mice.
Nature, 323: 500- 503.
196. **Persson, B.; Hanson, U. and Lunell, N.O. (1992):**
Diabetes mellitus and pregnancy In: International textbook diabetes mellitus ed. By Alberti K.G.M.; Defronzo, R.A.; Keen, H. and zimmet, P., vol (1): Pp. 1085- 1102. John wiley and sons chichester.
New York. Brisbane. Toronto. Singapore.
197. **Peterson, R.G.; Shaw, W.W.; Neel, M.A.; Little, L.A. and Eichenberg, J. (1990):**
Zucker diabetic fatty rat as a model of non insulin dependent diabetes mellitus.
HAR. Neus., 32: 16-19.
198. **Petrik, J.; Arany, E.; McDonald, T.J. and Hill, D.J. (1998):**
Apoptosis in the pancreatic islet cells of the neonatal rat is associated with a reduced expression of insulin -like growth factor II that may act as a survival factor.
Endocrinology, 139: 2994- 3004.
199. **Petrik, J.; Pell, J.M.; Arany, E.; Medonald, T.J.; Dean, W.L.; Reik, W. and Hill, D.J. (1999):**
Over expression of insulin-like growth factor -II in transgenic mice is associated with pancreatic islet cell hyperplasia. *Endocrinology*, 140 (5): 2353-2363.
200. **Petrik, J.; Srinivasan, M.; Aalinkeal, R.; Coukell, S.; Arany, E.; Patel, M.S. and Hill, D.J. (2001):**
A long-term high- carbohydrate Diet causes an altered ontogeny of pancreatic islets of Langerhans in the neonatal rat.
Pediatr. Res., 49 (1): 84-92.

201. *Pettit, D.J.; Aleck, K.A.; Baird, H.R.; Carrahr, M.J.; Bennett, P.H. and Knowler, W.C. (1988):*
Congenital susceptibility to NIDDM. Role of intrauterine environment.
Diabetes, 37: 622- 628.
202. *Pettite, D.; Baird, H.; Carraher, M. and Knowler, W. (1984):*
Genetic and intrauterine environmental effects in transmission of diabetes mellitus.
Am. J. Epidemiol., 120: 477. 483.
203. *Pick, A.; Levisetti, M.; Baldwin, A. and Bonner-Weir, S. (1998):*
Failure of β -cell mass compensation for insulin resistance in dexamethasone induced diabetes in female Zucker diabetic (ZDF) Fatty rats.
Diabetes, 47 (1): A 258.
204. *Portha, B.; Serradas, P.; Bailbe, D.; Suzuki, K., Goto, Y. and Giroix, M.H. (1991):*
Oxidative stress and diabetes.
Diabetes, 40: 486-491.
205. *Prasad, N. and Busnong, S.C. (1970):*
Direct preparation of chromosomes from mouse peripheral blood.
Acta. Cytol., 14: 523-529.
206. *Pratico, D.; Clark, C.M.; Lee, V.M.Y.; Trojanowski, J.O.; Rokach, J. and Fitz Gerald, G.A. (2000):*
Increased 8, 12-iso-ipF (2 α) – VI in alzheimers disease: correlation of a non invasive index of lipid peroxidation with disease severity.
Ann- Neurol., 48: 809- 812.
207. *Prote, D. Jr. (Banting Lecturer, 1990) (1991):*
Beta -cells in type II diabetes mellitus.
Diabetes, 40: 166-180.
208. *Radons, J.; Heller, B.; Burkle, A.; Hantmann, B.; Rodriguez, M.L.; Kroncke, K.O.; Burkart, V. and Kolb, H. (1994):*
Enzymatic reduction of protein bound methionine sulphoxide.
Biochem. Biophys. Res. Commun., 199: 1270-1277.

209. *Rahier, J.; Goebbels, R.M. and Henquin, J.C. (1983):*
Cellular composition of the human diabetic pancreas.
Diabetologia, 24: 366-371.
210. *Rakieten, N.; Rakieten, M.L. and Nadikarni, M.V. (1963):*
Studies on the diabetogenic actions of streptozotocin.
Cancer chemother. Rep., 29: 91-97.
211. *Ravassard, P.; Cote, F.; Grondin, B.; Bozinet, M.; Mallet, J. and Aubry, M. (1999):*
ZNF 74, a gene deleted in Digeorge syndrome is expressed in human neural crest-derived tissues and foregut endoderm epithelium.
Genomics, 62: 82-85.
212. *Rawlings, M. (2002):*
Role of dietary antioxidants to protect against DNA damage in adult dogs.
J. nutr., 132 (6): 1720 – 2724.
213. *Ray, M. (1973):*
Effect of incubation period on the rate of mitotic division of in vitro leucocyte cultures of 18 strains of mice.
Can. J. Genet. Cytol., 15: 545-553.
214. *Reaven, P.D.; Khaw, A.; Bety, W.F.; Parthasarathy, S. and Witztun, J.L. (1993):*
Effect of dietary antioxidant combinations in humans
Arterioscler. Thromb., 13: 590-600.
215. *Reilly, M.; Delanty, N.; Lawson, J.A. and Fitz -Gerald, G.A. (1996):*
Modulation of oxidant stress in vivo in chronic cigarette smokers.
Circulation, 94: 19-25.
216. *Reilly, P.M.; Schiller, H.J. and Bulkly, G.B. (1991):*
Pharmacologic approach to tissue injury mediated by free radicals and other reactive oxygen metabolites.
Am J. Surg., 161: 488-503.

- 217. Rerup, C.C. (1970):**
Drugs producing diabetes through damage of the insulin secreting cells.
Pharmacol. Rev., 22: 485-518.
- 218. Riemersma, R.A.; Wood, D. and Macintyre, A. (1991):**
Risk of angina pectoris and plasma concentration of vitamins A, C and E and carotene.
The Lancet, vol. 337: 1-5.
- 219. Rieter, R.J. and Robenson, J.O. (1995):**
Melatonin your body's natural wonder drug. P. 170.
- 220. Rimm, E.B. and Stampfer, M.J. (1997):**
The role of free radicals in disease.
Curr. Opin. Condiol., 12: 188 – 194.
- 221. Risbeg, B.; Smith, L. and Orienwall, P. (1991):**
Oxygen radicals and lung injury.
Acta. Anaesthesiol. Scand., 35 (95): 106-18.
- 222. Rish, S.S. (1990):**
Mapping genes in diabetes. Genetic epidemiological prespective.
Diabetes, 39: 1315-1318.
- 223. Robbins, J.; Sharp, R.; Slonim, A.E. and Burr, J.M. (1980):**
Protection against streptozotocin induced diabetes by superoxide dismutase.
Diabetologia, 18: 55-58.
- 224. Robitaille, R.; Dusseault, J.; Henley, N.; Rosenberg, L. and Halle, J.P. (2003):**
Insulin -like Growth Factor II allows prolonged blood glucose normalization with a reduced islet cell mass transplantation. Endocrinology, 144 (7): 3037-3045.
- 225. Ronald, K. (1996):**
New concepts in the pathogenesis of diabetes mellitus In:
Advances in Internal Medicine.
Vol. 41 Mosby- year book INC. 285-321.

226. **Rosen, P. (1998):**
The potential role of oxidative glycosylation in diabetes.
Mol. Cell Biochem., 188: 103- 111.
227. **Rossini, A.A.; Mordes, J.P. and Like, A.A. (1985):**
Immunology of insulin-dependent diabetes mellitus.
Ann. Rev. immunol., 3: 289- 320.
228. **Rotter, J.I.; Vadlin, C.M. and Rimoin, D.L. (1990):**
Genetics of diabetes mellitus. In: Harold, and Danial, P.
(eds), Diabetes mellitus, 4th ed. P. 400. Elsever. New York,
Amsterdam London.
229. **Rowley M.J.; Mackay, I.R.; Chen, Q.Y.; Knowles, W.J. and
Zimmet, P.Z. (1992):**
Antibodies to glutamic acid decarboxylase discriminate
major.
Diabetes, 41: 548-51.
230. **Ryan, E.A. and Enns, L. (1988):**
Role of gestational hormones in the induction of insulin
resistance.
J. Clin. Endocrinol. Metab., 67: 341-347.
231. **Sakagami, H.; Satoli, K.; Makino, Y.; Kojima, T. and Takeda, M.
(1997):**
Effect of α -tocopherol on cytotoxicity induced by UV
irradiation and antioxidants.
Anticancer research, 17: 2079-2082.
232. **Sandler, S. and Andersson, A. (1982):**
The partial protective effect of the hydroxyl radical
scavenger dimethyl urea on streptozotocin induced diabetes
in the mouse in vivo and in vitro.
Diabetologia, 23: 374-378.
233. **Scaglia, L.; Cahill, C.; Finegood, D.T. and Bonner-Weir, S.
(1997):**
Apoptosis participates in the remodeling of the endocrine
pancreas in the neonatal rat.
Endocrinology, 138: 1736- 1741.

234. *Scaglia, L.; Smith, F.E and Bonner-Weir, S. (1995):*
Apoptosis contributes to the involution of β -cell mass in the post – partum rat pancreas.
Endocrinology, 136: 5461-5468.
235. *Schein, P.L.S.; D.A. Cooney, A.G. McMEnamin, and T. Anderson. (1973):*
Streptozotocin diabetes furtha studies on the mechanism of depression in nicotinamide adenine dinucleotide concentration in mouse pancreatic istets and liver.
Biochem. Pharmacal., 22: 2625-2631.
236. *Schein, P.S. and Loffus, S. (1968):*
Streptozotocin depression of mouse liver pyridine nucleotides.
Cancer Res., 28: 1501-1506.
237. *Schwarzacher, H.G. and Wolf, U. (1974):*
Methods in human cytogenetics. Pp. 1-28- springer verlag, Berlin. Heidelberg., New York.
238. *Serbinova, E.A.; Kagon, V. E.; Han, D. and Packer, L. (1991):*
Free radical recycling and intramembrane mobility in the antioxidant properties of tocopherol and tocotrienol.
Free Radical. Biol. Med., 10: 263-275.
239. *Shleiermacher, E. (1971):*
Chromosome aberrations in mitoses and meioses in vivo.
Arch. Toxicol., 28: 105-114.
240. *Shuldiner, A.R. and Silver, K.D. (1996):*
Candidate genes for NIDDM. In: Diabetes Mellitus. 3rd ed., edited by Derek L., Simeon I. Taylor and Jerrold, M. Lippincott-Raven Publishers, Philadelphia, chapter 63, pp. 565-571.
241. *Shum, L. and Sadler, T.W. (1991):*
Recovery by mouse embryos following teratogenic exposure to ketosis.
Diabetologia, 34: 289-295.
242. *Sies, H. (1987):*
Oxidative stress: introductory remarks in: sees, H., ed. Oxidative stress.
London, England. Academic press –1- 8.

243. *Sies, H. (1991):*
Oxidative stress: from basic research to clinical application.
Am. J. Med., (3c): 31.
244. *Siman, C.M. and Eriksson, U.J. (1997):*
Vitamin E decrease the occurrence of malformations in the
offspring of diabetic rats.
Diabetes, 46: 1054-1061.
245. *Simonelli, F.; Pensa, M.; Taramo, P. (1990):*
Hydrogen peroxide in the aqueous humor and cataract
formation in human diabetes.
Boll -soc. Ital- Biol. sper., 66 (9): 879-85.
246. *Sinclair, J.; Barnett, A.H. and Lunec, J. (1990):*
Free radicals and anti-oxidant systems in health and disease.
British Journal Hospital Medicine, 43: 334- 344.
247. *Sivan, E.; Reece, E.A.; WU, Y.K.; Homko, C.J.; Polansky, M. and
Borenstein, M. (1996):*
Dietary vitamin E prophylaxis and diabetic embryopathy:
morphologic and biochemical analysis.
Am. J. Obstet. Gynecol., 175: 793-799.
248. *Slonim, A.E., T. Fletecher, V. Burke, and I.M. Burv. (1976):*
Effect of streptozotcin on red blood-cell reduced glutathione:
modification by glucose, nicotinamide and epinephrine.
Diabetes, 25: 216-222.
249. *Slonim, A.F.; Surber, M.L.; Page, D.L.; Sharp, R.A. and Burr,
I.M. (1983):*
Modification of chemically induced diabetes in rats by
vitamin E.
Am. J. Clin. Invest., Vol. 71: 1282- 1288.
250. *Sokol, R.J.; and Hoffenberg, E.J. (1996):*
Antioxidants in pediatric gastro intestinal diseases- In
pediatric clinics of North America 43: 2.
251. *Spencer, A.P.; Casson, D.S. and Crouch, M.A. (1999):*
Increased lipogenic capacity of the islet of obese rats: a role
in the pathogenesis of NIDDM.
Arch. Intern. Med., 159: 1313- 1320.

252. *Sperling, M.A. (1992):*
Diabetes mellitus. In: Nelson text of pediatrics, 14th edition, saunders company, philadelphia. London, Tokyo, p. 390.
253. *Stahl, W. and Sies, H. (1997):*
Antioxidant defense: vitamins E and C and carotenoids.
Diabetes, 46 (2): S 14- S18.
254. *Stefan, Y.; Oric, L.; Malaisse lagae, F.; Perrelet, A.; Patel, Y. and Unger, R.H. (1982):*
Quantitation of endocrine cell content in the pancreas of non diabetic and diabetic humans.
Diabetes, 31: 694-700.
255. *Steiner, D.F.; Tager, H.S. and Chan, S.J (1990):*
Lessons learned from molecular biology of insulin-gene mutations. Diabetes care, 13:600.
256. *Swenne, I. (1985):*
Glucose- stimulated DNA replication of the pancreatic islets during the development of the rat fetus.
Diabetes, 34: 803-807.
257. *Tajiri, Y. and Grill, V.E. (1999):*
Interactions between vitamin E and Glucose on β -cell functions in the rat: An in vivo and in vitro study.
Pancreas, vol. 18: 274-281.
258. *Takahishi, K.; Kuwahara, T. and Nagatsu, M. (1999):*
Interruption of the aortic arch of the isthmus with DiGeorge syndrome and 22q 11.2 deletions.
Cardiol. Young, 9: 516-518.
259. *Takao, O.; Norio, S. and Katsuhik, O.M. (1994):*
Changes in sh- reactivity of the protein in porcine intestinal brush border membranes associated with lipid peroxidation.
J. Biochem., 115: 224-229.
260. *Tanaka, Y.; Gleason, C.E.; Tran, P.O.T.; Harmon, J.S. and Robertson, R.P. (1999):*
Prevention of glucose toxicity in HIT-T15 cells and zucker diabetic fatty rats by antioxidants.
Proc. Nalt. Acad. Sci. USA., 96: 10857-10862.

261. **Telford, I.R.A.R. and Bridgman, C.F. (1995):**
Introduction to functional histology, a text book of histology,
2nd edition. Pp. 336-338.
Harper collins college publishers.
262. **Thomas, J.P.; Maiorino, M. and Ursini, F. (1990):**
Protective action of phospholipid hydroperoxide, glutathione
peroxidase against membrane damaging lipid peroxidation.
J. Biol. Chem., 265: 454-461.
263. **Tiedge, M.; Lortz, S.; Drinkgern, J. and Lenzen, S. (1997):**
Developmental damage, increased lipid peroxidation and
diminished cyclooxygenase- 2 gene expression in diabetes
mellitus.
Diabetes, 46: 1733-1742.
264. **Tornehave, D. and Larsson, L. (1997):**
Presence of Bcl -X₁ during development of human fetal and
rat neonatal endocrine pancreas: correlation to programmed
cell death.
Exp. Clin. Endocrinol. Diabetes, 105: A27.
265. **Tsuura, Y.; Ishida, H.; Okamoto, Y.; Kato, S.; Sakamoto, K.;
Horie, M.; Ikeda, H.; Okada, Y. and Seino, Y. (1993):**
Apoptotic cell death triggered by nitric oxide in pancreatic β -
cells.
Diabetes, 42: 1446-1453.
266. **Tuch, B.E.; Turtle, J.R. and Simeonovic, C.J. (1989):**
Streptozotocin is not toxic to human fetal β -cell.
Diabetologia, 32: 678-684.
267. **Van- Kuijk, F.G.M.; Sevanian, A. and Handelman, G.J. (1987):**
A new role for phospholipase A: protection of membranes
from lipid peroxidation damage.
FEBS., 12: 31-34.
268. **Vannucchi, H.; Araujo, W.F. Bernardes, M.M. and Jordao, Jr.
A.A. (1999):**
Effect of different vitamin E levels on lipid peroxidation in
streptozotocin-diabetic rats.
Int. J. Vitam. Nutr. Res., 69 (4): 250 -254.

269. *Vannucchi, H.; Jordao, Jr. A.A.; Iglesias, A.C.G.; Morandi, M.V. and Chiarello, P.G. (1997):*
Effect of different dietary levels of vitamin E on lipid peroxidation in rats.
Arch. Latinoamer, Nutr., 47: 34-37.
270. *Vavra, J.J.; Beboer, C.; Dietz, A.; Hanka, L. and Soholshi, W. (1960):*
Streptozotocin a new antibacterial antibiotic. In: Marti, F. (ed) *Antibiotics Annual*, p. 230. Antibiotica Inc., New York.
271. *Vaxillaire, M.; Boccio, V. and Philippi, A. (1995):*
A gene for maturity onset diabetes of the young (MODY) maps to chromosome 12q. *Nat. Genet.*, 9: 418-421.
272. *Viana, M.; Aruoma, O.I.; Herrero, E. and Bonet, B. (2000):*
Oxidative damage in prequant diabetic rats and their embryos.
Free Radical Biology and Medicine., vol. 29 (11): pp. 1115-1121.
273. *Viana, M.; Henera, E. and Bonet, B. (1996):*
Teratogenic effects of diabetes mellitus in the rat. Prevention by vitamin E.
Diabetologia, 39: 1041- 1046.
274. *Volk, B.W. and Wellman, K.F. (1985):*
Histology, cell types and functional correlation of islets of Langerhans In: *the diabetic pancreases*, 2nd edition, pp. 81-98, edited by volk, B.W. and Arquilla, E.R. Plenum. Medical book company New York. London.
275. *Ward, R.F. and Peters, T.F. (1995):*
Free radical in clinical biochemistry.
Metabolic and Clinical Aspect. Ch. 42 by: (Williaw and Marshall stephen).
276. *Warram, J.H.; Krolewski, A.S.; Gottlieb, M.S. and Kahn, C.R. (1984):*
Difference in offspring of diabetic mothers and diabetic fathers.
New Engl. J. Med., 311: 149-152.

277. *Weir, G.C. and Bonner-Weir, S. (2000):*
Insulin secretion in non –insulin dependent diabetes mellitus.
In: Diabetes Mellitus 2nd ed. Leroith D, Taylor St, olefsky.
JM, eds. Philadelphia, Lippincott, williams and wilkins, PP.
595-603.
278. *Weir, G.C.; Sharma, A.; Zangen, D.H. and Bonner-Weir, S. (1997):*
Transcription factor abnormalities as a cause of beta cell
dysfunction in diabetes: a hypothesis.
Acta diabetol., 34: 177-184.
279. *Weir-G.C.; Laybutt, D.R.; Kaneto, H.; Bonner-Weiv, S. and
Sharma, A. (2001):*
 β -cell adaptation and decompensation during the progression
of diabetes.
Diabetes, vol. 50 (1): 5154-5159.
280. *Westermarck, P. and Wilander, E. (1978):*
The influence of amyloid deposits on the islet volume in
maturity onset diabetes mellitus.
Diabetologia, 15: 417- 421.
281. *Westermarck, P.; Wernstedt, C.; Wilander, E. and Sletten, K.A. (1986):*
Novel peptide in the calcitonin gene related peptide family as
an amyloid fibril protein in the endocrine pancreas.
Biochem. Biophys. Res. Commun., 140: 813-827.
282. *Westermarck, P.; Wilander, E.; Westermarck, G.T. and Johnson,
K.H. (1987):*
Islet amyloid polypeptide (IAPP) –Like immuno-reactivity
in the islet β -cells of type 2-diabetic and non diabetic
individuals.
Diabetologia, 30: 887-92.
283. *Wever, J.; Munzner, R. and Remer, H.W. (1989):*
Testing of sunset yollow and orange II for genotoxicity in
different laboratory animal species.
Environ. Mol. Mutagen., 13: 271-276.
284. *WHO (1985):*
WHO study group on diabetes mellitus; technical report
series 727. Geneva.

285. *Wicker, L.S.; Miller, B.J. and Coker, L.Z. (1987):*
Genetic control of diabetes mellitus and insulinitis in the non-obese diabetic (NOD) mouse.
J. Exp. Med., 165: 1639-54.
286. *Wiess, E.G. (1988):*
Cell and tissue biology: A text book of histology, 6th edition, pp. 739-797. Edited by Leon Wiers, and Schwarzenborg
Btimore Munich.
287. *Willard, H.G.; Hoppe, I.B.H. and Nettesheim, P. (1965):*
Mouse leucocytes in culture.
Proc. Soc. Exp. Biol. Med., 118: 993-996.
288. *Witting, L.A. (1980):*
Free radicals in Biology pryor, W.A.; (ed).
Vol. 4, pp. 295-319, Academic press, New York.
289. *Wojcicki, J.; Rozewicka, L.; Barcew-Wiszniewska, B.; Samochowiec, L.; Juzwaik, S.; Kadlubowska, D.; Tustano- Wski, S. and Juzyszyn, Z. (1991):*
Effect of selenium and vitamin E on the development of experimental atherosclerosis in rabbit.
Atherosclerosis, 87: 9- 16.
290. *Wood, L.G.; FitzGerald, G.A.; Gibson, P.G.; Cooper, D.M. and Gary, M.L. (2000):*
Lipid peroxidation as determined by plasma isoprostanes is related to disease severity in mild asthma.
Lipids, 35: 967-974.
291. *Wyngaarden, A.; Smith, M. and Bennett, P. (1992):*
Endocrinal & reproductive disease. In Cecil Textbook of medicine, 9th edition.
Churchill Livingstone, p. 121.
292. *Yamamoto, H.; Vchigata, Y. and Okamoto, H. (1981):*
The prevention of diabetes – associated birth defects.
Nature, 294: 284-286.

293. *Yasuko, U.; Yamamoto, H.; Nagia, H. and Okamoto, H. (1983):*
Effect of poly (ADP- ribose) synthetase inhibitor
administration to rats before and after injection of alloxan,
streptozotocin on islet proinsulin synthesis.
Diabetes, 32: 316-318.
294. *Young, I.D. (1992):*
Congenital malformations. Incidence and genetics of
congenital malformation. In: Brock, D.J.H.; Rodeck, C.H.;
Ferguson-smith, M.A.; eds. *Prenatal diagnosis and
screening.*
London: churchill livingstone, 171- 188.
295. *Yudkin, J.S.; Alberti, K.G. and McLarty, D.G. (1990):*
Impaired glucose tolerance.
B.M.J., 301: 397-402.