

# REFERENCES

# REFERENCES

**1. Abraham, S. (1997):**

Vitamins. In: Integrated Pharmacology. Eds. Cliver, P.; Michael, J. and Morley, C. Chapter 27. PP. 487-501.  
Mosby. London Chicago Tokyo.

**2. Agarwal, K.; Mukherejee, A. and Sharma, A. (1993):**

In vivo cytogenetic studies on male mice exposed to ponceau-4k and beta carotene.  
Cytobiol., 74:23-28

**3. Andersen, K.B.; Nilsson, A.; Blomhoff, H.K.; Qyen, T.B.;**

**Gabrielsen, O.S.; Norum, K.R. and Blomhoff, R. (1992):**

Direct Mobilization of Retinol from Hepatic Perisinusoidal Stellate Cells to Plasma.  
J. Biol. Chem., 267(2): 1340-44.

**4. Anker, A. (2001):**

Hepatic failure. In: Clinical Toxicology. Eds. Ford, M.D.; Delaney, K.A.; Ling, L.J. and Erickson, T. Chapter 21. P. 186.  
W.B. Saunders Company. Philadelphia London Toronto.

**5. Anne, S.M.; Cheryl, A.L. and John, A.K. (1998):**

Clinical hematology principles, procedures and correlations.  
Second edition. Chapter 23. PP. 317-58.

Lippincott-Raven publishers, Philadelphia and New York.

**6. Arthur, M.J.P. (2000):**

Fibrogenesis II. Metalloproteinases and their inhibitors in liver fibrosis.

AJP- Gastrointestinal and Liver Physiology, 279(2): 245-49.

**7. Ballantyne, B. (2000):**

Organic solvent. In: General and Applied Toxicology. Eds.  
Ballantyne, B. Marvs, T.C. and Syversen, T. Second edition.  
Volume 3. Chapter 46. PP. 2018-2041.

W.B. Saunders Company. London Toronto Tokyo.

**8. Bauernfeind, J.C. (1980):**

Vitamin A-application technology.

Food Nutr., 6(1): 10-20.

**9. Beddowes, E.J.; Faux, S.P. and Chipman, J.K. (2003):**

Chloroform, carbon tetrachloride and glutathione depletion induce secondary genotoxicity in liver cells via oxidative stress.

Toxicology, 187(2-3): 101-115.

**10. Beisel, W.R. (1982):**

Single nutrient and immunity.

Am. J. Clin. Nutr., 35:417-468.

**11. Bendich, A (1989):**

Carotenoids and immune response.

J. Nutr., 119: 112-9.

**12. Bendich, A and Shapiro, S.S. (1986):**

Effect of  $\beta$ -carotene and canthaxanthin on the immune responses of the rat.

J. Nutr., 116: 2254-62.

**13. Bendich, A.; D'apolito, P.; Gabriel, E. and Machlin, L.J. (1984):**

Interaction of Dietary vitamin C and Vitamin E on guinea pig immune responses to mutagens.

J. Nutr., 114:1588-93.

**14. Benyon, R.C. and Iredale, J.P. (2000):**

Is liver fibrosis reversible?

Gut, 46:443-6.

**15. Bianchini, F.; Elmstahl, S.; Martinez-garcia, C.; van Kappel, A.; Douki, T.; Cadet, J.; Ohshima, H.; Riboli, E. and Kaaks, R. (2000):**

Oxidative DNA damage in human lymphocytes: correlations with plasma levels of  $\alpha$ -tocopherol and carotenoids.

Carcinogenesis, 21(2): 321-4.

**16. Bissell, D.M. (1998):**

Hepatic fibrosis as wound repair: a progress report.

J. Gastroenterol., 33:295-302.

**17. Bissell, D.M. and Maher, J.J. (1996):**

Hepatic fibrosis and cirrhosis. In: Hepatology A Textbook of Liver Disease. Eds. Zakim, D. and Boyer, T.D. Third edition. Volume II. Chapter 31. PP. 875-890.

W.B. Saunders Company. London Toronto Tokyo.

**18. Bissell, D.M.; Wang, S.S.; Jarnagin, W.R. and Roll, F.J. (1995):**

Cell-specific expression of transforming growth-factor-beta in rat-liver. Evidence for autocrine regulation of hepatocyte proliferation. J. Clin. Invest., 96:447-455.

**19. Block, G. and Schwarz, R. (1994):**

Ascorbic acid and cancer: Animal and Cell Culture Data. In: Natural antioxidants in human health and disease. Ed. Frei, B. Chapter 5. PP. 129-155. Academic Press. San Diego New York Boston.

**20. Blomhoff, R. (1994):**

Transport and metabolism of vitamin A. Nutr. Rev., 52(2):Suppl 13.

**21. Blomhoff, R. (1997):**

Retinoids may increase fibrotic potential of TGF- $\beta$ : Crootalk between two multi-functional effectors. Hepatology, 26(4): 1067-8.

**22. Bobyleva, L.A.; Chopikashvili, L.V.; Alkhina, N.I. and Zasukhina, G.D. (1993):**

Modification with ascorbic acid of the level of spontaneous and induced chromosome aberrations and sister chromatid exchanges in lymphocytes of workers in contact with molybdenum salts.

Genetika, 29(3): 430-4.

**(English abstract)**

**23. Bollag, W. (1983):**

Vitamin A and retinoids: From nutrition to pharmacotherapy in dermatology and oncology.

Lancet, 16:860-3.

**24. Bonis, P.A.L; Friedman, S.L. and Kaplan, M.M. (2001):**

Is liver fibrosis reversible?

N. Eng. J. med., 344:452-4

**25. Brenner, D.A.; Waterboer, T.; Choi, S.K.; Lindquist, J.N.; Stefanovic, B.; Burchardt, E.; Yamauchi, M.; Gillan, A. and Rippe, R.A. (2000):**

New aspects of hepatic fibrosis.

J. Hepatol., 32(suppl. 1):32-38.

**26. Bryant, W.J.(1994):**

Immunology. In: An Introduction to Immunohematology. Third edition. pp. 40-96.

W.B. Saunders Company. London Toronto Tokyo.

**27. Buettner, G.R. (1993):**

The pecking order of free radicals and antioxidants: lipid peroxidation,  $\alpha$ -tocopherol and ascorbate.

Arch. Biochem. Biophys., 300: 535-43.

**28. Burk, R.F.; Lane, J.M. and Patel, K. (1984):**

Relationship of oxygen and glutathione in protection against carbon tetrachloride-induced hepatic microsomal lipid peroxidation and covalent binding in the rat.

J. Clin. Invest., 74:1996-2001.

**29. Burton, G.W. and Ingold, K.U. (1984):**

B-carotene: An unusual type of lipid antioxidant.

Science, 224: 569-73.

**30. Cadenas, S.; Rojas, C. and Barja, G. (1998):**

Endotoxin increases oxidative injury to proteins in guinea pig liver: protection by dietary vitamin C.



---

Pharmacol. Toxicol., 82(1): 11-18.

- 31. Cadenas, S.; Rojas, C.; Perez-Campo, R.; Lopez-Torres, M. and Barja, G. (1994):**  
Effect of dietary vitamin C and catalase inhibition of antioxidants and molecular markers of oxidative damage in guinea pig.  
Free Radic. Res., 21(2): 109-18.
- 32. Campbell, J.D.; Cole, M.; Bunditrutavorn, E. and Vella, A.T. (1999):**  
Ascorbic acid is a potent inhibitor of various forms of T cell apoptosis.  
Cell. Immunol., 194: 1-5.
- 33. Carr, D.H. (1967):**  
Chromosome anomalies as a cause of spontaneous abortion.  
Am. J. Obst. Gynecol., 97:283-8.
- 34. Carr, A.C. and Frei, B. (1999):**  
Toward a new recommended dietary allowance of vitamin C based on antioxidant and health effects in human.  
Am. J. Clin. Nutr., 69(6):1086-1107.

- 35. Charbonneau, M.; Tuchweber, B. and Plea, G.L. (1986):**  
Acetone potentiation of chronic liver injury induced by repetitive administration of carbon tetrachloride.  
Hepatology, 6:694.
- 36. Chojkier, M.; Houglum, K.; Solis-Herruzo, J. and Brenner, D.A. (1989):**  
Stimulation of collagen gene expression by ascorbic acid in cultured human fibroblasts.  
J. Biol. Chem., 264: 16957-62.
- 37. Clarkson, P.M. and Thompson, H.S. (2000):**  
Antioxidants: what role do they play in physical activity and health?  
Am. J. Clin. Nutr., 72(2): 637-46.
- 38. Colako, N. and Kukner, A. (2003):**  
Effects of high dose retinoic acid on adult rat liver: electron microscopic and immunohistochemical study.  
Nutrition Research, 23(4): 509-17.

**39. Connor, J.M. and Ferguson-Smith, M.A. (1993):**

Chromosomes aberrations. In: Essential Medical Genetics. Fourth edition. Chapter 6. PP. 61-74.

Blackwell Scientific Publications. London Boston paris.

**40. Craddock, V.M. and Henderson, A.R. (1978):**

De novo and repair replication of DNA in liver of carcinogen-treated animals.

Cancer Res., 38: 2135-43.

**41. Cui, D.; Moldoveanu, Z. and Stephensen, C.B. (2000):**

High-level dietary vitamin A enhances T-helper type 2 cytokine production and secretory immunoglobulin A response to influenza virus infection in BALB/c mice.

J. Nutr., 130:1132-9.

**42. Cutler, R.C. (1991):**

Antioxidant and aging.

Am. J. Clin. Nutr., 53:3735.

**43. Czaja, M.J.; Xu, J. and Alt, E. (1995):**

Prevention of carbon tetrachloride-induced rat liver injury by soluble tumor necrosis factor receptor.

Gastroenterology, 108: 1849-54.

**44. Dacie, J.V. and Lewis, S.M. (1984):**

Practical hematology. Sixth edition. Chapter 4 and 7.  
PP. 52 and 128.  
Churchill Livingstone. Edinburgh London New York.

**45. Dahm, L.J. and Jones, D.P. (1996):**

Mechanisms of chemically induced liver disease. In: Hepatology,  
A Textbook of Liver Disease. Eds. Zakim, D. and Boyer, T.D.  
Third edition. Volume II. Chapter 31. PP. 875-890.  
W.B. Saunders Company. London Toronto Tokyo.

**46. Davis, B.H. and Vucic, A. (1988):**

The effect of retinol on Ito cell proliferation in vitro.  
Hepatology, 8(4): 788-93.

**47. Davis, B.H.; Kramer, R.T. and Davidson, N.O. (1990):**

Retinoic acid modulates rat Ito cell proliferation, collagen, and  
transforming growth factor  $\beta$  production.  
J. Clin. Invest., 86:2062-70.

**48. DeFlora, S.; bagnasco, M. and Vainio, H. (1999):**

Modulation of genotoxic and related effects by carotenoids and vitamin A in experimental models: mechanistic issues.

Mutagenesis, 14(2): 153-172.

**49. Delaney, B. and Kaminski, N.E. (1993):**

Induction of serum-borne immunomodulatory factors in B6C3F1 mice by carbon tetrachloride. I. Carbon tetrachloride-induced suppression of helper T-lymphocyte function is mediated by a serum borne factor.

Toxicology, 85(1): 67-84.

**50. Delaney, B.; Strom, S.C.; Collins, S. and Kaminski, N.E. (1994):**

Carbon tetrachloride suppresses T-cell-dependent immune response by induction of transforming growth factor-beta 1.

Toxicol. Appl. Pharmacol., 126(1): 98-107.

**51. Diaz Gomez, M. and Castro, J. (1981):**

Reaction of trichloromethyl free radicals with deoxyribonucleic acid bases.

Res. Commun. Chem. Pathol. Pharmacol., 32:147-53.

- 52. Dowd, G.; Dunnk, k. and Moloney, W.C. (1964):**  
Chromosome studies in normal and leukemic rats.  
Blood, 23:52-8.
- 53. Dreyfuss, M.L. and Fawzi, W. (2002):**  
Micronutrients and vertical transmission of HIV-1  
Am. J. Clin. Nutr., 75(6): 959-70.
- 54. Drury, R.A.B. and Wallington, E.A. (1980):**  
Carlton's histological techniques. Fifth edition. pp. 139-205.  
Oxford University press. New York Toronto.
- 55. elSisi, A.E.; Earnest, D.L. and Sipes, I.G. (1993a):**  
Vitamin A potentiation of carbon tetrachloride hepatotoxicity of  
liver macrophages and active oxygen species.  
Toxicol. Appl. Pharmacol., 119(2): 295-301.
- 56. elSisi, A.E.; Hall, P.; Sim, W.L.; Earnest, D.L. and Sipes,  
I.G. (1993b):**  
Characterization of vitamin A potentiation of carbon tetrachloride-  
induced liver injury.  
Toxicol. Appl. Pharmacol., 119(2): 290-8.

**57. *Fan, A.M. and Alexeeff, G.V. (2000):***

Toxicology. In: Public Health for Carbon tetrachloride in drinking water. PP. 9-20.

California Public Health Goal (PHG).

**58. *Fawcett, D.W.(1994):***

A textbook of histology. 12<sup>th</sup> edition. Chapter 13 and 14. PP. 410-446.

Chapman and Hall. New York London.

**59. *Fenech, M. (1998):***

Chromosomal damage rate, aging, and diet.

Ann. N. Y. Acad. Sci., 854: 23-36.

**60. *Freund, J.E. and Williams, F.J. (1975):***

Elementary business statistics, the modern approaches. Second edition. pp. 267-283 and 475-477.

Prentice-Hall International Inc., London.

**61. *Friedman, S.L. (1993):***

The cellular basis of hepatic fibrosis.

N. Eng. J. med., 328:1828-35.

**62. Friedman, S.L. (2000):**

Molecular regulation of hepatic fibrosis, an integrated cellular response to tissue injury.

J. Biol. Chem., 275:2247-50.

**63. Friedman, S.L. (2003):**

Liver fibrosis-from bench to bedside.

J. Hepatol., 38:S38-S53.

**64. Garry, V.F.; Nelson, R.L.; Griffith, J. and Harkins, M.**

**(1990):**

Preparation for human study of pesticide applicators: sister chromatid exchanges and chromosome aberrations in cultured human lymphocytes exposed to selected fumigants.

Teratog. Carcinog. Mutagen., 10(1): 21-9.

**65. Genest, P. and Auger, C. (1963):**

Observation on the technique for the study of human chromosomes by the culture of the leukocytes from the peripheral blood.

Can. Med. Assoc. J., 88:302.

**66. George, H.S. (1999):**

Chromosomes. In: Medical Genetics. Chapter 3. PP. 57-85.



---

McGraw-Hill, New York London Madrid.

**67. George, J. (2003):**

Ascorbic acid concentrations in dimethylnitrosamine-induced hepatic fibrosis in rats.

Clin. Chim. Acta, 335(1-2): 39-47.

**68. Geubel, A.P.; De Galocsy, C.; Alves, N.; Rahier, J. and Dive, C. (1991):**

Liver damage caused by therapeutic vitamin A administration: estimate of dose-related toxicity in 41 cases.

Gastroentology, 100(6): 1701-9.

**69. Gieser, S.C.; Carrey, J.C. and Apple, D.J. (1986):**

Human chromosomal disorders and the eye. In: Goldberg's Genetic and Metabolic Eye Disease. Ed. Reine, w.A. Second edition. P. 189.

Little-Brown and Company. Boston Toronto.

**70. Gitlin, N. (1996):**

Clinical aspects of the liver disease caused by industrial and environmental toxins. In: Hepatology A Textbook of Liver

Disease. Eds. Zakim, D. and Boyer, T.D. Third edition. Volume II. Chapter 34. PP. 1018-1050.

W.B. Saunders Company. London Toronto Tokyo.

**71. *Glauret, A.M. and Lewis, P.R. (1998):***

Biological specimen preparation for transmission electron microscopy. Volume 17. Chapter 43. PP. 1117-1163.

Portlont press, London.

**72. *Goodman, D.S. (1984):***

Vitamin A and retin in health and disease.

N. Engl. J. Med., 310:1023-1030.

**73. *Griffiths , A.J.F.; Gelbart, W.M.; Miller, J.H. and Lewontin, R.C. (1999):***

The structure of gene and genomes. In: Modern Genetic Analysis. Chapter 2.

W. H. Freeman and company. 41 Madison Avenue, New York.

**74. *Guthrie, H.A. and Picciano, M.E. (1995):***

Fat soluble vitamins. In: Human Nutrition. Chapter 2. P.420.

Mosby Company, New York.

**75. Hafez, M. (1982):**

Chromosomal basis of heredity. In: Principles of Medical Genetics.  
Chapter III. P 18.  
Ahram Com. Press, Cairo.

**76. Halliwell, B. (1996):**

Vitamin C: antioxidant or pro-oxidant in vivo.  
Free Radic. Res., 25: 439-54.

**77. Halliwell, B. and Gutteridge, J.M.C. (1989):**

Free radicals biology and medicine. Second edition. PP. 22-224.  
New York Academic Press, Oxford, England.

**78. Halliwell, B.; Gutteridge, J.M.C. and Cross, C.E. (1992):**

Free radicals, antioxidants and human disease: where are now?  
J. Lab. Clin. Med., 119(6): 598.

**79. Hathaway, G.J.; Proctor, N.H.; Hughes. J.P. and**

**Fischman, M.L. (1991):**

The chemical hazards. In: Chemical Hazards of the Work Place.  
Third edition. Part two. PP. 570-594.  
Van Nostrand Reinhold, New York.

**80. *Hautekeete, M.I. and Geerts, A. (1997):***

The hepatic stellate (Ito) cell: its role in human liver disease.

Virchows Arch., 430:195-207.

[ Quoted from Hinton, R.H. and Grosso, P., 2000].

**81. *Hayat, M.A. (1989):***

Principles and techniques of electron microscopy: Biological applications. Third edition.

McMillan Press, Scientific medical, LTD, London.

**82. *Helen, A. and Vijayammal, P.L. (1997):***

Vitamin C supplementation on hepatic oxidative stress induced by cigarette smoke.

J. Appl. Toxicol., 17(5): 189-95.

**83. *Helgerud, P.; Petersen, L.B. and Norum, K.R. (1983):***

Retinol esterification by microsomes from the mucosa of human small intestine: evidence for acyl-coenzyme A retinol acyltransferase activity.

J. Clin. Invest., 71:747-53.

- 84. Hernandez-Munoz, R.; Diaz-Munoz, M.; Lopez, V.; Lopez-Barrera, F.; Yanez, L.; Vidrio, S.; Aranda-Fraustro, A. and Chagoya de Sanchez, V. (1997):**  
Balance between oxidative damage and proliferative potential in an experimental rat model of CCl<sub>4</sub>-induced cirrhosis: protective role of adenosine administration.  
Hepatology, 26: 1100-1110.
- 85. Heuser, G. and Vojdani, A. (1997):**  
Enhancement of natural killer cell activity and T and B cell function by buffered vitamin C in patients exposed to toxic chemicals: the role of protein kinase-C.  
Immunopharmacol. Immunotoxicol., 19(3): 291-312.
- 86. Hidioglou, M.; Batra, T.R. and Ivan, M. (1995):**  
Effects of supplemental vitamins E and C on the immune responses of calves.  
J. Dairy Sci., 78: 1578-83.
- 87. Hinton, R.H. and Grasso, P. (2000):**  
Hepatotoxicity. In: General and Applied Toxicology. Eds. Ballantyne, B.; Marrs, T.C. and Syversent, T. Second edition.

Volume 2. Chapter 42. PP. 853-891.

W.B. Saunders Company. London Toronto Tokyo.

**88. Hodges, R.E. (1980):**

The vitamins: Ascorbic acid. In: Modern Nutrition in Health and Disease. Eds. Goodhart, R.S. and Shils, M.E. Sixth edition. Chapter 6. PP. 259-273.

Lea & Febiger, Philadelphia.

**89. Hooser, S.R.; Rosengren, R.J.; Hill, D.A.; Mobley, S.A. and Sipes, I.G. (1994):**

Vitamin A modulation of xenobiotic-induced hepatotoxicity in rodents.

Environ. Health Perspect., 102(Suppl. 1) 9:39-43.

**90. Houglum, K.; Venkataramani, A.; Lyche, K and Chojkier, M. (1997):**

A pilot study of the effects of D-alpha-tocopherol on hepatic stellate cell activation in chronic hepatitis C.

Gastroenterology, 113: 1069-73.

**91. Huang, G.C.; Zhang, J.S. and Zhang, Y. (2000a):**

Effects of retinoic acid on proliferation, phenotype and expression of cyclin-dependent kinase inhibitors in TGF- $\beta$ 1- stimulated rat hepatic stellate cells.

World J. Gastroenterol., 6(6):819-26.

**92. Huang, H.Y.; Helzlsouer, K.J. and Appel, L.J. (2000b):**

The effects of vitamin C and vitamin E on oxidative DNA damage: results from a randomized controlled trial.

Cancer Epidemiology Biomarker & Prevention, 9: 647-52.

**93. Hughes, D.A. (1999):**

Effects of carotenoids on human immune function.

Proc. Nutr. Sco., 58(3): 713-8.

**94. Hui, A.Y. and Friedman, S.L. (2003):**

Molecular basis of hepatic fibrosis.

Exp. Rev. Mol. Med., 5:1-23.

**95. Hultcrantz, R.; Bissell, D.M. and Roll, F.J. (1991):**

Iron mediates production of a neutrophil chemoattractant in rat hepatocytes metabolizing ethanol.

J. Clin. Invest., 87: 45-9.

**96. Ikeda, H.; George, Y and Catherine, H. (1993):**

Lipocytes from fibrotic rat liver have an impaired feedback response to procollagen propeptides.

*Am. J. Physiol. Gastrointest. Liver Physio*, 264: G157-G162.

**97. Inder, R.E.; Bray, B.J.; Sipes, I.G. and Rosengren, R.J.**

**(1999):**

Role of cytochrome P4502E1 in retinol's attenuation of carbon tetrachloride-induced hepatotoxicity in Swiss Webster Mouse.

*Toxicological Sciences*, 52:130-9.

**98. Iredale, J.P. (2001):**

Hepatic stellate cell behavior during resolution of liver injury.

*Semin. Liver Dis.*, 21(3): 427-36.

**99. Iredale, J.P.; Benyon, R.C.; Pickering, J.; McCullen, M.;**

**Northrop, M.; Pawley, S.; Hovell, C. and Arthur, M.J.P.**

**(1998):**

Mechanisms of spontaneous resolution of rat liver fibrosis. Hepatic stellate cell apoptosis and reduced hepatic expression of metalloproteinase inhibitors.

*J. clin. Invest.*, 102: 538-49.



- 100. Issa, R.; Williams, E.; Trim, N.; Kendall, T.; Arthur, M.J.P.; Reichen, J.; Benyon, R.C. and Iredale, J.P. (2001):**  
Apoptosis of hepatic stellate cells: involvement in resolution of biliary fibrosis and regulation by soluble growth factors.  
Gut, 48:548-557.
- 101. Jason, J.; Archibald, L.K.; Nwanyanwu, O.C.; Sowell, A.L.; Buchanan, I.; Larned, J.; Bell, M.; Kazembe, P.N.; Dobbie, H. and Jarvis, W.R. (2002):**  
Vitamin A levels and immunity in humans.  
Clin. Diag. Lab. Immunol., 9(3): 616-21.
- 102. Jha, P.; Flather, M.; Lonn, E.; Farkouh, M and Yusuf, S. (1995):**  
The antioxidant vitamins and cardiovascular disease.  
Ann. Intern. Med., 123: 860-872.
- 103. Jialal, I. and Grundy, S.M. (1993):**  
Effect of combined supplementation with  $\alpha$ -tocopherol, ascorbate, and beta carotene on low-density lipoprotein oxidation.  
Circulation, 88:2780-6.

- 104. Jirova, D; Sperlingova, I.; Halaskova, M.; Bendova, H. and Dabrowska, L. (1996):**  
Immunotoxic effects of carbon tetrachloride: the effect on morphology and function of immune system in mice.  
Cent. Eur. J. Public Health, 4(1): 16-20.
- 105. Jones, A.L. (1996):**  
Anatomy of the normal liver. In: Hepatology, A Textbook of Liver Disease. Eds. Zakim, D. and Boyer, T.D. Third edition. Volume I. Chapter 1. PP. 1-28.  
W.B. Saunders Company. London Toronto Tokyo.
- 106. Juhl, H.J.; Schurer, C.C.; Bartram, C.R.; Kohl, F.V.; Melderis, H.; von Wichert, P. and Rudiger, H.W. (1978):**  
Retinoids induce sister-chromatid exchanges in human diploid fibroblasts.  
Mutat. Res., 58(2-3): 317-20.
- 107. Junqueira, L.C.; Carneiro, J. and Kelley, R.O. (1998):**  
The immune system and lymphoid organs. In: Basic Histology. Ninth edition. Chapter 14. PP. 248-271.  
Appleton & Lang, San Mateo, California.

- 108. Kaminski, N.E.; Jordan, S.D. and Holsapple, M.P. (1989):**  
Suppression of humoral and cell-mediated immune responses by carbon tetrachloride.  
Fundam. Appl. Toxicol., 12(1): 117-28.
- 109. Kaminski, N.E. and Stevens, W.D. (1992):**  
The role of metabolism in carbon tetrachloride-mediated immunosuppression. In vitro studies.  
Toxicology, 75(2): 175-88.
- 110. Kawada, N. (1997):**  
The hepatic perisinusoidal stellate cell.  
Histol. Histopathol., 12:1069-1080.
- 111. Kay, N.E. and Douglas, S.D. (1995):**  
Morphology of lymphocytes and plasma cells. In: Williams' hematology. Eds. Ernest, B.; Marshall, A.L.; Barry, S.C. and Thomas, J.K. 5<sup>th</sup> edition. Chapter 93. P. 913.  
McGraw-Hill Book Company. New York London Toronto.

- 112. Kelra, J.; Mantha, S.V. and Prasad, K. (1994):**  
Oxygen-free radicals, key factors in clinical diseases.  
Lab. Medica. International, 1:16.
- 113. Kiernan, J.A. (1999):**  
Histological and Histochemical Methods: Therapy and Practice.  
Third edition. PP. 82- 114.  
Butterworth Heinemann. Oxford Boston New York.
- 114. Kim, S.; Kang, S.; Park, J.; Park, S.; Lee, Y. and Ko, Y. (1999):**  
Effects of chitooligosaccharide on carbon tetrachloride induced liver injury in rats.  
Korean J. Food Sci. Technol., 30(3): 446-9.
- 115. Kimball, J.W. (1997):**  
The tissue and cells of the immune system. In: Introduction to Immunology. Second edition. Chapter 7. pp. 131-163.  
McMillan Publishing Company, New York.
- 116. Knook, D.L.; Bosma, A and Seifert, W.F. (1995):**  
Role of vitamin A in liver fibrosis.

---

J. Gastroenterol. Hepatol., 10(1): 47-9.

**117. Koda, H.; Okuno, M.; Imai, S.; Moriwaki, H.; Muto, Y.; Kawada, N. and Kojima, S. (1996):**

Retnoic acid-stimulated liver stellate cells suppress the production of albumin from parenchymal cells via TGF- $\beta$ .

Biochem. Biophys. Res. Commun., 221: 565-9.

**118. Kovalovich, K.; Li, W.; DeAngelis, R.; Greenbaum, L.E.; Ciliberto, G.; and Taub, R. (2001):**

Interleukin-6 Protects against Fas-mediated Death by Establishing a Critical Level of Anti-apoptotic Hepatic Proteins FLIP, Bcl-2, and Bcl-xL.

J. Biol. Chem., 276(28): 26605-26613,

**119. Krinsky, N.I. (1989):**

Carotenoids and cancer in animal models.

J. Nutr., 119: 123-6.

**120. Krinsky, N.I. (1992):**

Mechanism of action of biological antioxidants.

Proc. Soc. Exp. Biol. Med., 200:248.

**121. Krishna, G.; Nath, J. and Ong, T. (1986):**

Inhibition of cyclophosphamide and mitomycin C-induced sister chromatid exchanges in mice by vitamin C .

Cancer Research, 46(6): 2670-4.

**122. Kunert, K.J. and Tappel, A.L. (1983):**

The effect of vitamin C on in vivo lipid peroxidation in guinea pig as measured by pentane and ethane production.

Lipids, 18(4): 271-4.

**123. Kuvshinnikov, V.A.; Morozkina, T.S.; Svirnovskii, A.I.;**

**Poliakova, Z.I.; Stre'lnikov, A.V.; Oletskii, E.I.;**

**Shkrebneva, I.I. and Sukolinskii, V.N. (1989):**

Use of the antioxidant complex of vitamins A, E and C in murine leukemia.

Gematol. Transfuziol., 34(8): 23-8.

**(English abstract)**

**124. Lalor, P.F. and Adams, D.H. (2002):**

The liver: a model of organ-specific lymphocyte recruitment.

Exp. Rev. Mol. Med., 4:1-16.

**125. Lamberg, s. and Rothstein, R. (1978):**

Laboratory manual of histology and cytology. Second edition.  
PP. 137-170.

A.V.I. Publishing Company Inc., West Port Connecticut.

**126. Lampe, J.W. (1999):**

Health effects of vegetables and fruit: assessing mechanisms of  
action in human experimental studies.

Am. J. Clin. Nutr., 70(3): 475S-490S.

**127. Lee, K.S.; Buck, M.; Houglum, K. and Chojkier, M.  
(1995):**

Activation of hepatic stellate cells by TGF alpha and collagen type  
I is mediated by oxidative stress through c-myb expression.  
J. Clin. Invest., 96(5): 2461-8.

**128. Lee, W.; Davis. K.A. and Rettmer, R.L. (1988):**

Ascorbic acid status: biochemical and clinical considerations.

Am. J. Clin. Nutr., 48:286.

**129. Leo, M.A. and Lieber, C.S. (1999):**

Alcohol, vitamin A, and  $\beta$ -carotene: adverse interactions, including  
hepatotoxicity and carcinogenicity.

---

Am. J. Clin. Nutr., 69(6): 1071-85.

**130. *Levine, M. (1986):***

New concepts in the biology and biochemistry of ascorbic acid.  
N. Engl. J. Med., 314:892-902.

**131. *Levitan, M. (1988):***

Textbook of Human genetics. Third edition. PP. 10-35.  
Oxford University Press, New York.

**132. *Lewis, D. and Harriman, G.R. (1996):***

Cells and tissues of the immune system. In: Clinical Immunology Principles. Eds. Rich, R.R.; Fleisher, T.A.; Shearer, W.T.; Schwartz, B.D. and Strober, W. Volume I. Chapter 2. PP. 15-38.  
Mosby. Boston London Tokyo.

**133. *Lewis, R.A. (1998):***

Carbon tetrachloride poisoning. In: Lewis Dictionary of Toxicology. P. 228.  
Lewis Publisher. Boston London New York.



**134. Ligan, J.C. and Satga-Parkash, K.L. (1985):**

Induction of an euploidy by mitotic arrestants in mouse bone marrow.

Mutation Res., 155:61-70.

**135. Lockitch, G. (1993):**

Perinatal and pediatric nutrition.

Clin. Lab. Med., 13:387.

**136. Lodish, H.; Berk, A.; Zipursky, S.L.; Matsudaria, P.;**

**Baltimore, D. and Darnell, J.E. (2000):**

Molecular structure of genes and chromosomes. In: Molecular Cell Biology. Fourth edition. Chapter 9

W. H. Freeman and company. 41 Madison Avenue, New York.

**137. Long, M.W.; Briddell, R. and Walter, A.W. (1992):**

Human hematopoietic stem cell adherence to cytokines and matrix molecules.

J. clin. Invest., 90:251.

**138. *Lui, N.S.T. and Roels, O.A. (1980):***

The vitamins: A. vitamin A and carotene. In: Modern Nutrition in Health and Disease. Eds. Goodhart, R.S. and Shills, M.E. Sixth edition. Chapter 6. PP. 142-159.  
Lea & Febiger, Philadelphia.

**139. *Lutsenko, E.A.; Carcamo, J.M. and Golde, D.W. (2002):***

Vitamin C prevents DNA mutation induced by oxidative stress.  
J. Biol. Chem., 277(19): 16895-9.

**140. *MacGregor, D. and Lang, M. (1996):***

Carbon tetrachloride: Genetic effects and other modes of action.  
Mut. Res., 366(3):181-95.

**141. *Maezone, K.; Kajiwara, K.; Mwatari, K.; Shinkai, A.;***

***Torii, K. and Kaki, T. (1996):***

Alanine protects liver from injury caused by D-galactosamine and CCl<sub>4</sub>.

Hepatology, 24: 185-91.

**142. *Mann, D. A. and Smart, D.E. (2002):***

Transcriptional regulation of hepatic stellate cell activation.

*Gut*, 50: 891-896.

**143. Marathe, G.K.; Harrison, K.A.; Jackson Roberts, I.; Morrow, J.D.; Murphy, R.C.; Tjoelker, L.W.; Prescott, S.M.; Guy A. Zimmerman, G.A. and McIntyre T.M. (2001):**

Identification of platelet-activating factor as the inflammatory lipid mediator in CCl<sub>4</sub>-metabolizing rat liver.

*J. Lipid Res.*, 42: 587-596.

**144. May, J.M.; Cobb, C.E.; Mendiratta, S.; Hill, K.E. and Burk, R.F. (1998):**

Reduction of the ascorbyl free radical to ascorbate by thioredoxin reductase.

*J. Biol. Chem.*, 273: 23039-45.

**145. Mayani, H.; Guilbert, L.J. and Janowska-Wieczorek, A. (1992):**

Biology of the hemopoietic microenvironment.

*Eur. J. Hematol.*, 49:225-33.

**146. McCall, M.R. and Frei, B. (1999):**

Can antioxidant vitamins materially reduce oxidative damage in humans?

Free Radic. Biol. Med., 26(7-8):1034-53.

**147. McLaren, D.S. (1981):**

The luxury vitamins-A and B<sub>12</sub>.

Am. J. Clin. Nutr., 34:1611-6.

**148. Mets, M.B. (1986):**

The eye and the chromosome. In: Goldberg's Genetic and Metabolic Eye Disease. Ed. Reine, W.A. Second edition. P. 189.

Little-Brown and Company. Boston Toronto.

**149. Michael, H.G.; Green, J.B.; Berg, T.; Kaare, R.N. and Blomhoff, R. (1993):**

Vitamin A metabolism in rat liver: a kinetic model.

Am. J. Physiol., 64:G506-G521.

**150. Miller, S.M. (1996):**

Vitamins. In: Clinical Chemistry. Eds. Bishop, M.L.; Duben-Engelkirk, J.L. and Fody, E.P. Third edition. Chapter 29. PP. 581-653.

Lippincott-Raven Publishers. Philadelphia New York.

**151. *Montosi, G.; Garuti, C.; Iannone, A. and Pietrangelo, A. (1998):***

Spatial and temporal dynamics of hepatic stellate cell activation during oxidant-stress-induced fibrogenesis.

Am. J. Pathol., 152: 1319-26..

**152. *Morales-Ramirez, P.; Mendiola-Cruz, M.T. and Cruz-Vallejo, V. (1998):***

Effect of vitamin C or beta-carotene on SCE induction by gamma rays in radiosensitized murine bone marrow cells in vivo.

Mutagenesis, 13: 139-44.

**153. *Mousa, A.M (2001):***

Comparative study between the effect of dexamethasone and loratadine on the histology of some lymphoid elements of rabbits, M.Sc. Thesis of Histology and Cytology. Benha Faculty of Medicine, Zagazig University.

**154. *Muench, K.H. (1989):***

Genetic Medicine. P. 48.

Elsevier, New York.

**155. Naidu, K.A. (2003):**

Vitamin C in human health and disease is still a mystery? An overview.

Nutrition Journal, 2: 7-17.

**156. Nakatani, T.; Inouye, M. and Miroohnitchenko, O.**

**(1997):**

Overexpression of antioxidant enzymes in transgenic mice decrease cellular ploidy during liver regeneration.

Exp. Cell Res., 236:137-146.

**157. Nakatsukasa, H.; Nagy, T.; Ritva, P.; Hsia, E.; Marsden,**

**E. and Snorri, S.T. (1990):**

Cellular distribution of transforming growth factor-B1 and procollagen type 1, III and IV transcripts in carbon tetrachloride induced rat liver fibrosis.

J. Clin. Inves., 85:1833-43.

- 158. Nieman, D.C.; Henson, D.A.; Butterworth, D.E.; Warren, B.J.; Davis, J.M.; Fagoaga, O.R and Nehlsen-Cannarella, S.L. (1997):**  
Vitamin C supplementation does not alter the immune response to 2.5 hours of running.  
Int. J. Sport. Nutr., 7(3): 173-84.
- 159. Niki, E. (1991):**  
Action of ascorbic acid as a scavenger of active and stable oxygen radicals.  
Am. J. Clin. Nutr., 54: 1119-24.
- 160. Null, G.(1994):**  
The antioxidant vitamin C.  
Townsend litter for doctors.  
By personal communication with Gary Null, Ph.D. P.O. Box 918  
Planetarium Station, New York, NY 10024, 212-799-1243
- 161. Okuno, M.; Kojima, S.; Akita, K.; Matsushima-Nishiwaki, R.; Adachi, S.; Sano, T.; Takano, Y.; Takai, K.; Obora, A.; Yasuda, I.; Shiratori, Y.; Okano, Y.; Shimada, J.; Suzuki, Y.; Muto, Y. and Moriwaki, H.**

**(2001):**

Retinoids in liver fibrosis and cancer.

<sup>vo</sup>  
Frontiers in Bioscience, 6:53-64.

**162. Okuno, M.; Moriwaki, H.; Imai, S.; Muto, Y.; Kawada,**

**N.; Suzuki, Y. and Kojima, S. (1997):**

Retinoids exacerbate rat liver fibrosis by inducing the activation of latent TGF- $\beta$  in liver stellate cells.

Hepatology, 26:913-21.

**163. Okuno, M.; Muto, Y.; Kato, M.; Ninomiya, M.; Moriwaki,**

**H.; Noma, A.; Tag, O.; Nozaki, Y. and Suzuki, Y (1990):**

Inhibitory effect of acyclic retinoid (polyprenoic acid) on the secretion of alpha-fetoprotein in CCl<sub>4</sub>-treated rats.

J. Nutr. Sci. Vitaminol., 36(5): 437-46.

**164. Olson, J.A. (1989):**

Provitamin A function of carotenoids: The conversion of B-carotene into vitamin A.

J. Nutr., 119:105-108.



- 165. Palmer, T.S.; Kelley, G.F. and Legator, M.S. (1972):**  
Methods of preparing metaphase figures from rat bone marrow.  
Mut. Res., 16:161-4.
- 166. Paolini, M.; Cantelli-Forti, G.; Perocco, P.; Pedulli, G.F.;  
Abdel-Rahman, S.Z. and Legator, M.S. (1999):**  
Co-carcinogenic effect of  $\beta$ -carotene.  
Nature, 398: 760-1.
- 167. Paradis, V.; Dargere, D.; Bonvoust, F.; Vidaud, M.;  
Segarini, P. and Bedossa, P. (2002):**  
Effects and regulation of connective tissue growth factor on  
hepatic stellate cells.  
Lab. Invest., 82: 767-74.
- 168. Paraskevas, F. and Foerster, J. (1993):**  
The lymphocytes. In: Wintrob's clinical hematology. Eds. Lee,  
G.R.; Bithell, T.C.; Foerster, J.; Athens, J.W. and Leukens, J.N.  
9<sup>th</sup> edition. Chapter 13. PP. 373-400.  
Lea and Febiger. Philadelphia London.

- 169. Prabhala, R.H.; Braune, L.M.; Garewal, H.S. and Watson, R.R. (1993):**  
Influence of beta-carotene on immune functions.  
Ann. N. Y. Acad. Sci., 691: 262-3.
- 170. Prabhala, R.H.; Garewal, H.S.; Hicks, M.J.; Sampliner, R.E. and Watson, R.R. (1991):**  
The effects of 13-cis-retinoic acid and beta-carotene on cellular immunity in humans.  
Cancer, 67(6): 1556-60.
- 171. Parslow, T.G. (1998):**  
Lymphocytes and lymphoid tissue. In: Basic and Clinical Immunology. Eds. Stites, D.P.; Ters, A.I. and Parslow, T.G. Eighth edition. Chapter 2. PP. 22-41.  
Appleton & Lang. San Mateo California.
- 172. Peakman, M. and Vergani, D. (1997):**  
Cellular Immune Responses: T-lymphocytes Antigen Presentation and Natural Killers. In: Basic and Clinical Immunology. P. 107.  
Churchill Livingstone. New York London Madrid.

**173. Pfeiffer, R.A. (1974):**

Cell culture from blood and bone marrow. In: methods in Human Cytogenetics. Eds. Schwarzacher, H.G. and Wolf, U. Chapter 1. PP. 1-37.

Springer-Verlag. Berlin New York Heidelberg.

**174. Pfeiffer, P.; Goedecke, W. and Obe, G. (2000):**

Mechanisms of DNA double-strand break repair and their potential to induce chromosomal aberrations.

Mutagenesis, 15(4):289-302.

**175. Pflaum, M.; Kielbassa, C.; Garmyn, M. and Epe, B.**

**(1998):**

Oxidative DNA damage induced by visible light in mammalian cells: extent, inhibition by antioxidants and genotoxic effects.

Mutat. Res., 408(2): 137-46.

**176. Phillips, M.J. and Latham, P.S. (1982):**

Electron Microscopy of Human Liver Disease. In: Diseases of the liver. Eds. Schiff, L. and Schiff, E.R. Fifth edition. Chapter 2. PP. 50-92.

J.B. Lippincott Company. Philadelphia Toronto.

- 177. Pierce, R.A.; Glaug, M.R.; Greco, R.S.; Mackenzie, J.W.; Boyd, C.D. and Deak, S.B. (1987):**  
Increased procollagen mRNA levels in carbon tetrachloride-induced liver fibrosis in rats.  
J. Biol. Chem., 262(4): 1652-58.
- 178. Pinzani, M. and Marra, F. (2001):**  
Cytokine receptors and signaling in hepatic stellate cells.  
Semin. Liver Dis., 21:397-416.
- 179. Pinzani, M.; Gesualdo, L.; Sabbah, G.M. and Abboud, H.E. (1989):**  
Effects of platelet-derived growth factor and other polypeptide mitogens on DNA synthesis and growth of cultured rat liver fat-storing cells.  
J. Clin. Invest., 84:1786-1793.
- 180. Pohl, H. and Reidy, J.A. (1989):**  
Vitamin C intake influences the bleomycin-induced chromosome damage assay: implications for detection of cancer susceptibility and chromosome breakage syndrome.  
Mutat. Res., 224(2): 247-52.

**181. Pollard, M. (1980):**

Germinal centers in germ-free animals and immune responses.

J. Immunol., 43:143-48

**182. Ramadori, G. and Saile, B. (2002):**

Mesenchymal cells in the liver- one cell type or two?

Liver, 22: 283-94.

**183. Roitt, I.M. (1994):**

Specific acquired immunity. In: Essential Immunology. PP. 22-43.

Blackwell Scientific Publications. London Edinburgh Boston.

**184. Rosenthal, D. and Ades, T. (2001):**

Complementary & alternative methods.

Cancer J. Clin., 51:316-20.

**185. Safadi, R. and Friedman, S.L. (2002):**

Hepatic fibrosis-role of hepatic stellate cell activation.

Med. Gen. Med., 4(3):1-14.

- 186. Saile, B.; Knittel, T.; Matthes, N.; Schott, P. and Ramadori, G. (1997):**  
CD95/CD95L-mediated apoptosis of the hepatic stellate cell. A mechanism terminating uncontrolled hepatic stellate cell proliferation during hepatic tissue repair.  
Am. J. Pathol., 151: 1265-1272.
- 187. Saile, B.; Matthes, N.; Neubauer, K.; Eisenbach, C.; El-Armouche, H.; Dudas, J. and Ramadori, G. (2002):**  
Rat liver myofibroblasts and hepatic stellate cells differ in CD95-mediated apoptosis and response to TNF- $\alpha$ .  
Am. J. Physiol. Gastrointest. Liver Physiol., 283(2): G435-G444.
- 188. Sarkar, A.; Basak, R.; Bishayee, A.; Basak, J. and Chatterjee, M. (1997):**  
Beta-carotene inhibits rat liver chromosomal aberrations and DNA chain break after a single injection of diethylnitrosamine.  
Br. J. Cancer, 76(7): 855-61.
- 189. Satcher, D. (1994):**  
Health effects. In: Toxicological profile for carbon tetrachloride.  
Chapter 2. PP. 9-112.

Agency for toxic substances and disease registry. Atlanta, Georgia.

**190. Sato, M.; Suzuki, S. and Senoo, H. (2003):**

Hepatic stellate cells: Unique characteristics in cell biology and phenotype.

Cell Structure and Function, 28: 105-112.

**191. Sato, T.; Kato, R. and Tyson, C.A. (1995):**

Regulation of differentiated phenotype of rat hepatic lipocyte by retinoids in primary culture.

Exp. Cell Res., 217(1): 72-83.

**192. Sauer, J.M.; Hooser, S.B. and Sipes, I.G. (1995):**

All-trans-retinol alteration of 1-nitronaphthalene-induced pulmonary and hepatic injury by modulation of associated inflammatory responses in the male Sprague-Dawley rat.

Toxicol. Appl. Pharmacol., 133(1): 139-49.

**193. Sawada, S.; Yamanaka, T.; Yamatsu, K.; Furuhata, C. and Matsushima, T. (1991):**

Chromosomal aberrations, micronuclei and sister chromatid exchanges (SCEs) in rat liver induced in vivo by hepatocarcinogens including heterocyclic amines.

Mutat. Res., 251(1): 59-69.

**194. Schlichting, L.M; Wright, P.F. and Stacey, N.H. (1992):**

Effects of tetrachloroethylene on hepatic and splenic lymphocytotoxic activities in rodents.

Toxicol. Ind. Health, 8(5): 255-66.

**195. Schwarzacher, H.G. (1974):**

Preparation of metaphase chromosomes. In: Methods in human cytogenetics. Eds. Schwarzacher, H.G. and Wolf, U. P. 77

Springer-Verlag. Berlin Heidelberg New York.

**196. Seguin-Devaux, C.; Devaux, Y.; Latger-Cannard, Y.;**

**Grosjean, S.; Rochette-Egly, C.; Zannad, F.; Meistelman,**

**C.; Mertes, P. and Longroi, D.(2002):**

Enhancement of the inducible NO synthase activation by retinoic acid is mimicked by RAR $\alpha$  agonist in vivo.

Am. J. Physiol. Endocrinol. Metab., 283: E525-E535



- 197. Seifert, W.F.; Bosma, A.; Brouwer, A.; Hendriks, H.F.; Roholl, P.J.; van Leeuwen, R.E.; van Thiel-de Ruiter, G.C.; Seifert-Bock, I. and Knook, D.L. (1994):**  
Vitamin A deficiency potentiates carbon tetrachloride-induced liver fibrosis in rats.  
Hepatology, 19(1): 193-201.
- 198. Seifert, W.F.; Bosma, A.; Hendriks, H.F.; Roholl, P.J.; van Leeuwen, R.E.; van Thiel-de Ruiter, G.C.; Seifert-Bock, I.; Knook, D.L. and Brouwer, A. (1995):**  
Beta-carotene (provitamin A) decreases the severity of CCl<sub>4</sub>-induced hepatic inflammation and fibrosis in rats.  
Liver, 15(1): 1-8.
- 199. Semba, R.D. (1994):**  
Vitamin A, immunity, and infection.  
Clin. Infect. Dis., 19(3): 489-99.
- 200. Semba, R.D. (1999):**  
Vitamin A and immunity to viral, bacterial and protozoan infections.  
Proc. Nutr. Soc., 58(3): 719-27.

**201. Senoo, H. and Wake, K. (1985):**

Suppression of experimental hepatic fibrosis by administration of vitamin A.

Laboratory Investigation, 52(2): 182-94.

**202. Shi, J.; Aisaki, K.; Ikawa, Y. and Wake, K. (1998):**

Evidence of hepatocyte apoptosis in rat liver after the administration of carbon tetrachloride.

Am. J. Pathol., 153(2): 515-525.

**203. Shiratori, Y.; Ichida, T.; Geerts, A. and Wisse, E. (1987):**

Modulation of collagen synthesis by fat-storing cells isolated from CCl<sub>4</sub>- or vitamin A-treated rats.

Dig. Dis. Sci., 32(11): 1281-9.

**204. Shoham, J. (1992):**

The effect of nutrition on the immune system. In: Principles and Practice of Immunotoxicology. Eds. Miller, K.; Turk, J.L.; Nichlin, S. and Dean, J.H. Chapter 9. P. 174.

Blackwell Scientific Publications. London Edinburgh Boston.

**205. Silverman, A.K.; Ellis, C.N. and Voorhees, J.J. (1987):**

Hypervitaminosis A symptom: A paradigm of retinoid side effects.

J. Am. Acad. Dermatol., 16:1027.

**206. Sinclair, J.; Barnett, A.H. and Lunec, J. (1990):**

Free radicals and antioxidant systems in health and disease.

Br.J. Hosp. Med., 43:334-344.

**207. Sivikova, K.; Piesova, E. and Dianovsky, J. (2001):**

The protection of vitamin E and selenium against carbon tetrachloride-induced genotoxicity in ovine peripheral blood lymphocytes.

Mutat. Res., 494(1-2): 135-42.

**208. Smialowicz, R.J.; Simmons, J.E.; Luebke, R.W. and Allis, J.W. (1991):**

Immunotoxicologic assessment of subacute exposure of rats to carbon tetrachloride with comparison to hepatotoxicity and nephrotoxicity.

Fundam. Appl. Toxicol., 17(1): 186-96.

**209. Sram, R.J.; Dobias, L.; Pastorkova, A.; Rossner, P. and Janca, L. (1983a):**

Effect of ascorbic acid prophylaxis on the frequency of

chromosome aberrations in the peripheral lymphocytes of coal-tar workers.

Mutat. Res., 120(2-3): 181-6.

**210. Sram, R.J.; Samkova, I. and Hola, N. (1983b):**

High-dose ascorbic acid prophylaxis in workers occupationally exposed to halogenated ether.

J. Hyg. Epidemiol. Microbiol. Immunol., 27(3): 305-18.

**211. Stahl, W. and Sies, H. (1997):**

Antioxidant defense: vitamins E and C and Carotenoids.

Diabetes, 64(Suppl.2): 14-8.

**212. Steinberg, D. (1992):**

Antioxidants in the prevention of human atherosclerosis.

Circulation, 85(6): 2337-44.

**213. Stephensen, C.B. (2001):**

Vitamin A, infection, and immune function.

Annu. Rev. Nutr., 21: 176-92.

- 214. Stephensen, C.B.; Rasooly, R.; Jiang, X.; Ceddia, M.A.; Weave, C.T.; Chandraratna, R.A.S. and Bucy, R.P. (2002):**

Vitamin A enhances in vitro Th2 development via retinoid X receptor pathway.

J. Immunol., 168: 4495-4503.

- 215. Suematsu, M. and Aiso, S. (2001):**

Professor Toshio Ito: a clairvoyant in pericyte biology.

Keio. J. Med., 50(2): 66-71.

- 216. Svegliati-Baroni, G.S.; van Goor, S.H.; Jansen, P.; Benedetti, A. and Moshage, H. (2001):**

Involvement of reactive oxygen species and nitric oxide radicals in activation and proliferation of rat hepatic stellate cells.

Liver, 21: 1-12.

- 217. Telford, I.R. and Bridgman, C.F. (1995):**

Connective tissue III circulating blood and lymph. In: Introduction to Functional Histology. Second edition. Chapter 8. PP. 122-137.

Harper Collins Colleague Publisher, New York.

- 218. Turkdogan, M.K.; Agaoglu, Z.; Yener, Z.; Sekeroglu, R.; Akkan, H.A. and Avci, M.E. (2001):**

The role of antioxidant vitamins (C and E), selenium and *Nigella sativa* in the prevention of liver fibrosis and cirrhosis in rabbits: new hopes.

Dtsch. Tieraztl. Wochenschr., 108(2): 71-3.

- 219. Uchio, K.; Tuchweber, B.; Manabe, N.; gabbiani, G.;**

**Rosenbaum, J. and Desmouliere, A. (2002):**

Cellular retinol-binding protein-1 expression and modulation during in vivo and in vitro myofibroblastic differentiation of rat hepatic stellate cells and portal fibroblasts.

Laboratory Investigation, 82: 619-628.

- 220. Umegaki, K.; Ikegami, S.; Inoue, K.; Ichikawa, T.;**

**Kobayashi, S.; Soeno, N. and Tomabechi, K. (1994):**

Beta-carotene prevents x-ray induction of micronuclei in human lymphocytes.

Am. J. Clin. Nutr., 59: 409-12,

- 221. Valli, V. E.; Villeneuve, D.C. and Reed, B. (1990):**  
Evaluation of blood and bone marrow of rat. In: hemopoietic system. Eds. Jones, T.C. PP. 9-26.  
Springer-Verlag. Berlin New York.
- 222. Vogel, S.; Piantedosi, R.; Frank, J.; Lalazar, A.; Rockey, D.C.; Friedman, S.L. and Blaner W.S. (2000):**  
An immortalized rat liver stellate cell line (HSC-T6): a new cell model for the study of retinoid metabolism in vitro.  
J. Lipid Res., 41: 882-893.
- 223. Vojdani, A; Bazargan, M.; Vojdani, E. and Wright, J. (2001):**  
New evidence for antioxidant properties of vitamin C.  
Cancer Detect Rev., 25(2): 222-37.
- 224. Vollmar, B.; Heckmann, C.; Richter, S. and Menger, M.D. (2002):**  
High, but not low, dietary retinoids aggravate manifestations of rat liver fibrosis.  
J. Gastroenterol. Hepatol., 17(7): 791-9.

**225. Ward, R.F. and Peters, T.F. (1995):**

Free radical. In: Clinical Biochemistry. Eds. William, P. and Marshall, S. Chapter 42. PP. 16-223.

Mosby Company, New York.

**226. Wardi, J.; Reifen, R.; Hussein, A.; Zadel, L.; Avni, Y. and Bruck, R. (2001):**

Beta-Carotene attenuates experimentally induced liver cirrhosis in rats.

I. M. A. J., 3:151-4.

**227. Watanabe, T.; Niioka, M.; Hozawa, S.; Kameyama, K.; Hayashi, T.; Arai, M.; Ishikawa, A.; Maruyama, K. and Okazaki, I. (2000):**

Gene expression of interstitial collagenase in both progressive and recovery phase of rat liver fibrosis induced by carbon tetrachloride.

J. Hepatol., 33:224-35

**228. Watanabe, T. and Pratt, R.M. (1991):**

Influence of retinoids on sister chromatid exchanges and chromosomes in cultured human embryonic palatal mesenchymal cells.



---

Teratog. Carcinog. Mutagen., 11(6): 297:304.

**229. Weiss, L. and Geduldig, U. (1991):**

Barrier cells: Stromal regulation of hemopoiesis and blood release  
in normal and stressed murine bone marrow.

Blood, 78:975-90.

**230. Williams, A.T. and Burk, R.F. (1990):**

Carbon tetrachloride hepatotoxicity: An example of free radicals  
mediated injury.

Semin. Liver Disease, 10:274.

[Quoted from Gitlin, N. 1996).

**231. Windler, E.; Chao, Y. and Havel, R.J. (1980):**

Determinants of hepatic uptake of triglyceride-rich lipoproteins  
and their remnants in the rat.

J. Biol. Chem., 255:5475-80.

**232. Young, A.J. and Lowe, G.M. (2001):**

Antioxidant and prooxidant properties of carotenoids.

Arch. Biochem. Biophys., 385(1): 20-7.

**233. Yu, B.P.; Kang, C.; Han, J. and Kim, D.S. (1998):**

Can antioxidant supplementation slow the aging process?

BioFactors, 7:93-101.

**234. Zimmerman, H.J. and Maddrey, W.C. (1982):**

Toxic and Drug-induced hepatitis. In: Diseases of the liver. Eds.

Schiff, L. and Schiff, E.R. Fifth edition. Chapter 17. PP. 621-692.

J.B. Lippincott Company. Philadelphia Toronto.

**235. Zl, G.; Dg, L.; Hm, L. and Xh, G. (1999):**

The effect of retinoic acid on Ito cell proliferation and content of  
DNA and RNA.

World J. Gastroentrol., 5(5): 443-6.