

References

Adewumi, O., Aflatoonian, B., Ahrlund-Richter L. (2007): Characterization of HESC lines by the International Stem Cell Initiative. *Nat. Biotechnol.* 25(7):803-16.

Akured, p. (2002): Pteridine-overexpressing neural stem cells regulate the function of nigral dopaminergic neurons and prevent their degeneration in a model of parkinsonism disease. *Molecular and Cellular Neuroscience*, 21: 205-222.

Al-Ansary M (2006): Introduction to stem cells. Clinical Pathology Department, Faculty of Medicine, Cairo University, Personal communication.

Alvarez-Buylla, A., Seri, B., Doetsch, F. (2002): Identification of neural stem cells in the adult vertebrate brain. *Brain Res Bull* 57 (6):751-758.

Amado LC, Saliaris AP, Schuleri KH, et al. (2005): Cardiac repair with intramyocardial injection of allogenic mesenchymal stem cells after myocardial infarction. *Proc Natl Acad Sci, USA* 102: 11474-9.

Angeli P, Volpin R, Gerunda G, Craighero R, Roner P, Merenda R, et al. (1999): Hepatorenal syndrome with the administration of midodrine and octreotide. *Hepatology* 1999;29:1690-7.

Appelbaum, F.R. (2002): Hematopoietic Cell Transplantation: Types of Hematopoietic Stem Cell Transplantation.

Avasthi S, Srivasta RN, Singh A, Srivasta M. (2008): Stem Cells: Past, Present, Future – A review article. *Internet Journal of Medical Update* 3(1):22-30.

Becker AJ, McCulloch EA and Till JE (2000): Cytological demonstration of the clonal nature of spleen colonies derived from transplanted mouse marrow cells. *Nature* 197: 452-4.

Blyszczuk P, Czyz J, Kania G, et al. (2003): Expression of Pax4 in embryonic and insulin-producing cells. *Proc Nat. Acad. Sci. USA* 100: 998-1003.

Bongso A., Fong, C.Y., Ng, S.C., and Ratnam, S.S. (1999): Isolation and culture of inner cell mass from human blastocysts. *Hum. Reprod.* 9, 2110-2117.

Brazelton IR, Rossi FM, Keshet GI et al. (2000): From marrow to brain: expression of neuronal phenotypes in adult mice. *Science*. 290: 1775.

Brenner DA, Waterboer T, Choi SK, Lindquist JN, Stefanovic B, Burchardt E, Yamauchi M, et al (2002): New aspects of hepatic fibrosis. *J Hepatol* 2000;32:(32-38).1779.

Clarithers RL (2000): Liver Transplantation. *Liver Transplantation* 6: 122-135, 2000.

Clarke, D., Johansson, C., Wibertz, J. (2000): Generalized potential of adult neural stem cells. *Science*;288:1660-3.

Crosby HA and Strain AJ (2001): Adult liver stem cells: bone marrow, blood or liver derived? *Gut*. 48: 153-154.

Crosby HA, Nijjar SS, de Ville de Goyet J, et al. (2002): Progenitor cells of the biliary epithelial lineage. *Sem Cell Dev Biol*. 13: 397-403.

Dabeva MD, Peltkov PM, Sandhu J, et al. (2001): Proliferation and differentiation of fetal liver epithelial progenitor cells after transplantation into adult rat liver. *Am J Pathol*; 156(6): 2017-31.

Dahlke H., Felix c., Stephen Larsen, schlitt J. (2004): Stem Cell Therapy of the liver-fusion? *Liver transplantation*; Vol 10, No 4(April): pp471-479.

Dalakas E, Newsome PN, Harrison DJ, Plevris JN.(2005): Hematopoietic stem cell trafficking in liver injury. *FASEB J* 2005; 19: 1225-31.

Deans, R.J., Moseley, A.B. (2005): Mesenchymal stem cells: Biology and potential clinical uses. *Exp hematol*;28:875-884.

Deutsch G, Jung J, Zheng M, et al. (2001): A biotential precursor population for pancreas and liver within the embryonic endoderm. *Development* 128: 871-881.

Domen,J. and Weissman, I.L. (2000): Hematopoietic stem cells need tow signals to prevent apoptosis; BCL-2can provide one of these, Kitl/c-Kit signaling the other. *J. Exp. Med.* 192, 1707-1718.

Eiges R, Schuldiner M, Draukker M, et al. (2001): Establishment of human embryonic stem cell-transduced clones carrying a marker of undifferentiated cells. *Curr. Biol.*, 11: 514-518.

El Garem N, Gabr H, A Amin M and RamadanN(2007):Evaluation of Bone Marrow-derived Stem Cells in hepatocyte regeneration,Cairo University ,personal communication (2007).

El-Zayadi ER, Badran HM, Barakat EM, et al (2005): Hepatocellular carcinoma in Egypt. A single study over a decade. *World J Gastrology* 11(33); 513-519.

Falkowski O, An HJ, Ianus IA, et al, (2003): Regeneration of hepatocyte 'buds' in cirrhosis from intrabiliary stem cells. *J Hepatol.* 2003;39:357-364.

Fausto N(2004): Liver regeneration and repair: hepatocytes, progenitor cells, and stem cells. *Hepatology* 2004; 39: 1477-87.

Finegood DT, Scaglia L and Bonner Weir S (2000): Dynamics of B-cell mass in the growing rat pancreas. Estimation with a simple mathematical model. *Diabetes*, 44: 249-256.

Fitz JG, Feldman M, Friedman LS, Sleisenger MH, Sleisenger and Fordtran(2002): Gastrointestinal and Liver Disease: Pathophysiology, Diagnosis, Management. 7th ed. Philadelphia, Pa.: Saunders, 2002:1543-54.

Flrpi, R.J. and Nelson, D.R. (2006): Viral hepatitis: Manifestation and management strategy. In: Nancy Berliner, Executive editor; Charles Linker, eds; Charles A. Schiffer, eds. *Hematology* 2006: pp375-80.

Foucher J, Chanteloup E, Vergniol J, et al (2006): Diagnosis of cirrhosis by transient elastography (FibroScan): a prospective study". *Gut* **55** (3): 403–8.

Fraser, J.K. (2004): Adult stem cell therapy for the heart. *Intematl. J of Biochem. And cell Boil.*

Friedenstein AJ, Deriglasova UF, Kulagina NN, Panasuk AF, Rudakowa SF Luria EA, Ruadkow IA (1998): Precursors for fibroblasts in different

populations of hematopoietic cells as detected by the in vitro colony assay method. *Exp Hematol* **2** (2): 83–92.

Friedenstein AJ, Gorskaja JF, Kulagina NN (1999): Fibroblast precursors in normal and irradiated mouse hematopoietic organs. *Exp. Hematol* **4** (5): 267–74.

Friedman S and Schiano T, (2004): Cirrhosis and its sequelae in *Cecil Text Medicine* 22nd ed. Philadelphia Pa: Saunders, 2004:936-44.

Gagan K Sood(2008): Acute liver failure management , Jun 10, 2008 Professor, Medical Director of Liver Transplantation, Division of Gastroenterology and Hepatology, University of Texas Medical Branch, Personal communications.

Gahrton G, Bjorkstrand B (2000): Progress in haematopoietic stem cell transplantation for multiple myeloma. *J Intern Med* **248** (3): 185-201.

Garcia-Tsao G(2001): Current management of complications of cirrhosis and portal hypertension. *Gastro* 2001 Feb;120(3):726-48.

Gimble, J.M., Katz, A.J., Bunnell, B.A. (2007): Adipose-derived stem cells for regenerative medicine. *Cric. Res.* **100**(9): 1249-60.

Gordon GJ, Butz GM, Grisham JW, et al,(2002): Isolation, short-term culture, and transplantation of small hepatocytes-like progenitor cells from exposed rats. *Transplantation* 2002; **73**:1236-1243.

Gratwohl A, Hermans J, Goldman JM, et al. (2002): For the chronic Leukemia Working Party of the European Group for Blood and Bone Marrow

Transplantation. Risk assessment for patient with chronic myeloid leukaemia before allogeneic blood or marrow transplantation. *Lancet* 352: 1087-92.

Grischenko VI, Sandomirsky BP.(2000): A concept of cell therapy. *Problems of Cryobiology and Cryomedicine* 2000 (1):3-6

Gropp M, Itsykson P, Singer O, et al. (2003): Stable genetic modification of human embryonic stem cells by lentiviral vectors. *Mol Ther.* 7: 281-287.

Gussoni, E., Soneoka, Y., Strickland, C.D. (1999): Dystrophic expression in the mouse restored by stem cell transplantation. *Nature*; 401: 390-4.

Hans R. Schöler, Nicklaus Knoepffler, Dagmar Schipanski, and Stefan Lorenz Soigné.(2007): Human biotechnology as Social Challenge. Ash gate Publishing, Ltd. pp. 28.

Hassan MM,Zaghloul AS and EL-Serag HP,(2001):The role of hepatitis C in hepatocellular carcinoma.A case control study among egyptian patients,*J.of clinical gastroenterol*,2001;33(2):123-6.

Hatch HM, Zheng D, Jorgensen ML, Petersen BE(2002): The mechanism for hepatic oval cell activation and bone marrow stem cell recruitment to the injured liver of rats. *Cloning Stem Cells* 2002; 4: 339-51.

Helen Briggs (2008): US team makes embryo clone of men, BBC, pp. A01.

Henry D. Appelman, (2006):Photograph and microscopic of liver cirrhosis, Professor, Department of Pathology, University of Michigan Medical School, Ann Arbor, Mich.Personal communications.

Herbert L, Bonkovsky, Michael W, Fried, Timothy R and Morgan(2007): Liver disease, liver cirrhosis management University of North Carolina Liver Diseases Branch and Clinical Center from National Institutes of Health NIH Publication No. 06-5166 (2007).

Herzenberg LA and De Rosa SC (2000): Monoclonal antibodies and the FACS: complementary tools for immunobiology and medicine. *Today*, 21: 383-390.

Holtzer H (1978): Cell lineages, stem cells and the 'quantal' cell cycle concept: Stem cells and tissue homeostasis. Eds: BI Lord, CS Potten, and RJ Cole (Cambridge, New York: Cambridge University Press). 1-28.

Houard N, Rousseau GG and Lemaigre FP (2003): HNF-6 independent differentiation of mouse embryonic stem cells into insulin producing cells. *Diabetologia*, 46: 378-385.

Hows J and Bradley B (2001): Transplantation for patients without HLA identical siblings. In: Brenner MK, Hoffbrand AV, eds. Recent advances in haematology. Vol. 8. London: Churchill Livingstone, 191-212.

Hunter D, (2003) : Stem cell liver treatment shows promise . May 16, 2003. *World J Gastrology* 7(24); 511-515.

Itskovitz-ELdor, J., Schuldiner, M., Karsenti, D., Eden, A., Yanuka, O., Amit M., Sore Q, H. and Benvenisty N. (2000): Differentiation of Human Embryonic Stem Cells into embryoid bodies comprising the three embryonic germ layers, *molecular medicine* 6, 88-95.

Jackson K, Majka SM, Wang H, et al. (2001): Regeneration of ischemic cardiac muscle and vascular endothelium by adult stem cells. *J Clin Invest*.

Jalan R, Hayes PC. (2000): Guidelines on the management of variceal haemorrhage in cirrhotic patients. British Society of Gastroenterology. Gut 2000;46(suppl 3-4):III1-III15.

Jang YY, Collector MI, Baylin SB, et al. (2004): Hematopoietic stem cells convert into liver cells within days without fusion. Nat. Cell Biol. 6(6): 532-9.

Jiang Y, Jahagirdar BN, Reinhardt RL, Schwartz RE, Keene CD, et al. (2002a): Pluripotency of mesenchymal stem cells derived from adult marrow. Nature 418:41–49.

Jiang Y, Vaessen B, Lenvik T, Blackstad M, Reyes M, Verfaillie CM. (2002b): Multipotent progenitor cells can be isolated from postnatal murine bone marrow, muscle, and brain. Exp. Hematol. 30:896–904. 107: 1-8.

Jones J (1998): Embryonic stem cell lines derived from human blastocysts. Science 282(5391):1145-7.

Kollet O, Shivtiel S, Chen YQ, Suriawinata J, Thung SN, Dabeva MD, Kahn J, et al.(2003): HGF, SDF-1, and MMP-9 are involved in stress-induced human CD34+ stem cell recruitment to the liver. J Clin Invest 2003; 112: 160-9.

Krampera , M., pasini, A., Pizzolo, G. (2006):Department of the Clinical and Experimental Medicine, Section of Hematology Verona, Italy; regenerative and immunomodulatory potential of mesenchymal stem cells.

Krause, D.S., Theise, N.D., Collector, M.I., Henegariu, O., Hwang, S., Gardner, R., Neutzel, S., and Sharkis, S.J.(2001): Multi-organ, multi-lineage engraftment by a single bone marrow-derived stem cell. Cell. 105, 369-377.

Krige JE, Beckingham IJ(2001): ABC of diseases of liver, pancreas, and biliary system: portal hypertension, Ascites, encephalopathy, and other conditions BMJ. 2001;322:416-8.

Krzysztof A. Bardadin (2008): Stem Cells and their role in regenerative processes of the liver, Department of Pathomorphology , Medical Centre for Postgraduate Education, Warsaw university . Available at :

E-mail: bardadin@cmkp.edu.pl

Kucia M, Ratajczak J, Ratajczak MZ (2005) : Are bone marrow stem cells plastic or heterogenous—that is the question. Exp Hematol 2005;33:613-23.

Kucia, M., Zhang, Y.P., Reza, R., Wysoczynski, M., Majka, M., Ildstad, S.T., Ratajczak, J., Shelids, C.B. and Ratajczak, M.Z, (2006). Cells enriched in markers of neural tissue-committed stem cells reside in the bone marrow and are mobilized into the peripheral blood following stroke. Leukemia 20 (1):18-28.

Kuo TK, Hung SP, Chuang CH, Chen CT, Shih YR, Fang SC, et al. (2008): Stem cell therapy for liver disease :parameters governing the success of using bone marrow mesenchymal stem cells. Gastroenterology 2008 june;134(7):2111-2121 .

Lake JR, (2001): Evaluation and management of prospective liver transplant candidate. In: Norman DJ, Turka LA, Eds. Primer on transplantation. 2nd ed. MT. Laurel, N.J: American society of transplantation, 2001:523-8.

Lanza R. Klimanskaya I, Chung Y, Becker S and Lu SJ, (2006): Human embryonic stem cell lines derived from single blastomeres. Nature 444 (7118): 481–5.

Lapidot T, Petit I. (2002): Current understanding of stem cell mobilization: the roles of chemokines, proteolytic enzymes, adhesion molecules, cytokines, and stromal cells. *Exp Hematol* 2002; 30: 973-81.

Laurson J, Selden C and Hodgson HJF (2005): Hepatocyte progenitors immune and rodents multiple pathoays; multiple candidates. *Int J Exp Pathol*; 86(1): 1-18.

Lee OK, kou TK, Chen WM, lee KD, Hsieh SL, Chen TH(2004): Isolation of multipotent mesenchymal stem cells from umbilical cord blood. *Blood* 2004;103:1669-75.

Lennard AL, Storey N, Dickinson AM, et al. (2000): Collection of Philadelphia negative peripheral blood progenitor cells in unselected patients with chronic granulocytic leukaemia. *Leukaemia*, 12: 746-52.

Li Y. (2002): Human marrow stromal cell therapy for stroke in rat. *Neurology*, 59:514-523.

Lo CM, Fan ST, Liu CL, et al.(2002): Ten-year experience with liver transplantation at Queen Mary Hospital. *Hong Kong Med J* 2002;8:240-4.

Lomas DJ. Grainger RG, Allison DJ, Grainger and Allison's (2001): *Diagnostic Radiology: A Textbook of Medical Imaging*. 4th ed. London, England: Churchill Livingstone, 2001:1247-8.

Lorenizi S ,Gitto S, Grandini E, Andreone P, Bernardi M. (2008) : *World J Gastroenterol*.2008 August 7;14(29):4593-4599 .

Lorren Sandt (2006): Determining disease progression with liver biopsy, progression of liver disease, chapter (3) page 20, Hepatitis C Choices Textbook, 3rd Edition.

Lubin, B.H. and Shearer, W. T.(2007): Cord blood banking for potential future transplantation. Pediatrics.119(1):165-70.

Lumelsky N, Blondel O, Laeng P, et al. (2001): Differentiation of embryonic stem cells to insulin secreting structures similar to pancreatic islets. Science, 292: 1389-1394.

Lysy PA, Campard D, Smets F, et al(2008): Stem cells for liver tissue repair: current knowledge and perspectives. World J Gastroenterol 2008;14:864–75.

Mackey, M.C. (2001): Cell kinetic status of hematopoietic stem cells. Cell prolifer. 34, 71-83.

Malhi H,Irani AN,Volenberg I,etal,(2002):Early cell transplantation in LEG rat modeling Wilson disease eliminates hepatic copper with reversal of liver disease. Gastroenterology 2002, 122:438-447.

Martin GR (1981): Isolation of a pluripotent cell line from early mouse embryos cultured in medium conditioned by teratocarcinoma stem cells. Proc. Nat. Acad. Sci. USA. 78: 7634-7638.

Martin GR, Wiley LM and Damjanov I (1997): The development of cystic embryoid bodies in vitro from clonal teratocarcinoma stem cells. Developmental Biology, 61: 230-244.

McGuckin CP, Forraz N, Baradez MO, et al. (2005): Production of stem cells with embryonic characteristics from human umbilical cord blood. *Cell Prolif.* 2005; 38:245-255.

Merced's SM and Mei-YT(2008): Cardiovascular Dysfunction in Patients with End-stage Liver Disease. *J .Chin. Med. Assoc.* 2008;71(7):331–335.

Merkle FT and AlvarezBuylla A(2006):Stem cells in mammalian development. *Current Opinion in Cell Biology* 2006, 18:704–709.

Meyer, J.S., Katz, M.L. AND Kirk, M.D. (2006): Missouri, Univ., Mason Eye Institute; Columbia. Stem cells for retinal degenerative disorders.

Mezy, E. (2003): Transplanted bone marrow generates new neurons in human brain. *Proceed. natl. acad. Science*, 13664-1369.

Multiple Myeloma Research Foundation(MMRF)(2005): THE ABCs OF A STEM CELL TRANSPLANT,2005.Available at : www.multiplemyeloma.org

Murrell, W.,Feron, F., Wetzig, A., Cameron, N., Splatt, K., Bellet, B., Bianco, J.,Perry, C., Lee,G. and Mackay-Sim, A. (2005): Multipotent stem cells from adult olfactory mucosa.*Dev Dyn* 233(2):496-515.

Najimi M, Khuu DN, Lysy PA,(2007): Adult-derived human liver mesenchymal-like cells as a potential progenitor reservoir of hepatocytes? *Cell Transplant* 2007;16:717–28.

National Academy of Science (2006): Stem Cells and the Future of the Regenerative Medicine ,Commission Life Science.2002. Report on the workshop held by Committee on the Biological and Biomedical Applications of Stem Cell Research ;June,2006.The National Academy Press .

National Digestive Diseases Information Clearinghouse(NDDIC) (2005):

What I need to know about End Stage liver disease, NIH Publication No. 06–5166 October 2005. **NDDIC** is a service of the National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK).

Available from www.digestive.niddk.nih.gov

National Institutes of Health(2002): Development Conference Statement Management of Hepatitis C, August 2002.

National Institutes of Health (NIH) (2006):NIH Report on stem cells. Stem Cells :Scientific Progress and Future Research Directions .Department of Health and Human Services. July 2006

Available from [http://StemCells .nih.gov/Info/SciReport/](http://StemCells.nih.gov/Info/SciReport/).

National Research Council (2006):Understanding the Stem Cells and their role in the basic research .

Available from www.nationalacademies.org/stemcells.

National Rural Health Association(2004):Diagnosis ,management of the advancing liver diseases.2004 (816) 756-3140.Available from www.nrharural.org.

Niemeyer P. (2004): Allongenic transplantation of human mesenchymal stem cells for tissue purposes: An in vitro study. Orthopade., 33(12):1346-1353.

Nussler A.,Konig S.,Ott M.,Sokal E.,Christ B.,Thasler W.et al.(2006):Present status and perspectives .

Odorico JS and Thomson JA (2001): Multilineage differentiation from Human Embryonic Stem Cell Lines. Stem Cells 19: 193-204.

Ouredink, J. (2002): Neural stem cells display an inherent mechanism for rescuing dysfunctional neurons. Nature Biotechnology , 20:1103-1110.

Overturf K, Al-Dhalimy M, Ou C, et al. (1997): Serial transplantation reveals the stem-cell-like regenerative potential of adult mouse hepatocytes. Am. J. Pathol. 151(5): 1273-80.

Paku S, Schnur J, Nagy P et al. (2001): origin and structural evolution of the early proliferating oral cells in rat liver. Am J Pathol; 158: 1313-1323.

Parsi MA, Atreja A and Zein NN(2004): Spontaneous bacterial peritonitis: recent data on incidence and treatment. Cleve Clin J Med 2004 Jul;71(7):569-76.

Pecorino L,(2001):Stem Cells for Cell Based Therapies. American Institute of Biological Sciences. An Action Bioscience. original article .
Available from :www.actionbioscience.org.

Petersen BE, Bowen WC, Patrene KD, et al. (1999): Bone marrow as a potential source of hepatic oval cells. Science 284(5417): 1168-70.

Pineda J, Romero-Gómez M, Díaz-García F, et al (2005): HIV co infection shortens the survival of patients with HCV-related decompensated cirrhosis. Hepatology 2005;41:779-89.

Pittenger, M.F. (1999): Multilineage potential of Adult Human Mesenchymal Stem Cell. *Science*, 284: 143-147.

Rachel Maddow, Phil.D, Joseph Bick, (2004): The Management of End Stage Liver Disease in the Correctional Setting *Stream Line Health News Source* Volume 10,Issue2 APRIL 2004.

Reubinoff BE, Pera MF, Fong CY, et al. (2000): Embryonic stem cell lines from human blastocysts: somatic differentiation in vitro. *Nature Biotechnology*. 18: 399-404.

Riess, P. (2002): Transplanted neural stem cells survive, differentiate, and improve neurological motor function after experimental traumatic brain injury. *Neurosurgery*.

Richard L. Drake, Wayne vogl, Ada W.M.Michell,(2005):Liver anatomy *Gray's anatomy*, 2005; 4: 285-87.

Rippon HJ. AND Bishop AE. (2004): Embryonic stem cells. *Cell proliferation* 37, 23-34.

Robey PG (2000): Stem cells near the century mark. *J Clin. Invest.* 105: 1489-1491.

Roguin A (2006): "Rene Theophile Hyacinthe Laënnec (1781-1826): The man behind the stethoscope". *Clinical medicine & research* 4 (3): 230–5.

Roskams TA, Theise ND, Balabaud C, et al. (2004): Nomenclature of the finer branches of the biliary tree: canals, ductules, and ductular reactions in human livers. *Hepatology* 39(6): 1739-45.

Ross Micheal H and Pawlina W, (2006): Digestive system histology, Histology Text and Atlas with correlated cell and molecular biology 2006: 576-582.

Runyon BA (2004): Management of adult patients with ascites due to cirrhosis. Practical Guidelines Committee, American Association for the Study of Liver Diseases. Hepatology 2004;39:841-56.

Saji Y, Tamura S, Yoshida Y, et al. (2004): Basic fibroblast growth factor promotes the trans-differentiation of mouse bone marrow cells into hepatic lineage cells via multiple liver enriched transcription factors. J. Hepatol. 41(4): 545-50.

Salama H, Zekry ER, Al BahnasawyA, Al Shabrawy M, Hassan N and Mostafa M (2008): Hematopoietic Stem Cell Transplantation, National Cancer Institute, Cairo University, Egypt. Session (7) Workshop (4): Thursday, (November 27th 2008).

Salerno F, Gerbes A, Gines P, Wong F, Arroyo V (2007): Diagnosis, prevention and treatment of the hepatorenal syndrome in cirrhosis. A consensus workshop of the International Ascites Club. Gut 2007;9:131-9.

Saski, M. (2001): Transplantation of an acutely isolated bone marrow fraction repairs demyelization rat spinal cord axons. Glia, 35:26-34 .

Saulius Rutkauskas,(2008): Clinical and anatomical basics for the classification of the structural parts of the liver,Clinic of Radiology, Institute of Anatomy, Clinic of Surgery Kaunas University of Medicine, Lithuania.

Selden C and Hodgson H (2004): Cellular therapies for liver replacement. *Transpl Immunol* 12(3-4): 273-88.

Shackleton, M., Vaillant, F., Simpson, K.J., Symth, G.K., Asselin-labat, M.L., Wu, L., Lindeman, G.J. and Visvader, J.E. (2005): Mammary stem cells, self-renewal pathways, and carcinogenesis. *Breast cancer Res* 7 (3): 86-95.

Sharara AI. Rockey DC(2001): Gastroesophageal variceal hemorrhage. *N Engl J Med* 2001;345:669-81.

Sherlock S and Dooley J,(2002): Diseases of the liver and biliary system In: *Sherlock sand Dooley 1. eds. edition Blackwell scientific publication, v.k8.*

Shi Q, Rafii S, Wu MH, et al. (1998): Evidence for circulating bone marrow derived endothelial cells. *Blood* 92: 362-367.

Shostak S (2006): Redefining stem cells. *Bioessays* 28(3): 301-308.

Siminovitch L, McCulloch EA and Till JE (2001): The distribution of colony forming cells among spleen colonies. *Journal of Cellular and Comparative Physiology.* 327-36.

Smith S, Neaves W, Teitelbaum S(2006): Adult Stem Cell treatment for diseases. *Science*,2006,313(5786):439 .

Sokal EM, Goldstein D, Ciocca YM , Lewindon ZP , Silveira T, Sibal JA, Dhawan A, Mack YC, and Bucuvalas Z(2008): *Journal of Gastroenterology and Nutrition* 47:239–246 (2008) by European Society for Gastroenterology, Hepatology and Nutrition and North American Society for Gastroenterology, Hepatology, and Nutrition.

Song X, Zhu C, Doan C, Xie T (2002) : Germ line stem cells anchored by adherent junctions in the Drosophila ovary niches. *Science* 296 (5574): 1855-7.

Soria B, Roche E, Berna G, et al. (2000): Insulin-secreting cells derived from embryonic stem cells normalize glycemia in streptozotocin-induced diabetic mice. *Diabetes* 49: 157-162.

Sorensen HT, Thulstrup AM, Mellekjar L, et al (2003): Long-term survival and cause-specific mortality in patients with cirrhosis of the liver: a nationwide cohort study in Denmark. *Journal of Clinical Epidemiology* 56 (1): 88–93.

Stefania Lorenzini and Pietro Andreone.(2007): Stem Cell Therapy for Human Liver Cirrhosis: A Cautious Analysis of the Results Stem Cells Express, published online May 31, 2007; doi:10.1634/stemcells.2007-0056.

Stem Cell Information (2005): The official National Institutes of Health (NIH) resource for stem cell research ,2005.

Available from :<http://StemCells.nih.gov/info/StemCellBasics/>.

Stem Cell Information (2008): The official National Institutes of Health (NIH) resource for stem cell research ,Adult Stem Cell,2008.

Available from :<http://StemCells.nih.gov/info/StemCellBasics/>.

Sudhanshu PR, Muller T and Zavazava N (2006): Strategies for developing therapeutic applications of human embryonic stem cells. *Physiology* 21: 19-28.

Takahashi K, Yamanaka S (2006): Induction of pluripotent stem cells from mouse embryonic and adult fibroblasts cultures by defined factors. *Cell* 126 (4): 663-76.

Tee LB, Kirilak Y, Huang WH, et al. (1996): Dual phenotypic expression of hepatocytes and bile ductular markers in developing and preneoplastic rat liver. *Carcinogenesis* 17(2): 251-9.

Theise ND, Saxena R, Portmann BC, et al. (1999): The canals of Hering and hepatic stem cells in humans. *Hepatology* 30: 1425-1433.

Theise ND, Nimmakayalu M, Gardner R, et al. (2000): Liver from bone marrow in humans. *Hepatology* 32(1): 11-16.

Theise ND (2006): The liver stem cell niche. *Am J Physiol – Gastrointest Liver Physiol* 2006; 290: G189.

Thomson JA and Marshall VS (1998): Primate embryonic stem cells. *Curr. Topics Dev. Biol.* 38: 133-165.

Thomson JA, Iskovitz-Edor J, Shapiro S, et al. (1998): Embryonic stem cell lines derived from human blastocysts. *Science* 1998;282:1145-1147 .

Thomson JA (2001): Multilineage differentiation from Human Embryonic Stem Cells lines. *Stem Cells*, 19:193-204.

Toma J, Akharvan M, Fernandes KJL, et al (2001): Isolation of multipotent adult stem cells from the dermis of mammalian skin. *Nature cell biology*.2001;3:778-784.

Tuch B (2006): Stem cells a clinical update. *Aust. Fam. Physician* 35(9): 719-21.

Wang, M.W., Consoli, U., Lane, C.M., Durett, A., Lauppe, M.J., Champlin, R., Andreeff, M., and Deisseroth, A.B. (1998): Rescue from apoptosis in early

(CD34-selected) versus late (non-CD34-selected) human hematopoietic cells by very late antigen 4 and vascular cell adhesion molecule (VCAM) 1-dependent adhesion to bone marrow stromal cells. *Cell Growth Differ.* 9, 105-112.

Wang X, Foster M, Al-Dhalimy M, et al. (2003): The origin and liver repopulating capacity of murine oval cells. *Proc Natl Acad Sci* 100(2003): 11881-8.

Wang X, Willenbring H, Akkari Y, et al. (2003): Cell fusion is the principal source of bone-marrow-derived hepatocytes. *Nature* 422(6934): 897-901.

Weissman, I.L. (2000): Stem cells: unit of development, units of regeneration, and units in evolution. *Cell.* 100, 157-168.

Winslow, T., Kibiuk, L. (2001): Feature of progenitor/precursor cells and stem cells.

Wright NA (2000): Epithelial stem cell repertoire in the gut: clues to the origin of cell lineages proliferative units and cancer. *Int. J. Exp. Pathol.*, 117: 143-147.

Van Larr, J.M. and Tyndall, A. (2006): Department of Rheumatology Leiden University Medical Center, The Netherlands. Adult stem cells in the treatment of autoimmune diseases.

Vile RG, Russell SJ, Lemoine NR. (2000): Cancer gene therapy :hard lessons and courses. *Gene Ther* (2000); 7:2-8

Zuk, P.A., Zhu, M., Ashjian, P., De Ugarte, D.A., Huang, J.I., Mizuno, H., Alfonso, Z.C., Fraser, J.K., Benhaim, P. and Hedrick, M.H. (2002): Human adipose tissue is a source of multipotent stem cells. *Mol Biol Cell* 13: 4279-4295.