

References

- Adam,U.;Makowiec,F.;Riediger,H.;Benz,S.andLiebe,S(2002):**Pancreatic leakage after pancreas resection.An analysis of345 operated patients.Chirurg 73:466-73.
- Akhrass,R.;Yaffe,M.;Brandt,C.;Reigle,MandFallon,WJ(2000):**Pancreatic trauma:A ten year multi-institutional experience.Am Surg 63:598-604
- Alexakis, N.; Suttol, R. and Neoptolemos, J. P. (2006):**Surgical treatment of pancreatic fistula.Dig. Surg.; 21:262-274.
- Balcom,J.;Rattner,D.;Warshaw,A.;Chang,Y,AndFernandez-del Castillo.(2003):**Changing indications, older patients, and decreasing length of hospitalization.Arch Surg 136:391-398.
- Bartoli,FG.;Arnone,GB.;Ravera,G.and Bachi,V. (2003):**Pancreatic fistula and relative mortality in malignant disease after pancreaticoduodenectomy.Review and statistical meta analysis regarding 15 years of literature.Anti cancer Res 11:1831-1848.
- Bassi,C.:Butturini,G.:Molinari,E.et al(2005):**Pancreatic fistula rate after pancreatic resection:the importance of definitions.Dig Surg 21:54-9
- Bottger, T.,andJunginger, T. (2003):**Factors influencing morbidity and mortality after pancreaticoduodenectomy: critical analysis of221 resections.World J Surg 23:164-171.
- Brelivi,ZS.;Jonas,ME.;TRotman,BW.;Dodda,G.andDaCosta,JA.(1996):**Nasopancreatic drainage:a novel approach for treating internal pancreatic fistulas and pseudocysts.J Assoc Acad Minor Phys 7:41-6.
- Bruce,J.:Krukowski,ZH.:Al-Khairy,G.:Russel,EM.:and Park,KG (2005):**Systemic review of the definition and measurement of anastomotic leak after gastrointestinal surgery.Br J Surg 88:1157-68.
- Buhler,M.; Friess, H.And Wagner, M. (2000):**Pancreatic fistula after pancreatic head resection.Br J surgery 87:883-889.
- Cameron, J. (1978):**Chronic pancreatitis ascites and pleural effusions.
- Cameron,J.; Kieffer,R.;Anderson.W.and Zuidema, G.(1976):**Internal pancreatic fistula:pancreatic ascites and pleural effusion.Ann Surg 184:587-590.
- Chand, F.; Waish, RM.; Ponsky, J.; AndBrody, F. (2001):**Pancreatic complications following laparoscopic VS. Open splenectomy.Surg Endosc 15:1273-1276.
- Cullen,J.:Sarr,M and Ilstrup,D(2000):**Pancreatic anastomotic leak after pancreaticoduodenectomy:Incidence,significance andmanagement.AmJ Surg 168:295-298.

Cunningham,M.;Weyant,M.;Levitt,M.;Brower,S.;And Aufses,A.(2000):A complications requiring reoperation following pancreatectomyInt J pancreatol 24:23-29

Cuschieri,A.;Jakimowicz,JJ.andVAnn Spreeuwel,J(1996): Laparoscopic distal 70% pancreatectomy and splectomy for chronic pancreatitis.Ann Surg 223:280-285.

Dinu,F.;Deviere,J.;Van Gansbeke,D et al(1998):The wirsungorrhagies:causes and management in 14 patientEndoscopy30:595-600.

Donini,A.;Buccarani,U.;Terrosu,G.; et al .(2002):Laparoscopic vs. Open splenectomy in the management of haematologic disease.Surg Endosc 13:1220-1225.

Dudrick, SJ; Maharaj, AR.; AndMcKeivey; AA (1999):Artificial nutritional support in patients with gastrointestinal fistulae.World surg23:570-576

Fabre,JM.;Bauret,P.;Prudhomme,M.;Quenet,F.;Noel,P.and Baumel,H (1995):Posttraumatic pancreatic fistula curred by endoprosthesis in the pancreatic duct.Am J Gastroentrol90:804-6.

Falconi,M.;Valerio,E.;Caldiron,E.;Salvia,R.;Sartori,N.;Talamini,G.;Bassi,C and. Pederzoli,P(2003):Changes in pancreatic resection for chronic pancreatitis over 28 years in a single institution.Br J Surg 87:428-433.

Fernandez-dl Catillo, C.; Rattner, DW; AndWarshaw, AL. (1995):Standards for pancreatic resection in the 1990s.Arch Surg 130:295-300.

Fulcher,A.;Capps,G.and Turner,M.(1999):Thoracopancreatic fistula:clinical and imaging findings.J Comput Assist Tomoger 23:181-187.

Garham, JM.; Mattox, KL.AndJordan, Jr.G (1978):Traumatic injuries of pancreas.Am J Surg 136:744-748

Giovannini,M.;Pesenti,C.;Rolland,AL.et al(2001)Endoscopic ultrasound guided drainage of pancreatic pseudocysts or pancreatic abscesses using a therapeutic echo endoscope.Endoscopy 33:473-477.

Gonzalez, pinto, I; And Moreno Gonzalez (2002):optimizing the treatment of upper gastrointestinal fistulae.Gut 49(IV):21-28

Gouillat,C. and Gigot,JF(2002):Pancreatic surgical complications-the case for prophylaxis.Gut 49(IV):29-35

Halloran,C.;Ghaneh,P.;Bosonnet,L.;Hartley,M.;Sutton,R.and Neoptolemos,JP.(2004):Complication of pancreatic cancer resection.Dig Surg 19:13146.

Halttunen, L.; Weckman, E.; Kemppainen, M.andKylanaa, L. (2006):Surgical endoscopy and other interventional techniques.

Hesse,U.;Ysebaert,D.and de Hemptinne,B (2002):Role of somatostatin-14 and its analogues in the management of gastrointestinal fistulae:clinical data.

Ho, HS.; And Frey, CF.(1995):Gastrointestinal and pancreatic complications associated with severe pancreatitis.Arch surg130:817-823.

Ito,H.;Matsubara,N.;Sakai,T.;Aso,N.;Kitami,M.;Ono, S.; AndIshibashi,T. (2002):Two cases of thoracopancreatic fistula in alcoholic pancreatitis: clinical and CT findings.Radiat Med 20:207-211.

Izbicki,J.;Wilker,D.;Waldner,H.; Rueff,F.;And Schweiberer,L. (1989):Thoracic manifestations of internal pancreatic fistulas.Am J Gastroenterol 84:265-271

Kajiyama,Y.;Tsurumaru,M.;Udagawa,H.;Tsutsumi,K.;Kinoshita,Y.;Akiyama ,H.(1996):Quick and simple distal pancreatectomy using the GIA stapler.Br J Surg 83:1711.

Kaseda,S.;Aoki,T.;Hangai,N.;Omoto,T.;Yamamoto,S.;andSugiura,H(1998):Tr eating bulbous lung disease with Holmium YAG laser in conjunction with fibrin glue and DEXONmesh.Lasers Surg Med 222:219-222.

Kawashima,A.;Kaneki,T.;Harada,T.;Shinozaki,S.and usams,s(1996):Pancreaticopleural fistula visualized by computed tomographic scan combined with endoscopic retrograde pancreaticography.Internal med 35:32.

Kohler, E.; Begliger, C.; DEttwiler, S.; Whitehouse, I.; Gyr, K (1986):Effect of a new somatostatin analogue on pancreatic function in healthy volunteers.Pancreas1:154-9.

Kolars,JC.;OConnor,AM.;Ansel,H.et al(1989):Pancreatic pseudocysts:clinical and endoscopic experience.Am J Gastroentrol 84:259-264.

Lembcke,B.;Creutzfeldt,W.;Schleser,s.;Ebert,R.;Shaw,C.;Koop,I.(1987):Effec t of somatostatin analogue sandostatin (SMS201=995)on gastrointestinal,pancreatic and biliary function and hormone release in normal menDigestion36:108-24.

Lillemoe,K.;Kaushal,S.;Cameron,J.;Sohn,T.;Pitt,H.;AndYeo,C.(2002):Distal pancreatectomy: Indication and outcomes in 235 patties.Ann Surg 229:693-698.

Lipsett,P,and cameron,J(1999):Internal pancreatic fistula.AmJ Surg163:216-220.

Lowy,A.;Lee,J.;Pisters,P.;Davidson,B.;Fenoglio,C.;Stanford,P.;et al(1997):Prospective, randomized trial of octreotide to prevent pancreatic fistula after pancreatico duodenectomy for malignant disease.

Martin,RC2nd.Brennan,MF. andJaques,DP(2002):Quality of complication reporting in the surgical literature.Ann Surg 235:803-13

Matos,C.;Metens,T.;Deviere,J.et al(1997):.Pancreatic duct:morphologic and functional evaluation with dynamic MR pancreatograohy after section stimulation.Radiology:203:435-441.

Matso,C.;Cappeliez,O.;Winant,C.et al(2003):MR imaging of the pancreas:a pictorial tour.Radiographics 22: 2

Matsumoto,.; Ishio,T.; Sasaki,A.; Aramaki,M.; Bando,T.; Kawano,K,et al(2002):Pancreatic resection with ultrasonically activated scalpel: preliminary observation.Hepatogastroentology 49:635-8.

McCulloch, P.; Ward, J.; Tekkis, PP.And ASCOT group of surgeons (2005):Mortality and morbidity in gastro-oesophageal cancer surgery: initial results of ASCOT multicentre prospective cohort study.

Mediema,B.;Sarr,M.;VanHeerden,j.;Nagorney,d.;Mclrath,D.; And Listrup,D.(1992):Complications following pancreatico duodenectomy.Current managementArch surg 127:945-950

Michael,J.Zinner,Seymour,I.Schwartz, and Harold,E(1997):Maingot abdominal operation ,tenth editionVolume XIII1934-1938.

Moncure, M.AndGoins, WA. (1993):Challenges in the management of pancreatic and duodenal injuries.J Natl Med Assoc 85:767-772.

Morgan,DE.;Baron,TH.;Smith,Jk.et al(1997):Pancreatic fluid collections prior to intervention:evaluation with MR imaging compared with CT andUSRadiology203:773-778.

Neff, R. (2006):Pancreatic pseudo cysts and fluid collection: percutaneous approaches.Surg Clin North Am 81:399-403.

Neoptolemos, J.; London, N.; and Carr Locke, D. (2004):Assessment of main pancreatic duct integrity by endoscopic retrograde pancreatography in patients with acute pancreatitis.Br J Surg 80:94-99.

Neoptolemos, JP; Bramhall, S.Russell, RC. And Theis, B. (1997):Low mortality following resection for pancreatic and periampullary tuours in 1026 patients Br J Surg 84;1370-1376

Noun,R.;Elias,D.;Ballandur,P.;Bismuth,H. ;Parc,R. ;Lasser,P. ;et al(1996):Fibrin glue effectiveness and tolerance after elective liver resection: a randomized trial.Hepatogastrology 46:221-224.

Ohwada, S.; Ogawa, T.; Tanahashi, Y,; Nakamura,S.;Takeyoshi,I.;OHya, T. et al (1998):Fibrin glue sandwich prevents pancreatic fistula following distal pancreatectomy.Eorld J Surg22:494-498.

Okabayashi,T.;Kobayashi,M.;Namikawa,T.;Okamoto,K.;Hokimoto,N.et al(2004):Postoperative pancreatic fistula following distal pancreatectomy for pancreatic neoplasm; can pancreatic fistula be preventedHepatoentology 51:1838-41.

Olivier, L ; Celso, M. ; Jean C. And Jacques D. (2006): Endoscopic management of pancreatic fistula after pancreatic and other abdominal surgery. Best Practice and Research Clinical Gastroenterol, 18(5):957-975

Ondrejka,P.;Faller,J.;Siket,F.;Toth,G.;Sugar,I and Forgacs,B(2003): Pancreatic fistula definition as a high risk factor in the complication development.JOP J pancreas2 (5):353-354

Pottmeyer, E3.;Frey,C,and Matsuno,S.(1987):Pancreaticopleural fistulas.Arch Surg 122:648-654.

Prinz,R.;Pickleman,J. andHoffman,J.(1998):Treatment of pancreatic cutaneous fistula with a somatostatin analog.AmJ Sutg 155:36-42.

Rassweiler,J.;Fornara,P.;Weber,M. et al(1998):Laparoscopic nephrectomy: the experience of the laparoscopy working group of the German urologic association.J Urol 160:18-21.

Reber, HA (1997):Chronic pancreatitis in Maingot abdominal operation edited by Schwartz SI and Ellis HAppleton and Lange 10th edition: 1941-1960.

Reber, HA (1997):Pancreas in principles of surgery edited by Schwartz SI,Shires GT and Spencer FC McGrew-Hill Book Company(7th ed)1467-1499.

Russell,R.C.G.;Norman,s andChristopher,J.k(2004):Bailey and Loves:Short Practice of surgery24th edition:1114

Saeed,ZA.;Ramirez,FC.and Hepps,KS(1993): Endoscopic stent placement for internal and external pancreatic fistulas.Gastroentology105:1213-7

Sanchez,CE.;Maalak,A.;Le Moine,O.et al(2002):Endoscopic cystenterostomy of nonbulging pancreatic fluid collections. Gastrointest Endosc 56:380-386.

Sarin,SK and Agarwal,SR.(2001):Gastric varices and portal hypertensive gastropathy.Clin Liver Dis5:727-767.

Sheehan,MK.;Beck,K.:Creech,S.:Pickleman,J.and Aranha,GV(2006):Distal pancreatectomy:does the method of closure influence fistula formationAm Surg 68;264-7;discussion267-8.

Shiu, MH. (1982);Resection of pancreas without production of fistula.

Skandalakis,JE.:Skandalakis,PN. and skandalakis, LJ(2000): Surgical anatomy and techniqueA pocket manual 2nd edition381-394

Soto,JA.;Alvarez,O.;Munera,Fet al(2001)Traumatic disruption of the pancreatic duct:diagnosis with MR pancreatography.AJR Am J Roentgenol 176:175-178.

Suc,B.;Msika,S.;Piccini,M.;Fourtanier,G.;Hay,JM.;Flamant,Y.et al(2004):Octreotide in the prevention of intra abdominal complications following elective pancreatic resection: a prospective, multicenter randomized controlled trial.Arch Surg 139:288-95.

Sugo,H.;Mikami,Y.;Matsumoto,F.;Tsumura,H.;Waanabe,Y.;Futagawa,S.(2001):Comparison of ultrasonically activated scalpel versus conventional division for the pancreas in distal pancreatectomy

Suzuki,Y.;Fujino,Y.;Tanioka,Y.;Hori,Y.;Ueda,T.;Takeyamo,Y.et al(1999):Randomized clinical trial of ultrasonic dissector or conventional division in distal pancreatectomy for non fibrotic pancreas.Br J Surg 86:608-11.

Suzuki,Y.;Kuroda,Y.;Morita,A.;Fujino,Y.;Y.;Kawamura,T.;et al(1995)Fibrin glue sealing for prevention of pancreatic fistulas following distal pancreatectomy.Arch Surg 130:952-955.

Suzuki, Y.; Kuroda, Y.; Morita, A.; Fujino, Y.; Tanioka, Y.; Kawamura, T.; And Saitoh, Y. (1995): Fibrin glue sealing for the prevention of pancreatic fistulas following distal pancreatectomy. *Arch surg* 130:952-955

Takeuchi, K.; Tsuzuki, Y.; Ando, T.; Sekihara, M.; Hara, T.; Kori, T et al (2003): Distal pancreatectomy: is staple closure benefit *A N Z J Surg* 73:922-5.

Talamini, MA.; Moesinger, MD.; Pitt, HA et al (1997): Adenocarcinoma of the ampulla of Vater. *Ann surg* 225:590-600

Tashiro, S.; Murata, E.; Hiraoka, T.; et al (1987): New technique for pancreaticojejunostomy using a biological adhesive *Br J Surg* 74:392-394.

Tsiotos, S.; Smith, C.; And Sarr, M. (2000): Incidence and management of pancreatic and enteric fistulas after surgical management of severe necrotizing pancreatitis. *Arch Surg* 130:48-52.

Urakami, A.; Tsunoda, T.; Hayashi, J.; Oka, Y. and Mizuno, M (2004): Spontaneous fistulization of a pancreatic pseudocyst into the colon and duodenum. *Gastrointest Endosc* 55:949-51.

Waclawiczek, HW; Boeck, O. (1994): Pancreatic duct occlusion with fibrin sealant for the protection of the pancreatic-digestive anastomosis following resection of the pancreatic head (experimental and clinical study). Vol.2. Berlin Heidelberg, Germany; Springer-Verlag, pp88-106.

Wakefield, S.; Tutty, B.; And Britton, J. (1996): Pancreatic pleural fistulas. A rare complication of chronic pancreatitis. *Post grad Med J* 72:115-116.

Yin-Mo Yang, Xiao-Dong Tian and Yan-Zhuang (2006): Risk factors of pancreatic leakage after pancreaticoduodenectomy *World J Gastroenterol* 11(16):2456-2461.