

References

- **Abrams P, Cardozo L, Fall M, et al.** The standardization of terminology in lower urinary tract function: report from the standardization sub-committee of the International Continence Society. *Urology*.2003; 61:37-49.
- **Abrams P, Cardozo L, Fall M, et al.** The standardization of terminology of lower urinary tract function: report from the Standardization Sub-committee of the International Continence Society. *Neurology and Urodynamics* .2002; 21:167-178.
- **Abrams P, Blaivas JG, Stanton SL, Andersen JT.** The standardization of terminology of the lower urinary tract. *Scand J Urol Nephrol Suppl* 1988; 114:5-19.
- **Adam Magosa,** Does hysterectomy cause urinary incontinence? *The Lancet*, Volume 370, Issue 9597, 27 October 2007-2 November 2007, Pages 1462-1463
- **Aksac B, Aki S, Karan A, Yalcin O, Isikoglu M, Eskiyurt N.** Biofeedback and pelvic floor exercises for the rehabilitation of urinary stress incontinence. *Gynecol Obstet Invest* 2003;56:23–7.
- **Alhasso AA, McKinlay J, Patrick K, Stewart L.** Anticholinergic drugs versus non-drug active therapies for overactive bladder syndrome in adults. *Cochrane Database Syst Rev* 2006; Issue 4. Art. No.: CD003193.
- **Allahdin S, Mckinley C, Mahmode TA, Lyth D:** Tension-free vaginal tape:162 cases in a district general hospital. *J Obstet Gynaecol*. 2004;24:539-41.

- **Altman D, Granath F, Cnattingius S, Falconer C.** Hysterectomy and risk of stress-urinary-incontinence surgery: nationwide cohort study. *Lancet* 2007; 370: 1494–1499.
- **Amaro JL, Moreira EC, De Oliveira Orsi-Gameiro M, Padovani CR.** Pelvic floor muscle evaluation in incontinent in-con-ti-nent adj. Lacking normal voluntary control of excretory functions.. Lacking sexual restraint; unchaste. patients. *Int-Urogynecol J Pelvic Floor Dysfunct* 2005; 16:352-354.
- **Anderson, J.,& Genadry, R.**2007. “ Anatomy and Embryology,” pp. 75-85 In Berek & Novak’s *Gynecology* 14th Ed. Ed. Jonathan S. Berek. Philadelphia: Lippincott, Williams & Wilkins
- **Andreas Bannowsky, Klaus-Peter Juenemann** Innervation and Function of the Female Urinary Bladder and Urethra Volume 1, Issue 3, Pages 120-127 (September 2003)
- **Anger JT, Saigal CS, Litwin MS;** Urologic Diseases of America Project. The prevalence of urinary incontinence among community dwelling adult women: results from the National Health and Nutrition Examination Survey. *J Urol.* 2006; 175(2):601-6-4.
- **Artibani W, Cerruto MA.** The role of imaging in urinary incontinence. *BJU Int* 2005; 95:699–703.
- **Ash Monga and Abdulsultan.**The mechanism of continence. In Robert W. Patrik Souter, Stuart I. staton: *Gynecology* 3rd edition,2003 pp . 743
- **Ashton-Miller JA, DeLancey JO.** Functional anatomy of the female pelvic floor. *Ann N Y Acad Sci.* 2007 Apr;1101: 266-96

- **Aslan E, Komurcu N, Beji NK, Yalcin O.** Bladder training and Kegel exercises for women with urinary complaints living in a rest home. *Gerontology* 2008;54(4):224-31
- **Avery K, Donovan J, Peters T, Shaw C, Gotoh M, Abrams P** (2004) ICIQ: a brief robust measure for evaluation the symptoms impact of urinary incontinence. *Neurourology and Urodynamics* 23: 322–330
- **B Berghmans.** The role of the pelvic physical therapist. *Actas urologicas españolas.* 02/2006; 30(2):110-22.
- **B. T. Parys1, B. T. Haylen2, 4, Jane L. Hutton3 and K. F. Parsons1.**Neurophysiological reflex arc abnormality after total hysterectomy. *International Urogynecology Journal.*vol 1,no 4,Sunday,Dec. 12, 2004.
- **Bajka M, Manestar M, Hug J, Székely G, Haller U, Groscurth P.** Detailed anatomy of the abdomen and pelvis of the visible human female. : ***Clin Anat.* 2004 Apr;17(3):252-60**
- **Berek & Novak’s** Gynaecology – 14th edition edition by Jonathan S. Berek vol 3 , p 854.
- **Berman L, Aversa J, Abir F, Longo WE** (July 2005). “Management of disorders of the posterior pelvic floor”.*Yale J Biol Med* 78 (4): 211-21.
- **Blaivas, JG, Groutz, A.** urinary incontinence: pathophysiology. Evaluation, and management overview. In:walsh PC, Retik AB, Vaughan ED Jr, Wein AJ. . Editors. *Campbell ‘Urology.* 8th ed. Philadelphia: WB Saunders Company; 2002. 1027-1052.

- **Blaivas, JG, Olsson CA.** Stress incontinence: classification and surgical approach. *J Urol* 1998;139:727-731.
- **Bo K, Borgen JS.** Prevalence of stress and urge urinary incontinence in elite athletes and controls. *Med Sci Sports Exerc* 2001;33:1797–802.
- **Bo K, Sherburn M.** Evaluation of female pelvic-floor muscle function and strength. *Phys Ther.* 2005;85:269-282. *Int J Gynecol.* 2005;192:1592-1598.
- **Bradley CS, Nygaard IE.** Vaginal wall descensus and pelvic floor symptoms in older women. *Obstet Gynecol.* 2005;106: 759-766.
- **Brown JS, Bradley CS, Subak LL, Richter HE, Kraus SR, Brubaker L, et al.** The sensitivity and specificity of a simple test to distinguish between urge and stress urinary incontinence. *Ann Intern Med.* 2006; 144(10):715-723.
- **Brown JS, Sawaya G, Thom DH, Grady D.** Hysterectomy and urinary incontinence: a systematic review. *Lancet* 2000; 356: 535-9.
- **Buchsbaum GM, Duecy EE, Kerr LA, Huang LS, Guzick DS.** Urinary incontinence in nulliparous women and their parous sisters. *Obstet Gynecol.* 2005;106(6):1253-1258
- **Bushnell DM, Martin ML, Summers KH, Svihra J, Lionis C, Patrick DL.** Quality of life of women with urinary incontinence: cross-cultural performance of 15 language versions of the I-QOL. *Quality of Life Research* 2005 Oct;14(8):1901- 13
- **Butler-Manuel SA, BATTERY LDK, A'Hern RP, Polak JM, Barton DPJ.** Pelvic nerve plexus trauma at radical hysterectomy and simple

- hysterectomy. The nerve content of the uterine supporting ligaments. *Cancer* 2000; 89: 834-841.
- **Cardozo L and Statson D.** text book of female urology and urogynecology. 2nd edition 2006; 340-350.
 - **C. R. Wake** The Immediate Effect Of Abdominal Hysterectomy On Intravesical Pressure And Detrusor Activity. *Bjog: An International Journal of Obstetrics & Gynaecology*. Volume 87 Issue 10, Pages 901 – 902
 - **C. Wallner, N.F. Dabhoiwala, M.C. DeRuiter and W.H. Lamers,** The anatomical components of urinary continence, *Eur Urol* 55 (2009), pp. 932–944. Article PDF (3699 K) View Record in Scopus Cited By in Scopus
 - **Chapple C, Khullar V, Gabriel Z, Dooley JA.** The effects of antimuscarinic treatments in overactive bladder: a systematic review and meta-analysis. *Eur Urol* 2005; 48:5–26.
 - **Charlotte Chaliha.** Postpartum bladder dysfunction .*Reviews in Gynaecological and Perinatal Practice* Volume 6, Issues 3-4, September 2006, Pages 133-139
 - **Chiapparino F, Parazzini F, Lavezzari M , Giambanco V .** Impact of urinary incontinence and overactive bladder on quality of life. *Eur Urol*. 2003;43:535-538.
 - **Choi H, Palmer MH, Park J** (2007). "Meta-analysis of pelvic floor muscle training: randomized controlled trials in incontinent women". *Nursing Research* 56 (4): 226–34

- **Clobes A, DeLancey JO, Morgan DM.** Urethral circular smooth muscle in young and old women. *Am J Obstet Gynecol.* 2008 May;198(5):587.e1-
- **Corton MM.** Anatomy of the pelvis: how the pelvis is built for support *Clin Obstet Gynecol.* 2005 Sep;48(3):611-26.
- **Coyne KS, Zhou Z, Thompson C, Versi E.** The impact on health-related quality of life of stress, urge and mixed urinary incontinence. *BJU Int* 2003;92:731–5.
- **Crepin G, Biserte J, Cosson M, Duchene F**(October 2006). “[The female urogenital system and high level sports]”(in French). *Bull. Acad. Natl. Med.* 190(7): 1479-91, discussion 1491-3.
- **Cundiff G W.** The Pathophysiology of stress urinary incontinence : A Historical Pathophysiology of Stress Urinary Incontinence : A Historical Perspective . *Rev Urol.* 2004;6(Suppl 3):S10-S18.
- **Daher N, Boulanger JC, Ulmsten U et al.** Pre-pubic TVT: an alternative to classic TVT in selected patients with urinary incontinence. *Eur J Obstet Gynecol Reprod Biol*2003;107:205–7
- **Danforth KN, Townsend MK, Lifford K, Curhan GC, Resnick NM, Grodstein F.** Risk factors for urinary incontinence among middle-aged women. *Am J Obstet Gynecol.* 2006;194(2):339-345.
- **Davis A, Magos A.** The hysterectomy lottery. *J Obstet Gynaecol* 2001; 21:166-170.
- **de Tayrac R, Chevalier N, Chauveaud-Lambling A et al.** Risk of urge and stress urinary incontinence at long-term follow-up after vaginal hysterectomy. *Am J Obstet Gynecol*2004;191:90–4.

- **de Tayrac R, Chevalier N, Chauveaud-Lambling A, Gervaise A, Fernandez H.** Is vaginal hysterectomy a risk factor for urinary incontinence at long-term follow-up? *Eur J Obstet Gynecol Reprod Biol.* 2007 Feb;130(2):258-61. Epub 2006 Jul 28.
- **Dean N, Herbison P, Ellis G, Wilson D.** Laparoscopic colposuspension and tension-free vaginal tape: a systematic review. *BJOG* 2006; 113:1345–1353
- **Debodinance P, Delporte P, Engrand JB, Boulogneb M:** Tension-free vaginal tape (TVT) in the treatment of urinary stress incontinence : 3 years experience involving 256 Operations . *Eur J Obstet Gynecol Reprod Biol.* 2002; 105: 49-58.
- **Debodinance P, Lagrange E, Amblard J, Jacquetin B.** (2007) TVT Secur: more and more minimal invasive – p reliminary prospective study on 40 cases.
- **DeLancey JO.** The hidden epidemic of pelvic floor dysfunction: achievable goals for improved prevention and treatment. *Am J Obstet Gynecol* 2005;192:1488-95.
- **DeLancey JOL.** Fascial and muscular abnormalities in women with urethral hypermobility and anterior vaginal wall prolapse. *Amer J Obstet Gynecol* 2002;187:93-8.
- **Delancey, JO** . Anatomy . In: Cardozo L, Staskin D. , editors. *Textbook of female Urology and Urogynaecology.* 1st ed. London:Isis Medical Media:2001. pp. 112-124.

- **Dietz H Barry C, Lim Y, et al.** 2D AND 3D Pelvic floor ultrasound in the evaluation of suburethral sling implants *Obstet Gynecol*, 2004;24-253.
- **Dietz H, Wilson P.** The iris effect: how two-dimensional and three-dimensional volume ultrasound can help us understand anti-incontinence procedures. *Ultrasound Mostwin JL (2001) Urinary incontinence. J Urol* 153(2):352–353
- **Dietz HP, Hansell NK, Grace ME, Eldridge AM, Clarke B, Martin NG.** Bladder neck mobility is a heritable trait. *BJOG* 2005;112:334-9.
- **Dohke M; Mitchell D G; Vasavada S** PFast magnetic resonance imaging of pelvic organ prolapse. *Techniques in urology* 2001;7(2):133-8.
- **[Einenkel J](#), [Braumann UD](#), [Baier D](#), [Kuska JP](#), [Horn LC](#), [Höckel M](#).** Topographical anatomy of the female pelvis in ultrasound: *Ultraschall Med.* 2005 Oct; 26(5):385-98
- **EL Hemaly AK.** Urethroplasty. A novel operation based on a new concept for the treatment of stress urinary incontinence, detrusor instability, and mixed-type of urinary incontinence. 4th International Congress of the Egyptian Society of uro-gynaecology and pelvic floor studies 2005.
- **Elisabetta Costantini, Massimo Lazzeri, Massimo Porena** Hysterectomy and stress urinary incontinence *The Lancet*, Volume 371, Issue 9610, 2 February 2008-8 February 2008, Page 383, Incontinence after hysterectomy Summarized by Robert W. Griffith, MD September 14, 2000 (Reviewed: January 15, 2003)

- **F. Demirci, S. Ozden, Z. Alpay, ET. Demirci,** The effect of abdominal hysterectomy on bladder neck and urinary incontinence, *Aust. NZ J. Obstet. Gynecol* 1999;39:239-242.
- **Fantl JA.** Behavioural therapies in the management of urinary incontinence in women. *Textbook of urology and Urogynecology* 2001:344-349.
- **Fielding JR, Dumanli H, Schreyer AG, et al.** MR-based three-dimensional modeling of the normal female pelvic floor in women: quantification of muscle mass. *AJR Am J Roentgenol.* 2000;174:657–660.
- **Fieling, J.R.;** dumani, H Schreyer, A.G et al. MR-based three-dimensional modeling of the normal female pelvic floor in women: Quantification of muscle mass. *AJR. AM. J. Roentgenol.*2000;164:657.
- **Fitzgerald MP, Thom DH, Wassel-Fyr C, Subak L, Brubaker L, Van Den Eeden SK, et al.** Childhood urinary symptoms predict adult overactive bladder symptoms. *J Urol.* 2006;175(3 Pt 1):989-993.
- **Flisser AJ, Figueroa J, Bleustein CB, Panagopoulos G, Blaivas JG.** Pad test by mail for home evaluation of urinary incontinence. *Neurourol Urodyn* 2004;23(2):127–9.
- **Gimbel H, Ottesen B, tabor A.** Danish gynecologists, opinion about hysterectomy on benign indication: results of a survey. *Acta Obstet Gynecol Scand* 2002;81:1123-31
- **Gimbel H, Zobbe V, Andersen BG, et al.** Lower urinary tract symptoms after total and subtotal hysterectomy: results of a

- randomized controlled trial. *Int Urogynaecol J Pelvic Floor Dysfunct* 2005; 16:257 – 62.
- **Gimbel H, Zobbe V, Andersen BM, Filtenborg T, Gluud C, Tabor A** 2003, Danish Hysterectomy Group. Randomized control trial of total versus subtotal hysterectomy with one year follow up results. *BJOG* 110:1088 – 1098.
 - **Graham CA, Mallet VT.** Race as a predictor of urinary incontinence and pelvic organ prolapse. *Am J Obstet Gynecol* 2003;185:116-120.
 - **Groen J, Bosch JLHR.** Agreement between cystometry and noninvasive incontinence tests in stress incontinent females. *Urodynamic* 2002;12(1):4–9.
 - **Gudrun A, Finn L, Britt L, Kjeld L.** Incidence and remission of urinary incontinence after hysterectomy – a 3- year follow up study. *Int U Urological* 2007; vol 18:P379-382.
 - **Gusstafsson C et al.** Urinary incontinence after hysterectomy- three – year observational study . *Urology* 2006;68:769-774
 - **Hagglund D, Walker-Engstrom ML, Larsson G, Leppert J.** Changes in urinary incontinence and quality of life after four years . *Scand J Prim Healt Care.* 2004; 22: 112-116.
 - **Handa VL, Lockhart ME, Kenton KS, Bradley CS, Fielding JR, Cundiff GW, Salomon CG, Hakim C, Ye W, Richter HE.** Magnetic Resonance Assessment of Pelvic Anatomy and Pelvic Floor Disorders after Childbirth *Int Urogynecol J Pelvic Floor Dysfunct.* 2008 Oct 10. Epub ahead of print.
 - **Hannestad YS, Rortveit G, Daltveit AK, Hunskaar S.** Are smoking and other life style factors associated with female urinary

- incontinence. The Norwegian EPINCONT Study. *Br J Obstet Gynaecol.* 2003;110:247-254
- **Hannestad YS, Rortveit G, Daltveit AK, Hunskaar S.** Are smoking and other lifestyle factors associated with female urinary incontinence? The Norwegian Epincont Study. *BJOG* 2003; 110:247–54.
 - **Harvey MA** (June 2003). “ pelvic floor exercises during and after pregnancy: a systematic review of their role in preventing pelvic floor dysfunction” .*J Obstet Gynaecol Can* 25 (6): 487-98.
 - **Hashim H, Abrams P.** Pharmacological management of women with mixed urinary incontinence. *Drugs* 2006;66:591–606.
 - **Hay-Smith EJ, Bo Berghmans LC, Hendriks HJ, de Bie RA, van Waalwijk van Doorn ES.** Pelvic floor muscle training for urinary incontinence in women. *Cochrane Database Syst Rev* 2001;(1):CD001407.
 - **Heesakkers R R. John P.F.A .R. Gerretsen.** Urinary Incontinence: Sphincteric Functioning from a Urological Perspective. *Digestion* 2004;69:93-101.
 - **Helega G, Birthe M, Kristian J, Kim T, Ellen M, Helle C, Christian G.** Lower urinary tract symptoms after total and subtotal hysterectomy : results of arandomized controlled rial. *Int Urogynaecol J* 2005;vol 16: 257- 262.
 - **Herschorn S Carr LK.** Vaginal reconstructive surgery for sphincteric incontinence and prolapse. In: Walsh PC, Retik AB, Vaughan ED Jr, Wein AJ., editors *Campbell s Urology*. 8th ed. Philadelphia: WB Saunders Company; 2002. pp. 1092-1139.

- **Herschorn S.** Female Pelvic Floor Anatomy : The Pelvic Floor, Supporting Structures and Pelvic Organs : Rev Urol. 2004; 6(Suppl 5):S2 –S10.
- **Hockel M, Horn LC, Hentschel B et al.** Total mesometrial resection: high resolution nerve-sparing radical hysterectomy based on developmentally defined surgical anatomy. Int J Gynecol Cancer 2003;13:791–803.
- **Hockel M, Konerding MA, Heussel CP.** Liposuction-assisted nervesparing extended radical hysterectomy: oncologic rationale, surgical anatomy, and feasibility study. Am J Obstet Gynecol 1998;178:971–6.
- **Homma Y.** The clinical significance of the urodynamic investigation in incontinence. BJU Int 2002;90:489–97.
- **Hoyte L, Schierlitz L, Zou K, Flesh G, Fielding JR.** Two and 3 dimensional MRI comparison of levator ani structure, volume and integrity in women with stress incontinence and prolapse. Am J Obstet Gynecol 2001;185:11–19.
- **Huang WC, Yang JM (2003)** Bladder neck funneling on ultrasound cystourethrography in primary stress urinary incontinence: a sign associated with urethral hypermobility and intrinsic sphincter deficiency. Urology. 61(5):936–941
- **Hundiey AF, WuJM, Visco AG.** A comparison of perineometer to brink score for assessment of pelvic floor muscle strength. Am J Obstet Gynecol. 2005;192: 1583-1591
- **Hunter, K.F , Moore, K.N. & Glazener, C. (2007).** Pelvic floor muscle training to improve urinary incontinence after radical

- prostatectomy: A systematic review of effectiveness (Letter). *BJU International*, 100(5), 1191
- **Jelovsek JE, Barber MD, Karram MM, et al.** Randomised trial of Laparoscopic Burch colposuspension versus tension-free vaginal tape: long-term follow up. *BJOG* 2008; 115:219–225.
 - **Johnson N, Barlow D, Lethaby A, Travender E, Curr L, Garry R.** Methods of Hysterectomy: systematic review and meta-analysis of randomized controlled trials. *BMJ* 2005; 330: 1478.
 - **Johnson TM, Burgio KL, Redden DT,.** Effects of behavioral and drug therapy on nocturia in older incontinent women. *J Am Geriatr Soc.* 2003; 53 (50): 846-850.
 - **JS. Brown, G. Sawaya, D. Thom, D. Grady,** Hysterectomy and urinary incontinence: a systematic review *Lancet*, 2000, vol. 356, pp. 535—539
 - **Jung HJ, Bai SW.** Anatomy of female pelvic floor for clinician: Concentrate upon the bladder, urethra and support of pelvis. *Korean J Obstet Gynecol.* 2008;51(2) :121-128.
 - **K. Stav, M. Alcalay, S. Peleg, A. Lindner, G. Gayer and I. Hershkovitz,** Pelvis architecture and urinary incontinence in women, *Eur Urol* 52 (2007), pp. 239–244.
 - **Kari Bø and Margaret Sherburn** Evaluation of Female Pelvic-Floor Muscle Function and Strength *phys ther* Vol. 85, No. 3, March 2005, pp. 269-282
 - **Kielb SJ** (2005). “ Stress incontinence : alternatives to surgery”. *Int J Fertil Womens Med* 50 (1): 24-9

- **Kim JK, Kim YJ, Choo MS, Cho KS** (2003) The urethra and its supporting structures in women with stress urinary incontinence: MR imaging using an endovaginal coil. *AJR Am J Roentgenol* 180:1037–1044
- **Klauser A, Frauscher F, Strasser H, Helweg G, Kolle D, Strohmeyer D, Stenzl A, zur Nedden D** (2004) Age-related rhabdosphincter function in female urinary stress incontinence: assessment of intraurethral sonography. *J Ultrasound Med* 23(5):631-7
- **Klutke, C.; Siegel S., Carlin, : Paszkiewicz, E.: Kirkems, A. and Klutke, J.** Urinary retension after tension- free vaginal tape procedure:incidence and treatment *J. Urol.* Nov 2001;58(5) : 87-91.
- **Krystyna Garstka-Namysł1, Juliusz Huber 2, Alicja Witkowska2, Magdalena Pisarska3, Kamila Witczak3, Łukasz Sroka3, Stefan Sajdak3, Grzegorz H. Bręborowicz4** Individually Planned Functional Ets And Emg Biofeedback And Supraspinal Fes Stimulation Of Pelvic Floor Muscles In Women After Gynaecological Operations With Symptoms Of Urinary Incontinency *Borgis - New Medicine* 1/2008, P. 3-7
- **Latthe P, Foon R., Toozs-Hobson,P.** Transobturator and retropubic tape procedures in stress urinary incontinence: a systematic review and meta-analysis of effectiveness and complications. *BJOG* 2007;114(5):522-31. Erratum pub. *BJOG.* 2007 114(10):1311.
- **Learman LA, Summitt RL Jr, Varner RE. et al.** A randomized comparison of total or supra cervical hysterectomy: surgical

- complications and clinical outcomes. *Ostet Gynecol* 2003; 102:453-62.
- **Lethaby A, Ivanova V, Johnson NP.** Total versus subtotal hysterectomy for benign gynaecological conditions. *Cochrane Database of Systematic Reviews* 2006, Issue 2. Art.
 - **Long-Yau Lin a, Bor-Ching Sheu b and Ho-Hsiung Lin** Sequential Assessment of Urodynamic Findings before and after Tension-Free Vaginal Tape (TVT) Operation for Female Genuine Stress Incontinence *European Urology* Volume 45, Issue 3, March 2004, Pages 362-366
 - **Luber KM.** The Definition Prevalence, and Risk Factors for Stress Urinary Incontinence. *Rev Urol.* 2004;16(suppl 3) :S3-S9.
 - **Lukacz ES, Luber KM, Nager CW.** *Int Urogynecol J Pelvic Floor Dysfunct.* 2004 Jan-Feb;15(1):32-8; discussion 38. Epub 2003 Nov 25.
 - **M. Kalemli, C. Atalay, S. Doğunç, N. Yılmaz and Ö.F. Saraçoğlu.** Urodynamic evaluation of lower urinary tract function in relation to total abdominal hysterectomy *Pathophysiology* 12(2005) 121-124
 - **[Maarten J Pit, Marco C De Ruiter](#), August A B Lycklama A Nijeholt, [Enrico Marani, Jaap Zwartendijk](#)** Anatomy of the arcus tendineus fasciae pelvis in females *Clinical anatomy* (New York, N.Y.). 03/2003; 16(2):131-7
 - **Macchi V ,Munari PF,Brizzi E,Parenti A, De Caro R.** Workshop in clinical anatomy for residents in gynecology and obstetrics. *Clin Anat* 2003;16:440-447

- **Macura KJ, Genadry RR, Bluemke DA** (2006) MR imaging of the female urethra and supporting ligaments in assessment of urinary incontinence: spectrum of abnormalities. *Radiographics* 26:1135–1149
- **Mansi Parikh, Mary Rasmussen, Linda Brubaker, Caryl Salomon, Kyoko Sakamoto, Raymond Evenhouse, Zhumming Ai, Margot S Damaser** Three dimensional virtual reality model of the normal female pelvic floor *Annals of biomedical engineering*. 02/2004; 32(2):292-6.
- **Margulies RU, Huebner M, DeLancey JO. Origin and insertion points** involved in levator ani muscle defects. *Am J Obstet Gynecol* 2007;196:251. e 1-5. Grants P50 HD 44406, R01 H. D 38665, R01 DK 051405 and HU1502/1-1.
- **Mariappan P, Alhasso A, Ballantyne Z, Grant A, N'Dow J.** Duloxetine, a serotonin and noradrenaline reuptake inhibitor (SNRI) for the treatment of stress urinary incontinence: a systematic review. *Eur Urol* 2007;51:67–74.
- **Mcpherson K, Herbert A, Judge A, Clarke A, Bridgman S, Maresh M, Overton C.** Self –reported bladder function five years post-hysterectomy. *J Obstet Gynaecol* 2005; 25: 469 – 475.
- **Melville JL, Newton K, Fan MY, Katon W.** Health care discussions and treatment for urinary incontinence in U.S. women. *Am J Obstet Gynecol*. 2006;194(3):729-737.
- **Meschia, M., Pifarotti, P., Barnasconi, F., Guercio, E., Maffiolini, M., Magatti, F. and Spreafico, L** (2001). "Tension-free vaginal tape:

- analysis of outcomes and compilations in 404 stress incontinent women . *International Urogynecology Journal* (2): S24–27
- **Miner P.** Economic and personal impact of fecal and urinary incontinence. *Gastroenterology* 2004; 126:S8-13.
 - **Mojgan P, Ingrid M and Mats L.** Outcomes of vaginal hysterectomy for uterovaginal prolapse : a population- based, retrospective, cross-sectional study of patient perceptions of results including sexual activity , urinary symptoms, and provided care. *BMC Women's health* July 2009
 - **Mojgan Pakbaz Ingrid Mogren and Mats Löfgren** Outcomes of vaginal hysterectomy for uterovaginal prolapse: a population-based, retrospective, cross-sectional study of patient perceptions of results including sexual activity, urinary symptoms, and provided care *BMC Women's Health* 2009, **9**:9doi:10.1186/1472-6874-9-9
 - **Morin M, Bourbonnais D, Gravel D, et al.** Pelvic floor muscle function in continent and stress urinary incontinent women using dynamometric measurement. *Neuourol Urodyn.*2004; 23:668–674.
 - **Morrison A, Levy R.** Fraction of nursing home admissions attributable to urinary incontinence. *Value in Health* 2006;9:272–4.
 - **Mostwin J, Bourcier J, Haab F, Koebel S, Rao N, Resnick S, Salvatore S, Sultan A, Yamaguchi O.** Pathophysiology of urinary incontinence, fecal incontinence and pelvic organ prolapse. In Abrams P, Cardozo L, Khoury, Wein A (eds). *Incontinence* 3rd ed Plymouth: Health Publication Ltd 2005, Volume 1: 425-484

- **Mostwin JL, Genadry R, Sanders R, Yang A. MR** Imaging of the Female Urethra and Supporting Ligaments in Assessment of Urinary Incontinence: Spectrum of Abnormalities *Urology* 2001;57:660–665
- **Mustafa MO, Wadie BS.** Novel technique for the treatment of stress urinary incontinence. Early experience. *Saudi Med J.* 2009 Feb;30(2):234-7. Urethral necrosis and proximal urethro-vaginal fistula resulting from tension-free vaginal tape.
- **Nabi G, Cody JD, Ellis G, Herbison P, Hay-Smith J.** Anticholinergic drugs versus placebo for overactive bladder syndrome in adults. *Cochrane Database Syst Rev* 2006; Issue 4. Art. No.: CD003781.
- **[Neumann G](#), [Olesen PG](#), [Hansen V](#), [Lauszus FF](#), [Ljungstrøm B](#), [Rasmussen KL](#).** The short-term prevalence of de novo urinary symptoms after different modes of hysterectomy. *Int Urogynecol J Pelvic Floor Dysfunct.* 2004 Jan-Feb;15(1):14-9
- **Neumann G, Olesen PG, Hansen V, Lauszus FF, Ljungstrøm B, Rasmussen KL.** The short-term prevalence of de novo urinary symptoms after different modes of hysterectomy. *Int Urogynecol J Pelvic Floor Dysfunct.* 2004 Jan-Feb;15(1):14-9; discussion 19. Epub 2003 Dec 19.
- **Nygaard I, Heit M.** Stress urinary incontinence. *Am Col Obstet Gynecol* 2004;104:607-620
- **Nygaard I, Turvey C, Burns TL, Crischilles C, Wallace R.** Urinary incontinence and depression in middle- aged United states women. *Obstet Gynecol* 2003;101: 149-156.

- **O,Boyle AL, Woodman DO, O,Boyle JD, et al.** Pelvic organ support in nulliparous pregnant women and nonpregnant women: a case control study. *Am. J Obstet Gynecol.* 2002;187:99-102.
- **O'Donnell M, Viktrup L, Hunskaar S.** The role of general practitioners in the initial management of women with urinary incontinence in France, Germany, Spain and the UK. *Eur J Gen Pract* 2007;13:20-6.
- **Paick J-S, Ja HK, Jae WS et al.** Significance of pad test loss for the evaluation of women with urinary incontinence. *Neurourol Urodyn* 2005;24(1):39-43.n."
- **Paramasivam S, Proietto A, Puvaneswary M.** Pelvic anatomy and MRI. *Best Pract Res Clin Obstet Gynaecol.* 2006 Feb;20(1):3-22. Epub 2005 Nov 7.
- **Patel PD, Amrute KV, Badlani GH.** Pathophysiology of pelvic organ prolapse and stress urinary incontinence. *Indian J Urol* 2006;22:310-6
- **Petros PS.** The female pelvic floor. Springer, Heidelberg, Germany. 2004;Pp 18-20,43-45.
- **Plotti F, Zullo MA, Sansone M, Calcagno M, Bellati F, Angioli R, Panici PB.** Post radical hysterectomy urinary incontinence: a prospective study of transurethral bulking agents injection. *Gynecol Oncol.* 2009 Jan;112(1):90-4. Epub 2008 Oct 25.
- **Porzionato A, Macchi V, Gardi M, De Caro R.** Histotopographic study of the rectourethralis muscle. *Clin Anat* 2005;18:510-7 Gray's Anatomy for students. 2005. pp. 391.

- **Possover M, Stober S, Plaul K, Schneider A.** Identification and preservation of the motoric innervation of the bladder in radical hysterectomy type III. *Gynecol Oncol* 2000; 79:154–7.
- Published Online: 23 Aug 2005
- **Robert M, Soraisham A, Sauve R.** Postoperative urinary incontinence after total abdominal hysterectomy or supracervical hysterectomy: a metaanalysis. *Am J Obstet Gynecol.* 2008 Mar;198(3):264.e1-5. Epub 2008 Jan 15.
- **Robert M, Soraisham A, Sauve R.** Postoperative urinary incontinence after total abdominal hysterectomy or supracervical hysterectomy: a metaanalysis.
- **Rogers RG, Coates KW, Kammerer-Doak D, et al.** A short form of the Pelvic Organ Prolapse/Urinary Incontinence Sexual Questionnaire (PISQ-12). *Int Urogynecol J Pelvic Floor Dysfunct.* 2003; 14:164-168
- **Rufford J.** Urinary incontinence . *Obstetrics and gynaecology* 2004:634 – 648
- **Sahaja Parsa and Anne H.** The anatomy, histology and development of the ureter, urinary vesicle and urethra.
- **Sampselle CM, Harlow SD, Skurnick J, Burbaker L, Bondarenko I.** Urinary incontinence predictors and life impact in ethnically diverse perimenopausal women . *Obstet Gynecol* 2002;100:1230-1238.
- **[Schimpf M](#), [Tulikangas P](#).** Evolution of the female pelvis and relationships to pelvic organ prolapse. . *Int Urogynecol J Pelvic Floor Dysfunct.* 2005 Jul-Aug;16(4):315-20. Epub 2005 Jan 15.

- **Schiøtz HA, Karlsen JH, Tanbo TG.** Ten-year follow-up after conservative treatment of stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct.* 2008 Jul;19(7):911-5. Epub 2008 Jan 11.
- **Sender Herschorn and Lesley, K. Carr.** Vaginal reconstructive surgery for sphincteric incontinence and prolapse. In Walsh P.C, Retik, A.B. Vaghan E.D. Wein A.J.:*Campbell s Urology* 8th ed. 2002: Philadelphia, Saunders,PP. 1092
- **Sender Herschorn.** Female Pelvic Floor Anatomy: The Pelvic Floor, Supporting Structures, and Pelvic Organs. *Rev Urol.* 2004; 6(Suppl 5): S2–S10
- **Serati M, Salvatore S, Uccella S, Artibani W, Novara G, Cardozo L,Bolis P.** Surgical treatment for female stress urinary incontinence: what is the gold-standard procedure? *Int Urogynecol J Pelvic Floor Dysfunct.* 2009 Mar 7.
- **Shagam JY.** Pelvic organ prolapse. *Radiol Technol.* 2006 May-Jun;77(5):389-400; quiz 401-3.
- **Shagam JY.** Pelvic organ prolapse. *Radiol Technol.* 2006 May-Jun;77(5):389-400; quiz 401-3.
- **Shetland Close, Cinnamon Brow, WA2 0UW Warrington, Cheshire, UK.** Lower urinary tract dysfunction after total hysterectomy. *International Urogynecology Journal* Friday, December 10, 2004,vol 2,no 2,pp:108-111
- **Siddique SA, Gutman RE, Schon Ybarra MA, Rojas F, Handa VL.** Relationship of the utrosacral ligament to the sacral plexus and to the pubendal nerve. *Int Urogynaecol J Pelvic floor dysfunct* 2006; 17: 642 – 45.

- **Siegel AL.** The effects of the tension-free vaginal tape on voiding function: a prospective evaluation. *Int Urogynecol J Pelvic Floor Dysfunct.* 2006 Nov;17(6):661-4. Epub 2006 Mar 15.
- **Singh K, Reid WM, Berger LA.** Magnetic resonance imaging of normal levator ani anatomy and function. *Obstet Gynecol.* 2002; 99:433-438
- **Soroka D, Drutz HP, Glazener CM, Hay-Smith EJ, Ross S.** Perineal pad test in evaluating outcome of treatments for female incontinence: a systematic review. *Int Urogynecol J* 2002;13(3):165–75.
- **Soujanya G Rao, James S Walter, Ali Jamnia, John S Wheeler, Margot S Damaser** Predicting urethral area from video-urodynamics in women with voiding dysfunction *Neurourology and urodynamics.* 2003; 22(4):277-83.
- **Stein TA, Kaur G, Summers A, Larson KA, DeLancey JO.** Comparison of bony dimensions at the level of the pelvic floor in women with and without pelvic organ prolapse. *Am J Obstet Gynecol.* 2009 Mar;200(3):241.e1-5
- **Stein TA, Kaur G, Summers A, Larson KA, DeLancey JO.** Comparison of bony dimensions at the level of the pelvic floor in women with and without pelvic organ prolapse. *Am J Obstet Gynecol.* 2009 Mar;200(3):241.e1-5.
- **Stelzner F, Biersack HJ, von Mallek D, Reinhardt M.** [PET-CT studies of the support system and continence function of pelvic organs. The pivotal importance of Denonvilliers' fascia for surgical procedures] *Chirurg.* 2005 Dec;76(12):1168-74.

- **Stenchever MA** (2001). Physiology of micturition, diagnosis of voiding dysfunction and incontinence: Surgical and nonsurgical treatment section of Urogynecology. In MA Stenchever et al., eds., *Comprehensive Gynecology*, 4th ed., pp. 607–639. St. Louis: Mosby.
- **Stephen C and Rhichard N.** Aguide for radiological procedures . A Text book of radiology, 4th edtion; 2001:170-172.
- **Stephen C. Radleya, Derek J. Rosarioa, Christopher R. Chapplea And Andrew G. Farkas.** Conventional And Ambulatory Urodynamic Findings In Women With Symptoms Suggestive Of Bladder Overactivity.The Journal Of Urology Volume 166, Issue 6, December 2001, Pages 2253-2258
- **Stuart L Staton** .Vaginal Prolapse. In Robert W. Shaw. Patrick Soutter, Stuart L. Santon:*Gynecology* 3rd edtion 2003:pp813
- **Subak LL, Brown JS, Kraus SR, Brubaker L, Lin F, Richter HE, et al.** The "costs" of urinary incontinence for women. *Obstet Gynecol.* 2006;107(4):908-916.
- **Subak LL, Whitcomb E, Shen H, Saxton J, Vittinghoff E, Brown JS.** Weight loss: a novel and effective treatment for urinary incontinence. *J Urol* 2005;174:190–5.
- **Tamsin Osbrone**, Associate Editor, *National Clinical Practice* 2007; vol 4 no 5:250-251.
- **Thakar R, Ayers S, Clarkson P, Stanton S, Manyonda I.** Outcomes after total versus subtotal abdominal hysterectomy *N Engl J Med* 2002; 347: 1318 – 25.

- **Thakar R, Ayers S, Clarkson P, Stanton S, Manyonda I.** Outcomes after total versus sub-total abdominal hysterectomy. *N Engl J Med* 2002;347:1318-25
- **Thom DH, van den Eeden SK, Ragins AI, Wassel-Fyr C, Vittinghof E, Subak LL, et al.** Differences in prevalence of urinary incontinence by race/ethnicity. *J Urol.* 2006;175(1):259-264.
- **Thomas A Spirka, Margot S Damaser** .Modeling physiology of the urinary tract *Journal of endourology / Endourological Society.* 03/2007; 21(3):294-299.
- **Thomas Julian,** Pelvic-support defects: a guide to anatomy and physiology.the journal of family practic November 2002 · Vol. 14, No.
- [Todd S Albright, Alan P Gehrich, Gary D Davis, Farzaneh L Sabi, Jerome L Buller](#) Arcus tendineus fascia pelvis: a further understanding *American journal of obstetrics and gynecology.* 09/2005; 193(3 Pt 1):677-81.
- **Trimbos JB, Maas CP, Deruiter MC et al.** A nerve-sparing radical hysterectomy: guidelines and feasibility in Western patients. *Int J Gynecol Cancer* 2001;11:180–6.
- **Trimbos JB, Maas CP, DeRuiter MC, Peters AAW, Kenter GG.** A nerve-sparing radical hysterectomy: guidelines and feasibility in Western patients. *Int J Gynecol Cancer* 2001;11:180–6.
- **Trowbridge ER, Wei JT, Fenner DE, Ashton-Miller JA, DeLancey JO.** Effects of aging on lower urinary tract and pelvic floor function in nulliparous women. *Obstet Gynecol* 2007;109:715-20.

- **van der Vaart CH, de Leeuw JR, Roovers JP, Heintz AP.** The effect of urinary incontinence and overactive bladder symptoms on quality of life in young women. *BJU Int* 2002;90:544–9.
- **Vierhout ME.** Influence of nonradical hysterectomy on the function of the lower urinary tract. *Obs Gyn Surv* 2001; 56:381.
- **Vierhout ME.** Influence of nonradical hysterectomy on the function of the lower urinary tract. *Obs Gyn Surv* 2001; 56:381.
- **Vierhout, Mark E Influence of Nonradical Hysterectomy on the Function of the Lower Urinary Tract.** *Obstetrical & Gynecological Survey.* 56(6):381-386, June 2001
- **Villet R .**Case management of pelvic floor disorders. *Bull Acad Natl Med.* 2005 Oct;189(7):1541-58; discussion 1558-60.
- **Wang AC, Chen MC (2002)** A comparison of urethral pressure profilometry using microtip and double-lumen perfusion catheters in women with genuine stress incontinence. *Int J bstet Gynaecol* 109:322–326
- **Ward K, Hilton P on behalf of the UK and Ireland TVT Trial Group.** Tension-free vaginal tape versus colposuspension for primary urodynamic stress incontinence: 5-year follow up. *BJOG* 2008;115:226-233.
- **Ward KL, Hilton P.** A prospective multicenter randomiz trial of tension –free vaginal tape and colposuspen. tension fore primary urodynamic stress incontinence:two-year follow-up. *Am J Obstet Gynecol.* 2004;190:324-331.
- **Y. Todo, M. Kuwabara, H. Watari, Y. Ebina, M. Takeda, M. Kudo, R. Yamamoto & N. Sakuragi** Urodynamic study on

postsurgical bladder function in cervical cancer treated with systematic nerve-sparing radical hysterectomy *Int J Gynecol Cancer* 2006, 16, 369–375

- **Yalcin I and Bump R.** The effect of previous treatment experience and incontinence severity on the placebo response of stress urinary incontinence. *Am J Obstet Gynecol* 2004;191:194-197.