

REFERENCES

1. **Ajayi RA, Soothill PW., (1991).** Ultrasound assessment of amniotic fluid volume: A comparison of the single deepest pool and amniotic fluid index to predict perinatal morbidity. *Ultrasound Obstet Gynecol*, 1 :401—404.
2. **Arias F., (1993).** Prolonged pregnancy. In: Boyd C and Brower G, editors. *Practical Guide to High-Risk Pregnancy and Delivery*. 2nd ed. S.Louis: Mosby-Year Book, 152-154.
3. **Baron C, Morgan MA, and Garite TJ., (1995).** The impact of amniotic fluid volume assessed intrapartum on perinatal outcome. *Am J Obstet Gynecol*, 173: 167- 174.
4. **Battaglia F, Prystowsky H, Smisson C., et al (1960).** The effect of the administration of fluids intravenously to mothers upon the concentrations of water and electrolytes in plasma of human fetuses. *Pediatrics*, 25:2-10.
5. **Benha Med. J.** Volume 17 (2000) No (1) .
6. **Bianco A, Rosen T, Kuczynski T., et al (1999).** Measurement of amniotic fluid index with and without color Doppler. *J Perinat Med*, 27: 254-249.
7. **Bourne GL., (1962).** *The Human Amnion and Chorion*. Chicago, Year Book.
8. **Boyd RL., (2002).** Polyhydramnios and oligohydramnios. *eMedicine Journal*, V3, No 6.
9. **Brace RA., (1986).** Amniotic fluid volume and its relationship to fetal fluid balance: review of experimental data. *Semin Perinatol*, 10; 103- 112.

10. **Brace RA., (1989).** Fetal blood volume, fluid volume responses to long-term intravascular infusions of saline. *Am J Obstet Gynecol*, 161:1049-1054.
11. **Brace RA, Wolf EJ., (1989).** Normal amniotic fluid volume changes throughout pregnancy. *Am J obstet Gynecol* 161: 382-388.
12. **Brace RA, Moore TR., (1991).** Transplacental, amniotic, urinary, and fetal fluid dynamics during very-large-volume fetal intravenous infusion. *Am J Obstet Gynecol*, 164:907-16.
13. **Brace RA., (1994).** Swallowing of lung liquid and amniotic fluid by the ovine fetus under normoxic and hypoxic conditions. *Am J Obstet Gynecol*, 171: 1764-1770.
14. **Brace RA., (1995).** Progress toward understanding the regulation of amniotic fluid volume: water and solute fluxes in and through the fetal membranes. *Placenta*, 16:1-18.
15. **Brace RA., (1997).** Physiology of amniotic fluid volume regulation. *Clin Obstet Gynecol*, 40: 280-284.
16. **Brost BC, Scardo JA, Newman RB., et al (1999).** Effect of fetal presentation on amniotic fluid index. *Am J Obstet Gynecol*, 181: 1222-1224.
17. **Brown DL, Polger M, Clark PK., et al (1994).** Very echogenic amniotic fluid: ultrasonography-amniocentesis correlation. *J Ultrasound Med*, 13: 95-97.
18. **Bruner JP, Reed GW, Sarno AP., et al (1993).** Intraobserver and interobserver variability of the amniotic fluid index. *Am J Obstet Gynecol*, 168: 1309-1313.
19. **Carroll BC, Bruner JP., (2000).** Umbilical artery Doppler velocimetry in pregnancy complicated by oligohydramnios. *J Reprod Med*, 45:562-566.

20. **Casey ML, and McDonald, PC., (1996).** Interstitial collagen synthesis and processing in human amnion: A property of the mesenchymal cells. *Biol Reprod*, 55: 1253.
21. **Casey ML, and McDonald PC., (1997).** Lysyl oxidase (ras recision gene) expression in human amnion: Ontogeny and cellular localization. *J Clin Endocrinol Metab*, 82: 167.
22. **Casey BM, McIntire DD, Bloom SL., et al (2000).** Pregnancy outcomes after antepartum diagnosis of oligohydramnios at or beyond 34 weeks' gestation. *Am J Obstet Gynecol*, 182: 909 - 12.
23. **Cassady G, Barnett R, (1968).** Amniotic fluid electrolytes and perinatal outcome. *Biol Neonat*; 13 :155-74.
24. **Castro R, Ervin MG, Ross MG., et al (1989).** Ovine fetal lunge fluid response to atrial natriuretic factor. *Am J Obstet Gynecol*, 161: 1337- 43.
25. **Chamberlain MB, Manning FA, Morrison L., et al (1984).** Ultrasound evaluation of amniotic fluid. II. The relationship of increased amniotic fluid volume to perinatal outcome. *Am J Obstet Gynecol*, 150: 250-254.
26. **Chandra PC, Schiavello HJ, Lewandowski MA., (2000).** Effect of oral and intravenous hydration on oligohydramnios. *J Reprod Med*, 45: 337-340.
27. **Chang TC, Yeo SH, Huang HF., et al (1995).** Reproducibility of the amniotic fluid index: Its effect on clinical practice. *Ultrasound Obstet Gynecol*, 6: 416-420.
28. **Chauhan SP., (1991).** Amniotic fluid index before and after amnioinfusion of a fixed volume of normal saline. *J Reprod Med*, 36:801-802.

29. **Chauhan SP, Rutherford SE, Hess LW., et al (1992).** Prophylactic intrapartum amnioinfusion for patients with oligohydramnios. *J Reprod Med*, 37: 817-820.
30. **Chelmow D, Baker ER, Jones L., (1996).** Maternal intravenous hydration and amniotic fluid index in patients with preterm ruptured membranes. *J Soc Gynecol Investig*, 3:127-30.
31. **Chitkara U, Rosenberg J, Chervenak FA., et al (1987).** Prenatal sonographic assessment of the fetal thorax: Normal values. *Am J Obstet Gynecol*, 156:1069-1074.
32. **Clark SL, Sabey P, Jolley K., (1989).** Nonstress testing with acoustic stimulation and amniotic fluid volume assessment: 5973 tests without unexpected fetal death. *Am J Obstet Gynecol*, 160:694-697.
33. **Cock MC, Wlodek ME, McCrabb GJ., et al (1994).** The effect of 24 hours of reduced uterine blood flow on aspects of fetal fluid balance in sheep. *Am J Obstet Gynecol*; 170 :1442-51.
34. **Cock MC, McCrabb GJ, Wlodek ME., et al (1997).** Effect of prolonged hypoxemia on fetal cell function and amniotic fluid volume in sheep. *Am J Obstet Gynecol*, 176: 320-326.
35. **Coulson CC, Thorp JM, Purrington J., et al (1996).** Effect of maternal smoking on amniotic fluid volume and fetal urine output. *Am J Perinatol*, 13:195-197.
36. **Croom CS, Baniyas BB, Ramos-Santos E., et al (1992).** Do semiquantitative amniotic fluid index reflect actual volume? *Am J Obstet Gynecol*, 167:995-999.
37. **Crowley P, O'Herlihy C, and Boylan P., (1984).** The value of ultrasound measurement of amniotic fluid volume in the management of prolonged pregnancies. *Br J Obstet Gynaecol* 91: 444-448.

38. **Cunningham FG, Gant NF, Leveno KJ., et al (2001).** The placenta and fetal membranes. In: Andera S, Suzan RN and Karen D, editors. Williams Obstetrics. 21st Ed. New York: McGraw Hill. , Vol 1: 102-103
39. **Daniel SS, Stark RI, Tropper PJ., et al (1999).** Amniotic fluid composition in the fetal lamb with intrauterine growth restriction. Am J Obstet Gynecol ; 180 :703-10.
40. **Dashe JS, Nathan L, McIntire DD., et al (2000).** Correlation between amniotic fluid glucose concentration and amniotic fluid volume in pregnancy complicated by diabetes. Am J Obstet Gynecol, 182:901-904.
41. **Davis LE, Hohimer AR, Woods LL., et al (1994).** Renal function during chronic anemia in the ovine fetus. Am J Physiol, 266:R1759-R1764.
42. **Deka D, and Malhotra B., (2001).** Role of maternal oral hydration in increasing amniotic fluid volume in pregnant women with oligohydramnios. International Journal of Gynecology and Obstetrics, 73: 155-156.
43. **Del Valle GO, Bateman L, Gaudier FL., et al (1994).** Comparison of three types ultrasound transducers in evaluating the amniotic fluid index. J Reprod Med, 39: 869-872.
44. **Deutinger J, Bartl W, Pfersmann C., et al (1987).** Fetal kidney volume and urine production in case of fetal growth retardation. J Perinat Med, 15:307-315.
45. **DeVore GR., (1995).** The value of color Doppler sonography in the diagnosis of bilateral renal agenesis. J Ultrasound Med, 14: 443-449.
46. **DeVore GR, Horenstein J, Platt LD., (1986).** Fetal echocardiography. VI. Assessment of cardiothoracic

- disproportion- a new technique for the diagnosis of thoracic hypoplasia. *Am J Obstet Gynecol*, 155:1066-1071.
47. **Dildy GA III, Lira N, Moise KJ Jr, (1992).** Amniotic fluid volume assessment: comparison of ultrasonographic estimates versus direct measurement with a dye-dilution technique in human pregnancy. *Am J Obstet Gynecol*, 167:986-994.
48. **Divon MY, Marks AD, Henderson CE., (1995).** Longitudinal measurement of amniotic fluid index in postterm pregnancies and its association with fetal outcome. *Am J Obstet Gynecol*, 172(1 Pt 1):142-146.
49. **Dizon-Townson D, Kennedy KA., (1996).** Amniotic fluid index and perinatal morbidity. *Am J Perinatol*, 13: 231-234.
50. **Doi S, Osada H, Seki K., et al (1998).** Effect of maternal hydration on oligohydramnios: a comparison of three volume expansion methods. *Obstet Gynecol*, 92:525-9.
51. **Dragich DA, Ross AF, Chestnut DH., et al (1991).** Respiratory failure associated with amnioinfusion during labor. *Anesth Analg*, 72:549-551.
52. **Elsnosy E D, Shaamash AH, Ali, MY., et al (2001).** Increasing the amniotic fluid volume by intravenous maternal hydration in pregnancies with normal and decreased amniotic fluid index. *Journal of the Egyptian Society of Obstet Gynecol*, 27:547-559.
53. **Ershow AG, Brown LM, Cantor KP., (1991).** Intake of tap water and total water by pregnant and lactating women. *Am J Public Health*, 81:328-34.
54. **Faber JJ, Anderson DF., (1990).** Model study of placental water transfer and causes of fetal water disease in sheep. *Am J Physiol*, 258:R1257-70.

55. **Fait G, Puzner D, Gull I, et al (2003).** Effect of 1 week of oral hydration on the amniotic fluid index. *J Reprod Med*, 48(3): 187-190.
56. **Fisk NM, Ronderos-Dumit D, Soliani A., et al (1991).** Diagnostic and therapeutic transabdominal amnioinfusion in oligohydramnios. *Obstet Gynecol*, 78: 270-278.
57. **Flack NJ, and Fisk NM., (1993).** Oligohydramnios and associated fetal complications. *Fetal Maternal Med Rev*, 5: 147-166.
58. **Flack NJ, Dore C, Southwell d., et al (1994).** The influence of operator transducer pressure on ultrasonographic measurements of amniotic fluid volume. *Am J Obstet Gynecol*, 171:218-222.
59. **Flack NJ, Sepulveda W, Bowers S., et al (1995).** Acute maternal hydration in third trimester oligohydramnios: Effects on amniotic fluid volume, uteroplacental perfusion and fetal blood flow and urine output. *Am J Obstet Gynecol*, 173: 1186-1191.
60. **Fox HE, and Badalian SS., (1994).** Ultrasound prediction of fetal pulmonary hypoplasia in pregnancies complicated by oligohydramnios and in cases of congenital diaphragmatic hernia: A review. *Am J Perinatol*, 11: 104- 8.
61. **Gabbe SG, Niebyl JG, and Simpson JL., (2002).** Placental and fetal physiology. In Gabbe SG, Niebyl JG and Simpson JL, editors. *Normal and Problem Pregnancy*. 4th ed. Churchill Livingstone, 44-45.
62. **Gagnon R, Harding R, and Brace RA., (2002).** Amniotic fluid and fetal urinary responses to severe placental insufficiency in sheep. *Am J Obstet Gynecol*, 186 (5):1076-1084.
63. **Garcia-Velasco JA, and Arici A., (1999).** Chemokines and human reproduction. *Fertil Steril*, 71: 983.

64. **Garmel SH, Chelmow D, Sha SJ, et al (1997).** Oligohydramnios and the appropriately grown fetus. *Am J Perinatol*, 14:359-363.
65. **Gilbert WM, and Brace RA., (1989).** The missing link in amniotic fluid volume regulation: intramembranous absorption. *Obstet Gynecol*, 74: 748-754.
66. **Gilbert WM, Moore TR, Brace RA., (1991).** Amniotic fluid dynamics. *Fetal Med Rev*, 3:89-104.
67. **Gilbert WM, Brace RA., (1993).** Amniotic fluid volume and normal flows to and from the amniotic cavity. *Semin Perinatol*, 17:150-157.
68. **Gilbert WM, (1994).** Disorders of amniotic fluid. In: Creasy RK, Resnik R, editors. *Maternal Fetal Medicine*. 3rd ed. Philadelphia:W.B.Saunders.pp 620-621.
69. **Gilbert WM, Newman PS, and Brace RA., (1995).** Potential route for fetal therapy: intramembranous absorption of intraamniotically injected furosemide. *Am J Obstet Gynecol* , 172: 1471-1476
70. **Gilbert WM, Newman PS, Eby-Wilkens E., et al (1996).** Technetium Tc 99m rapidly crosses the ovine placenta and intramembranous pathway. *Am J Obstet Gynecol*; 175:1557-62.
71. **Gilbert WM., (1997).** Amniotic fluid. *Clin Obstet Gynecol*, 40(2):265.
72. **Glantz JC, Letteney DL., (1996).** Pumps and warmers during amnioinfusion: is either necessary? *Obstet Gynecol*, 87:150-155.
73. **Goodlin RC, Anderson JC, and Gallagher (1983).** Relationship between amniotic fluid volume and maternal plasma volume expansion. *Am J Obstet Gynecol*, 146: 505-510.

74. **Graca LM, Cardoso CG, Clode N, Calhaz-Jorge C., (1991).** Acute effects of maternal cigarette smoking on fetal heart rate and fetal body movements felt by the mother. *J Perinat Med*;19:385—390.
75. **Guller U, DeLong ER, (2004).** Interpreting statistics in medical literatures: A vade mecum for surgeons. *J Am Coll Surg*, 198(3):441-458.
76. **Hadi HA, Hodson CA, and Strickland D., (1994).** Premature rupture of the membranes between 20 and 25 weeks' gestation: role of amniotic fluid volume in perinatal outcome. *Am J Obstet Gynecol*, 170(4): 1139-1144.
77. **Halperin ME, Fong KW, Zalev AH., et al (1985).** Reliability of amniotic fluid volume estimation from ultrasonograms: intraobserver and interobserver variation before and after the establishment of criteria. *Am J Obstet Gynecol*, 153: 264-267.
78. **Harding R., (1994).** Development of the respiratory system. In: Thorburn GD, Harding R, eds. *Textbook of Fetal Physiology*. Oxford: Oxford University Press, 140-167.
79. **Healy DL, Herington AC, and O'Herlithy C., (1985).** Chronic polyhydramnios is a syndrome with lactogenic receptor defect in chorion leave. *Br J Obstet Gynaecol*, 92:461- 467.
80. **Herbertson RM, Hammond EM, Bryson MJ., (1986).** Amniotic epithelial ultrastructure in normal, polyhydramnic and oligohydramnic pregnancies. *Obstet Gynecol* ; 68 :74-9.
81. **Hill LM, Breckle R, Wolfgram KR., et al (1983).** Oligohydramnios: ultrasonically detected incidence and subsequent fetal outcome. *Am J Obstet Gynecol*, 147: 407-410.

82. **Hill LM, Breckl RT, Wolfgram KK., et al (1985).** Oligohydramnios: Sonographic detected incidence and subsequent fetal outcome. *Am J Obstet Gynecol*, 147: 407-410.
83. **Hill LM, and Rivello D., (1991).** Role of transvaginal sonography in the diagnosis of bilateral renal agenesis. *Am J Perinatol*, 8: 395-397.
84. **Hill LM, Lazebnik N, and Many A., (1996).** Effect of indomethacin on individual amniotic fluid indices in multiple gestations. *J Ultrasound Med*, 15: 395-399.
85. **Hill LM., (1997).** Oligohydramnios: Sonographic Diagnosis and Clinical Implications. *Clin Obstet Gynecol*, 40: 314-315.
86. **Hoddick WK, Callen PW, Filly RA., et al (1984).** Ultrasonographic determination of qualitative amniotic fluid volume in intrauterine growth retardation: reassessment of the 1cm rule. *Am J Obstet Gynecol*, 149: 758-761.
87. **Hofmeyer GJ, (2001).** Amnioinfusion for meconium-stained liquor in labor (Cochrane Review). In: *The Cochrane Library*, Issue 4, Oxford: Update Software.
88. **Hofmeyer GJ, and Gulmezoglu AM., (2002).** Maternal hydration for increasing amniotic fluid volume in oligohydramnios and normal amniotic fluid volume (Cochrane Review). In: *The Cochrane Library*, Issue 1, Oxford: Update software.
89. **Hombo Y, Ohshita M, Takamura S., et al (2002).** Direct prediction of amniotic fluid volume in the third trimester by 3-dimensional measurements of intrauterine pockets: A tool for routine clinical use. *Am J Obstet Gynecol*, 186:245-50.

90. **Hooper SB, Harding R., (1990).** Changes in lung liquid dynamics induced by prolonged fetal hypoxemia. *J Appl Physiol* ; 69 :127-35.
91. **Hooper SB, Walker DW, Harding R., (1995).** Oxygen, glucose and lactate uptake in the fetus and placenta during prolonged hypoxemia. *Am J Physiol*; 268 :R303-9.
92. **Horsager R, Nathan L, Leveno KJ., (1994).** Correlation of the measured amniotic fluid volume and sonographic prediction of oligohydramnios. *Obstet Gynecol*, 83:955-858.
93. **Hoskins IA, Frieden FJ, Young BK, (1991).** Variable decelerations in reactive nonstress tests with decreased amniotic fluid index predict fetal compromise. *Am J Obstet Gynecol*, 165:1094-1098.
94. **Hsieh TT, Hung TH, Chen KC., et al (1998).** Perinatal outcome of oligohydramnios without associated premature rupture of membranes and fetal anomalies. *Gynecol Obstet Invest*, 45: 232-236.
95. **Hurley JK, Kilpatrick SE, Pitlick PT., et al (1977).** Renal response of the fetal lamb to fetal or maternal volume expansion. *Circ Res*, 40:557-60.
96. **Jang PR, and Brace RA., (1992).** Amniotic fluid composition changes during urine drainage and tracheoesophageal occlusion in fetal sheep. *Am J Obstet Gynecol*, 67: 1732-1741.
97. **Jeng CJ, Lee JF, Wang KG., et al (1992).** Decreased amniotic fluid index in term pregnancy. Clinical significance. *J Reprod Med*, 37: 789-792.
98. **Johnson RB Jr, Hoch H., (1965).** Osmolality of serum and urine. In: *Standard Methods of Clinical Chemistry*. Vol. 5, Meites S., Editor, New York, Academic Press Inc., pp159-168.

99. **Johnson T, Clayton CG., (1957).** Diffusion of radioactive sodium in normotensive and pre-eclamptic pregnancies. *BMJ*, 1:312-314.
100. **Karsdrop VH, Van Vaugt JM, Dekker GA., et al (1992).** Reappearance of end diastolic velocities in the umbilical artery following maternal volume expansion: a preliminary study. *Obstet Gynecol*, 80: 679-683.
101. **Katz VL, Ryder RM, Cefalo RC., et al (1990).** A comparison of bed rest and immersion for treating the edema of pregnancy. *Obstet Gynecol*, 75: 147-151.
102. **Kelly TF, Moore TR, and Brace RA., (1993).** Hemodynamic and fluid responses to furoesimide infusion in the ovine fetus. *Am J Obstet Gynecol*, 168: 260-268.
103. **Kilpatrick SJ, Safford KL, Pomeroy T, Hoedt L, Scheerer L, Laros RK. (1991).** Maternal hydration increases amniotic fluid index. *Obstet Gynecol*, 78: 1098-1102.
104. **Kilpatrick SJ, and Safford KL., (1993).** Maternal hydration increases amniotic fluid index in women with normal amniotic fluid. *Obstet Gynecol*, 81: 49-52.
105. **Kilpatrick SJ., (1997).** Therapeutic intervention for oligohydramnios: Amnioinfusion and maternal hydration. *Clin Obstet Gynecol*, 40: 328-336.
106. **King LA, McDonald PC, and Casey ML., (1997).** Regulation of metallothionin expression in human amnion epithelial and mesenchymal cells. *Am J Obstet Gynecol*, 177: 1496.
107. **Kirshon B, Mari G, and Moise KJ., (1990).** Indomethacin therapy in the treatment of symptomatic polyhydramnios. *Obstet Gynecol*, 75; 202-205.

108. **Kullama LK, Agnew CL, Day L., et al (1994).** Ovine fetal swallowing and renal responses to oligohydramnios. *Am J Physiol*, 266: 972-978.
109. **Lagrew DC, Pircon RA, Nageotte M., et al (1992).** How frequently should the amniotic fluid index be repeated? *Am J Obstet Gynecol* 167: 1129-1133.
110. **Lameier LN, and Katz VL., (1993).** Amnioinfusion: a review. *Obstet Gynecol Surv*, 48: 829-837.
111. **Lauria MR, Gonik B, and Romero R., (1995).** Pulmonary hypoplasia: Pathogenesis, diagnosis and antenatal prediction. *Obstet Gynecol*, 86: 466-75.
112. **Lin CC, Sheikh Z, Lopata R., (1990).** The association between oligohydramnios and intrauterine growth retardation. *Obstet Gynecol* 76(6):1100-1104.
113. **Macmillan WE, Mann SE, Shmoys SM., et al (1994).** Amniotic fluid index as a predictor of latency after preterm premature rupture of the membranes. *Am J Perinatol*, 11:249-252.
114. **Magann EF, Nolan TE, Hess LW., et al (1992).** Measurement of amniotic fluid volume: Accuracy of ultrasonography techniques. *Am J Obstet Gynecol*, 167:1533-7.
115. **Magann EF, Morton ML, Nolan TE., et al (1994).** Comparative efficacy of two sonographic measurements for the detection of aberrations in the amniotic fluid volume and the effect of amniotic fluid volume on pregnancy outcome. *Obstet Gynecol*, 83:959-962.
116. **Magann EF, Nevils BG, Chauhan SP., et al (1999).** Low amniotic fluid volume is poorly defined in singleton and twin

- pregnancies using the 2x2 cm pocket technique of the biophysical profile. *South Med J*, 92: 802-805.
117. **Magann EF, Sanderson M, Martin JN., et al (2000).** The amniotic fluid index, single deepest pocket and two diameter pocket in normal human pregnancy. *Am J Obstet Gynecol*, 182: 1581-1588.
118. **Magann EF, Chauhan SP, Barrillaeux PS., et al (2001).** Ultrasound estimate of amniotic fluid volume: color Doppler overdiagnosis of oligohydramnios. *Obstet Gynecol*, 98:71-74.
119. **Maher JE, Wenstrom KD, Hauth JC., et al (1994).** Amniotic fluid embolism after saline amnioinfusion: two cases and review of the literature. *Obstet Gynecol*, 83: 851-854.
120. **Malhotra B, and Deka D., (2002).** Effect of maternal oral hydration on amniotic fluid index in women with pregnancy-induced hypertension. *J Obstet Gynecol Res* 28(4): 194-198.
121. **Manning FA, Platt LD, Sijos L, (1980).** Antepartum fetal evaluation: development of a fetal biophysical profile. *Am J Obstet Gynecol*, 136: 787-795.
122. **Manning FA, Hill LM, and Platt LD., (1981).** Qualitative amniotic fluid volume determination by ultrasound: antepartum detection of intrauterine growth retardation. *Am J Obstet Gynecol*, 139: 254-258.
123. **Manning FA, Harman CR, Morrison I., et al (1990).** Fetal assessment based on fetal biophysical profile scoring. An analysis of perinatal morbidity and mortality. *Am J Obstet Gynecol*, 162: 703-709.
124. **Marks AD, Divon MY., (1992).** Longitudinal study of the amniotic fluid index in post-dates pregnancy. *Obstet Gynecol*, 79:229-233.

125. **Matsumoto LC, Cheung CY, and Brace RA., (2000).** Effect of esophageal ligation on amniotic fluid volume and urinary flow rate in fetal sheep. *Am J Obstet Gynecol*, 182(3): 699-705.
126. **Meagher SE, Fisk NM., (1994).** Hydramnios, oligohydramnios. In *High Risk Pregnancy: Management Options*. Edited by **James DK, Steer PJ, Weiner CP**, et al. Philadelphia, WB Saunders, pp 827-838.
127. **Mercer LJ, Brown LJ, Peters RE., et al (1984).** A survey of pregnancies complicated by decreased amniotic fluid. *Am J Obstet Gynecol*, 149:355-361.
128. **Miyazaki FS, Taylor NA., (1983).** Saline amnioinfusion for relief of variable or prolonged decelerations. *Am J Obstet Gynecol*, 146:670-678.
129. **Miyazaki FS, and Nevarez F., (1985).** Saline amnioinfusion for relief of repetitive variable decelerations: a prospective randomized study. *Am J Obstet Gynecol*, 153: 301-306.
130. **Moessinger AC, Santiago A, Paneth NS., et al (1989).** Time-trends in necropsy prevalence and birth prevalence of lung hypoplasia. *Paediatr Perinatal Epidemiol*, 3: 421-424.
131. **Moore KL, (1988).** *The developing Human*. 4th ed. Philadelphia W.B. Saunders: 246-247.
132. **Moore KL., (1999).** *The developing human: clinically oriented embryology*: In Moore KL, Persaud TVN, Eds: *Before we are Born: Essentials of Embryology, and Birth Defect*. Philadelphia, WB Saunders, 166.
133. **Moore TR, Longo J, Leopold G., et al (1989).** The reliability and predictive value of an amniotic fluid scoring system in

- severe second trimester oligohydramnios. *Obstet Gynecol*, 73:739-744.
134. **Moore TR, and Cayle JE., (1990).** The amniotic fluid index in normal human pregnancy. *Am J Obstet Gynecol*, 162: 1168-1173.
135. **Moore TR., (1990).** Superiority of the four-quadrant sum over the single-deepest-pocket technique in ultrasonographic identification of abnormal amniotic fluid volumes. *Am J Obstet Gynecol*, 163: 762-767.
136. **Moore TR, (1997).** Clinical assessment of amniotic fluid. *Clin Obstet Gynecol*, 40: 304-306.
137. **Morales WJ, Smith SG, Angel JL., et al (1989).** Efficacy and safety of indomethacin versus ritodrine in the management of preterm labor: a randomized study. *Obstet Gynecol*, 74: 567-572.
138. **Nageotte MP, Bertucci L, Towers CV., et al (1991).** Prophylactic amnioinfusion in pregnancies complicated by oligohydramnios: a prospective study. *Obstet Gynecol*, 77: 677-680.
139. **Nicolaides KH, Rodeck CH, and Gosden CM., (1986).** Rapid karyotyping in none-lethal fetal malformations. *Lancet*, 1: 283-287.
140. **Nicolaides KH, Snijders RJ, and Noble P., (1991).** Cordocentesis in the study of growth retarded fetuses. In: Divon MY, editor. *Abnormal Fetal Growth*. New York: Elsevier, 166ff.
141. **Nicolini U, Fisk NM, Rodeck CH., et al (1989).** Low amniotic pressure in oligohydramnios- is this the cause of pulmonary hypoplasia? *Am J Obstet Gynecol*, 161:1098-1101.

142. **Nimrod C, Davies D, Iwanicki S., et al (1986).** Ultrasound prediction of pulmonary hypoplasia. *Obstet Gynecol*, 68:495-498.
143. **Nijland MJM, Ross MG, Kullama LK., et al (1995).** DDAVP-induced maternal hypoosmolality increases ovine fetal urine flow. *Am J Physiol*, 268:R358-65.
144. **Nisell H, Carlstrom K, Cizinsky S., et al (1992).** Atrial natriuretic peptide concentrations and hemodynamic effects of acute plasma volume expansion in normal pregnancy and preeclampsia. *Obstet Gynecol*, 79:902-7.
145. **Ogundipe OA, Spong CY, and Ross MG., (1994).** Prophylactic amnioinfusion for oligohydramnios: A reevaluation. *Obstet Gynecol*, 84: 544-548.
146. **Oosterhof H, vd Stege JG, Lander M, Pechtl FR, and Aarnoudse JG., (1993).** Urine production rate is related to behavioral states in the near term human fetus. *Br J Obstet Gynecol*, 100: 920-922.
147. **Oosterhof H, Haak MC, and Aarnoudse JG., (2000).** Acute maternal rehydration increases the urine production rate in the near-term human fetus. *Am J Obstet Gynecol*, 183: 226-229.
148. **Patton DE, Lee W, Miller J., et al (1991).** Maternal uteroplacental and fetoplacental hemodynamic and Doppler velocimetric changes during epidural anesthesia in normal labor. *Obstet Gynecol*, 77: 17-19.
149. **Peedcayil A, Mathai M, Regi A., et al (1994).** Inter- and intraobserver variation in the amniotic fluid index. *Obstet Gynecol*, 84:848-851.

150. **Petrikovsky BM, Schifrin B, Diana L., (1993).** The effect of fetal acoustic stimulation on fetal swallowing and amniotic fluid index. *Obstet Gynecol*, 81:458 – 550.
151. **Phelan JP, Smith CV, Small M., (1987).** Amniotic fluid volume assessment with the four-quadrant technique at 36-42 weeks gestation. *J Reprod Med*, 32: 540-542.
152. **Phelan JP, Ahn MO, Smith CV., et al., (1987).** Amniotic fluid index measurements during pregnancy. *J Reprod Med*, 32 : 601– 604.
153. **Posner MD, Ballagh SA, Paul RH., (1990).** The effect of amnioinfusion on uterine pressure and activity: a preliminary report. *Am J Obstet Gynecol*, 163:813-818.
154. **Powers DR, and Brace RA., (1991).** Fetal cardiovascular and fluid responses to maternal volume loading with lactated Ringer's or hypotonic solution. *Am J Obstet Gynecol*, 165: 1504-1515.
155. **Queenan JT., (1991).** Polyhydramnios and oligohydramnios. *Contemp Obstet Gynecol*, 36:66.
156. **Quetel TA, Mejides AA, Salman FA., et al (1992).** Amnioinfusion: an aid in the ultrasonographic evaluation of severe oligohydramnios in pregnancy. *Am J Obstet Gynecol*, 167: 333-336.
157. **Rabinowitz R, Peters MT, Vyas S., et al (1989).** Measurements of fetal urine production in normal pregnancy by real-time ultrasonography. *Am J Obstet Gynecol*, 161:1264-1266.
158. **Robert A, Brace RA., (1997).** Physiology of amniotic fluid volume regulation: *Clinical Obstet Gynecol*, 40(2): 280-9.

159. **Robert TJ, Nijland MJM, Curran M., et al (1999).** Maternal-cv decrease in plasma sodium concentration. Ovine fetal response. *Am J Obstet Gynecol*, 180: 82-90.
160. **Robinson JN, Tice K, Kolm P., et al (1998).** Effect of maternal hydration on fetal renal pyelectasis. *Obstet Gynecol*;92(1):137-41.
161. **Ross MG, Ervin ERD, Leake RD., et al (1983).** Bulk flow of amniotic fluid water in response to maternal osmotic challenge. *Am J Obstet Gynecol*, 147: 679-700.
162. **Ross MG, Cedars L, Nijland MJM., et al (1996).** Treatment of oligohydramnios with maternal 1-deamino-8-d-arginine vasopressin-induced plasma hypoosmolality. *Am J Obstet Gynecol*, 174: 1608-1613.
163. **Ross MG, and Nijland MJ., (1997).** Fetal swallowing: Relation to amniotic fluid regulation. *Clin Obstet Gynecol*, 40: 352-353.
164. **Rotschild A, Ling EW, Puterman ML., et al (1990).** Neonatal outcome after prolonged preterm rupture of the membranes. *Am J Obstet Gynecol*, 162: 46-52.
165. **Rowe TF, King LA, MacDonald PC., et al (1997).** Tissue inhibitor of metalloproteinase-1 and tissue inhibitor of metalloproteinase-2 expression in human amnion mesenchymal and epithelial cells. *Am J Obstet Gynecol*, 176: 915.
166. **Rutherford SE, Phelan JP, Smith CV., et al (1987).** The four-quadrant assessment of amniotic fluid volume: An adjunct to antepartum fetal heart rate testing. *Obstet Gynecol*, 70:353-6
167. **Sarno AP, Ahn MO, Brar HS., et al (1989).** Intrapartum Doppler velocimetry, amniotic fluid volume and fetal heart rate

- as predictors of subsequent fetal distress. An initial report. *Am J Obstet Gynecol*, 161: 1508-14.
168. **Sarno AP, Ahn MO, and Phelan JP., (1990).** Intrapartum amniotic fluid volume at term: Association of ruptured membranes, oligohydramnios and increased fetal risk. *J Reprod Med* 35: 719-23.
169. **Schreyer P, Sherman DJ, Ervin MG., et al (1990).** Maternal dehydration: impact on ovine amniotic fluid volume and composition. *J Dev Physiol*, 13:283-287.
170. **Schrimmer DB, Macri CJ, and Paul RH., (1991).** Prophylactic amnioinfusion as a treatment for oligohydramnios in laboring patients: a prospective randomized trial. *Am J Obstet Gynecol*, 165: 972-975.
171. **Seeds AE., (1980).** Current concepts of amniotic fluid dynamics. *Am J Obstet Gynecol*, 138: 575-586.
172. **Shenker L, Reed KL, Anderson CF., et al (1991).** Significance of oligohydramnios complicating pregnancy. *Am J Obstet Gynecol*, 164: 1597-1600.
173. **Sherer DM, Cullen JB, Thompson HO., et al (1990).** Transient oligohydramnios in a severely hypovolemic gravid woman at 35 weeks' gestation, with fluid reaccumulating immediately after intravenous maternal hydration. *Am J Obstet Gynecol*, 162: 770-771.
174. **Sherer DM, Abramowicz JS, Smith SA., et al (1991).** Sonographically homogeneous echogenic amniotic fluid in detecting meconium-stained amniotic fluid. *Obstet Gynecol*, 78:819-822.
175. **Sherer DM, Mann SE, Sardo MP., et al (1998).** Transvaginal sonography of the forewaters in the assessment of amniotic

- fluid volume in patients with oligohydramnios. *Am J Perinatol*, 15: 129-132.
176. **Sherman DJ, Ross MG, Ervin MG., et al (1988)**. Ovine fetal lung fluid response to intravenous saline solution infusion: fetal atrial natriuretic effect. *Am J Obstet Gynecol*, 159:1347-52.
177. **Sherman DJ, Ross MG, Day L, et al (1990)**. Fetal swallowing: Correlation of electromyography and esophageal fluid flow. *Am J Physiol*, 258: 1386-1394.
178. **Shime J, Gare DJ, Andrews J., et al (1984)**. Prolonged pregnancy: surveillance of the fetus and the neonate and the course of labor and delivery. *Am J Obstet Gynecol*, 148: 547-552.
179. **Shipp TD, Bromley B, Pauker S., et al (1996)**. Outcome of singleton pregnancies with severe oligohydramnios in the second and third trimesters. *Ultrasound Obstet Gynecol*, 7: 108-113.
180. **Shumway JB, Al-Malt A, Amon E., et al (1999)**. Impact of oligohydramnios on maternal and perinatal outcomes of spontaneous premature rupture of the membranes at 18-28 weeks. *J Matern Fetal Med*, 8(1): 20-23.
181. **Silver RK, Mac Gregor SN, Hobart ED., (1989)**. Impact of residual amniotic fluid volume in patients receiving parenteral tocolysis after premature rupture of the membranes. *Am J Obstet Gynecol*, 161:784-787.
182. **Strong TH, Hetzler G, Paul RH., (1990)**. Amniotic fluid volume increase after amnioinfusion of a fixed volume. *Am J Obstet Gynecol*, 162:746-748.

183. **Strong TH, Hetzler G, Sarno AP., et al (1990).** Prophylactic intrapartum amnioinfusion: a randomized clinical trial. *Am J Obstet Gynecol*, 162: 1370-1375.
184. **Strong TH, (1993).** Reversal of oligohydramnios with subtotal immersion: a report of five cases. *Am J Obstet Gynecol*, 169: 1595-1597.
185. **Strong TH., (1995).** Amnioinfusion. *J Reprod Med*, 49: 108-114.
186. **Tomoda S, Brace, RA, and Longo LD., (1985).** Amniotic fluid volume and fetal swallowing rate in sheep. *Am J Physiol*, 249: 133-138.
187. **Tomoda S, Brace RA, and Longo LD., (1987).** Amniotic fluid volume regulation: basal volumes and responses to fluid infusion or withdrawal in sheep. *Am Physiol*, 252: 380-387.
188. **Wax JR, Costigan K, Callan NA., et al (1993).** Effect of fetal movement on the amniotic fluid index. *Am J Obstet Gynecol*, 168: 188-189.
189. **Weiss PA, Hofmann H, Wnter R., et al (1985).** Amniotic fluid glucose values in normal and abnormal pregnancies. *Obstet Gynecol*, 65 (3): 333-339.
190. **Winn HN, Chen M, Amon E., et al (2000).** Neonatal pulmonary hypoplasia and perinatal mortality in patients with mid trimester rupture of amniotic membranes— a critical analysis. *Am J Obstet Gynecol*, 182: 1638-44.
191. **Wlodek ME, Challis JR, Richardson B., et al (1989).** The effect of hypoxemia with progressive acidemia on fetal renal function in sheep. *J Dev Physiol* ; 12 :323-8.

192. **Wolman I, Groutz, A, Gordan D., et al (2000).** Is amniotic fluid index influenced by a 24 hours fast? *J Reprod Med*, 45 (8): 685-687.
193. **Yancey MK, Richards DS., (1994).** Effect of altitude on the amniotic fluid index. *J Reprod Med*, 39:101-104.
194. **Yasuhi I, Hirai M, Ishimaru T., et al (1996).** Change in fetal urine production rate in growth-retarded fetuses after maternal meal ingestion. *Obstet Gynecol*, 88:833-7.
195. **Youssef AA, Abdulla SA, Sayed, EH., et al (1993).** Superiority of amniotic fluid index over amniotic fluid pocket measurement for predicting bad fetal outcome. *South Med J*, 86:426-429.