

Abou Raya, C. M. K. (1997): Serum leve of carboxyterminal propeptide of human type procollagen in asthmatic children treated with steroids., MD thesis, ped Faculty of Medicine, Alexandria University.

Abramson MJ, Puy RM, Weiner JM. Allergen immunotherapy for asthma. Cochrane Dochrane Database Syst Rev 2003; (4): CD001186.

Aburiz S, McElnay J, Gamble J, Millership J, Heaney L. Relationship between lung function and asthma symptoms in patients with difficults to control asthma. J. Asthma 2005; 42 (10): 859-64.

Adams RJ, Smith BJ, Ruffin RE. Factors associated with hospital admissions and repeat emergency department visits for adults with asthma. Torax 2000; 55 (7): 566-73.

Adkinson NF Jr, Eggleston PA, Eney D, Goldstein EO, Schuberth KC, Bacon JR, Hamilton RG, Weiss ME, Arshad H, Meinert CL, et al. A controlled trial of Reference: immunotherapy for asthma in allergic children. N Engl Med 1997; 336 (5): 324-31.

Akbari O, Faul JL, Hoyte EG, Berry GJ, Wahlstrom J, Kronenberg M, Dekruff RH, Umetsu DT. CD4+ invariant T-cell-receotor+ natural killer T cells in bronchial asthma. NEngl J Med 2006; 354 (11): 1117-29.

Achenbach,T.M,McConaughy,S.H.,& Howell,C.T.(1987). Child / adolescent behavioral and emotional problems:psychological Bulletin,101,213-232

Akdis M, Akdis CA. Mechanisms

of allergen of allergen-specific immunothera by. J Allergy Clin Immunol 2007; 119 (4): 780-9. Epub February 2007.

Al- Thaamiri D, Al-kubaisy W and Ali SH (2005): Asthma prevalence and Severity among primary school children in Baghdad. Eastern Mediterranean health Journal, 11: 79- 86. 1548-51.

American Academy of pediatrics Committee on Infectious Diseases . Recommendations for the use of live attenuated varicella vaccine . pediatrics 1995; 95 (5): 791- 6. Erratum in: Pediatrics 1995; (96 (1 Pt 1): preceding 151, following 171.

American Thoracic Society. Standardization of spiromety, 1994 update. Am J Respir Crit Care Med 1995; 152 (3): 1107-36.

Annett RD, Aylward EH, Lapidus J, Becder BG, DuHamel T. Neuro-cognitive functioning in children with mild and moderate asthma in the childhood a asthma management program.

Asher MI, Keil U, Anderson HR, Beasely, Crane J, et al. (1995): International of asthma and allergies in childhood (ISSAAC): Rationale and Methods. Eur Respir J; 5: 483-491.

- Bacharier LB, Strunk RC, Mauger D, White D, Lemanske RF Jr, Sorkness CA.** Classifying asthma severity in children: between symptoms, medication use, and lung function. *Am J Respir Crit Care Med* 2004; 170 (4): 426-32.
- Barnes PJ, Woolcock AJ.** Difficult asthma. *Eur Respir J* 1998; 12 (5): 1209-18.
- Barnes, P. J. (1996 a):** What is the role of nerves in chronic asthma and symptoms. *Am. J. Respir. Crit. Care. Med.*,153: 55-58.
- Becklake MR.** Concepts of normality applied to the measurement of lung function. *Am J Med.*
- Belessis Y, Dixon S, Thomsen A, Duffy B, Rawlinson W, Henry R, Morton J.** Risk factors for an intensive care unit admission in children with asthma. *Pediatr pulmonol* 2004; 37 (3): 201 – 9.
- Bender BG, Annett RD, Ikle D, DuHamel TR, Rand C, Strunk RC.** Relationship between disease and psychological adaptation in children in the Childhood Asthma Management Program and their families. CA MP Research Group. *Arch Pediatr Adolesc Med* 2000; 154: 706-13.
- Bernstein IL, Bernstein DI, Dubb JW, Faiferman I, Wallin B.** A Placebo- controlled multicenter study of auranofin in the treatment of patients with corticosteroid-dependent asthma. *Auranofin Multicenter Drug Trial 1. J Allergy Clin Immunol* 2004 (2): 317-24.

Bisgaard H, Zielen S, Garcia-Garcia ML, Johnston SL, Gilles L, Menten J, Tozzi CA, polos P. Montelukast reduces asthma exacerbations in 2-to 5-year-old children with intermittent asthma. *Am J Respir Crit Care Med* 2005; 171 (4): 315-22. Epub November 2004.

Bousquet J, Bousquet PJ, Godard P and Daures (2005): the public health implications of asthma. World health organization; 83: 548-554.

Boyce JA. Mast cells: beyond IgE. J Allergy, Clin Immunol (2003); 111 (1): 2+ 32; quiz 33. Review.

Burney, P. G. J. (2002) Current questions in the epidemiology of asthma. In: Holgate, S. T; Austen, K. F; Lichtenstein, L. M. and Kay, A. B. editors. *Asthma*. London: Academic Press.

Busse W, Corren J, Lanier BQ, Mc Alary M, Fowler-Taylor A, Cioppa GD, van As A, Gupta N. Omalizumab, anti- IgE recombinant humanized monoclonal antibody, for the treatment of severe allergic asthma. *J Allergy Clin Immunol* 2001; (108 (2): 184-90.

Busse WW. The role of leukotrienes in asthma and allergic rhinitis. *Clin Exp Allergy* 1996; 26(8): 868- 79. Review.

Busse WW. What role for inhaled steroids in chronic asthma? Chest 1993; 104 (5): 1565-71.

Camargo CA Jr, Spooner CH, Rowe BH. Continuous versus intermittent beta-agonists in the treatment of acute asthma. *Cochrane Database Syst Rev* 2003b; (4): CD001115.

Canodian GW, Passalacqua G. Noninjection routes for immunotherapy.

J Allergy Clin Immunol 2003; 111 (3): 437- 48, quiz 449

Capewell S, Reynolds S, Shuttleworth D, Edwards C. Finlay AY.

Purpura and dermal thinning associated with high dose inhaled corticosteroids. BMJ 1990; 300 (6739): 1548-51.

Carrol CL, Bhandari A, Zucker AR, Schramm CM. Childhood obesity

Increases duration of therapy during severe asthma exacerbations Pediatr Crit Care Med 2006; 7: 527-531.

Centro Regional para la prevención y el Tratamiento de las Enfermedades Alergicas, Universidad Autónoma de Nuevo

Leon, Monterrey, Nuevo Leon, Mexico.

childhood Asthma Management Program (CAMP) Research Group. J

Allergy Clin Immunol 2000; 105: 717-24.

Childhood Asthma Management Program Research Group (CAMP).

Long-term effects of budesonide or nedoctomil in children with asthma. N Engl J Med 2000; 343(15): 1054-63.

Cookson, WCOM; Craddock, C. F; Benson, M. K. et al. (1989): Falls

in peripheral eosinophil counts parallel the late asthmatic response. Am. Rev. Respir. Dis., 139: 458-62.

Cowie et al. predicting emergency department utilization in adults

with asthma. J Asthma 2001; 38(2): 179-84.

Dahl R, Larsen BB, Venge P. Effect of long-term treatment with

inhaled budesonide or theophylline on lung function, airway reactivity and asthma symptoms. Respir Med 2002, 96(6): 432-8.

Davies H, Olson L, Gibson P. Methotrexate as a steroid sparing agent for asthma in adults Cochrane Database Syst Rev 2000; (2): CD000391.

De Benedictis FM, Tuteri G, Pazzelli P, Bruni L, Vaccaro R. Cromolyn versus nedoctonil: duration of action in exercise-induced asthma in children. J Allergy Clin Immunol 1995; 96(4): 510-4.

Deykin A, Massaro AF, Drazen JM, Israel E. Exhaled nitric oxide as a diagnostic test for asthma: online versus offline techniques and effect of flow rate. Am J Respir Crit Care Med 2002; 165(12): 1597-1901.

Di Rienzo V, Marcucci F, Puccinelli P, Parmiani S, Frati F, Sensi L, Canonica GW, Passalacqua G. Long-lasting effect of sublingual immunotherapy in children with asthma due to house dust mite: a 10-year prospective study. Clin Exp Allergy 2003; 33(2): 206-10.

Durham Sr, Walker SM, Varga EM, Jacobson MR, O'Brien F, Noble W, Till SJ, Hamid QA, Nouri-Aria KT. Long-term clinical efficacy of grass-ollen immunotherapy. N Engl J Med 1999; 341(7): 468-75.

Eder W, Ege von Mutius E. The asthma epidemic. N Engl J Med 2006; 355(21): 2226-2235. Review.

Eisner MD, Environmental tobacco smoke exposure and pulmonary function among adults in NHANES III: impact on the general population and adults with current asthma. Environ Health Perspect 2002; 110(8): 765-70.

- El – Hefney, A.; El- Heneidy, F. and Awad, M. F. (1989):**
Epidemiologic study of the incidence of bronchial asthma among school children between 6-12 years I n Tanta. MSc. Thesis, Faculty of Medicine, Cairo University.
- EL- Hefeny AM, Nassar SI, EL-Heneidy FM et al. (1994):**
Epidemiology o fchildhood asthma in Cairo Med J; 62: 505-518.
- EL Shafey AM (2006):** Study of the prevalence of bronchial asthma and other atopic diseased among school children in Cairo metropolitan Thesis submitted for partial Fulfillment of master degree in pediatrics. Under supervision of Deraz TE, EL Saify MY, and EL Gamal EM, Facultyof Medicine, Ain Shams University.
- EL-Hefney, A.; Ekladius, E.M.; Nasser, S. K.; El-Heneid y, F. M.; Nour, S. and El-Sayed, M.S. (1991):** Bronchial asthma in Egyptian children. An epidemic ological, environmental, clinical and immunological study.
- El-Heneidy, F. and Abou El-Ezz, A. (1997):** Environmental pollution and childhood asthma. J. Arab Child; June 1999.
- Elizabeth L. MC Quaid, PhD, and jack H. Nassau, PhD, Rhode Island Haspital / Brown University school of medicine, 1999** society of pediatric Psychology. Empirically supported treatments of Disease releated symptoms in pediatric Psychology Asthma, Diabetes, and cancer.

El-Khorasany, A. M. A. (1991): Extrinsic allergic bronchioalveolitis in children., MD thesis, Ped. Faculty of Medicine, Cairo University.

EPR 2 Update 2002. Expert panel report: guidelines for the diagnosis and management of asthma. Update on Selected Topics 2002 (EPR Update 2002). NIH Publication No. 02-5074. Bethesda, MD, U.S. Department of Health and Human Services; National Heart, Lung, and Blood Institute, National Asthma Education and Prevention Program, June 2003.

EPR 2. Expert panel report 2: guidelines for the diagnosis and management of asthma (EPR 2 1997). NIH Publication No. 97-4051. **EPR. "Expert Panel Report 2:** Guidelines for the Diagnosis and Management of Asthma (EPR 2 1997). NIH Publication No. 97-4051. Bethesda, Md:U.S. Update on S Eisner MD, Katz PP, Yelin EH, Shiboski SC, Blance PD. Risk factors for hospitalization among adults with asthma: the influence of sociodemographic factors and asthma severity. *Respir Res* 2001; 2(1): 53-60. Epub December 2000.

Expert panel. Report 3 (2007): Guidelines for the diagnosis and management of asthma. National Institutes of Health, National Heart Lung and Blood Institutes. NIH publication NO. 91-4051.

Final Progress Reports FRCU, Grant 82014. Supreme Council University.

Food and Drug Administration (FDA) 2003. Advisory Panel. www. Fda. Gov/ohrms/dockets/ac/03/ slides/20. Food and Drug Administration (FDA). 2005. Public health advisory: Advair diskus, and Foradil long acting acting beta agonists). www. Fda. Gov/ oder/ drug/ advisory/ LABA. Htm. Food and Drug Administration (FDA). 2007. FDA alert: Omalizumab (marketed as Xolair).

Ford ES. The epidemiology of obesity and asthma. J Allergy Clin Immunol 2005; 896- 909; quiz 910. Review.

Fuhlbrigge AL, Weiss ST, Kuntz KM, Paltiet AD. Forced expiratory volume in 1 second percentage improves the classification of severity among children with asthma. Pediatrics 2006; 118(2): e347-55. Dpub July 2006.

Gelfand EW, Dakhama A. CD8+ T lymphocytes and leukotriene B4: novel interactions in the persistence and progression of asthma. J Allergy Clin Immunol 2006; 117(3): 577-82.

Gern et al. Relationship of viral infections to wheezing illness and asthma. Nat Rev Immunol 2002; 2(2): 132-8 review.

Gibson et al. Self management education and regular practitioner review for adults with asthma. Cochrane data base syst erv 2003; (1): CD001117.

GINA. (2006): Global Initiative for Asthma. Global strategy for asthma management and prevention. Global initiative for Asthma web site.

Global Initiative for Asthma Management and Prevention (GINA).

NHLBI/ WHO Workshop Report. NIH Publication No. 02-3659. Bethesda, MD: Department of Health and Human Services; National Institutes of Health; National Heart, Lung, and Blood Institute, **2005**.

Goodwin RD, Fergusson DM, Horwood LJ. Asthma and depressive and anxiety disorders among young persons in the community. *Psychol Med* 2004; 34(8): 1465-74.

Graham LM. Classifying asthma. *Chest* 2006; 130 (1 Suppl : 13S-20S).Review.

Graves, P.E.; Kabesch. M.; Halonen, M. et al . (2000): A cluster of 7 tightly linked polymorphism in the IL-13 gene is associated with total serum IgE levels in three populations of white children. *J. Allergy. Clin Immunol.*, 105 (3) :506-13.

Green RH, Brightling CE, McKenna S, Hargadon B, Parker D, Bradding P, Wardlaw AJ, Pavord ID. Asthma exacerbations and sputum eosinophil counts: a randomised controlled trial. *Lancet* 2002; 360 (9347): 1717- 21.

H. Robles M, Ramirez Enriquez C, Gonzalez Diaz S N, Cansec Gonzalez V, Arias Cruz A, Del Castillo O. (2002) (Psychological profile of the pediatric patient) Jan – Feb; 49 (1): 11-5.

Hadjikoumi I, loader P, Bracke n M, Milner AD. bronchodilator (2002) : therapy and hyperactivity in preschool children. *Arch Dis Child*; 86: 202-3.

Hasanein, B.; Khalifa, S. G.; Yousef, A.; Yousef, M. S. et al. (1997):The serum level of IL-4 as an indicator of T cell activation in extrinsic atopic asthma in children. *J. Arab Child (JAC)* 10 (2): 307-329.

Hermanns, J., Florin, I., Dietrich, M., Rieger, C., & Hahlweg, K. (1989). Maternal Criticism, mother-child interaction, and bronchial asthma. *Journal of Psychosomatic Research*, 33, 469-476.

Holgate ST, Polosa R. The mechanisms, diagnosis, and management of severe asthma in adults. Lancet 2006; 368 (9537): 780-93. Review.

Horwood LJ, Fergusson DM, Shannon FT. Social and familial factors in the development of early childhood asthma. Pediatrics 1985; 75(5): 859-68.

Husslet al., House dust mite and cockroach exposure are strong risk factors positive Allergy skin test responses in childhood asthma management program. J Allergy Clin Immunol 2001; 107; (1) 48-54.

Inal A, Karakoc GB, Altintas DU, Guvenmez HK, Aka Y, Gelisken R Yilmaz M, Kendirli SG. J Asthma 2007 sep, 44 (7): 543 - 6: division of Pediatric Allergy and Immunology, Cukurova University Faculty of Medicine, Adana, Turkey. Effect of indoor mold concentrations on daily symptom severity of children with asthma and/ or rhinitis monosensitized to molds.

- ISAAC Steering committee (1998):** World wide variations in the prevalence of asthma symptoms. The International study oh asthma and allergies in childhood (ISAAC). Eur Respir. J; 12: 315-35.
- Israel E, Chinchilli VM, Ford JG, Boushey HA, Cherniack R, Craig Craig TJ, Deykin A, Fagan JK, Fahy JV, Fish J, et al.** Use of egularly scheduled albuterol treatment in asthma: genotype-stratified, randomized, placebo-controlled cross-over trial. Lancet 2004; 364: 1505-1512.
- Johansson, S. G. O. (1980):**Determination of IgE antibody and its clinical significance. Proceeding of the Annual Meeting Of European Academy Of Allergology and Clinical Immunology. Clemolt Ferrand (ed. Molina) Lavoisier, (1): 71-76.
- Johnstone DE, Dutton A.** The value of hyposensitization therapy for bronchial asthma in children, a 14-year study. Pediatrics 1968; 42(5): 793-802.
- Juniper EF, Kline PA, Morris MM, Hargreave FE.** Airway constriction ty isocapnic hypervention by nedoctomil sodium and sodium cromoglycate. Clin Allergy 1987; 17 (6): 523-8.
- Kartasamita, C. B.; Rosmayudi, O.; Demedts, M. and the Respiratory Disease Working Group (1994):**Total serum IgE and eosinophil count in children with and without a history of asthma, wheezing, or atopy in an urban community in Indonesia. J. Allergy Clin. Immunol., 94: 981-8.

- Kayani S, Shannon DC. (2002) :** Adverse behavioral effects of treatment for acute exacerbation of asthma in children: a comparison of two doses of oral steroids. *Chest*, 105: 717-24.
- Khalifa, S. G.; Gomaa, B. H. and Ezzat, H.E. M. (1996):** Association of IL-1 & and respiratory syncytial virus infection, a possible role in the pathogenesis of bronchial asthma in children. *Egypt. J. Med. Microbiol.*, Vol. (5), 161: 172.
- Khattab, N. A.; El-Gazzar, A.G.; Eman, A. A. et al., (1997):** Soluble IL-2 receptors and eosinophils in patients with bronchial asthma before and after salbutamol and anhydrous theophylline therapy. *Egypt J. Chest Dis. And Tuberculosis*, 44: 43-50.
- Khinchi MS, Poulsen LK, Carat F, Andre C, Hansen AB, Malling HJ.** Clinical efficacy of sublingual and subcutaneous birch pollen allergen-dummy study. *Allergy* 2004; 59(1): 45-53.
- Kuipers H. The interplay of dendritic cells, Th2 cells and regulatory cells in asthma.** *Curr Opin Immunol* 2004; 16(6): 702-8.Review.
- Kuyper LM, Pare PD, Hogg JC, Lambert RK, Ionescu D, Woods R, Bai TR.** Characterization of airway plugging in fatal asthma. *Am J Med* 2003; 115 (1): 6-11.
- Lahn M, Bijur P, Gallagher EJ.** Randomized clinical trial of intramuscular vs oral methylprednisolone in the treatment of asthma exacerbations following discharge from an emergency department. *Chest* 2004; 126(2): 362-8.

Larsen JS, Hahn M, Ekholm B, Wick KA. Evaluation of conventional press-and-breathe metered-dose inhaler technique in 501 patients. *J Asthma* 1994; 31(3): 193-9.

Malo et al. Occupational asthma. *Curr opin pulm med* 2004; 10(1): 57-61. Review.

Martin J, Donaldson AN, Villarroel R, Parmar MK, Ernst E, Higgison IJ. Efficacy of acupuncture in asthma: systematic review and meta-analysis of published data from 11 randomised controlled trials. *Eur Respir J* 2002; 20(4): 846-52.

Mary D. Klinnert,¹ PhD, Elizabeth L. McQuaid,² PhD, David McCormick,¹ MS, Allen D. Adinoff,³ MD, and Nona E. Bryant,⁴ BA. ¹National Jewish Medical and Research Center/ University of Colorado Health Sciences Center, ²Rhode Island Hospital/ Brown University Medical School, ³Colorado Allergy and Asthma Centers, and ⁴ University of Florida. *Journal of pediatric psychology*, vol . 25, No. 1, 2000. A Multimethod Assessment of Behavioral and Emotional Adjustment in children with Asthma.

Masoli M, Fabian D, Holt S and Beasley (2004): The global burden of asthma: executive summary of the GINA Dissemination Committee report. *Allergy*; 59 (5): 469-478.

McQuaid EL, Kopel SJ, Nassau JH. Behavioral adjustment in children with asthma: a meta- analysis. *J Dev Behav Pediatr* 2001; 22: 430-9

- McQuid, E. L, Ho ward, k, kopel, S.J, Roseblum, k. & Bibace. R (2001).** Developmental of concepts of Asthma: Applied developmental psychology, 2 3, 179-194
- Menz, G.; Ying, S.; Durham, S. R. et al. (1998):** Molecular concepts of IgE-initiated inflammation in atopic and non-atopic asthma. Allergy., 53 (45 suppl): 15-21.
- Menz, G.; Ying, S.; Durham, S. R. et al. (1998):**Molecular concepts of IgE-initiated inflammation in atopic and non-atopic asthma. Allergy., 53 (45 suppl): 15-21.
- Milgrom H, Berger W, Nayak A, Gupta N, pollard S, MoAlary M, Taylor AF, Rohane P.** Treatment of childhood asthma with anti-immunoglobulin E antibody (omalizumab). Pediatrics 2001; 108 (2): E36.
- Moller C, Dreborg S, Ferdousi HA, Halken S, Host A, Jacobsen L, Kolivikko A, Koller DY,Niggemann B, Norberg LA, et al.** pollen immunotherapy reduces the development of asthma in children with seasonal rhinoconjunctivitis (the PAT- study). J Allergy Clin Immunol 2002; 109(2): 251-6.
- Moraes Tj, Selvadurai H.** Management of exercise-induced bronchospasm in children: the role of leukotriene antagonists. Treat Respir Med 2004, 3(1): 9-15.
- Morgan, W. J. and Martinez, F. D. (1992): Nelson HS, Fernandez-Caldas D.** Prevalence of house dust mites in the Rocky Mountain states. Ann Allergy Immunol 2007; 75 (4): 337-9.

- Morgan, W. J. and Martinez, F. D. (1992):** Risk factors for developing wheezing and asthma in childhood. *Ped. Clin. North. Am.*, 39 (6): 1186.
- Nelson HS, Fernandez- Caldas D.** Prevalence of house dust mites in the Rocky Mountain states. *Ann Allergy Immunol* 2007; 75 (4): 337-9.
- Nelson HS, Weiss ST, Bleecker ER, Yancey SW, Dorinsky PM.** The Salmeterol Multicenter Asthma Research Trial: a comparison of usual pharmacotherapy for asthma or usual pharmacotherapy plus salmeterol. *Chest* 2006; 129(1): 15-26.
- O'connell et al.** Clinical evaluation of asthma. *Ann Allergy Ashma Immunol* 1996; 76(1): 1-13. Review.
- O'lson OT, Larsen KR, Jacobsan L, et al.** A 1-year, placeb-controlled, double-blind house-dust –mite immunotherapy study in asthmatic adults. *Allergy* 1997; 52(8): 853-9. Pediatric Allergy Pulmonology Unit Celal Bayar University, Manisa, Turkey. : *I Asthma* 2008 sep, 45 (1): 545-7.
- Olsen OT, Larsen KR, Jacobsan L, et al.** A 1-year, placeb-controlled, double-blind house-dust –mite immunotherapy study in asthmatic adults. *Allergy* 1997; 52(8): 853-9.
- Page CP, Cotter T, Kilfeather S, Sullivan P, Spina D, Costello JF.** Effect of chronic theophylline treatment on the methacholine dose-response curve in allergic asthmatic subjects. *Eur Respir J* 1998; 12(1): 24-9.

Pajno GB, Barberio G, De Luca F, Morabito L, Parmiani S. Prevention of new sensitizations in asthmatic children monosensitized to house dust mite by specific immunotherapy. A six-year follow-up study. *Clin Exp Allergy* 2001; 31(9): 1392-7.

Pellegrino R, Viegi G, Brusasco V, Crapo RO, Burgos F, Casaburi R, Coates A, van der Grinten CP, Gustafsson P, Hankinson J, et al. Interpretative strategies for lung function tests. *Dur Respir J* 2005; 26(5): 948-68.

Peters-Golden M. The alveolar macrophage: the forgotten cell in asthma. *Am J Respir Cell Mol Biol* 2004; 31(1): 3-7. Review.

Polito AJ, Proud D. Epithelial cells as regulators of airway inflammation. *J Allergy Clin Immunol* 1998; 102(5): 714-8. Review.

Pollack CV Jr, Clark S, Camargo CA Jr, et al. Multicenter Airway Research Collaboration Investigators. A prospective multicenter study of patient factors associated with hospital admission from the emergency department among children with acute asthma. *Arch Pediatr Adolesc Med* 2002; 156(9): 943-40.

R. AlAli, PHO, Michael O'CALLAGHAN, MSc (EP), Jake Nagman, PHD, Cailm Williams, PHD, Willaims, Bor, DPM, And Debbie A, Lawlor, PHD. Psychomatic medicine 67: 462 – 470 (2005). Asthma and internalizing behavior Problems.

Rachele fsky GS, Wo J, Adelson J, Mickey MR , Spector SL, Katz RM, Siegel SC, Rohr As. Behavior abnormalities and poor school performance due to oral theophylline use. *Pediatrics* 1986; 78: 1133-8. Risk factors for developing wheezing and asthma in childhood. *Ped. Clin. North. Am.*, 39 (6): 1186.

Rodrigo GJ, Castro-Castro-Rodriguez JA. Anticholinergics in the treatment of children and adults with acute asthma: a systematic review with meta-analysis. *Thorax* 2005; 60(9): 740-6. Epub July 2005. Erratum in: *Thorax* 2006; 61(3): 274 and *Thorax* 2006; 61(5): 458.

Roitt, I.; Brostoff, J. and Male, O. (1996): *Immunology*. 4th ed. Mosby-London.

Ronmark E, Perzanowski M, Platts-Mills T and Lunback B (2002). Incidence rates and risk factors for asthma among school children: A 2-year follow up report from the obstructive lung disease in Northern Sweden (OIN) studies. *Respiratory Medicine* 96: 1006- 1013.

Rosenstreich DL, Eggleston P, Kattan M, Baker D, Slayin RG, Gergen P, Mitchell H, McNiff-Mortimer K, Lynn H, Ownby D, et al. The role of cockroach allergy and exposure to cockroach allergen in causing morbidity among inner-city children with asthma. *N Eng Med J* 1997; 336(19): 1356-63.

Rowe BH, Spooner CH, Ducharme FM, Bretzlaff JA, Bota GW. Corticosteroids for preventing relapse following acute

exacerbations of asthma. Cochrane Database Syst Rev 2001b; (1): CD000195.

Rupple et al. Manual of pulmonary function testing, 7 edition. Mosby year book, 1-116, 1999.

Saban, R.; Dick, E. C.; Fishleder, R. J . And Buckner, C. K. (1987): Enhancement by parainfluenza-3 infection of contractile responses to substance P and Capsaicin in airway smooth muscle from the guinea pig. Am. Rev. Respir. Dis., 136: 586.

Sigurs, N.; Bjarnason, R. and Sigurbergsson, F. (1995): Asthma and IgE antibodies after RSV bronchiolitis. A prospective cohort study with matched controls. Pediatrics., 95: 500-505.

Sly, R. M. (2000): Allergic disorders. In: Nelson, W. E.; Behrman, R.E.; Kliegman, R.M. and Arvin, A. M. (eds): Nelson, Textbook of Pediatrics. 17th ed. W. B. Saunders Company. Philadelphia.

Sly, MJ Hayden, WJ Morgan-Pediatric respiratory medicine. St. Louis: Mosby, Inc, 2000 Lung function in cooperative subjects.

Smith M, Iqbal S, Elliott TM, Everard Me Rowe BH. Corticosteroids for hospitalized children with acute asthma. Cochrane Darabase Syst Rev 2003;(1): CD002886.

Soluble IL-2 receptors and eosinophils in patients with bronchial asthma before and after salbutamol and anhydrous

theophylline therapy. Egypt J. Chest Dis. And Tuberculosis, 44: 43-50.

Sorkness CA, Lemanske RF, Jr., Mauger DT, Boehmer SJ, Chinchill VM, Martinez FD, Strunk RC, Szeffler SJ, Zeiger RS, Bacharir LB, et al. for the Childhood Asthma Research and Education network of the National Heart, Lung, and Blood institute. Long-term comparison of 3 controller regimens for mild-moderate persistent childhood asthma: The Pediatric Asthma Controller trial. J Allergy Clin Immunol 2007; 119 (1): 64-72. Epub November 2006.

Sullivan, T. J. (1990): Eosinophils and asthma. Ped . Clin. Of North Am., V ol. No. 6p: 1365.

Sunyer J.; Anta, J. M.; Castellsague, J. et al. (1996): Total serum IgE is associated with asthma independent ly o fspe cific IgE levels, Eur. Respir. J., 9: 1880-1884.

Sussman GL, Beezhold DH. Allergy to latex rubber. Ann Intern Med 1995; 122 (1): 43-6. Beview.

Szabo A, Mezei G, Cserhati E. The serum level of IL-4 as an indicator of T cell activation in extrinsic atopic asthma in children. J. Arab Child (JAC) 10 (2): 307-329. Total serum IgE and eosinophil count in children with and without a history of asthma, wheezing, or atopy in an urban community in Indonesia. J. Allergy Clin. Immunol., 94: 981-8.

Toogood JH, Jennings B, Greenway RW, Chuagn L. Candidiasis and dysphonia complication beclomethasone treatment of

asthma J Allergy and Clin Immunol 1980; 65(2): 145-35.

Vignola AM, Humbert M, M, Fox H, Bousquet J, Boulet LP, Hedgecock S, Blogg Surrey k. Efficacy and tolerability of anti-immunoglobulin Therapy with omalizumab in patients with concomitant asthma and persistent allergic rhinitis: SOLAR. Allergy 2004; 59 (7): 79-17.

Wagner et al. Pulmonary function testing a practical approach. First edition. 1992. Williams and Wilkins.

Warner, J. O. (1997): Childhood asthma. In "Allergy and Allergic Diseases" (ed. AB. Kay). Blackwell Science, London. PP. 1451-1463.

Warner, J. O. (1997): What is the role of nerves in chronic asthma and symptoms. Am. J. Respir. Crit. Care. Med.,153: 55-58.

Wenzel SE. Asthma: defining of the persistent adult phenotypes. Lancet 2006; 368 (9537): 804-13.

Williams TJ. The eosinophil enigma. J Clin Invest 2004; 113(4): 507-9.

Yuksel H, Sogut A, Yilmaz O, (2008): Demet M, Ergin D, Kirmaz C. Department of pediatric Allergy, School of Medicine, Celal Bayar University, Manisa, Turkey. Asthmatic children and their mothers.

Yuksel H, Sogut A, Yilmaz O. (Depression, anxiety and quality of life in pediatric asthma) Pediatric Allergy Pulmonology Unit Celal Bayar University, Manisa, Turkey. : I Asthma 2008 sep, 45

(1): 545-7. Attention deficit and hyperactivity symptoms in children with asthma.

Yurdakhul et al. The assessment of validity of different asthma diagnostic tools in adults; *J Asthma*, 42(10): 843-8.

Zimmermann et al. Chemokines in asthma: cooperative interaction between chemokines and IL-13. *J Allergy Clin Immunol* 2003; 111(2): 227-42.

Blok,J,Jenning,P.H ,Harvey,E.,&Simpson, E. (1964) interaction between allergic potential and psychopathology in childhood asthma subject. *Psychomatic medicine* ,26,307-320

Bussing,R., Halfon,N., Benjamin., &Wells,K.B(1995).prevalence of behavior problems in US children with asthma .*Archives of pediatric and adolescent Medicine* ,26,307-320.

Cole,P.M., &Odonel Teti,L.(1994).the development of emotion regulation and dysregulation :Aclinical perspective .in N .Fox(ED),*The development of emotional regulation* (pp.73-100). Chcago:University of Chicago press .

Fernch,T.M .,&Alexander,F.(1941).Pschomatic Factors in bronchial asthma .*Psychomatic medicine* ,4,2

Grham,P.J.,Rutter,M., Yule,W.,&Pless,I.B(1967).Childhood asthma :psychomatic disorder .*ritish Journal of preventive and social Medicine* ,21,78-85.

Hermanns,J.,Florin,I., Dietrich,M., Rieger,C.,& Hahlweg,K.(1989). Maternal Critism, mother child interaction ,and bronchial asthma . *Journal of Psychomatic Research* ,33,469-476.

Hamlett,K.W., Pelligrin,D.S.,&Katz,K.S (1992).Chilhood chronic illness as a family stressor .*Journal of Pediatric Psychology* ,17,33-47.

- Kashani, J.H.K., Oing, P., Shepperd, J.A., Wilfey, D., & Morris, D.A. (1988).** Psychopathology and self concept in asthmatic children. *Journal of Pediatric Psychology* ,13,509-520.
- La Gerca, A.M., & Lamanek, K.L. (1996).** Editorial: Assessment as a process in Pediatric Psychology. *Journal of Pediatric Psychology* ,21,137-151.
- Maclean, W.E., Perrin, J.M., Gortmaker, S., & Pierre, C.B. (1992).** Psychological adjustment of children with asthma: Effects of illness severity and recent stressful life events. *Journal of Pediatric Psychology* ,17,159-171.
- McNicol, K.N., Williams, H.E., Allan, J., & McAndrew, I.**
- Cicchetti, D., Ganiban, J., & Barnett, D. (1991).** Contribution from the study of the high- risk populations to understanding the development of emotion regulation. In J.Garber & K.A. Dodge (Eds). *The development of emotion regulation and dsregulation* (pp.15-48). Cambridge: Cambridge University press
- Connel, J.P. (1990).** Context, Self, and action: A motivation Analysis of self-system processes across the life span. In D.Cicchetti and M.Beegly (Eds), *The self in transition: Infancy to adulthood* (pp.61-98). Chicago: University of Chicago press.
- Eiser, C. (1990).** Psychological effect of chronic illness. *Journal of child psychology and psychiatry* .
- Gizynski, M. & Shapiro, V.B. (1990).** Depression and childhood illness. *Child and Adolescent Social work* ,7,179-197.

Lynch,M,& Cicchetti,D. (1991).Patterns of maitreated and non maltreated children :connection among multiple representational children , developmental and Psychopathology ,3,207-226.

Lynch ,W.EPerrin J.M.,& Gortamker ,S.(1992).Children s relationships with adults ,Journal of School Psychiatry,35,81-99