

## List of contents

| Content  | Page |
|--|------|
| - Introduction   | 1    |
| - Significance of the study.                             | 5    |
| - Aim of the study                                       | 6    |
| - Research hypothesis                                    | 6    |
| <hr/>  |      |
| - Theoretical frame work.                                | 7    |
| - Review of literatures.                                 | 8    |
| - <b>Chapter (1): Episiotomy</b>                         | 8    |
| • Historical overview.                                   | 8    |
| • Definition.  | 8    |
| • Essential anatomy and physiology.                      | 9    |
| • Incidence.   | 9    |
| • Morbidity and mortality of episiotomy.                 | 9    |
| • Description.   | 10   |
| • Types of episiotomy.                                   | 11   |
| • Comparison between median and mediolateral episiotomy. | 12   |
| • Indications.   | 13   |
| • Benefits of episiotomy.                                | 14   |
| • Risks of episiotomy.                                   | 16   |
| • Effect of episiotomy on maternal new born bond         | 18   |
| - <b>Chapter (2): Perineal pain after episiotomy.</b>    | 19   |
| • Definition.  | 19   |
| • Incidence.   | 19   |
| • Physiology of perineal pain.                           | 19   |

| Chapter  | Page |
|--|------|
| <ul style="list-style-type: none"> <li>• Risk factors of perineal pain.</li> </ul>                                       | 20   |
| <ul style="list-style-type: none"> <li>• Management of perineal pain.</li> </ul>   | 23   |
| <p><b>- Chapter (3): Honey and perineal wound healing after episiotomy.</b></p>  | 27   |
| <ul style="list-style-type: none"> <li>• Process of wound healing.</li> </ul>  | 27   |
| <ul style="list-style-type: none"> <li>• Honey, effect on wound healing, rout of administration, side effect.</li> </ul> | 33   |
| <ul style="list-style-type: none"> <li>• Incidence of infection related perineal site after episiotomy.</li> </ul>       | 36   |
| <ul style="list-style-type: none"> <li>• Causes of delayed perineal healing after episiotomy.</li> </ul>                 | 37   |
| <p><b>- Chapter (4): Nursing management</b></p>  | 39   |
| <ul style="list-style-type: none"> <li>• Prenatal.</li> </ul>  | 39   |
| <ul style="list-style-type: none"> <li>• Natal.</li> </ul>   | 41   |
| <ul style="list-style-type: none"> <li>• Postnatal.</li> </ul>   | 43   |
| <p><b>- Subjects and methods</b></p>   | 47   |
| <ul style="list-style-type: none"> <li>• Aim of the study.</li> </ul>  | 47   |
| <ul style="list-style-type: none"> <li>• Design.</li> </ul>  | 47   |
| <ul style="list-style-type: none"> <li>• Sample.</li> </ul>  | 47   |
| <ul style="list-style-type: none"> <li>• Setting.</li> </ul>   | 47   |
| <ul style="list-style-type: none"> <li>• Tools.</li> </ul>   | 48   |
| <ul style="list-style-type: none"> <li>• Procedure.</li> </ul>   | 50   |
| <ul style="list-style-type: none"> <li>• Pilot study.</li> </ul>   | 54   |
| <ul style="list-style-type: none"> <li>• Statistical design.</li> </ul>  | 54   |
| <ul style="list-style-type: none"> <li>• Results</li> </ul>  | 56   |
| <ul style="list-style-type: none"> <li>• Discussion.</li> </ul>  | 106  |
| <ul style="list-style-type: none"> <li>• Conclusion</li> </ul>   | 115  |
| <ul style="list-style-type: none"> <li>• Recommendations.</li> </ul>   | 116  |
| <ul style="list-style-type: none"> <li>• Summary</li> </ul>  | 117  |
| <ul style="list-style-type: none"> <li>• References.</li> </ul>  | 120  |
| <ul style="list-style-type: none"> <li>• Appendices</li> </ul>   | 120  |

| <b>Chapter</b>  | <b>Page</b> |
|---|-------------|
| <ul style="list-style-type: none"><li>- Protocol of the study</li><li>- Appendix A: Interviewing sheet.</li><li>- Appendix B: follow-up sheets.</li><li>- Appendix C: visual analogue scale.</li><li>- Appendix D: REEDA scale</li><li>- Arabic summary</li></ul> |             |