

6. LITERATURE CITED

- Abd El- Fatah, A.A. (1994). Agricultural studies on flax crop. M. Sc. Thesis, Fac. Agric. Kafr El- Sheikh, Tanta, Univ., Egypt.
- Abo- Kaied, H.M.H. (1992). Effect of genotype- environment interaction on yield and quality characters in flax. M. Sc. Thesis, Fac. Agric. Cairo, Egypt.
- Abo- Zaied, A.E. (1997). Comparative study of yield and technological characters of some flax varieties. Ph.D. Thesis, Fac. Agric., Mansoura Univ., Egypt.
- Adams, M.W. (1967). Basis of yield composition on crop plants with special reference to the field bean, *phaseolus vulgaris*. Crop Sci. 7: 505- 510.
- Agrowal, K.K.; J.P. Tiwari and K.K. Jain (1994). Correlation and regression analysis in linseed (*Linum usitatissimum* L.) . Advances in Plant Sci., 7: 351- 355.
- Ariyo, O.J. (1995). Component analysis and their implication on the breeding of soybean (*Glycin max* L.) *Pertanika, Journal of Tropical Agric. Sci.* (Malaysia) 18(3) p. 201- 207. (c.f. Computer Program AGRTS 1993- 1996).
- Ashry, M.A. (1991). Genetic studies on flax. M. Sc. Thesis, Fac. Agric. Ain Shams Univ., Egypt.
-

- Badwall, S.S.; K.S. Gill and H. Singh (1971). Correlation and regression studies in linseed (*Linum usitatissimum* L.), Indian J. Agric. Sci., 41: 475- 478.
- Badwall, S.S.; V.P. Gupta and G.S. Gill (1972). Heritability of seed yield and its components in linseed (*Linum usitatissimum* L.). J. Res. Punjab Agric. Univ. 9(4): 528- 530. (c.f. Pl. Breed. Abs. 44: 2601).
- Basu, N.C. and S. Basu (1975). Preliminary studies on some botanical, anatomical and agronomical aspects of flax (*Linum usitatissimum* L.) . Sci. and Culture, 41: 323- 325 (c.f. Pl. Breed. Abst., 46: 7302).
- Board, J.E; M.S. Kang and B.G. Harville (1997). Path analysis identity selection criteria for yield of late planted soybean . Crop Sci., 37:879 - 884.
- Brach, N.B. (1989). Correlation and factor analysis of some traits in flax. Nouchna- Kii- Byulleten Vsesozuznoga- Ordenal Lenina Valvilova No. 188, 45- 46 (c.f. Computer Program AGRIS 1989- 1980).
- Cattell, R.B. (1965). Factor analysis, An introduction to essentials. 1- The purpose and underlying models. Biometrics, 21: 190- 215.
- Choudhury, R.K.; P.N. Shat; J.B. Choudhury and R.S. Pattak (1972). Analysis of yield components in linum crosses. Indian J. of Genetics and Plant Breeding 23: 7 – 11.
-

- Comstock, V.E. and G.A. Gates (1965). Effectiveness of selection for seed quality characters in advanced generations of flax. *Crop Sci.* 15: 335- 336.
- Damania, A.B. and M.T. Jackson (1986). An application of factor analysis to morphological data of wheat and barley landraces from the Bheri river vally, Nepal. *Rachis- Barley and wheat – Newsletter*, 5(2): 25- 30 (c.f. Computer Program AGRIS, 1987-1989).
- Davidson, J. and D.M. Yermanos (1965). Flowering pattern of flax (*Linum usitatissimum* L.). *Crop Sci.*, 5: 23- 28.
- Davin, A.G. and G.D. Searle (1925). A botanical study of the flax plant. IV. The inheritance and interrelationship of the principal plant characters. *J. Text. Inst.*, 16: 107- 130 (c.a. Momtaz, 1965).
- Dayal, B.; S.B.S. Tilla; S.N. Jaimini and S.N. Gayal (1975). Heritability estimates in linseed (*Linum usitatissimum* L.). *Oilseed J.* 5: 3- 4 (c.f. *Pl. Breed. Abstr.* 47: 2494).
- Denis, J.C. and M.W. Adams (1978). A factor analysis of plant variables related to yield in dry beans. 1. Morphological traits. *Crop Sci.*, 18: 34- 78.
- Dewey, D.R. and K.H. Lu (1959). A correlation and path coefficient analysis of components of crested wheat grass seed production. *Agron. J.* 51: 515- 518.

- Doucet, I. (1978). Genetic analysis of some flax characters. *Problem de Genetica Teoretica Si Aplicata*, 10: 597- 609 (c.f. Pl. Breed. Abstr. 50: 1390).
- Draper, N.R. and H. Smith (1966). *Applied Regression Analysis*. John Willy & Sons Inc. NY 407 pp.
- El- Gazzar, A.E. (1997). Studies on flax production . Ph.D. Thesis, Fac. Agric., Kafr El- Sheikh, Tanta Univ., Egypt.
- El- Kady, E.F.A.; S.E. Shafshak, F.I. Gab- Allah and M.E.A. Kineber (1995). Effect of seeding rates on yield and its components of six promising flax genotypes under saline conditions. *J. Agric. Sci. Mansoura Univ.* 20(2): 593- 602.
- El- Kalla, S.E. and A.T. El- Kassaby (1982). Response of seeding rate on flax seed oil quality and quantity. *Iraqi J. of Agric. Sci.*, 41(2): 77- 87.
- El- Rassas, H.N.; F.L.El- Attar and M.S. El- Shazly (1987). Correlation and path coefficient analysis for some characters in grain sorghum (*Sorghum bicolor* L. Moench). *Fayoum J. Agric. Res. & Dev.* 1(1): 59- 69.
- El- Shimy, G.H. (1975). Morphological and anatomical studies on the characteristics of some (*Linum usitatissimum* L.) varieties and their relation to yield. M. Sc. Thesis, Fac. Agric. Ain Shams Univ., Egypt.

- El- Shimy, G.H.; E.A.F. El- Kady and N.K.M. Mourad (1993). Effect of seeding rates and nitrogen fertilizers levels on yield and anatomical manifestations of some flax genotypes. Agric. Res. J. Fac. Agric. Kafr El- Sheikh Univ., Egypt.
- El- Shimy, G.H.; M.Abd El- Hamid and L.M. Zaky (1990). Comparative analysis of certain genotypes of flax (*Linum usitatissimum* L.). Annals of Agric. Sc., Moshtohor, 28(2): 879-904.
- El- Shimy, G.H.; S.H.A. Mostafa and S.Z. Zedan (1997). Studies on yield and yield components, quality and variability in some flax genotypes. Egypt. Agric. Res. 75(3) :697-715.
- El- Sweify, A.H.H. (1993). Evaluation of some promising flax strains in relation to growth, yield and quality. Ph.D. Thesis, Fac. Agric., Moshtohor, Zagazig Univ., Egypt.
- El- Sweify, A.H.H. and S.H.A. Mostafa (1996). Growth, yield and quality of flax as affected by genotypes, potassium fertilizer and plant density. Egypt. J. Appl. Sci., 11(7): 116- 133.
- Frank, J. and S. Hollosi (1985). Results of linseed breeding in Hungary. Information Techniques, 90: 13- 16 (c.f. Pl. Breed. Abstr. 55: 7984).
- Grafius, J.E. (1965). A geometry of plant breeding. Res. Bull 7, Mich Sta. Univ., Michigan, 81- 91.

- Gupta, G.P and S.L. Godawat (1984). Path coefficient analysis of seed yield in linseed (*Linum usitatissimum* L.). Indian J. Heredity, 16: 11-14 (c.f. Pl. Bred. Abstr. 56: 2036).
- Hella, A.M. (1978). Variation and response to selection of fiber and seed yield characters in diploid and autotetraploid flax cultivars. M. Sc. Thesis, Fac. Agric. Cairo Univ., Egypt.
- Ingale, B.V. (1985). An analysis of association of characters of value in breeding linseed. J. of Moharashtra Agric. Univ., 10: 287-289 (c.f. Pl. Breed. Abstr. 56: 3973).
- Johnson, H.W.; H.F. Robinson and R.E. Comstock (1955). Estimates of genotypic and environmental variability in soybean. Agron. J. 47: 314- 318.
- Kadlec, A.; J. Tosovsky; J. Venterova and J. Letal (1990). Evaluation of the correlation structure for quantitative traits in the progeny of soybean by factor analysis. Sbornik- UVTIZ, Genetika- 26(4): 279- 288 (c.f. Computer Program AGRIS 1990- 1991).
- Kadlec, M. (1985). Study and clarification of the total phenotypic variance of soybean (*Glycine max* (L.) Merr) by means of establishing factor analysis parameters. Acta Universitatis-Agriculturae Brno- A- Facultas- Agronomica 33(4); 105- 109). (c.f. Computer Program AGRIS 1984- 1986).
- Kang, M.S. (1994). Applied quantitative genetics. M.S. Kang Publisher Baton Rouge, LA.

- Kang, M.S. ; J.D. Miller and P.Y.P Tai (1983). Genetic and phenotypic path analysis and heritability in sugarcane. Crop Sci., 23: 643- 647.
- Kapoor, C.J. and B.K. Chowla (1983). Genetic parameters and associations among yield components in linseed (*Linum usitatissimum* L.) . Madras Agric. Hour. 70: 401- 403 (c.f. Pl. Breed. Abstr. 55: 1894).
- Khan, M.N. and S.C. Gupta (1995). Character association and path analysis in linseed. J. of Oilseed Res. 12(2): 309- 311.
- Khorgade, P.W.; B.A. Sokhare; Beena-Pillai and B. Pillai (1992). Genetic parameters and character associations in linseed. Annals of Plant Physiology 6(1): 68- 72.
- Kineber, M.E.A. (1991). Evaluation of some new promising flax varieties in relation to yield and quality . M. Sc. Thesis, Fac. Agric. Moshtohor, Zagazig Univ., Egypt.
- Kineber, M.E.A. (1994). Evaluation of some new promising flax strains under soil salinity conditions. Ph.D. Thesis, Fac. Agirc., Moshtohor, Zagazig Univ., Egypt.
- Kineber, M.E.A.; S.H.A. Mostafa and F.Ashmamy (1997). Response of flax variety Giza 8 to different levels of phosphorus and nitrogen fertilization. Annals of Agric. Sc., Moshtohor, 35(1): 77- 92.
-

- Kumar, S. and B.P.S. Chauhan (1979). Association analysis in the segregating populations of linseed. Indian J. Geent. Pl. Breed. 39: 506- 510.
- Kumar, S. and B.P.S. Chauhan (1982). Variability and combining ability in the F₂ population of diallel set in linseed (*Linum usitatissimum* L.). Indian J. Agric. Sci., 52(11): 327- 377.
- Kumar, S. and S.P. Singh (1967). Studies in American flax strains at Bichipuri B.V.J. Agric. Sci., Res. 9(1): 49- 56.
- Maddens, K.; L. Bachstaele and G. Demeestere (1972). Varietal trails on fiber flax in 1972. Meded Onaderz Vaorlcent Nigr Terlt. Rumbeke 114, 11 pp (c.f. Field Crop Abst., 26: 5821).
- Mahmoud, E.L. (1998). Phenotypic and genotypic variability in some genotypes of flax. Ph.D. Thesis, Fac. Agirc., Al Azhar Univ., Egypt.
- Masuo, Y. and H. Sato (1965). On the heritability of straw yield and seed yield and related characters in flax. Hokaido Agric. Exp. Sta. 86: 1- 7 (Japanese) (c.f. Pl. Breed. Abstr. 36(3): 572, 4523).
- Mishra, P.H and R.P. Singh (1992). Morpho- physiological variability in linseed (*Linum usitatissimum* L.) genotypes and their relationship with seed yield. Indian J. Plant Physiology 35: 335- 340.
- Mokhtar, S.A.Z (1997). Comparative study on growth analysis, development and yield for certain varieties of lentil (*Lens*

- culinaris*, Medic). Ph. D. Thesis, Fac. Agric., Ain Shams Univ., Egypt.
- Momtaz, A. (1965). Analytical and inheritance studies on economic characters on flax. M. Sc. Thesis, Fac. Agric. Cairo Univ., Egypt.
- Momtaz, A.; A.K. Selim and G. El- Shimy (1977). Correlation and studies on some flax crosses and their reciprocal in Egypt- Association studies, between flax seed yield and some other characters. Agric. Res. Rev. (Ministry of Agric.) 55:54- 55.
- Momtaz, A.; M. El- Farouk; N.K. Mourad, T. Nasr El- Din; E.A. El- Kady and A.M. Hella (1989). New flax varieties, Giza 7 and Giza 8 , Agric. Res. Rev. 68(7): 1461-1475.
- Mostafa, S.H.A. (1994). Yield and quality of flax as affected by variety and some environmental factors. Ph.D. Thesis, Fac. Agric., Moshtohor, Zagazig Univ. Egypt.
- Mourad, N.K. (1983). Effect of different selection methods on improving yield in some flax crosses. Ph.D. Thesis, Fac. Agric., Al- Azhar Univ., Egypt.
- Mourad, N.K.; A.M.Hella and A.I Sabash (1987). Variability, correlation and path coefficient analysis of yield and its components in flax (*Linum usitatissimum* L.). J. Agric. Res. Tanta, Univ., 13(1): 38- 50.

- Mourad, N.K.; A.M.A. Hella and E.A.F. El- Kady (1990). Analytical studies on growth and its relation to yield of some flax cultivars. J. Agric. Res. Tanta Univ., 16(4): 715- 725.
- Muduli, K.C. and M.C. Patnaik (1994). Character association and path- coefficient analysis in linseed (*Linum usitatissimum* L.). Orisso- J. of Agric. Res. 7: Supplement, 5- 11.
- Nada, S.A.A. (1995). Yield and quality response of certain flax varieties to nitrogen fertilization and plant density. M. Sc. Thesis, Fac. Agric. Ain Shams Univ., Egypt.
- Naguib, A.M. (1965). Correlation and path coefficient analysis of components of kenaf fiber and seed production. M. Sc. Thesis, Fac. Agric. Cairo, Egypt.
- Nie, Z.; C.X. Shi; F.T. Chan and X.X. Zhn (1994). Path analysis of characters correlated with seed yield in flax (*Linum usitatissimum* L.). Oil Crops of China (114), 16(3): 25- 27. (c.f. Pl. Breed. Abstr. 65, 10: 1146).
- Noaman, M.N. and G.A. Taylor (1990). Morphophysiological characteristics , grain protein and grain yield in high and low protein winter wheats (*Triticum aestivum*L.). Cereal Res. Communications 18(1-2): 59- 65.
- Pantalone, V.R.; G.J Relitzke, J.W. Burton and T.E. Carter (1996). Phenotypic evaluation of soybean root traits and applicability to plant breeding. Crop Sci., 36: 456- 459.

- Patil, R.R.; M.N. Sinha, R.K. Rai and M. Parshad (1989). Correlation and regression analysis in linseed (*Linum usitatissimum* L.). Indian J. Agric. Sci., 59(9): 598- 599.
- Pause, V.G. (1957). Genetics of quantitative characters in relation to plant breeding. Indian J. Genet. Pl. Breed. 17: 318- 328.
- Ragash, A.R. and Y.I. Ragash (1969). A new fiber cultivar, Lin konop No. 8, 36 (c.f. Field Crop Abstr. 23: 1562).
- Rai, M. (1981). Association analysis of yield, yield components and Indian value in linseed. Indian J. of Agric. Sci. 51(1): 18-22 (c.f. Pl. Breed. Abstr. 52(3): 2240).
- Rao, S.K. and S.P. Singh (1983). Heterosis and inbreeding depression in linessed. Indian J. Agric. Sci., 53: 409- 417.
- Rao, S.K. and S.P. Singh (1984). Breeding behaviour and genetic variation for yield and its components in Indian x exotic linseed (*Linum usitatissimum* L.) crosses. Indian J. Heredity, 14: 37- 44 (c.f. Pl. Breed. Abstr. 56: 505).
- Rasbaco, De Miro de A.M.M. (1960). Determination of the heritability of various agronomic characters in flax. Rev. Invest. Agric. B. Aires 1: 5 – 17 (c.f. Pl. Bred. Abstr. 30: 1572).
- Robinson, H.F.; R.E. Comstock and P.H. Harvey (1951). Genotypic and phenotypic correlations in corn and their implications in selection . Agron. J. 43: 282- 287.
- Robles, S.R. (1979). Evaluation of the adaptation, yield and oil percentage in 15 cultivars of oil- seed flax (*Linum usitatissimum*
-

- L.) in apodace, N.L. Montarrey, Nuero Leon, Mexico, 99- 101 (c.f Field Crop Abstr. 34: 466).
- Rowland, G.G. (1980). An agronomic evaluation of fiber flax in Sashotchewan. Canadian J. of Plant Sci., 60(1): 55- 59.
- Saad, A.M. (1995). A factor analysis of plant variables related to seed yield in flax. Annals of Agric. Sc., Moshtohor, 33(2): 545- 550.
- Sabh, A.Z. (1989). Morphological and anatomical infestation of hybrid vigour in *Linum usitatissimum* . M. Sc. Thesis, Fac. Agric. Cairo, Egypt.
- Salama, A.M. (1996). Influence of planting date and nitrogen fertilizer levels on agronomic characteristics of three flax cultivars. J. Agric. Sci., Mansoura Univ., 21(3): 881- 891.
- Satapathi, D.; R.C. Misra and B.S. Panda (1987). Variability correlation and path coefficient analysis in linseed. J. Oilseed Res., 4: 28- 34 (c.f. Pl. Breed. Abstr. 58: 605).
- Seal, H.L. (1966). Multivariate Statistical Analysis for Biologists. Methuen and Co. Ltd., London.
- Selim, A.R.A.; A. Momtaz, and G. El- Shimy (1977). Correlation studies on some flax crosses and their reciprocals in Egypt. I. Interrelationships between flax straw yield and some agronomic characters. Agric. Res. Rev. Min. Agric., Egypt. 55: 35- 43.
- Shehata, A.H. and V.E. Comstock (1976). Associations among economic attributes of flax (*Linum usitatissimum* L.). Egypt. J. Genet. Cytol. 5: 450- 455.
-

- Shivakumar, B.C.; C.S. Sarof and R.R. Patil (1995). Effect of phosphorus and sulphur levels and limited irrigation on the performance of macrosperma lentil. Lens Newsletter 22: 1- 2.
- Shrivs, S.R. and S.P. Singh (1984). Heritability and genetic advance in linseed (*Linum usitatissimum* L.). Indian J. Genet. And Pl. Breed. 44: 235- 238.
- Sidewell, R.J.; E.L. Smith and R.W. Menew (1976). Inheritance and interrelationships of grain yield and selected yield related traits in hard red winter wheat cross. Crop Sci., 16: 650- 654.
- Singh, R.P. (1984). Variability in linseed under rainfed condition. Madras Agric. J. 71: 255- 256 (c.f. Pl Breed Abstr. 56: 1208).
- Songhi, A.K; M.R. Bhatnagar, and S.K. Shorma (1964). Genotypic and phenotypic variability in yield and other quantitative characters in guar. Indian J. Genet. Pl. Breed. 24: 164- 167.
- Sorour, S.G.; E.A.F. El- Kady and A.G. Abdel Hafez (1988). Productivity of some flax lines in comparison with one of the commercial cultivars. 3rd Egypt. Conf. Agron. Kafr El- Sheikh, 5 – 7 Sept. Vol II: 503- 512.
- Steel, R.C.D and J.H. Torrie (1960). Principles and procedures of statistics. Mc Grow- Hill Co., Inc. Nrw York.
- Tyson, H. and N.R. Bradner (1967). The interaction of variety and environment in flax trials. Canadian J. of Plant Sci. 47: 441- 445.
- Vasilica, C. (1976). Yield fiber flax cultivars in field trails in the pinot plain Baia Sosca during the years 1972- 1974. Agron.

- Horticulture, 37- 38 Laso, Romania (c.f. Field Crop Abstr. 33: 527).
- Walton, P.D. (1972). Factor analysis of yield in spring wheat (*Triticum aestivum* L.). Crop Sci. 12: 731- 733.
- Yadava, T.P and J.L. Dalal (1971). Genetic variability and correlation studies in linseed (*Linum usitatissimum* L.). Hargana, Agric. Univ. J. Res. 11(1): 35- 39. (c.f. Pl. Breed. Abstr. 44(6), 327, 3968).
- Younan, N. (1974). Genetic and anatomic studies on some hybrids of flax. M. Sc. Thesis, Fac. Agric. Alexandria Univ., Egypt.
- Yousef, M.A. (1975). Technological studies on fiber and seed of flax in different localities in A.R.E. Ph.D. Thesis, Fac. Agric., Al-Azhar Univ., Egypt.
- Zhao, J.G.; W.M. Chen and L.I. Zl (1991). Factor analysis of the main agronomic characters in soybean. Soybean Sci., 10(1): 24- 30.
-