REFERENCES

Adeoye, K.B. (1982). Effect of tillage depth on physical properties of a tropical soil and yield of maize, sorghum and cotton. Soil and Tillage Research, 2 (3): 225-231.

Alegre, J.C., D.K. Cassel, D. Bandy and P.A. Sanchez (1986). Effect of land clearing on soil properties of an nestisal and subsequent crop production in Yurimagvas, Peru. (C.F. Soybean Abst., 9: 2568-1986).

Bhagat, D.T. and Tamboli (1965). Effect of some agricultural implements on physical, chemical and biological properties of soil science of Jabalpur. Indian J. Agric. Sci., 14: 77-83.

Bharati, M.P., D.K. Whigham and R.D. Voss (1986). Soybean response to tillage and nitrogen, phosphorus and potassium fertilization. Agron. J. 78: 947-950.

Boquet, D.J., D.M. Walker and A.B. Coco. (1986). Double crop soybeans: Effect of irrigation tillage, burning wheat stubble and herbicides. Annual Progress Report, 1984, Northeast Res. Sta., 59-63. Louisiana State Univ.

Camp, G.R.; G.D. Christenburg, and C.W. Doty (1984). Tillage effects on crop yield in coastal plain soils. Transactions of the Amer. Soc. Agric. Engin. 6: 1729-1733. (C.F. Soybean Abst., 8: 1562, 1985).

Central Administration of Extension Service (1991). Summer Crops. Bulletin No. 122, Agric. Res. Cent., Min. Agric., NARP, Technology Transfer Center, printed by Dissemination Support Center, Ismailia, Egypt, 107 pp (In Arabic).

Chizhevskii, M.G.; L.G.A. Polovitskii and L.A. Shiganov (1956). The reclamation of soloneiz in north Kazakhstan district. Zemledelie, 6: 13-20. (C.F. El-Tohamy, F., M.Sc. Thesis, Fac. Agric., Cairo Univ., 1963, Egypt.).

Colvin, T.S. and D.C. Erbach (1982). Soybean response to tillage and planting methods. Trans. ASAE 25: 1533-1535, 1539.

Cote, D. and G. Dupuis (1980). Effect of subsoilling and deep ploughing on soil physical properties and yield of lucerne and maize in a chaloups sandy loam. Canadian J. Soil Sci., 60 (2): 345-353.

Cox, W.J., R.W. Zobel, H.M. Van Es and D.J. Otis (1990). Tillage effect on some soil physical and corn physiological characteristics. Agron. J. 82: 806-812.

Deibert, E.J. (1989). Soybean cultivar response to reduced tillage systems in northern dryland areas. Agron. J. 81: 672-676.

Desborough, P.J. (1984). Cultivar x tillage responses in soybeans in eastern Australia. P. 89. In R. Shibles (ed.) World Soybean Res. Conf. III. Abstracts. Iowa State Univ. Press, Ames, IA.

Dick, W.A. and D.M. Van Doren, Jr. (1985). Continuous tillage and relation combinations effects on corn, soybean and oat yields. Agron. J. 77: 459-465.

Donahue, R.L. (1958). Soils, an introduction to soils and plant growth. Englewood Cliffs, N.J. Prentice-Hall, INC.

Edwards, J.H., D.L. Thurlow and J.T. Eason (1988). Influence of tillage and crop rotation on yields of corn, soybean and wheat. Agron. J. 80: 76-80.

Elmore Dennis, C. and Larry G. heatherly (1988). Planting system and weed control effects on soybean grown on clay soil. Agron. J., 80: 818-821.

El-Hattab, A.H. (1962). The effect of frequency of ploughing, nitrogen fertilizer levels and hoeing treatments on some soil physical and agronomic characters of wheat, maize and cotton. M.Sc. Thesis, Fac. Agric., Ain Shams Univ., Egypt.

El-Mallah, M.M. (1984). Effect of some soil tillage practices on growth and yield of cotton. M.Sc. Thesis, Fac. Agric., Moshtohor, Zagazig Univ., Egypt.

El-Sheshtawy, M.S. (1992). Economic study of costs of important crops in A.R.E. and Qalyoubia Governorate. Annals Agric. Sci., Moshtohor, 30 (3): 1603-1622. (In Arabic).

Elmore, R.W. (1987). Soybean cultivation response to tillage systems. Agron. J. 79: 114-119.

Engelbert, L.E. and E. Troug (1960). Crop response to deep tillage with lime and fertilizer. Soil Sci. Amer., 20: 50.

Eweida, M.H.T.; A.I. El-Agamy; A.M. Hagras and E.A. El-Gharib (1980). Effect of hoeing number and some herbicides on yield, yield components and some chemical contents of soybean seeds. Res. Bulletin, Fac. Agric., Ain Shams Univ., No. 1296, Cairo., Egypt.

Freed, B.E. and Oplinger, E.S. (1983). Conservation tillage in narrow-row soybeans. Proc., North Central Weed Control Conf. 1983, g. Columbus, Ohio, USA. (C.F. Field Crops Abst., 38: 5530-1985).

Hanna, G.B. and M. Abdalla (1967). Effect of ploughing by different types of plough on the soil properties. Cairo Univ.

Hargrove, W.L., D.G. Cummins, M.J. Cordonnier and J.L. Day. (1985). Influence of tillage on performance of soybean cultivars. P. 35-39. In W.L. Hargrove, F.C. Boswell and G.W. Langdale (ed.). Proc. South Rigion No-tillage Conf., Griffin, G.A. 16-17 July 1985. Univ. of Georgia, Athens, GA.

Harper, L.A., J.E. Giddens, G.W. Langdale and R.R. Sharpe (1989). Environmental effects on nitrogen dynamics in soybean under conservation and clean tillage systems. Agron. J., 81: (623-631.

Helsel, Z.R.; D.G. Helsel, H.C. Minor, V. Keppenne and M. Gebhardt (1985). Improving soybean germination and growth in cold, wet soils. Paper American Soc. of Agric. Engineers. 1985, No. 85-1012, 12 pp.

Horn, P.W. and O.C. Burnside (1985). Soybean growth as influenced by planting date cultivation and weed removal. Agron. J., 77 (5): 793-795.

House, G.J.; B.R. Stinner, D.A. Jr. Crossley, and E.P. Odum (1984). Nitrogen cycling in conventional and no-tillage agro-ecosystems : analysis of sathways and processes. J. of Applied Ecology, 21 (3): 991-1012.

Hughes, R.M. and Herridge, D.F. (1984). Nitrogen cycling in coastal soybean crop rotations. No-tillage crop production in northern New-South-Wales. (Edited by Martin, R.J. and Felton, W.L.), 1984, 61-64. Tamworth, Oustralia, Dep. of Agric.

Hummel, J.W.; L.M. Wax and J.C. Siemens (1985). Tillage system comparisons in central cornbelt. paper, Amer. Soc. of Agric. Engineers 1985, No. 85-1008, 31 pp.

Ismael, E.E. (1980). A study on the effect of different plough types on salt distribution in the soil layers. M.Sc. Thesis, Fac. Agric., Zagazig Univ., Egypt.

Jackson, M.L. (1958). Soil chemical Analysis. Constable and Co. Ltd. London, UK.

---------- **(1967)**. Soil chemical Analysis. Prentice Hall, India.

Jamison, V.C.L.; G.M. Reed; E. Stokes and F.E. Corley (1952). Effect of tillage depth on soil conditions and cotton plant growth for two Alabama soils. Soil Sci., 73: 203-210.

Johnson, R.R. (1985). A new look at cultivation. Tillage can boost yields and cut erosion. Crops and Soils Magazine, 37 (8): 13-16. (C.F. Field Crops Abst., 38: 5943, 1985).

Kamprath, E.J.; D.K. Cassel; H.D. Gross and D.W. Dibb (1979). Tillage effect on biomass production and moisture utilization by soybean on coastal plain soils. Agron. J., 71: 1001-1005.

Koleva, S. (1970). The effect of deep ploughing on certoin soil properties. Pechv. Agron. Khim, 5 (2): 117-125.

Langdale, G.W. and R.L. Wilson, Jr. (1987). Intensive cropping sequences to sustain conservation tillage for erosion control. J. Soil and Water Conserv., 42: 352-355.

Lazauskas, Yu. V. and A.P. Nedzinskas (1973). Effect of farming practices on the total plant weight of yellow fodder lupine. (C.F. Biol. Abst., 57: 29194).

Maksoud, S.E. (1975). The effect of deep tillage on weed control in field in relation to soil physical properties. Zagazig J. Agric. Res., 2: 391-403.

McDowell, L.L. and K.C. McGregar (1980). Nitrogen and phosphorus losses in runoff from no-till soybeans. Trans. ASAE 23: 643-648.

Moomaw, R.S. (1985). An oats (*Avena sativa*) - *Glycine max.*) rotation using ecofarming versus conventional tillage. Weed Sci., 33 (4): 544-550.

Nelson, W.E.; G.S. Rohi and L.Z. Reeves (1975). Yield potential of soybeans related to soil compaction induced by traffic. Agron. J., 67: 769-772.

Pookpakdi, A. and V. Sriwatanapongse (1985). Soybean in cropping system in the central Thailand I.: The effect of different planting methods on the establishment and yield of soybean planted after rice. Kasetsart J., 19 (1): 71-74.

Rasmussen, W.W. (1967). Agronomic a spects of deep plowing saline sodic slick spot soils in south western Idaho and south eastern Orgegon. Purchased by the U.S. Dept. Agric. for official use.

---------- **and B.L. McNeal (1973)**. Response of three irrigated crops to deep tillage of a semiarid silt loam. Soil Sci. Soc. Amer. Proc. 37.

Robinson, E.L.; P.A. Banks and G.W. Langdale (1984a). Effect of tillage and herbicide formulations on soybean yields. Proc. Southern Weed Sci. Soc., 37th Annual Meeting, 1984, Illinois, USA.

----------, **G.W. Langdale and J.A. Stuedemann (1984b)**. Effect of three weed control regimes on no-till and tilled soybeans (*Glycine max.*). Weed Sci., 32 (1): 17-19.

Roger, W.E. (1990). Soybean cultivar response to tillage systems and planting date. Agron. J., 82: 69-73.

Salwau, M.I.M. and A.E. Sharaf (1994). Effect of hand weeding and hoeing on yield and yield attributes of some soybean cultivars. Zagazig J. Agric. Res. 21 (3A): 719-728.

Shafshak, S.E.; A.S. El-Debaby; G.W. Amerhom and G.A. Sary (1975). Effect of seedbed preparation and weed control on the growth and yield of maize. Z. Acker-u. Pflanzenbau, 141: 25-37.

Sharaf, A.E. and Safia, T. Abdalla (1993). Soybean (*Glycine max* (L.) Merr.) yield as affected by plant thinning at different growth stages. Egypt. J. Appl. Sci., 8 (4): 674-679.

Singh, A.; J.N. Singh and S.K. Tripathi. (1971). Effect of soil compaction on the growth of soybean (*Glycine max*. L. Merr.). Indian J. Agric. Sci., 41: 422-426.

Spilde, L.A. and E.J. Deibert (1986). Crop yield, water use and soil progserty chainges with comentional, minimum and no-till systems in the Red River Vally. North-Dakota-Farm-Research, 1986, 43 (4): 22-25, 33.

Steel, R.G.D. and J.H. Torrie (1960). Principles and procedures of statistics. McGraw-Hill Co., Inc., New York.

Suliman, A.E. (1971). Comparative study between mounted and trailed chisel ploughs. M.Sc. Thesis, Fac. Agric., Cairo Univ., Egypt.

Takahashi, H. and V. Sasiprapa (1986). Effects of land preparation on upland crops. Techn-Bull., Trop. Agric. Res. Cen., Japan, 1986, No. 20: 61-66.

Taylor, D.D. and T.C. McCutchen (1980). The effect of three tillage methods on soybeans growth on silt loam soils with frangipans. Tennessee Farm and Home Sci., 114: 23-26. (C.F. Agric. Eng. Abst., 1981: 273).

Thomson, C.E.; W.W. Witt and C.H. Slack (1983). Response of soybeans to a cifluorfen sodium and 2,4,D B combinations. Proc. Southern Weed Sci. Soc., 36th Annual Meeting, 1983, 73. (C.F. Soybean Abst., 8: 2388, 1985).

Tyler, D.D. and J.R. Overton (1982). No-tillage advantages for soybean seed quality during drought stress. Agron. J. 74: 344-347.

----------, ---------- **and A.Y. Chambers (1983)**. Tillage effects on soil properties, diseases,cyst-nematodes, and soybean yields. J. Soil Water Conserv., 38: 374-376.

Wagger, M.G. and H.P. Denton (1989). Tillage effects on grain yields in a wheat, double crop soybean and corn rotation. Agron. J. 81: 493-498.

Wesley, R.A., L.G. Heatherly, H.C. Pringle and G.R. Tupper (1988). Seedbed tillage and irrigation effects on yield of mono- and double-crop soybean and wheat on a silt loam. Agron. J., 80: 139-143.

Yasseen, S.S. (1985). An economic analysis for costs of cotton pest control in A.R.E. Annals Agric. Sci., Moshtohor, 22 (2): 1-15 (In Arabic).

Zein El-Abedine, A.; G.B. Hanna and F. El-Tohamy (1965). Studies on the effect of deep ploughing on some soil properties. Agric. Res. Rev., 43: 8-18.