




REFERENCES

REFERENCES

- Abd El-Alim, M.M. M. (1980):** Effect of some seeding methods and nitrogen fertilization on growth and yield of some varieties. M.Sc. Thesis, Fac. Agric., Cairo Univ .
- Abd El -Alim, M. M.M. (1987):** Response of wheat to time and rate of fertilizer application. Ph. D. Thesis, Fac. Agric., Cairo Univ.
- Abdel-All, Azza, M. (1999):** Performance of some new long spike wheat genotypes under different cultural treatments. M.Sc. Thesis, Fac. Agric., Moshtohor, Zagazig Univ .
- Abd El-Fatah, Nagwa, R. (1995):** Effect of fertilization on growth, yield and some technological characteristics of some new bread wheat cultivars. Ph. D. Thesis, Fac. Agric, Moshtohor , Zagazig Univ .
- Abd El-Gawad, A.A.; Abo - Shetaia, A.M. and Edris, A.S. (1985a):** Potential productivity of wheat in Egypt. 1- yield and yield attributes of certain wheat cutivars. Ann. Agric. Sci., Fac. Agric., Ain- Shams Univ., Cairo, 30 (2) : 818 - 833.
- Abd - El - Gawad, A.A.; Abo - Shetaia, A.M. and Edris, A.S. (1985 b):** Potential productivity of wheat in Egypt. II. Growth analysis studies of certain wheat cultivars. Ann. Agric. Sc., Fac. Agric., Ain - Shams Univ., Cairo, 30 (2) 849 - 863 .

- Abd - El-Gawad , A.A.; El - Tabbakh, A.E.; Edris, A.S. and Abo- Shetaia, A.M. (1986): Potential productivity of wheat in Egypt. VII- Response of wheat cultivars to different nitrogen levels. Ann. Agric. Sci., Fac. Agric, Ain - Shams Univ., Cairo , 31 (2) 1159 - 1172 .
- Abd - El-Gawad, A.A.; Nour El -Din, Nemate, A.; Ashoub, M.A. and Khashaba, M.A. (1993 b): Studies on consumptive use and irrigation scheduling in relation to nitrogen fertilization on wheat. II. Response of wheat yield and its attributes. Ann. Agric. Sci., Ain Shams Univ., Cairo, 38 (1): 173 - 181.
- Abd - El-Ghany, H. M.A. (1997): Response of some new wheat varieties to some agricultural practices. M.Sc. Thesis, Fac. Agric . Menofiya Univ., Egypt .
- Abd -El -Majeed, S.A.; Moussad, A.M. , and Khattab, A.A. (1998): Verification of improved wheat cuttivars at Middle Egypt. Nile valley and Red Sea Regional Program (NVRSRP) (Phase II) wheat - Egypt. Ann. Coordination Meeting , 6 -11 Sept., 1988 .
- Abd - El-Razik, M. (1999): Effect of some agricultural practices on growth and yield of wheat . Ph. D. Thesis . Fac. Agric., Mansoura Univ .
- Abdin, M.Z.; Bansal, K.C. and Abrol, Y.P. (1996): Effect of spilt nitrogen application on growth and yield of wheat (*T. aestivum*, L.) genotypes with different N. assimilation potential. J. Agron.& Crop Sci., 176: 83-90.



- Abo - Shetaia, A.M. and Abd El - Gawad, A.A. (1995): Effect of winter with holding irrigation period and N fertilization on yield of two wheat cultivars. Ann. Agric. Sci., Fac. Agric., Ain Shams Univ., Cairo, 40 (1): 177 - 193.
- Abo - Warda, A.M. (1989): Study of yield potential of some wheat varieties as affected by nitrogen fertilization. M.Sc. Thesis, Fac. Agric. Moshtohor, Zagazig Univ, Egypt .
- Abo - Warda, A.M.A. (1993): Response of wheat to some cultural practices under new reclaimed area. Ph.D. Thesis, Fac. Agric. Moshtohor, Zagazig Univ., Egypt .
- Abo - Warda, A.M.A. (1997): Productivity of some wheat cultivars and lines in Sandy soils. Egypt . J. Appl. Sci, 12 (12) : 86 - 90 .
- Abo - Warda , A. M.A. and Eman Sadek , M. (1998): Effect of nitrogen fertilization levels on yield and yield components of triticale and wheat Egypt . J. Appl. Sci., 13 (1): 105 - 113 .
- Adam, M.A.K. (1992): Studies of consumptivuse and irrigation on scheduling in relation to nitrogen fertiliization on wheat yield. Ph. D. Theseis, fac of Agric. Ain - Shams Univ .

- Ahmad , S.; Sorwar, M.; Tanveer, A.; Khalig, A. (1995): Efficacy of some weedicides in controlling *phalaris minor* Retz in wheat. Proc. of fourth All Pakistan weed Science conference, March 26 - 27, 1444 . Fais alabd (Pakistan). UAF. 1995 . 232 P. P. 89 - 94.
- Al - Aghbare, A.S. and Abdel-Alah. (1988): Effect of some agricultural treatments on wheat under spirnkler irrigation system. M.Sc. Thesis, Fac. Agric. Moshtohor, Zagazig Univ . Egypt .
- Ali, S.A. (1997): Effect of some agricultural practices on growth, yield and yield components of wheat. Ph.D. Thesis , Fac. Agric., El - Minia Univ., Egypt .
- Ali , S.A. and Shams El - Din , G.M. (1997): Effect of pre and post-emergence application of some herbicides on wheat yield and associated weeds. Egypt. J. Appl. Sci.; 12 (4) 1997.
- Ali , A.M.A.; Hamed, M.M. and Mossad, M.G. (1996): Varietal verification trials in new land at upper Egypt Nile valley and Red Sea Regional program (NVRSRP) wheat - Egypt. Ann. Coordination Meeting 15 -19 Sept. 1996 p. 29 - 31 .
- Al - Marsafy, H.T. and. Hassanein, E.E (1993): Effect of crop rotation on the control of wild oat and other weeds in winter crop in upper Egypt First Ann. Meet ., Cairo, 8-9 Sep. NVRP for wild oat control in cereals and some other winter crops. P. 10 - 15 .



- Al - Marsfay, H.T.; Esmail , A.A. and Fakkar, A.A. (1997a) :**
Effect of sowing methods and wild oat control treatments on grain yield of wheat. Nile valley program for wild oats and other weeds control in winter cereals and some other winter crops. 5th Ann. coordination Meet. Cairo, Egypt . 11 - 15 Sept . P. 144 - 147.
- Al-Marsafy, H.T.; Kholosy, A.S. and Nassar, A.N.M. (1997b):**
The potential of hand weeding and herbicides sequences on controlling wild oats under heavy infestation conditions. Nile valley program for wild oats and other weeds control in winter cereals and some other winter crops. 5th Ann. coordination Meet. Cairo, Egypt . 11 - 15 Sept . P. 148 - 150 .
- Al - Marsafy , H.T.; Hassanien, E.E. and Mahmoud , S. KH. (1992):** The potential Chemical control of wild oats and other weeds in wheat. J. Agric. Sci. Mansoura Univ., Egypt. 17 (4) : 705 . 713 .
- Anderson, I.P. and Howat , P.D. (1990) :** Puma - a new post - emergence selective grass herbicide for use in wheat . In Proc. of the 9th Austrailan weeds conf - 82 - 84. C.F. Weed Abst . 41 (5) : 1459 - 1992 .
- A.O.A.C. (1980):** Official Methods of Analysis of the Association of official Agricultrial Chemists. 12th .. Published by A.O.A.C. washington D.C.

- Ashraf , M.Y.; Baig , N.A. and Khan , M.A. (1989) : Chemical weed control in wheat (*Triticum aestivum. L.*). Pakistan. J. Agric., Agril Engg. Vet . Sc. 5 (1-2), 21-24 .
- Assey, A.A.; Ramadan, I. E.; El - Nagar, E. M. and Shrief , I. M. (1983a): Effect of seed rates and weed control methods on growth and grain development of wheat. Zagazig . J. Agric. Res . 10 (1) : 187 - 198 .
- Assey, A.A.; Ramadan, I.E.; El - Nagar, E.M. and Shrief, I.M. (1983b): Effect of seed rate and weed control methods on weeds and yield of wheat. Zagazig. J. Agric . Res . 10 (1) : 199 - 217 .
- Avijit, S.; Deboshish, S.; Sen, A. and D. Swain (1994): Effect of Biozyme a sea weed extract and NPK on the expression of Agromorphological traits in wheat. Orissa J. of Agric. Res. 7 (1 - 2) : 46 - 48 .
- Balyan, R.S. and Malik , R.K. (1992): Chemical control of wild oats (*Avena Ludoviciana*) and other weeds in wheat (*Triticum aestivum. L.*). Beitragezur Tropischen landwis tschaft and veterinarmedizin 30 (2): 169 - 175 . Germany (C.F. weed Abst . 44 (2) 735 - 1995 .
- Balyan, R.S.; Malik, R.K. and Panwar, R.S. (1992): Effect of rates, times and methods of application of tralkoxydim on wild oat (*Aven Ludoviciana*) in wheat . Tropical pest Management 38 (4): 411-415 . C.F. weed Abst. 42 (8) 3324 - 1993 .

- Balyan, R.S.; Malik R.K.; Dankar, R.S. and Sinkh, S.M. (1994): Effect of time and method of isoproturin application on weeds in wheat. Haryana Agric. Univ. J. of Res., 24 :158 - 162 (C.F. weed Abst. 1996 , 45:261).
- Barhoma, M.A.; Atwa, M.F.H. and Sania, Hassan (1990): Effect of Arelon and Brominal on the chemical and technological properties of wheat grains. Minufiya. J. Agric. Res. 15 (2) : 2177 - 2190 .
- Barthakur, B.C.; Borgohain, B. and Borgohian, M.N. (1979) : Effect of row spacing and seeding rates on grain yield of dwarf wheat . Indian . J. Agron., 24 (1) : 13 - 16 .
- Basilious, S.I. (1992): Response of two wheat cultivars (Giza 169 and Sakha 69) to rates and splitting of nitrogen fertilizer. Assiut . J. of Agric . Sci. 23 (2) : 165 - 178.
- Bhagawati, P.C.; Faroda, A.S. and Malik, R.K. (1992): Response of wheat (*Triticum aestivum*. L) and associated weeds to application of nitrogen and isoproturon. Indian . J. Agron . 37 (4) : 721 - 728 .
- Blackshaw, R.E. (1994) : Differential competitiveness ability of winter wheat cultivars against downy brome. Agron. J. 66 : 649 - 654 .
- Chi - Chu - Lo and Lo - C - C. (1984); Factors affecting the phytotoxicity, soil movement and soil persistence of norflurazon. Dissertation - Abstracts international, B - Sciences and Engineering . 1984 , 44 : 9 , 2624 - 2625 .

- Christensen, S. and Rasmussen, G. (1996): Weed managment for integrated winter wheat production. Proceedings of the second international weed control congress, compenhagen , Denmark , 25 - 28 June, 1996 - vlume 1- 4 . 1996 . 1003 - 1008 ; 17 ref .
- Codina M - C and Morales, P.C. (1983): Effect of amitrole on chloroplast pigment levels in *Nicotianarustica* and *Trilicum vulgare* plants. Ann.-de Edafologia - Y - Agrobiologia. 1983 , 42 : 1 -2 , 329 - 342 ; 17 ref .
- Dawood, R.A. (1979): Study of some factors affecting growth and maturing of wheat. M.Sc. Thesis, Fac. Agric. Assiut , Univ ., Egypt .
- Dhawan, R.S; Phogat, B.S and Malik, R.K. (1992) : Effect of isoproturon on chlorophyll, reducing sugars and proteins in *phalaris minor* Retz and *Triticum aestivum* L. Indian - J - of-plant. Physiology . 1992 , 35 : 1, 101-103 , 7 ref .
- Dhawan, R.S. (1995): Effects of isoproturon on Hill activity and membrane permeability in leaves of wheat (*Triticum aestivum* L), small canary grass (*Phalaris minor*) and wild oat (*Avena ludoviciana*). Indian J. of Agric . Sci., 65 : 894 - 895 .
- Eissa, A. M.K. (1979): Response of some wheat varieties to cultural treatments. M. Sc. Thesis , Cairo Univ., Egypt.



- Eissa, F.A. (1990): The effect of planting methods, seeding rates and its components of some wheat varieties (*Triticum aestivum vulgare*, L.) M.Sc. Thesis, Fac. of Agric., Mansoura Univ.
- Eissa, F.A. (1996): Agronomic studies on wheat . Ph .D. Thesis, Fac. Agric., Mansoura Univ., Egypt .
- El - Ashmoony, M.S.F. (1990): Critical stages in irrigation timing after heading of two durum wheat varieties. El - Minia. J. Agric. Res. & Dev., 12 (2) 995 - 1004 .
- El - Badry , O. Z. (1989) : Effect of different levels and forms of nitrogen fertilizer on wheat . Ann. of Agric . Sc. Moshtohor , Vol . 27 (4) : 1961 - 1986
- El - Badry , O. Z. (1995): Effect of some post - emergence herbicides application on wheat and weeds. Ann . of Agric. Sci . Moshtohor . 33 (3) : 999 - 1006.
- El - Bially, M.E. and Abd El -Samie, F.S. (1995): Performance of wheat and accompanied weeds to application of some pre- emergence herbicides under N - fertilization . J Agric . Sci. Mansoura Univ., 20 (1) : 47 - 60
- El- Deeb, S. T.; Glelah, A.A. and Shalaby, E.E. (1986): Chemical weed control in wheat with respect to its effect on yield and yield components. Proc. 2nd conf . Agron . Vol . 1 : 919 - 934 . Alex . Egypt .

- El-Deek, M.H. and Abo El-Kheer, A.M. (1986a): The influence of substituted urea herbicides on wheat growth and yield as well as its common associated weeds. *J. Agric. Sci. Mansoura Univ.* 11: 1384-1393.
- El -Deepa, H.R.A. (1989): Evaluation of some wheat herbicides. *Ann. of Agric. Sci. Moshtohor* , 27 (3) : 1381 - 1393.
- El - Deepah, H. R.A.; Mohamed. M. K. and Hamada , M. A. (1984) : Effect of N. P. and Mn. on yield and chemical constituents of wheat. Excepted for pub. *Ann. of Agric. Sci., Moshtohor* , Vol 23 .
- El -Desoky, E.R. El - H. (1990): The influence of some hebicide mixtures on wheat and associated weeds. Ph .D. Thesis, *Fac. Agric.; Cairo Univ., Egypt* .
- El - Desoki, I.R.; Ali, Z.A.; El - Masry, R.R. and Metwaly , G.M. (1993): Effect of Brominal (Bromoxynil) alone or in combination with Urea or Ammonium sulphate on growth , yield and associated weeds in wheat. *Egypt. J. Appl. Sci.* 8 (11) : 202 - 212 .
- El - Ghareib , E. A and El - Monoufi, M.M. (1988) : Effect of seeding rates and nitrogen fertilization levels on the productivity of Giza 157 Egyptian wheat cultivars. *Ann. Agric. Sci. Fac. of Agric . Ain Shams Univ.*, 33 : 1031 - 1044.



- El - Ghonemy, A. M. (1988) : Effect of some cultural practices on growth, yield and quality in wheat. Ph. D. Thesis, Fac. of Agric. Kafr El-Shiekh , Tanta Univ.
- El - Helaly , S. A.A. (1984) : Physiological evaluation for some varieties and lines of wheat. M. Sc. Thesis, Fac. Agric. Al - Azhar Univ., Egypt .
- Elian, M.A. and El-Mashad, L.E. (1994): loss in wheat production due to weed competition. Nile valley regional program on cool - seasons food legumes and cereals ICARDA / NVRP - DOC - 036 . 1993 / 94. P.166.
- El - Kalla, S.E.; Leila, A.A.; Basiony, A. H. and Hussein, S.H. (1994): Effect of irrigation and foliar nutrition treatments on growth and yield of some wheat cultivars under Al-Arish area conditions. Proc. 6th Conf. Agron.; Al Azhar Univ., Egypt , Vol .1 : 365 - 378.
- Ellen, J. (1987): Effect of plant density and nitrogen fertilization on winter wheat (*Triticum aestivum* L.) I. production pattern and grain yield . Nether lands J. Agric . Sci 35 : 137 - 153 .
- Ellen, J. (1990) : Effect of nitrogen and plant density on growth, yield and chemical composition of two winter wheat (*Triticum aestivum* L.) cultivars. J. Agron & crop Sci., 164 : 174 - 183 .

- El - Maghraby, M. I.; El - Shandidy , S.E. and Salem, K.G. (1993): Demonstration plots for wild oat control in wheat in Kafer El-Sheikh Nile valley Regional program on cool - season food legumes and cereals. ICARDA / NVRP - DOC - 030. 1992 / 93 . P. 142-143.
- El- Maghraby, M.I; Salem, K.G. and El - Shandidy, S.E. (1994) : Integration control of grassy weeds in wheat using tillage system and weed control treatments in Kafer El - Shekh governorate. Nile valley Regional program on cool - season food legumes and cereals. ICARDA / NVRP - DOC - 036. 1993 / 94 . P. 164-165.
- El - Metwaly, I. M. (1994) : Response of some wheat varieties to some herbicides and nitrogen fertilization. M.Sc. Thesis, Fac. of Agric Mansoura Univ.
- El - Metwaly, I.M. (1998): Effect of herbicides and Biofertilization on growth and yield of wheat under different nitrogen fertilizer levels. Ph.D. Thesis. Fac. of Agric. Mansoura Univ., Egypt .
- El - Moursy, S.A. (1989): Effect of weed control treatments and cycocel concentration on growth, yield and yield components of wheat. J. Agric. Sci. Mansoura Univ. 14 (1) : 23 - 29 .
- El - Moursy, S.A. (1998): NPK requirements for wheat under newly reclaimed soils. J. Agric Sci. Mansoura Univ. 23 (1) : 47 - 59 .



- El - Salhy, T.S. (1991) : Wheat lodging and yield in relation to some agricultural practices. M.Sc. Thesis, Fac. Agric. Moshtohor, Zagazig Univ., Egypt .
- El - Sawi, S.A.M. (1996): Evaluation of different wheat genotypes in relation to growth and physiological characters and their contribution to grain yield. M.Sc. Thesis. Fac. Agric Moshtohor , Zagazig Univ., Egypt.
- El- Sayed , M.M.; Mohamed, L.K. and Ebaid, M.A. (1984) : Effect of rate and application time of NPK on yield, yield components and protein content of five wheat cultivars. Menoufia. J. Agric. Res., 8 : 1 - 16 .
- El - Wekil, H. R.; Ismael, T.S.; Zahran, M.K. and Attala, S.I. (1993): Demonstration plots for wild oat control in wheat in Qena . Nil valley Regional program on cool - season food legumes and cereals. ICARDA / NVRP - DOC - 030. 1992 / 93 . P. 140 .
- El - Wekil, H.R.; Habib, N.W.; Ismael, T.S. and El-Shater , A. M. (1994) : Integrated wild oat control in wheat in Quena Governorate . Second Ann. Meet., Cairo, 11-15 Sep. NVRP for wild oat control in cereals and some other winter crops. P. 157 - 173 .
- El - Zein, A.A. N.I. (1994): Effect of levels and forms of nitrogen fertilizer on wheat. Ph .D. Thesis, Fac. Agric. Al Azhar Univ .

- Eman Sadek, M.M. (1985): Response of some wheat cultivars to different fertilizer rates. M.Sc. Thesis, Fac. Agric. Cairo Univ .
- Eman Sadek , M. and Abo Warda, A. M.A. (1998 b) : Water and nitrogen use efficiency and their effect on grain yield of wheat. Nile valley and Red Sea Regional program (NVRSRP), phase II, wheat. Egypt. Ann. coordination Meeting , 6 - 11 , Sep. 1998 .
- Fayed , E. H. M.; Leilah, A.A. and Bassiouny, A. H. (1993) : Effect of chemical weed control and nitrogen fertilization on weeds occurrence and yield of wheat . J. Agric. Sci . Mansoura Univ., 18 (1) : 1 - 10 .
- Freitas, J. G. de; Camargo , C.E. de - O ; Ferreira Filho, A. W.P.; Pettinelli -Junior, A. and Feritas, J.G. (1994): Yield and response to nitrogen in wheat genotypes. Bragantia , 53 (2) : P. 281 - 290 .
- Ghafoor, A. and Shad, R.A. (1995) : Relative competition of grasses , broad leaved and mixed weed population with wheat . Emirates. J. of Agric. Sci., M : 55 - 64.
- Ghafoor, A; Yoqub , M.; Sadig , M. and Jamil, F.F. (1987) : Effect of different herbicides on chlorophyll contents and total carotenoids of wheat . Pakistan - J - of Agric . Res. 1987. 8 : 2 , 239 - 240 ; 6 ref .



- Ghanem, S.A.I. and El - Khawaga , A.A.H. (1991): Growth, yield and its attributes of wheat as influenced by seeding rates and chemical weed control. Zagazig. J. Agric. Res., 18 (5) : 1403 - 1416.
- Gheith, E.S.; Abdel - Hafithz, A.A.; Khalil, N.A. and Abdel - Shaheed, A. (1989): Effect of nitrogen and some micro nutrients on wheat . Asiut . J. Agric. Sci , 20 (5) : 255 - 268 .
- Gogol, A.K. and Kalita, H. (1995) : Effect of seeding methods and herbicide on weeds and growth and yield of wheat (*Triticum aestivum* L). Indian. J. of Agron. 40: 209-211.
- Guh - Jaoak; Kuk - YoungIn; Guh - Jo and Kuk, Y.I. (1997): Difference in absorption and anatomical responses to protoporphy rinogen oxidase inhibiting herbicides in wheat and barley . Korean - J. of - Crop - Sci. 1997, 42: 1 , 68 - 78 ; 23 ref .
- Harker, K.N. and Blackshaw, R.E. (1991): Influence of growth stage and broad leaf herbicides on tralkoxydim activity. weed Sci. 39 (4) : 650 - 659. (C.F. weed Abst. 41 (9) : 3312 - 1992).
- Hassanein, E.E.; Salim, A.A.; Yahia, Z. R. and Ghanima, E.E. (1994): Intergrated control of wild oat in Assuit Governorate. Second Ann . Meet . Cairo , 11- 15 Sep. NVRP fpr wild oat control in Cereals and some other winter crops . P. 32 - 34 .

- Hassanein E. E. and Kholosy , A. S. (1996) :** Preformance of some newly selctive herbicides of wild oat control in wheat and different preceding crops in fayoum governarate . Nile valley program control in cereals and some other winter crops . 5 th Ann. Meet . 15 - 19 Sep . Cairo. , Egypt . P. 193 - 204 .
- Hassanein, E.E.; Al - Marsafy, H.T.; Nassar, A.N.M.,; Helal , M.H.; Ghonima, A.H. And El - Shater, A.M. (1996) :** Integrated control of wild oat in whead in Sohag governorate. Nile valleg Regional program for wild oat control in cereals and some other winter crops. 5 th Ann. Meet . 15 - 19 Sep., Cairo , Egypt . P. 15 - 23 .
- Hayam Mahgoub, S.A. (1990):** Effect of sowing date and nitrogen levels on yield and yield components of some varieties of durum wheat . M.Sc. Thesis , Fac . Agric , Cairo Univ .
- Haynes - C; Wightman, P. and Kirkwood, R.C. (1986):** Techniques to establish the mode of action and selectivity of a carotenoid biosynthesis inhibitor. Aspects - of - Applied - Biology . No 11, 67 - 75; 8 ref.
- Hefnawi, F.A.M. (1993):** Effect of different sowing and harvesting dates on yield and yield components of some new released wheat cultivars. Msc. Thesis , Fac. Agric Al - Azhar Univ., Cairo .



- Hooda, I. S. and Agarwal, S.K. (1987) : Studies on irrigation, weed control and fertility levels on growth and yield of wheat. Indian. J. of Agron. 32 (3) : 261 - 264 .
- Hooda. I. S. and Agarwal, S. K (1995) : Response of weeds to levels of irrigation, weed control and fertility in wheat . Brighton crop protection conference weeds. Proceedings of an Integration conference, Brighton, UK < 20 - 23 Nov. Farmham , UK ; British crop protection Council, 2 : 679 - 682 . (C.F. Weed Abdt., 1996 . 45 : 1951.
- Hussein, M.A.; Kandil, A.; El - Sayed Shokr, and Abd - El - Alim, M.M. (1981a): Effect of seeding methods and nitrogen fertilizer on some agronomic characters of Giza 157 and Sakha 8 wheat cultivars (*Triticum aestivum* L.) Ann. Agric. Sci , Moshtohor, 15 : 1 -12.
- Hussein, M.M.; Kandil A.; El - Sayed Shokr and Abd - El - Alim M.M. (1981b): Effect of seeding methods and nitrogen fertilizer on yield and yield components of Giza 157 and Sakha 8 wheat cultivars (*Triticum aestivum* L.) Ann. Agric. Sci ., Moshtohor 15 : 12 -21.
- Ibrahim, A.M.; El - Din , A.I. and Hassan, H.A. (1986): Studies on new herbicides in Egyptian wheat. I - Chemical control of the annual weeds. Alex. Sci. Exch. 7 (3) : 345 - 358 .

- Ibrahim, M. E. and Abd El - Aal, S. M. (1991):** Influence of nitrogen, phosphorus and potassium fertilization on growth, yield and protein content of some wheat varieties. *Menofiya . J. Agric. Res.*, 16 (1) : 191 - 205 .
- Ibrahim, M.E.; Ali, A.A.; El - Shamerka, S.A. and Nawar, A.A.(1995):** Evaluation of new promising wheat genotypes under Egyptian agricultural conditions . *Menfiya . J. Agric. Res .* 20 (3) : 963 - 986 .
- Kandil, A.A. (1985):** Response of some wheat varieties to different rates and forms of nitrogen. *J. Agric. Sci. Mansoura Univ .*, 10 (4) : 1041 - 1053 .
- Khaled, M. A. I. (1994) :** Effect of nitrogen fertilization and some micronutrients on yield and some technological properties of wheat. Ph. D. Thesis, Fac. of Agric. Moshtohor , Zagazig Univ .
- Khalil, O. H.S.; Youssef, G.S.; El - Hadidi ,M.M. and Mosaad, M.G. (1986) :** Response of the newly released varieties of wheat to N,P,K fertilizers. *Assiut. J. Agric. Sci ,* 17 (2) : 203 - 218 .
- Khalil, M. K.M. (1989) :** Effect of nitrogenous fertilization and chemical weed control on growth, yield and yield components and technological properties of wheat (*Triticum aestivum L.*). M.Sc. Thesis , Fac . of Agric . Moshtohar , Zagazig Univ .



- Kheiralla, K.A.; Mahdy, E.E. and Dawood, R.A. (1993): Evaluation of some wheat cultivars for traits related to lodging resistance under different levels of nitrogen. Assiut. J. Agric. Sci., 24 (1) : 258 - 271 .
- Kholosy, A.S.; Ibrahim, H.M.; Al - Marsafy, H.T. and Hassanein , E. E. (1991): Evaluation of pre- and post-emergence herbicides in controlling broad leaf and grassy weeds in wheat. Egypt. J. Appl. Sci., 6 (9) : 341-353 .
- Kirkland , K. J. (1993) : Spring wheat (*Triticum aestivum* L.) growth and yield as influenced by duration of wild oat (*Avena fatua*) competition weed. Tech o. 4 : 890 - 893.
- Konov, V.; Simeonov, B. and Dekov, D. (1984): Effect of cultivar and nitrogen application on wheat yield and quality . Rasteniiev dni - Nauki , 21(8): 16 - 23 .
- Kozaczenko, . H. (1994) : Efficiency of some herbicides of new generation for spring wheat . Fragmenta - Agronomica (Poland). (1994) . V. II (2) P. 25 - 29 .
- Kraus, T.E; Mckersie, B.D. and Fletcher, R.A. (1995): Paclobutrazol - induced tolerance of wheat leaves to paraquat may involve increased antioxidant enzyme activity . J - of plant - physiology . 145 : 4, 570 - 576 ; 3 b ref .

- Lemerle - D.; Verbee, K.S. and Coombes , N.E. (1996): Interaction between wheat (*Triticum aestivum* L) and diclofop to reduce the cost of annual ryegrass (*Lolium rigidum*) Control. Weed - Sci . 1996 . 44 : 3, 634 - 639; 27 ref.
- Mader , P.; Nous, J.; Schmidt, O.; Chladava, J. and Chland, F. (1981): Pigment protein composition and in fluorescence activity of the spring barley. Photosynthetic apparatus; Effect of antogeny and nutrition, Photosynthetica, 15 : 61 - 74 .
- Mady, A.A. (1996): Effect of some cultural practices on yield and seed quality in wheat. M.Sc. Thesis , Fac. A gric. Kafr El - Sheikh , Tanta Univ., Egypt .
- Mahfouz, A. M. (1987): Effect of some agricultural practices on yield and yield components of some wheat varieties. M.Sc. Thesis , Fac. Agric . El - Minia Univ., Egypt .
- Mahmoud, S.K. (1988) : Study on some agricultural Factors affecting growth , yield components and technological characteristics of wheat. Ph. D. Thesis, Fac. Agric., El-Minia Univ ., Egypt .
- Majid, A; Mahmood, T.Z. and Niaz, S. A (1985) : Impact of chemical weed control on wheat production under rainfed conditions. Pakistan. J. Agric. Res 6 (2): 78-81.

- Malik, R. K.; Panwar, R.S. and Malik, R.S. (1992): Chemical control of broad - leaf and grassy weeds in wheat . (*Triticum aestivum* L) . Indian. J. Agron. 37 (2): 324 - 326.
- Mamedov, M.G. (1978) : Physiological and biochemical bases for applying fertilizers to winter wheat under irrigation. Doklady A kademi Nauk Azer baid zhanskoi. SSR. 34 (1) : 52 - 54 C. F. field crop Abstr . 31 (12) No 2270 (767) .
- Mannan, R.M and Bose S. (1985): Bleaching of photosynthetic pigments in wheat seedlings grown in the presence of BASf 13. 338 (4 - Chloro - 5 dimethylamin 0 - 2 phenyl - 3 (2H) pyridazinone). Indian - J - of Biochemistry - and Biophysics. 22 : 4, 211-213, 20 ref.
- Martin, R.J. and Pannell , D.J. (1990): A model for estimating the optimal economic rate of tralkoxydim for control of wild oats (*Avena spp*) in wheat in Symp. on integrated weed Management in cereals. Proc. of an EWRS Sump. Helsinki, Finland 4 - 6 June 1990. (C.F. Weed Abst 40 (1) : 11, 1991 .
- Massoud, M.M. (1986) : Effect of watering regime on wheat. M.Sc. Thesis , Fac. Agric. Assiut Univ., Egypt .
- Medd, R.W.; McMillon, M.G. and Cook, A.S. (1992) : Spray-topping of wild oats (*Avena Spp.*) in wheat with selective herbicides. Weed Sci . of victoria 2, 330 - 332. (C.F. Weed Abst . 42 (2) : M48 - 1993) .

- Mekhail, G. A.Y.; Yehia , Z. R.; Habib , M. W. and Tewfik , M.S. (1986): Acomparative study on chemical weed control and traditional hand weeding in wheat . Minia J. Agric . Res and Dev. 8 (4) : 1187 - 1201.
- Michalopoulos , G.; Papasotiriou , K.; Ghioulbasanis , A. and Miliou, P. (1990): Evaluation of tralkoxydim in Greece . Zizaniology , Greece. 2 (3): 155 - 160. (C.F. Weed Abst . 39 (g) : 2916.
- Mirkamali, H. (1987) : control of *phalaris brachystachys* and *P. minor* in wheat in northern Iran . British Crop Prot. Conf . Weeds . 407 - 412.
- Mohamed, M.A.H. (1994) : Effect of some preceding crops and nitrogen fertilizer on growth and yield of wheat . M. Sc. Thesis , Fac of Agric . Moshtohor , Zagazig Univ .
- Montazeri , M. (1994) : Efficacy of several herbicides in control of weeds in wheat . Iranian - J - of - Plant - Phathology. 30 : 1 - 4 , 29 - 31 (en), 69 - 77 (pe) ; 12 ref .
- Morsy, M.A. (1993) : Agronomic studies on wheat. M.Sc. Thesis , Fac . Agric . Mansoura Univ .
- Mossad, M. G.; Hegazi, K.P.; Ghanem and Ali, A.M. (1983): Effect of seeding date on crop yield of some wheat varieties grown in Egypt. Bulletin No. 100, wheat Res. Sec. field crops Instit . Agric. Res. Center, Giza , Egypt .

- Mossad, M.G. and Tawfiles, M.B. (1995):** Varietal verification in sohag governorate old land . Nile valley and Red Sea Regional program, (NVRSRP) phase II, wheat - Egypt. Ann. coordination Meeling, 10 - 14, Sep. 1995, P : 18- 21.
- Mostafa , M. A.; Helmy, A. and Salem, M.A. (1997) :** Effect of nitrogen fertilization on yield and yield components of wheat (*Triticum aestivum* L) under new land environment. Agric. Sci . Mansoura Univ. 22 (1) : 1-11.
- Moursi , M.A.; El - Din, N.A. and Yakout, G.M. (1978):** Varital differences of wheat plant in photosynthetic pigments contents and activities under different levels of nitrogen . Egypt . J. of Agron , 3 : 161 - 173 .
- Nalewaja, J.D. and Appleby, A.P. (1993):** Integrated pest management for weed control in wheat. In CRC hand book of pest Management in Agric. Vol . 3 pimentel, D. (Ed) . CRC press, Inc ., Boca Raton , U.S.A., PP. - 187 - 197 .
- Nassar, A. N. M . (1998) :** Effect of sowing methods and weed control on wheat crop under Upper Egypt conditions. Ph . D. Thesis , Fac. Agric. Al - Azhar Univ ., Egypt.
- Niemann, P. (1990):** Weed suppression by cereal cultivars. European weed Res. Soc. Ne wsl. 46 : 15 - 16 .

- Nowicka, B. (1994) : Response of some winter wheat cultivars to herbicides. Ochrona - Roslin. 38 : 5 , 18 - 20 . Polish.
- Omar, A. B. (1993) : Fertilization of some new wheat cultivars grown under drought conditions. Ph .D. Thesis, Fac. Agric., Zagazig Univ ., Egypt .
- Pahwa, S.K. and Prakash, J. (1988): Physiological and biochemical effects of isoproturon on wheat (*Triticum aestivum* L) . Narendar - Deva - J. of Agric. Res . 3 1, 20 - 24 ; 14 ref . india .
- Panwar, R. S.; Malik, R. K.; Balyan, R.S.; Punia, S.S. and Rathi, S.S. (1995): Performance of clopyralid, Isoproturin and 2.4 - D on control of Canda thistle (*Cirsium arvense*) in wheat (*Triticum aestivum* L.) Indian. J . of Agron ., 40 : 102 - 104 .
- Paradowski, A.; Adamczewski, K and Ratajczak , G. (1994): Evaluation of fluroglycofene-ethyl used in cereal crops. Pruszyński , S.; lipa , J .J. (eds) Instytut ochrony Rosin , Poznan (Poland) . Materials of the 33rd Research session of institute of plant protection Pt . 2 - posters. Materiały 33 sesji Naukowej instytutu ochrony Roslin CZ. 2. postery Poznan (Poland) państwowy wydawnictwo Rolnicze lesne . (1994 . P. 229 - 234) .
- Phogat, B.S.; Bhan, V.M. and Singh, B. (1991): Bio - efficacy of herbicide mixtures in wheat. India. J. Agron . 36 (1): 102 - 103 .

- Prasad, K.(1985): Efficiency of post-emergence weedicides applied at different stages in control of annual weeds of irrigated wheat under mid - Hamalayan conditions. *Pesticides* , 19 (6) : 20 - 22 .
- Prasad, K. and Singh, R.S. (1995) : Influence of weed and nitrogen management on weed growth, nutrient uptake and yield of wheat (*Triticum aestivum*. L.) . *Indian. J. of Agric. Sci.*, 65 : 117 - 122 .
- Pregl, F. (1945): Quantitative organic micro - analysis . 4th Ed., J . and A. Churchill Ltd London .
- Rady, M. A. and Abo El - Zahab. (1990) : Photoclimatological studies on wheat varieties under different nitrogen levels. *J. Agric . Res.*, Tanta Univ., 16 (4) : 664 - 681.
- Rao, V.S. (1983): Principles of weed science. Oxford, IBH publishing Co. New Delhi.
- Rastogi, S.K.; Gupta, D.K. and Katyal, S.K. (1984): Economic evaluation of herbicides in the control of *phalaris minor* (Retz) in Sandy loam soil of Haryan . *pesticides* 18 (9): 38 - 39. (C. F. field crop Abst. 38 (7): 3333 , 1985) .
- Rees , R. M.; Roelcke, M.; Li , S.X.; Wang , W. Q.; Li, S. Q; Stockdale , E.A. and Richter , J. (1996) : The effect of fertilizer placement on nitrogen up take and yield of wheat and maize in chinese loess soils. *Mutr. Cycl., Agroeco system* . 74 (1) : 81 - 91.

- Reiad, M. Sh; Mohamed, D.A.; Abd - Rabou, R. Th. and Yasein, M. (1987): Comparative study on growth analysis and grain yield of some wheat cultivars. Ann. Agric. Sci. Moshtohor , 25 (1) : 15 - 27 .
- Rola, J. (1987): Efficacy of tralkoxdim for control of *Avena spicaventi* and *Avena Fatua* in cereals in Poland. British crop prot . Conf-weeds , 363 - 366 .
- Roshdy, A. (1988): Effect of seeding rates and some weed control methods on yield, wield components and associated weeds of wheat. Ann. of Agric. Sci., Moshtohor, 26 : 1399 - 1409 .
- Roshdy, A. and Kassem, M. M. (1988): Effect of variety, seeding rate and nitrogen fertilizer on wheat Ann . Agric. Sci . Moshtohor , 26 (3) : 1411 - 1422.
- Saad, F.F. and Shaban, O.A. (1991): Response of some wheat varieties to Bromoxynil. Zagazig. J. Agric. Res 18 (3) : 729 - 738 .
- Saleh, M. E.E. (1981): Productivity of floral fertility of wheat plant as affected by some agronomic treatments . Ph. D. Thesis , Fac. Agric ., Zagazig Univ., Egypt .
- Saleh, M.E.; Ageez, A.A. and Osman, M.S. (1985) : Response of bread wheat, durum wheat and tritcale to nitrogen fertilizer treatments . Ann. Agric. Sci., Moshtohor, 23 (1) : 75 - 81 .



- Salem, A.A. and Yehia, Z.R. (1993) : Demonstration plots for wild oats control in wheat in Assiut. Nile valley Regional program on cool - season food legumen and cereals, ICARDA / NVRP - DOC - 030 . 1992 / 93 . P.141.
- Salem, M.A.; Tantaway, A.A.A. and Mokadem, Sh.A. (1994): Effect of seeding rates and weed control methods on yield components of wheat. Minia. J . Agric. Res . Rev. 16 (1) : 143 - 155 .
- Salem, M.A.F. (1999) : Study on irrigation water Requirements and fertilization and their effects on some physiological traits of wheat under newly reclaimed NuBaria Region. Ph. D. Thesis, Fac. Agric., Zagazig Univ., Egypt .
- Salwau, M. I.M. (1994): Effect of soil and foliar application of nitrogen levels on yield and yield components of wheat (*Triticum aestivum* L.). Ann. of Agric. Sci , Moshtohor, 32 (2) : 705 - 715 .
- Shaban, Sh . A. and El - Deek , M. H. (1986) : weed control in wheat. Proc. 2nd , conf. Alex ., Egypt . 1: 517 : 529 .
- Shah , S. A.; Harrison, S.A. ; Boquet, D.J .; Colyer, A.D. and Moore, S. H. (1994) : Management effects on yield and yield components of late - planted wheat . Crop Sci., 34 : 1298 - 1303 .

- Shalaby, E.E.; EL- Genbeehy, M. M and El - Sheikh, M.M. (1993): Response of several wheat genotypes to different levels of nitrogen different levels of nitrogen fertilization. Menofiya. J. Agric. Res. 18 (2): 1079-1096 .
- Shams, El - Din, G.M. and Abdrabou, R. (1995) : A study on the effect of biological fertilization, nitrogen rates and weed control on yield and its components of wheat. Ann. Agric. Sci., Moshtohor. 33 (3) : 973 - 986 .
- Shams, El - Din, G.M. and El - Habbak, K. (1992) : Response of some wheat varieties to nitrogen fertilization rates . Ann . Agric. Sci., Fac. Agric., Ain-Shams Univ., 37 (1) 61 - 68 .
- Shebl, S. M.M. (1998) : Studies on some weed control methods in wheat. Ph.D. Thesis, Fac. of Agric Moshtohr Zagazig Univ ., Egypt .
- Shehab, El - Din, T.M. (1993): Effect of twenty nitrogen fertilization levels on spring wheat (*Triticum aestivum*L.) in Sandy Soil. J. Agric. Sci . Mansoura Univ., Egypt . 18 : 2241 - 2245 .
- Shehab, El - Din , T. M. and Eissa, A . M. (1992) : Response of bread wheat to nitrogen fertilization levels in Al-Qassim region . Saudi Arabic . Aridland. Agric. Sci., 3: 69 - 75 .



- Sidhu, M.S.; Sawhney, J.S. and Narag, R.S. (1988) Chemical weed control in wheat. Indian mustard inter crop - system. Indian J. weed Sci. 20 (2): 92. 95. (C.F. weed Abst. 40 (3) : 711 - 1991 .
- Singh, H. and Agarwal, J.P. (1983): Studies on nitrogen fertilization and weed mangament in wheat . Indian. J. Agron. 28 (1) : 23 - 29 .
- Stahli, D; Perrissin, Fabert , D.; Blovet , A and Guckert , A. (1995) : Contribution of the wheat (*Triticum aestivum* L.) flag leaf to grain yield in response to plant growth regulators. Plant - Growth - regulation. 16 : 3 , 293 - 297 ; 16 refrance .
- Steel, R.C.D. and Torrie, J.H. (1980): Principles and procedures of statistics. Mc. Grow Hill Bool Co., Inc., New York . USA .
- Sultan, M.S.A.; Attia, A. M.; Salama, A. M. and Abo - El - Naga, M. M. (1993): Studies on the effect of timing of phosphorus fertilization and nitrogen levels and forms of wheat. J. Agric. Sci, Mansours Univ., 18 (5): 1342-1349 .
- Sultan, M.S.; Zein El Din, M.M.; Salama, A.M. and Metwaly, I.M. (1994) : Effect of some weed control treatments and N. levels on growth and yield of two wheat cultivars. J. Union Arab. Biolo.,1 (B): 149 - 161.

- Sultan, M.S.; Zein El-Din, M.M.; Salama, A.M. and El-Metwaly, I.M. (1995): Response of two wheat cultivars and associated weeds to weed control treatments and N- levels. 1st Int. Conf. of Pest control, Mansoura, Sept., : 215 - 222 .
- Tahoon, R. M. M. (1994): Studies on weed control in wheat . M. Sc. Thesis, Fac . Agric. Al - Azhar Univ., Egypt .
- Tag - El -Din.; Chandorah, M.O.; Al - Rajhi, D. and Meneesy, F. (1989) : Evaluation of herbicides for weed control in irrigated wheat in Saudi Arabia. Tropical weed pest mangement . 35 (3) : 321 - 325. (C.F. weed Abst . 39 (1) : 13 , 1990) .
- Tanji, A. ; Zimdahl, L. and Westra, W. (1997) : Compared to rigid ryegrass (*Lolium rigidum*) and cowcockle (*Vaccaria hispanica*) . weed Sci . 45 : 448 - 487
- Tayebi and Dudhane, M . L. (1985) : Influence of herbicide and hand weeding in combination with fertilizers (Macro and micro nutrients) on growth, yield and quality of wheat . (variety J. 24) : 43 -44 . (C. F. field crop Abst . 39 (5) : 3217 - 1986 .
- Thakur, D.R. and Singh, K.K., (1988) : Weed and nitrogen managment in wheat under mid- hill conditions of Himachal prodesh . Indian J. Weed Sci. 20 (2) : 58 - 63. (C. F field crop Abst . 44 (10) : 6987 , 1991) .



- Thakur, S.S.; Pandey, I.B.; Singh, S.J. and Mishra, S.S. (1995): Response of wheat (*Triticum aestivum* L.) varieties to weed management under late-sown condition on calcareous soil of north Bihar. Indian J. of Agron., 40 : 204 - 208.
- Valenti, S.A. and Wicks, G.A. (1992) : Influence of nitrogen rates and wheat (*Triticum aestivum* L.) cultivars on weed control. weed Sci. 40 : 115 - 121.
- Varshney, J. G. and Singh, H. G. (1990) : Effect of adjuvants on herbicide efficiency in controlling weeds in wheat. Weeds Sci. 38 : 228 - 236.
- Walia, U.S. and Gill, H.S. (1987): Efficiency of substituted Urea as influenced by surfactants and their influence on wheat quality and uptake of nutrients. Indian J. Weed Sci. 19 (1-2), 37 - 46.
- Wightman, P. and Haynes, C. (1985) The mode of action and basis of selectivity of diflufenican in wheat, barley and selected weed species. Proceedings 1985 British crop-protection conference, weeds. Vol. 1, 171 - 178; 6 ref.
- Yaduraju, N. T.; Kulshrestha, G. and Ahuja, K. N. (1989) : Performance of Ac 222, 293 and chlorsulfuron for weed control in wheat (India) and their persistence in soils. Pestology 13(7) : 9 - 13, Indian J. Agric. Res. Inst. C. F. weed Abst. 41 (7) : 2301, 1992.

- Yaduraju, N.T.; Ahuja, K.N. and Goutam, K.C. (1992): Bioefficacy and selectivity of tralkoxydim with and without 2, 4, D and fluroxyper and pesticide. Res. J. 4 (2): 159 - 163 , Indian. (C.F . weed Abst. 42 (9): 3746, 1993.
- Zaghloul, A.K.A. (1999): Effect of nitrogen and biogas fertilizers on *Maize* and the following wheat yield. Ph. D. Thesis, Fac, of Agric. Moshtohor, Zagazig Univ., Egypt .
- Zaher, S.A.M. (1996): Effect of some agricultural treatments on growth and yield of wheat and associated weeds. Ph. D. Thesis, FaC, of Agric. Moshtohor, Zagazig Univ., Egypt .
- Zimdahl , R. L. (1994): Weed management in wheat and barley In " Weed management for developing countries:. Labrada, R.J.C. Caseley and C. Parker (Eds.) Fao, Rome , Italy , PP. 257 - 263 .