

LITERATURE CITED

- 1- Abd-El-Aal, H. A.; Hosny, A. A. and Mohamad, H. M. H., (1989): Effect of hill spacing and defoliation on yield and yield components of Giza 75 cotton variety.
Ann. Agric. Sci., Fac. Agric., Ain Shams Univ: 34 (2): 813-826, Cairo, Egypt.
- 2- Abd-El-Fattah, M. Kh. M. (1979): Effect of plant population density and sowing date on some Egyptian cotton cultivars.
M.Sc. Thesis, Fac. Agric., Cairo Univ.
- 3- Abd-El-Gawad, A. A.; Samra, A. M.; Ashour, A. Y. and El-Kadi, B. M. (1985): Effect of nitrogen fertilizer and micro-nutrients (Ferrous, Zinc and Manganese) on yield, yield components and plant height of Giza 75 cotton cultivar.
Agric. Res. Rev., 63(6): 97-106.
- 4- Abd-El-Halim, A. K. (1989): Effect of N and K fertilizers on cotton plants grown under irrigation treatments.
Egypt. J. Appl. Sci., 4(3): 643-655
- 5- Abd-El-Halim, A. A.; El-Gamal, T. and El-Bayoumy, K. E. (1984): The contribution of plant densities and fertilization on seed cotton yield and its main components.
Agric. Res. Rev., 62(6): 91-100. Egypt.
- 6- Abd-El-Malak, K. K. E. (1980): Effect of planting date and seeding rate on yield and quality of some cotton traits
M.Sc. Thesis, Fac. Agric., El-Minia Univ., Egypt.
- 7- Abou-Zaid, H. M.; Abdel-Malak, K. K.; Abdel-Kader, A. E. and El-Razaz, M. M. (1989): Optimum time of thinning and nitrogen

application in late sown cotton.

Ann. Agric. Sci., Fac. Agric., Ain Shams Univ. Cairo, Egypt.
34(2): 837-844.

8- Achar, H.P.; Patil, V.S.; Reddy, M.R. and Ansari, M.R.
(1981): Effect of method of skip row planting and nitrogen
levels on yield of Hampi cotton under irrigated conditions.
Mysore J.Agric. Sci. 15(4): 509-511.

9- Ali, M.R.A. (1977): Response of some Egyptian cotton
varieties to some cultural treatments.
M.Sc. Thesis, Fac. Agric. Al-Azhar Univ. Egypt.

10- Amer, F. and Abou Amin, H. (1969): Evaluation of cotton
response to rates, source and timing of nitrogen application
by petiole analysis.
Agron.J.61(4): 635-637.

11- Baker, J.A. (1977): Effect of row spacing and rates of
seeding on yield, yield components and fiber properties of
cotton.
M.Sc. Thesis, Fac. Agric. Baghdad Univ.

12- Basinski, J.J.; Beach, D.F.; Evenson, and Watselare, R.
(1971): Cotton response to nitrogen.
Cotton Grow.Rev, 48(2): 175-193.

13- Bharadwaj, G.S.; Sharma, M.L. and Chavahan, Y.S. (1988):
Response of cotton varieties to nitrogen application under
irrigated condition.
Madras Agric. J.73(9): 489-492.

[c.f. Field Crop Abst. 41-(9): 6153, 1988].

14- Boquet, D.J. and Coco, A.B. (1988): Effect of irrigation

and nitrogen rate on cotton grown on Sharkey clay.

Ann Prog Rep, Northeast, Res. Sta. and Macon Ridge Res.Sta.,
24-30.

15- Brown, H.B. and Ware, J.O. 1958 : Cotton.

Mc Graw-Hill Book Company, INC.New York. (Third Edition).

16- Bridge, R.R.; Meredith, W.R. and Chism, J.F. (1973):

Influence of planting method and plant population on cotton
(G hirsutum L.).

Agron. J.,65:(1); 104-109.

17-Constable, G.A. and Rochester, I.J. (1988): Nitrogen

application to cotton on clay soil: Timing and soil testing.

Agron.J.80(3): 498-502.

18- El- Akkad, M.H.; El- Dayem, M.A.A; El- Okkia, A.F.H. and

Fouad, M.H. (1980): Influence of planting date on flowering,

boll setting, yield and earliness in Giza 69 cotton variety.

Agric. Res.Rev.58(9): 149-168. Egypt.

19- El-Akkad, M.H.; El- Kilany, M.A. and El-Okkia, A.F.H.

(1980): Effect of hill spacing and number of plants per hill
on cotton yield and some component variables of Giza 69
cotton.

Agric.Res.Rev. 58(9): 131-147. Egypt.

20- El- Banna, M.N.M. (1969): Effect of nitrogen fertilizer
and different plant populations on yield and fiber properties
of cotton.

M.Sc. Thesis; Fac.Agric.Alex.Univ.

21-El-Bayoumy, K.E.M. (1971): Yield and physiological
response of cotton plant to some cultural treatments.

M.Sc. Thesis, Fac.Agric.,Ain Shams univ. Egypt.

22- El- Gibali, A.; Khalil, Kh.R.; Eid, H.M. and Badawy A.
(1976): Environmental studies on cotton growth.

Agric.Res.Rev., 54:203-211, Egypt.

23- El-Halawany, Sh.H.M. and Azab A.S.M. (1989): Influence of
leaf difoliation and nitrogen fertilization on ealiness,
yield and fiber quality of Egyptian cotton CV. Giza 80.

Ann. Agric. Sci., Fac. Agric. Ain Shams Univ., Cairo, Egypt,
34(2): 845-855.

24- El-Kholany, A.A. and Sawn, Z.M. (1980):Effect of plant
population, Cycocel and nitrogen fertilizer on yield,physical
and chemical characteristics of cotton seed.

Egypt. J. Agron. 5(1): 25-34.

25- El-Okkia, A.F. (1973): Studies of some cotton cultural
practices.

M. Sc. Thesis, Fac. Agric. Alex. Univ. Egypt.

26- El-Shaer, M.H.; Abdel-Raouf, M.S., Samra, A.M. and Ali,
H.A. (1983): Effect of plant population density and weed
control treatments on weed dry weight and cotton yield and
quality.

Ann. Agric. Sci. Fac. Agric. Ain Shams Univ., Cairo, Egypt,
28(3): 1291-1307.

27- El-Shinnawy, A.H. and Ghaly, F.M. (1985): Effect of plant
density on growth and yield in two upland cotton cultivars
(G hirsutum L.).

Agric. Res. Rev., 63(6): 109-119., Egypt.

28- El-Shinnawy, A.H.; Ghaly, F.M. and Hosny, A.A.A. (1984a):

Effect of row width and hill spacing on yield and yield components of Giza 80 cotton variety.

Agric. Res. Rev. 62(6): 79-90., Egypt.

29- El-Shinnawy, A.H.; Hosny, A.A. and Ghaly, F.M. (1983):

Effect of sowing date and nitrogen level on yield and some yield components of Giza 80 cotton variety.

1st Conf. of Agron. 1983. Egypt, Soc. of Crop Sci., 755-771.

30- El-Shinnawy, A.H.; Hoany, A.A. and Ghaly, F.M. (1984b):

Effect of hill spacing and nitrogen levels on Giza 80 cotton variety.

Agric. Res. Rev., 62(6): 101-111., Egypt.

31- El-Sourady, A.S.; Baker, I.A. and Al-Ansary, M.M.

(1979a): Planting cotton at stand in central Iraq.

I- Effect of row spacing and seeding rates on seed cotton yield and its components.

Agric. Res. Rev. 57(9): 19-31., Egypt.

32-El-Sourady, A.S.; Baker, I.A. and Al-Ansary, M.M. (1979a):

Planting cotton at stand in Central Iraq.

II- Effect of row spacing and seeding rates on fiber properties.

Agric. Res. Rev. 57(9): 33-40., Egypt.

33- Euangelidou, S. and Rouspoulos, D. (1985): The effect of different types of nitrogen fertilizers on the yield of cotton.

[c. f. Field Crop Abst. 1986-39-9703].

34- Galanopoulou-Sendouka, S.; Sficas, A.G.; Fatiadis, N.A.;

Gagianas, P.A. and Gerakis, P.A. (1980): Effect of population

density, planting date and genotype on plant growth and development of cotton.

Agron. J. 72(2): 347-353.

35- Gerard, C.J. and Reeves, S.A. (1974): Influence of climatic conditions, soils management on performance of different cotton types.

Proceedings, Beltwide cotton production Research conferences, Jan. 7-9 (1974) Dallas, Texas, USA.

36- Ghaly, F.M. and El-Banna, M.H. (1988): Effect of thinning date and time of N application on late planted cotton of Egyptian cotton Giza 76.

Proc. 3rd Egyptian Conf. Agron., Kafr El-Sheikh, 5-7 Sept. 1988: 73-80.

37-Ghaly, F.M.; El-Shinnawy, A.M. and Abou-Zaid, M.K. (1987): Effect of nitrogen levels, number of plants per hill and thinning dates on yield of Giza 70 cotton variety.

Ann. Agric. Sc., Moshtohor, 25(4):1861-1876.

38- Ghaly, F.M. and Radwan, F. (1987): Effect of nitrogen levels at late planting dates on yield and its components of Giza 75 cotton cultivar.

Ann. Agric. Sc., Moshtohor, 25(4): 1843-1852.

39- Gomase, B.R. and Patil, B.M. (1985): Agronomic requirements of pre-release and newly released cotton hybrids in respect of their plant densities and response to nitrogen. PKV-Res. J., 9(1): 45-49.

40- Gordon, W.B.; Rickerl, D.H. and Touchton, J.T. (1990): Effect of nitrogen, Dicyandiamide and tillage on cotton

nitrogen concentration and yield.

Agron. J. 82: 597-600.

41- Grimes, D.W. and El-Zik, K.M. (1982): Water management for cotton.

Coop. Exten. Divi. Agric. Sci. Univ.

California. Bull. 1904, pp. 4,5 and 14.

42- Hassanein, A.M. (1970): Effect of some cultural treatments on flowering, fruit setting and yield of cotton.

M. Sc. Thesis, Fac. Agric., Al-Azhar Univ. Egypt.

43- Hefin, El-S.H.M. and El-Kholany, A.A. (1981): Effect of nitrogen fertilizer and some micro-elements on the yield, oil content and viability of cottonseed (G. barbadense L.).

Acta Agronomica, Academiae Scientiarum, Hungaricae, 30; 67-72.

44- Hefin, El-S.H.M.; Samra, A.M. and Abdel-Salam, M. (1978): Effect of hill spacing and nitrogen fertilization on some agronomic and fiber characteristics of Egyptian cotton. Egypt. J. Agron., 3(1): 75-84.

45- Hodgson, A.S. And MacLeod, D.A. (1988): Seasonal and soil fertility effects on the response of waterlogged cotton to foliar applied nitrogen fertilizer.

Agron. J. 80: 259-265.

46- Howard, D.D. and Hoskinson, P.E. (1986): Nitrogen fertilization of cotton: rate and time of application on a Loring silt loam soil.

Tennessee Farm and Home Sci. No. 138: 13-16.

47- Hussein, M.A.; El-Shaer, M.H.; Makram, E.A. and

Abd-El-Fattah, M.Kh. (1983): Effect of plant population density on growth, yield and some fiber properties in two Egyptian cotton cultivars.

1st Conf. of Agron. 1988., Egypt. Soc. of crop Sci.: 709-717.

48-Hussein, M.A.; El-Shaer, M.H.; makram, E.A. and Abd-El-Fattah, M.Kh. (1983): Effect of planting date on growth, yield and some fiber properties in two Egyptian cotton cultivars.

1st Conf. of Agron. (1983).. Egypt. Soc. of Crop Sci.: 719-727.

49- Imam, G.M.I. (1984): A study of some factors affecting thinning rates in Egyptian cotton.

M. Sc. Thesis, Fac. Agric, Ain Shams Univ., Egypt.

50- Jackson, B.S. and Gerik, T.J. (1990): Boll shedding and boll load in nitrogen-stressed cotton.

Agron. J. 82: 483-488.

51- Jain, S.C. and Jain, H.C. (1981): Yield parameters of hybrid JKHYI (cotton) as influenced by different planting pressure and fertility levels.

Indian J. Agron. 26(2): 163-167.

52- Jain, S.C. and Jain, H.C. (1985): Growth and yield parameters of upland cotton as influenced by planting pattern and biological pressure under diverse nitrogen fertility.

J. Indian Soc. ^{کس} For Cotton Improv. 10(2): 110-116.

53- Jain, S.C. and Katti, G.V. (1983): Effect of plant geometry and fertility levels on the growth and yield of upland cotton.

Indian J. Agron., 28(1): 98-99.

54- Jain, S.C.; Jain, H.C. and Iyer, B.G. (1983): Effect of nitrogen and plant density on nutrient utilization and yield of cotton.

Indian J. Agron., 28(1): 59-64.

55- Kairon, M.S.; Lajpat Rai; Agarwal, S.K. and Singh, V. (1980): Response of cotton to nitrogen in Haryana and its economic analysis.

Indian J. Agron. 25(3): 487-493.

56- Khalifa, M.A. (1967): Seeding rates in some crops.

M. Sc. Thesis, Fac. Agric., Assiout Univ., Egypt.

57- Khistaria, M.K.; Patel, R.B. and Patel, J.C. (1980): Effect of different levels of nitrogen and phosphorus on the yield of cotton.

Indian J. Agron. 25(2): 315-317.

58- Kittock, D.L.; Selley, R.A.; Cain, C.J. and Taylor, B.B. (1986): Plant population and plant height effects on Pima cotton lint yield.

Agron. J. 78(3): 534-538.

59- Kumar, V. (1988): Response of late sown cotton (G. hirsutum L.) to dates of sowing and plant population in the Nigerian Savanna .

Crop Res. (Hisar): (1): 58-68. Nigeria.

60- Kumar, V.; Ogunlela, V.B. and Mustafa, S. (1982): Response of late sown cotton to levels and times of nitrogen application in Nigeria.

Indian J. Agric. Sci. 52(9): 578-583.

- 61- Mackenzie, A.J. and Van Schaik, P.H. (1963): Effect of nitrogen on yield, boll and fiber properties of four varieties of irrigated cotton.
Agron. J., 55:345-347.
- 62- Marani, A.; Ephart, E. and Dor, Z. (1974): Effect of wide plant spacing on six cultivars of upland cotton.
Crop Sci., 14(2): 271-273.
- 63- Mascagni, H.J. and Maples, R.L. (1989): Effect of nitrogen rate on four cotton cultivars grown on a clay soil.
Res. Series, Arkansas, Agric. Exp. Sta. No. 385: 23-25.
[c.f. Field Crop Abst. 1989-42-9084].
- 64- Matthews, G.A. and Beeden, P. (1972): Seed rate, time of thinning and weeding of cotton in Malawi.
ARC of Malawi, Makoka Res. Sta., Thondwe. Exper. Agric. 8(1): 49.54.
- 65- Mc Connell, J.S.; Frizzell, B.S.; Maples, R.L.; Wilkenson, M.H. and mitchell, G.A. (1989): Relationships of irrigation methods and nitrogen fertilization rates in cotton production.
Rep. Series, Arkansas Agric. Exp. Sta. No. 310: 16.
[c. f. field Crop Abst. 1989-42-6526].
- 66- Mc Connell, J.S. and Wilkerson, M.H. (1988): Irrigation methods and nitrogen fertilization rates relationships in cotton prodution.
Res. Conf, 3-8 Jan. 1988.
New Orleans, Louisiana, USA, 498 Memphis, Tennessee, USA;
Nat. cotton Coun. of America.

[c. f. Field Crop Abst. 1989, 4-7356].

67- Misra, N.M.; Malik, C.V.S. (1984): Response of Iohit and J 205 Cotton varieties to different agrotechniques.

Indian J. Agron. 29(1): 1-4.

68- Mohamad, H.M.H.; Hosny, A.A.; Kadry, W. (1984): Effect of irrigation intervals and nitrogen levels on yield and yield components of Giza 75 cotton variety.

Agric. Res. Rev., 62(6): 113-121.

69- Morrow, M.R. and Krieg, D.R. (1990): Cotton management strategies for a short growing season environment: Water-Nitrogen considerations.

Agron. J., 82(1): 52-57.

70- Moursi, M.A. and Abdel-Gawad, A. (1962): Relationship between growth of cotton plant and light intensity and spacings.

Third Cotton Conf, Egypt: 915-929. (In Arabic).

71- Nehra, D.S.; Kairon, M.S.; Agawal, S.K.; Vireshwar-Singh and Singh, V. (1982): Effect of sowing dates, spacing and nitrogen levels on an cilliary characters and seed cotton yield.

Indian J. Agron., 27(4): 347-353.

72- Nikolov, J. (1988): A study on extremely high plant density of cotton.

Rasteniev "dui Nauki" 25(1): 35-43.

[c.f. Field Crop Abst. 41-(9): 4146].

73- Ogunlela, V.B. and Abed, S.M. (1984): nitrogen fertilization of Upland cotton (G. hirsutum L.) in ferruginous

tropical soil.

I- Seed yield, seed oil content and dry matter yield.

Cotton et Fibers Tropicales, 39(3):75-81.

[c.f.Field Crop Abst.39-1466].

74- Palomo, A. and Davis, D.D. (1984): Response of an F₁ interspecific cotton hybrid to nitrogen fertilization.

Crop Sci.24(1): 72-76

75- Radin, J.W. and Sell, C.R. (1975): Growth of cotton plants on nitrate and ammonium nitrogen.

Crop Sci.15(5): 707-710.

76- Radwan, F.E. (1988): Evaluation of some methods of cotton planting in relation to their effect on yield and quality.

M.Sc.Thesis, Fac .of Agric Moshtohor, Zagazig Univ (Banha Branch). Egypt.

77- Rao, M.H. (1982):Effect of planting time and plant population on two promising genotypes of American Upland cotton .

Indian J.Agron. 27(3): 307-309.

78- Saker, J.A.E. (1978): Astudy of some factors affecting seeding rates in Egyptian cotton.

M.Sc.Thesis Fac.Agric.Ain Shams Univ., Egypt.

79- Sawan, Z.M. (1986): Effect of nitrogen, phosphorus fertilization and growth regulators on cotton yield and fiber properties.

Zeitschrift für Acker-u. Pflanzenbau, 156(4): 237-245.

80- Sawan, Z.M.; El-Farra, A.A. and El-Latif, S.A. (1988): Cottonseed, protein and oil yields and oil properties as

affected by nitrogen and phosphorus fertilization and growth regulators.

Zeitschrift für Acker-u. Pflanzenbau, 161(1): 50-56.

81- Sawan, Z.M.; Maddah-el Din, M.S. and Gregg, B, (1989): Effect of nitrogen fertilization and foliar application of calcium and micro elements on cotton seed yield, viability and seeding vigour.

Seed Sci. and Technol. 17(2): 421-431.

82- Sawan, Z.M.; Sallouma, B.M. and El- Kasaby, A.T. (1985): Effect of plant density, nitrogen fertilization and growth regulators on cottonseed yield and seeding vigour.

Zeitschrift-für-Acker-u.-Pflanzenbau, 154(2): 120-128.

[c.f. Field Crop Abst. 1986, 39-3795].

83- Sawires, E.M.S. (1976): Effect of planting dates, plant density and number of irrigations on growth, yield, fiber and yarn properties of cotton.

M.Sc. Thesis, Fac.Agric. Ain Shams Univ. Egypt.

84- Shafshak, S.E.; Salem, M.S.; El-Sayed, K.I. and Shahine, I.M. (1983a): Effect of different levels and forms of nitrogen fertilization on Egyptian cotton Giza 69 cultivar.

I- Effect on growth and developmental characters.

Ann. Agric. Sc., Moshtohor, 20:117-135.

85- Shafshak, S.E.; Salem, M.S.; El-Sayed, K.I. and Shahine, I.M. (1983b): Effect of different levels and forms of nitrogen fertilization on Egyptian cotton Giza 69 cultivar.

II- Effect on yield and yield components .

Ann. Agric. Sc., Moshtohor, 20:137-155

Ann. Agric. Sc., Moshtohor, 20:137-155

86- Shashak, S.E.; Salem, M.S.; El-Sayed, K.I. and Shahine, I.M. (1983c): Effect of different levels and forms of nitrogen fertilization on Egyptian cotton Giza 69 cultivar.

III- Effect on fiber properties and chemical content.

Ann. of Agric. Sc., Moshtohor, 20: 157-182.

87- Shahine, I.M.M. (1986): Effect of some cultural treatments on growth, yield and technological properties of cotton plant in Kalubia Governorate.

Ph.D.Thesis Fac.Agric. Moshtohor, Zagazig Univ.

(Banha Branch), Egypt.

88- Shalaby, Y.Y. and Saker, I.A. (1981): A study of some flowering and bolling characters as affected by some cultural operations.

Agric. Res.Rev. 59(9): 119-139.

89- Shalaby, Y.Y. and Saker, I.A. (1981): Effect of sowing methods, plant density and seeding rates on some cotton earliness characters.

Agric.Res.Rev. 59(9): 173-188.

90- Shalaby, Y.Y. and Saker, I.A. (1981): Changes in cotton plant number per feddan due to some agricultural practices at various stages of growth.

Agric.Res.Rev. 59(9): 189-203.

91- Shalaby, Y.Y. and Saker, I.A. (1981): How to minimize seeding rate in Egyptian cotton.

Agric.Res.Rev. 59(9): 205-222.

92- Shalaby, Y.Y. and Shalaby, E.M. (1973): Adjustment of

cotton population density within different planting dates all round the year.

Second Sci.Inter., and its Relation with production, Marketing and Tech. of cotton. Rosalyoussef Organ. Alex. 25-28, Feb.

93- Sharif, M. (1977): Influence of crop rotation, plant population, plant protection and fertilizer application on the yield of cotton crop.

Pakistan Cottons. 22(1): 57-65.

94- Sharma, S.R.; Virk, J.S. and Tripathi, H.P. (1984): Studies on arboreum cotton under different sowing dates, spacing and nitrogen levels.

Indian J.Eco. 11(2): 266-270.

95- Simwat, G.S.; Dhawan, A.K. and Sidhu, A.S. (1987): Effect of delayed sowing, higher nitrogen levels and plant population on incidence of boll worms and yield of seed cotton in F414 hirsutum cotton.

J.of Res.Punjab Agric. Univ. 24(2): 247-254.

96- Smithson, J.B. and Heathcote, R.G. (1977): Effect of rate and time of nitrogen application on yield of cotton in Northern Nigeria.

Exper. Agric. 13(1): 1-8.

Samara, Zaria, Nigeria.

97- Snedecor, G.W. and Cochran, W.C. (1967): Statistical methods. 6th Edition.

The Iowa State Univ. Press, Aimes, Iowa, USA.

98- Soomro, A.W. and Warings, S.A. (1987): Effect of

temporary flooding on cotton growth and nitrogen nutrition in soil with different organic mater levels.

Australian J.Agr.Res. 38(1): 91-99.

99- Standley, J.P.; Clarke, E.A; Ockerby, S.E. and Mayer, D.G. (1988): Madification by crop rotations of the nitrogen fertilizer.requirements for irrigated cotton and soil test calibration.

Queensland J.Agric. and Animal Sci. 45(2): 129-138.

[c.f.Field crop Abst. 1989, 42-7356].

100- Thirumuruga, V.; Kolandaishwamy, S. and Mathukrishnan, P. (1984): Studies on the response of hybrid cotton CBS 156 to varied spacing and graded level of nitrogen.

Madras Agric. J. 71(3): 195-197.

101- Virk, J.S.; Sharma, S.R. and Tripathi, H.P. (1986): Studies on new cultivars of arboreum cotton.

Indian J.Ecol, 13(2): 272-276.

[c.f.Field crop Abst. 41(7): 4803,1988].

102- Yasseen, A. El-F.I.H. (1979): Effect of date of sowing, thinning and N fertilization on growth and yield of cotton . M.Sc.Thesis, Fac.Agric.Zagazig Univ., Egypt.

103- York, A.C. and Tucher, M.R. (1985): Nitrification inhibitor evaluation on cotton:

I- Rate and time of N application.

Agron.J., 77(3): 403-406.