

6. REFERENCES

- Abdel-Hameed, A.S. (2002):** Analysis of variance of and its components of some hexaploid wheat crosses. M.Sc. These, Agron. Dep. Agric., Minia Univ. Egypt.
- Abdel-Saboor, M.S.; A.R. Al-Koddoussi and E.E. Hassan (1990):** Genetic behaviour of some yield components in barley. Zagazig J. Agric. Res., 17(1): 23-30.
- Abdel-Shafi, M.A. (1999):** Breeding study for some yield characters and earliness in wheat crosses (*Triticum aestivum*, L.). M.Sc. Thesis, Fac. of Agric. Cairo Univ., Egypt.
- Abdel-Wahed, H.M. (2001):** Combining ability in some wheat crosses. M.Sc. Thesis, Fac. Agric., Al-Azhar Univ., Egypt.
- Abul-Nass, A.A.; A.A. El-Hosary and M.M. Sakr (1986):** Gentc studies in common wheat (*Triticum aestivum*, L.). Egypt. J. Agron., 11: 93-103.
- Abul-Nass, A.A.; A.A. El-Hosary and M.M. Sakr (1991):** Gentc studies in durum wheat (*Triticum durum*, L.). Egypt. J. Agron., 16: 81-94.
- Ahmed, I.A. (1981):** Inheritance studies of some economic characters in some barley crosses. M.Sc. Thesis, Fac. of Agric. Moshtohor, Zagazig Univ.
- Anwar, A.R. and A.R. Chowdhry (1969):** Heritability and inheritance of plant height, heading date, grain yield in four spring wheat crosses. Crop Sci., 9: 760-761.

- Ashoush, H.A. (2006a):** Genetical studies on physiological and morphological characteristics and their relation with wheat yield. Alex. Sci. Exchange J. 27(2): 194-206.
- Ashoush, H.A. (2006b):** Breeding for yield and its components in some bread wheat crosses (*Triticum aestivum*, L.). Alex. Sci. Exchange J. 27(3): 322-335.
- Bashir, A.; M.A. Chowdhry; M. Sharif; A.S. Khan and M.L. Shaha (1984):** Combining ability for grain yield and other related traits in spring wheat. J. Agric. Res. Pakistan, 2: 1-5.
- Bhatti, M.S.; N.U.I. Khan; M.A. Bajwa and A.G. Khan (1982):** Heterosis in spring wheat. J. Agric. Pakistan, 1: 1-6.
- Bhatyia, V.J.; B.S. Jadon and M.S. Pithia (1986):** Genetic of quantitative characters in macaroni wheat. Indian J. Agric. Sci., 56: 878-880.
- Bitzer, M.J. (1972):** Hybrid vigor, combining ability and gene action in crosses of (*T. aestivum*, L.). Diss. Abst., 29: 2869-91 (c.f. Pl. Breed. Abst., 40: 4654).
- Blanco, A.; O.A. Tanzarella; F. Cairo and G.T. Scarscia Mugnozza (1982):** Inheritance of plant height in durum wheat (*Triticum durum*, L.) Desf. Genetic. Agraria, 36: 393-406. (c.f. Plant Breed. Abst., 53: 6122, 1983).

- Brown, C.M.; R.O. wible and R.D. Seif (1966):** Heterosis and combining ability in common winter wheat. *Crop Sci.*, 6: 382-383.
- Crumpacker, D.w. and N.S. Urguharts (1962):** Relationship of gene action and combining ability in a set of wheat parents. Abstracts of the annual meeting of the American Society of Agronomy held at Cornell Univ., Ithaca, N. X on August 20, pp. 114 (c.f. *Pl. Breed. Abst.*, 34: 1706).
- Darwish, I.H.I. (1992):** Breeding studies on wheat. M.Sc. Thesis, Fac. of Agric. Menufiya Univ. Egypt.
- Darwish, I.H.I. and H.A. Ashoush (2003):** Heterosis, gene effect, heritability and genetic advance in bread wheat. *Menufiya J. Agric. Res.* 28(2): 433-444.
- Deshpande, D.A. and K.A. Nayeem (1999):** Heterosis for the tolerance, protein content, yield and yield components in bread wheat (*Triticum aestivum*, L.). *Indian J. Genet.*, 59(1): 13-22.
- Eisea, R.K. (1976):** Effect of heterosis on some chemical components in hybrid wheat. M.Sc. Thesis, Fac. of Agric. Shebin El-Kom, Tanta Univ., Egypt.
- El-Khatib, M.K. (1990):** Relationships between some morpho-physiological characters and grain yield of wheat. Ph.D. Thesis, Fac. of Agric. Moshtohor, Zagazig Univ. (Benha Branch).

- El-Marakby, A.M.; A.A. Mohamed; Afaf M. Tolba and S.H. Saleh (2007):** Nature of gene action in the inheritance of earliness, grain yield and grain quality traits in diallel crosses of bread wheat under different environments. Proceeding Fifth Plant, Breeding Conf., 27, 2007. Egypt. J. Plant Breed, 11(1): 75-100.
- El-Sayed, E.A.M. (2004):** A diallel cross analysis for some quantitative characters in bread wheat (*Triticum aestivum*, L.). Egypt. J. Agric. Res., 82(4): 1665-1679.
- El-Shamarka, S.A. (1980):** Studies on heterosis and combining ability in common wheat. M.Sc. Thesis, Fac. of Agric., Menufiya Univ., Egypt.
- Fonseca, S. and F.L. Patterson (1968):** Hybrid vigor in seven parental diallel cross in common wheat (*Triticum aestivum*, L.). Crop Sci., 8: 85-88.
- Freeman, G.F. (1919):** Heredity of quantitative characters in wheat. Genetics, 4: 1-93.
- Gandhi, S.M.; T.U. Menon; P.D. Bhavgava and M.P. Bhatnager (1961):** Studies on hybrid vigor in wheat. Indian J. Genetic Pl. Breed., 21: 1-10.
- Ghanem, Rania, H. (2001):** Heterosis and combining ability for earliness and yield components in common wheat (*Triticum aestivum*, L.). M.Sc. Thesis, Fac. Agric., Cairo Univ., Egypt.

- Griffing, J.B. (1956):** Concept of general and specific combining ability in relation to diallel crossing systems. Australian J. Biol. Sci., 9: 463-493.
- Gyawali, K.K.; C.O. Qualset and W.T. Yamazaki (1968):** Estimates of heterosis and combining ability in winter wheat. Crop Sci., 8: 322-324.
- Hamada, A.A. (1988):** Studies on some selection criteria in wheat. M.Sc. Thesis, Fac. of Agric., Zagazig Univ.
- Hamdy, M.N.A. (1978):** Genetic studies on gene action and interaction in hybrid wheat (*Triticum aestivum*, L.). M.Sc. Thesis, Fac. of Agric. Shebin El-Kom, Tanta Univ., Egypt.
- Harrington, J.B. (1940):** Yield capacity of wheat crosses as indicated by bulk hybrid testes. Canad. J. Res., 18: 578-484.
- Hassaballa, E.A.; M.A. Khalifa; M.A. El-Morshidy and A.A. Ismail (1984):** Inheritance of some agronomic characteristics in wheat (*Triticum aestivum*, L.). Assuit J. of Agric. Sci., 15(8): 235-247.
- Hassan, E.E. (1998):** Components of genetic variance for some agronomic characters in wheat (*Triticum aestivum*, L.). Zagazig J. Agric. Res., 25(1): 45-58.
- Hassan, E.E. and A.M. Abd El-Moniem (1991):** Combining ability, heterosis and gene action of some quantitative characters in wheat. Zagazig, J. Agric. Res., 18(5): 1369-1381.

- Hayman, B.I. (1954a):** The analysis of variance of diallel tables
Biometrics, 10: 235-244.
- Hayman, B.I. (1954b):** The theory and analysis of diallel
crosses. Genetics, 39: 789-809.
- Hendawy, F.A. (1989):** Influence of nitrogen levels on heterosis
and combining ability in common wheat. Menufiya J.
Agric. Res., 14(1): 135-152.
- Hendawy, F.A. (1994):** General and specific combining ability
estimates in a diallell cross of seven bread wheat
varieties. Menufiya J. Agric. Res., 19(1): 75-93.
- Hendawy, H.I. (1990):** Breeding for yield and its components in
wheat. M.Sc. Thesis, Fac. of Agric., Menufiya Univ.,
Egypt.
- Hendawy, H.I. (1998):** Combining ability and genetics of
specific characters in certain diallel wheat crosses.
Ph.D. Thesis, Fac. of Agric., Menufyia Univ., Egypt.
- Johnson, K.J.; Biever; A. Hounold and J.W. Schidt (1966):**
Inheritance of plant height, yield of grain and other
plant and seed characteristics in a cross of hard red
winter wheat (*Triticum aestivum*, L.). Crop Sci., 6:
336-338.
- Jinks, J.L. (1955):** A survey of the genetical basis of heterosis in
a variety of diallel cross. Heredity, 9: 233-238.
- Kaltsikes, P.J. and J. Lee (1971):** Inheritance of plant height,
yield of grain and other plant and seed. Quantitative

inheritance in durum wheat. Can. J. Genet. Cytol., 13: 210-218.

Karrar, A.M.A. (1980): Performance and combining ability of durum wheat in a diallel cross. M.Sc. Thesis, Fac. of Agric., El-Minia Univ., Egypt.

Knott, D.R. (1965): Heterosis in seven wheat hybrids. Can. J. Plant Sci., 45: 499-501.

Kronstad, W.E. and W.H. Foote (1964): General and specific combining ability estimates in winter (*Triticum aestivum*, L.). Crop Sci., 4: 616-619.

Kumar, H.; G.S. Sharma and R.B. Singh (1983): Genotype x environment interaction in relation to combining ability in spring wheat. Indian J. Genet Pl. Breed., 43: 232-238.

Larrea, P.E. (1966): Agronomic milling and backing characters of the hybrid spring wheat (*T. aestivum*, L.). M.Sc. Thesis, North Dakota State Univ., Fargo.

Lee, Y.W. (1974): Heterosis, inbreeding depression and combining ability estimates for diallel crosses in hard red winter wheat. Dissertation Abstracts International, 34(10): 4788B. (c.f. Pl. Breed. Abst., 46: 7882).

Lee, Y.W. and E.L. Smith (1969): Heterosis and combining ability in crosses among seven hard red winter wheat varieties. Agron. Abst., Madison pp. 12 (c.f. Pl. Breed. Abst., 41: 4833).

- Lone, W. (1988):** Gene action for agronomic characters in winter wheat. Referativnyi Zhurnal, 1: 65-238. (c.f. Wheat, Barley and Triticale, Abst. April, 1988, 918).
- Lone, W. and D. Zaiewski (1991):** Diallel analysis of quantitative characters in F_1 hybrids of winter wheat. Hodowla Roslin, Aklimatyzacja Nasiennictwo 35(3-4): 101-113. (c.f. Pl. Breed. Abst., 62(6), 4954, 1992).
- Mahdy, E.E. (1988):** The relative importance of the types of gene action in the some agronomic traits in (*T. aestivum*, L.). Assiut J. Agric. Sci., 19(13): 215-224.
- Mahmoud, M.S.M. (1999):** Inheritance of some yield traits in bread wheat. M.Sc. Thesis, Fac. Agric., Minia Univ., Egypt.
- Maloo, S.R. (1987):** Combining ability for grain yield and its contributory characters in durum wheat. Indian J. Agric. Sci., 57(8): 535-538.
- Mani, S.C. and M.V. Rao (1975):** Heterosis in winter x spring wheat crosses. Indian J. Genet. Pl. Breed., 35: 330-335.
- Mather, K. and J.L. Jinks (1971):** Biometrical genetics (2nd Ed.). Chapman and Hall. Ltd., London.
- Maya De Leon, J.L. (1975):** Combining ability and association of agronomic traits involving three sources of dwarfism in wheat (*T. aestivum*, L.) Dissertation. Abstracts International, 35(7): 3138B (c.f. Pl. Breed. Abst., 47: 2137).

- on mean parental and early generation values. Indian J. Genet. Pl. Breed., 19: 150-170.
- Singh; D. Sharma and P.D. Mehndiratta (1969):** Study of combining and genetic parameters for yield and its components in wheat. Idengku Zasshi/Jap. J. Genet. 44: 367-377. (c.f. Breed. Abst. 45: 1068).
- Singh, K.B. and V.P. Gupta (1969):** Combining ability in wheat. Indian J. Genet. Pl. Breed., 29: 227-232.
- Singh, L.; R.S. Paroda and P.K. Behl (1986):** Diallel analysis for combining ability over environments in wheat. Wheat Information Service, 61/62: 74-76.
- Singh, R.P.; R.B. Singh; Subedar Singh and G. Misra (1984):** Heterosis and inbreeding depression in relation to wheat improvement. Amercian J. Botany, 71: 102.
- Singh, S.S. (1990):** Bias caused by epistasis in the estimates of additive and dominance components and their interactions with environment in wheat. Indian J. Genet. Pl. Breed., 50(2): 157-160.
- Soomro, B.A. and R. Aksel (1976):** General and specific combining ability analysis of some quantitative characters in five parent diallel crosses of common wheat. J. Genet. Cytol. 5: 331-345.
- Stuber, C.W.; V.A. Johnson and J.W. Schmidt (1962):** Grain protein content and its relationship to other plant and seed characters in the parents and progeny of a cross of (*T. aestivum*, L.). Crop Sci., 2: 506-508.

- Tamam, A.M. (1989):** Inheritance of yield and aphid resistance in some wheat crosses. M.Sc. Thesis, Assiut Unit., Egypt.
- Tammam, A.M. and Y.G. Abdel-Gawad (1999):** Heterosis and combining ability for bread wheat under New Valley condition – Egypt. Egypt. J. Appl. Sci., 14(10): 122-135.
- Uppal, S.; V.P. Singh and V. Chawla (1987):** Studies on heterosis, inbreeding depression and gene effects in bread wheat. Haryana Agric. Univ., Hissar India, 17(2): 114-119. (c.f. Breed. Abst., 58: 9253).
- Younis, S.E.A.; M.K. Omara and M.Y. Hussein (1988):** A genetic analysis of earliness in wheat and the response to selection for flowering time under favourable clay soil moisture stress conditions in sandy soils. Assiut. J. Agric. Sci., 19(5): 35-48.