



REFERENCES



REFERENCES

- Akram, R.M. (1996).** Effect of plant density, nitrogen fertilizer rates, planting and harvesting dates on growth and yield of some soybean cultivars. M.Sc. Thesis, Fac. Agric., Mansoura Univ., Egypt.
- Alam, S.; T. Mareson and S. Dencesu (1984).** The heritability of yield components and protein and oil contents in soybean (*G. max* (L.) Merr.). *Problems de Genetica Teoretica Si Aplicata*. 16(2): 131-140. (C.F. Plant Breed. Abst. 55(5): 4963, 1985).
- Anand, S.C. and J.H. Torrie (1963).** Heritability of yield and other traits and inter-relationships among traits in the F₃ and F₄ generations of three soybean crosses. *Crop Sci.* 3: 508-511.
- Anand, S.U. (1962).** Principles of Plant Breeding. John Wiley and Sons, Inc. New York, 485 pp.
- Bastawisy, M.H. (1998).** Heterosis and combining ability in F₂ diallel crosses of soybean (*Glycine max* (L.) Merrill). *Egypt, J. Genet. Cytol.* 27: 107-117.
- Bastawisy, M.H.; M.S. Eissa; K.A. Ali; S.M. Mansour and M.S. Ali (1997).** Gene effect and heritability in soybean (*Glycine max* (L.) Merrill). *Annals of Agric. Sci. Moshtohor.* 35(1): 15-24.
- Belic, B.; D. Jockovic and M. Hrustic (1985).** Antibiosis of four insect-resistant soybean genotypes to the soybean looper (Lepidoptera:Noctuidae). *Environmental Entomol.* 14(4): 531-534.
- Board, J.E.; M.S. Kang and B.G. Harville (1999).** Path analyses of the yield formation process for late-planted soybean. *Agron. J.* 91: 128-135.
- Cecon, P.R.; C.S. Sedyama; C.S. Regazzi and A.J. Sedyama (1985).** Analysis of F₂ and F₃ generations for the estimation of additive dominance and environmental variance in factorial crossing system in soybean. *Revista Ceres.* 32(164): 470-487. (C.F. Plant B. Abst. 56(11): 10087, 1986).

- Cerna, F.J.; S.R. Cianzio; A. Rafalski; S. Tingey and D. Dyer (1997).** Relationship between seed yield heterosis and molecular marker heterozygosity in soybean. *Theor. Appl. Genet.* 95: 460-467.
- Chengsong, Z.; X. Chen; H. Gu and G. Zhu (1997).** Genetic variability of protein content and its selection efficiency in the early generations of soybean. *Soybean Genet. News.* 24:51-53.
- Choukan, R. (1996).** Genetical analysis of different characters in segregating populations of soybean (*Glycine max* (L.) Merr.). *Seed and Plant.* 12(1): 7-11. (PI), 2 (En) (Pe, en, 8 ref).
- Cinsoy, A.S. (1992).** Inheritance of various quantitative traits in soybean. *Soya fosulyesinde Bazi Kantitatif Karakterlerin Kalitimi.* Anadolu. 2(2): 14-30 (Jr, en, 23 ref.).
- David, F.H. and I.A. Rose (1994).** Heritability and repeatability of enhanced N₂ fixation in early and late inbreeding generations of soybean. *Crop Sci.* 34: 360-367.
- Dencescu, S. (1983).** Inheritance of yield components and oil and protein contents in soybean. *Problems de Genetica Teoretica Si Aplicata.* 15(2): 171-193. (C.F. Plant B. Abst. 54(12): 9345, 1984).
- El-Hosary, A.A.; M.H. Bastawisy and A.I. Fahmi (1997).** Genetic studies of some quantitative characters in soybean (*Glycine max* (L.) Merrill). *Menofiya J. Agric. Res.* 22(2): 405-419.
- El-Hosary, A.A.; M.H. Bastawisy; S.H. Mansour; Kh.A. Al-Assily and M.H. Metawea. (2001).** Heterosis, gene effect, heritability and genetic advance in soybean (*Glycine max* (L.) Merrill). *Minufiya J. Agric. Res.* 26(4): 1071-1083.
- El-Refaey, R.A. and M.M. Radi (1991 a).** Genetic analysis of seed yield and its related characters in soybean. I- Combining ability, heritability and genetic advance. *J. Agric. Res. Tanta Univ.* 17(2): 324-333.
- El-Refaey, R.A. and M.M. Radi (1991 b).** Genetic analysis of seed yield and its related characters in soybean. II- Inbreeding depression and inter-relationships among traits in the F₁ and F₂ generations. *J. Agric. Res. Tanta Univ.* 17(2): 334-345.

- Fahmi, A.I.; R.A. Eissa; A.A. Nawar; M. Bastawisy and E.M. Zayed (1999).** Genetic performance of seed quality characters of five soybean (*Glycine max* (L.) Merrill) varieties and their diallel crosses. *Minufiya J. of Agric. Res.* 24(3): 999-1015.
- Gadag, R.N. and H.D. Upa Dhaya (1995).** Heterosis in soybean (*Glycine max* (L.) Merrill). *Indian J. of Genet. and Breeding.* 55(3): 308-314.
- Gilbert, N.E.G. (1958).** Diallel cross in plant breeding. *Heredity.* 12: 477-492.
- Griffing, J.B. (1956).** Concept of general and specific combining ability in relation to diallel crossing system. *Aust. J. Biol. Sci.* 9: 463-493.
- Habeeb, M.B. (1998 a).** Breeding studies for growth, yield and yield components in soybean (*Glycine max* (L.) Merrill). *J. Agric. Sci. Mansoura Univ.* 23(2): 593-602.
- Habeeb, M.B. (1998 b).** Combining ability and reciprocal effects in F₁ diallel crosses of soybean (*Glycine max* (L.) Merrill). *J. Agric. Sci. Mansoura Univ.* 23(3): 927-940.
- Habeeb, M.B.; M.I.A. Sherif; A.A. El-Hosary; M.A. Naseeb and A.M. Hablas (1988 a).** Genetical studies of maturity, yield and yield components in soybean (*Glycine max*). *Menofiya J. Agric. Res.* 13(1): 697-709.
- Habeeb, M.B.; M.I.A. Sherif; A.A. El-Hosary; M.A. Naseeb and A.M. Hablas (1988 b).** Inheritance of earliness, yield and yield components in soybean (*Glycine max*). *Menofiya J. Agric. Res.* 13(1): 711-723.
- Halvankar, G.B. and V.P. Patil (1992).** Heterosis in soybean *J. of Maharashtra Agric. Univ.* 17(3): 368-370.
- Hanway, D.G. (1956).** Genetic and environmental relationships of components of yield, maturity and height in F₂-F₃ soybean populations. *Iowa St. Coll. J. Sci.*, 30: 373-374. (Abst.). (*C.F. Plant B. Abst.*, 27(1): 963-1957).
- Hayman, B.I. (1954 a).** The analysis of variance of diallel tables. *Biometrics*, 10: 235-244.

- Hayman, B.I. (1954 b).** The theory and analysis of diallel crosses. *Genetics*. 39: 789-809.
- Hayman, B.I. (1963).** Notes on diallel cross theory . P. 571-578. In W.D. Hanson and H.F. Robinson (ed.), *Statistical genetics and plant breeding*. Nat. Acad. Sci. Nat. Res. Council, Washington, D.C.
- Ibrahim, H.M.; A.I. Nawar and S.H. Mansour (1996).** Heterosis, combining ability and components of genetic variance in soybean (*Glycine max* (L.) Merrill). *Menofiya J. Agric. Res.* 21(4):851-862.
- Jinks, J.L. (1954).** The analysis of continuous variation in a diallel cross of *nicotiana rustica* varieties. *Genetics*, 39: 767-788.
- Jinks, J.L. (1955).** A survey of the genetical basis of heterosis in a variety of diallel cross. *Heredity*. 9: 233-238.
- Jinks, J.L. and B.L. Hayman (1953).** The analysis of diallel crosses. *Maize Genetic Coop. News*, 27: 48-54.
- Jose Bruno (1997).** Heterosis in soybean. *Soybean Genet. News*. 24: 25-28.
- Kadlec, M. (1987).** Evaluation of combining abilities in soybean (*Glycine max* (L.) Mer.) by a factorial system of pair crossing. *Sbornik Urtiz. Genetika a Selchteni* (1987), 23(4): 299-306. (C.F. Plant B. Abst., 58(2): 1960, 1988).
- Kane, M.V.; C.C. Steele and L.J. Grabau (1997 a).** Early-maturing soybean cropping system: 1- Yield responses to planting date. *Agron. J.* 89: 454-458.
- Kane, M.V.; C.C. Steele and L.J. Grabau (1997 b).** Early-maturing soybean cropping system: II- Growth and development responses to enviornmental conditions. *Agron. J.* 89: 459-464.
- Kang, B. (1990).** The inheritance of agronomic characters of soybean in *Glycine max* X *G. gracilis* crosses. *J. of Jilin Agric. Univ.* 12(3): 10-14.
- Kaw, R.N. and P.M. Menon (1981).** Combining ability in soybean. *Indian J. of Genetic. Plant B.* 40(1): 305-309.
- Kaw, R.N.; P.N. Menon and M.P. Madhava (1979).** Heterosis in a ten-parent-diallel cross in soybean. *Indian J. of Agric. Sci.* 49(5): 322-324.

- Kunta, T.; L.H. Edwards; R.W. Mcnew and R. Dinking (1985).** Heterosis performance and combining ability in soybean. Soybean Genetics Newsletter. 12: 97-99.
- Kwon, S.H. (1962).** Heredity of several quantitative characters in two soybean crosses. Diss. Abst. 23: Order No. 62-4702: P. 1150. (C.F. Plant B. Abst., 33(4): 666(5301), 1963).
- Kwon, S.H. and J.H. Torrie (1963).** Heritability and inter-relationships among traits of two soybean populations. Crop Sci. 2: 194-198.
- Leffel, R.C. and M.G. Weiss (1958).** Analysis of diallel crosses among ten varieties of soybean. Agron. J. 50: 528-534.
- Lewers, K.S.; S.K. St. Martin; B.R. Hedges and R.G. Palmer (1998).** Testcross evaluation of soybean germplasm. Crop Sci. 38: 1143-1149.
- Limproongratana, S. and C. Maneephong (1979).** Inheritance of quantitative characters in F1 hybrids of six varieties of soybean (*G. max* (L.) Merrill). Kasetsart J. 13: 34-40.
- Loiselle, F.; H.D. Voldeng; P. Turcotte and C.A. St-Pierre (1990).** Analysis of agronomic characters for an eleven parent diallel of early-maturing soybean genotypes in eastern Canada. Can. J. of Plant Sci. 70(1): 107-115.
- Ma, R.H.; J.Y. Gal and Y.Z. Hu (1983).** Study on genetic variation in hybrid generations of soybean. I. Heterosis and inbreeding depression. Scientia Agricultura Sinica, 5: 1-6.
- Mahmoud, I. and H.H. Kramer (1951).** Segregations for yields, height and maturity following a soybean cross. Agron. J. 43: 605-609.
- Malik, S.S. and B.B. Singh (1991).** Genetic studies of flowering and maturity in interspecific crosses of soybean. Indian J. of Genet. and Plant B. 51(3): 340-351.
- Manjarrez, S.P.; Jr. T.E. Carter; D.M. Webb and J.W. Burton (1997).** Heterosis in soybean and its prediction by genetic similarity measures. Crop Sci. 37: 1443-1452.

- Mansour, S.H. (2002).** Genetic analysis of yield, yield components and earliness in two soybean crosses. *J. Adv. Agric. Res.* 7(1):1-11.
- Mansour, S.H.; Kh. A. Al-Assily; M.S.A. Mohamed and M.S. Said (2002).** Estimation of heterosis and combining ability in soybean (*Glycine max* (L.) Merrill) by diallel cross analysis. *Menofiya J. Agric. Res.* 27(3): 487-497.
- Mansour, S.H.; Kh.A. Al-Assily; M.S.A. Mohamed; M.I. Abdel-Mohsen and M.H. Bastawisy (2002).** Evaluation of soybean top crosses for seed yield and other agronomic characters. *J. Agric. Sci. Mansoura Univ.* 27(5): 2809-2819.
- Martin, R.J. and J.R. Wilcox (1973).** Heritability of lowest pod height in soybeans. *Crop Sci.* 13: 201-204.
- Mather, K. and J.K. Jinks (1971).** *Biometrical Genetics* (2nd ed.). Chapman and Hall Ltd., London.
- Mehta, S.K.; M.S. Lai and A.B.L. Beohar (1984).** Heterosis in soybean crosses. *Indian J. of Agric. Sci.*, 54(8): 682-684.
- Nelson, R.L. and R.L. Bernard (1978).** Performance of hybrid varieties of soybean. *Amer. Soc. of Agron.* 58.
- Nelson, R.L. and R.L. Bernard (1984).** Production and performance of hybrid soybeans. *Crop Sci.* 24: 549-553.
- Pantalone, V.R.; J.W. Burton and Jr. J.E. Carter (1996).** Soybean fibrous root heritability and genotypic correlation with agronomic and seed quality traits. *Crop Sci.* 36: 1120-1125.
- Paschal, II, E.H. and J.R. Wilcox (1975).** Heterosis and combining ability in exotic soybean germplasm. *Crop Sci.* 15: 344-349.
- Popp, M.R.; T.C. Keisling; R.W. McNew; L.R. Oliver; C.R. Dillon and D.M. Wallace (2002).** Planting date, cultivar and tillage system effects on dryland soybean production. *Agron. J.* 94: 81-88.
- Radi, M.M.; M.A. El-Borai; M.I. Amer and R.A. Refaey (1993).** Heritability and early generation selection for yield in soybean. *J. Agric. Res. Tanta Univ.* 19(1): 105-113.

- Ragaa, E.; A.I. Fahmi and M.B. Habeeb (1998).** Genotypic evaluation of four soybean cultivars and their crosses for some important agronomic components. *Menofiya J. Agric. Res.* 23(2): 331-339.
- Reese, P.F.; W.J. Kenworthy; P.B. Vregan and S.O. Yocum (1988).** Comparison of selection systems for the identification of exotic soybean lines for use in germplasm development. *Crop Sci.* 28: 237-241.
- Refat, A.I. (1998).** Genetic studies of some quantitative characters in soybean. M.Sc. Thesis, Faculty of Agric., Moshtohor, Zagazig Univ., Benha Branch.
- Sabbough, M.Y. (1987).** Genetic studies of protein and oil content in soybeans (*G. max* (L.) Merr.). Dissertation Absts. International B. (Sciences and Engineering). 47(8): 3175 B.
- Sedova, T.S. (1982).** Yield and its variation in intervarietal F_1 and F_2 hybrid populations of soybean. *Referativnyi Zhurnal.* 6(65): 129, 1982. (C.F. Plant B. Abst., 54(1): 8566, 1984).
- Sharma, S.K.; H. Mehta and V.K. Sood (1993).** Effect of cropping systems on combining ability and gene action for grain yield and its components in soybean. *Field Crops Res.* 34: 15-22.
- Sharma, S.R. and P.S. Phul (1994).** Combining ability analysis in soybean. *Indian J. of Genet. and Plant Breeding.* 4(3): 281-286.
- Singh, R.K. and B.D. Chaudhary (1977).** Biometrical Methods in Quantitative Genetic Analysis. Kalyani Publishers, Ludhiana, New Delhi, India.
- Singh, R.P. (1983).** Combining ability in relation to soybean breeding (*Glycin max* (L.) Merr.). *Madras Agric. J.* 70(4): 215-218.
- Snedecor, G.W. and W.G. Cochran (1982).** Statistical methods. 6th edition. Iowa State College Press Ames., Iowa, USA.
- Sood, V.K.; N.D. Rana; V.P. Gupta and O.P. Sood (1996).** Combining ability and heterosis studies in soybean. *J. of Hill Res.* 9(1): 139-142.
- Spehar, C.R. (1995).** Diallel analysis for mineral element absorption in tropical adapted soybeans (*Glycine max* (L.) Merrill). *Theor. Appl. Genet.* 90: 707-713.

- Sptaware, Gbhalvankar, Vmraut and Vppatil (1990).** Hybrid vigour in soybean (*Glycine max*). Indian J. of Agric. Sci. 60(8): 545-546.
- Srivastava, R.L.; Z. Ahmed; H.G. Singh and J.K. Saxena (1978).** Combining ability for yield and related attributes in soybean. Indian J. of Agric. Sci. 48(3): 148-155.
- Steele, C.C. and L.J. Grabau (1997).** Planting dates for early-maturing soybean cultivars. Agron. J. 89: 449-453.
- Sweeney, D.W.; G.V. Granade and R.O. Burton, Jr. (1995).** Early and traditionally maturing soybean varieties grown in two planting systems. J. Prof. Agric. 8: 373-379.
- Tawar, M.L.; S.P. Singh and S.K. Rao (1986).** Genetics of grain yield in soybean. Indian J. of Heredity. 18: 27-33.
- Taware, S.P.; G.B. Halvankar; V.M. Raut and V.P. Pati (1997).** Variability correlation and path analysis in soybean hybrids. Soybean genet. News. 26: 96-98.
- Thseng, F.S. (1981).** Significance of growth habit in soybean breeding. XV- Genetic parameters and breeding behaviours of agronomic traits in a diallel cross of two indeterminate and two determinate varieties. Sci. and Techno. Information Center, 449-451.
- Thseng, F.S. (1982).** Significance of indeterminate growth habit in soybean breeding. Agric. Ass. of China and Regional Soc. of SABRAO, 139-155.
- Weber, C.R.; L.T. Empig and J.C. Thorne (1970).** Heterotic performance and combining ability of two-way F_1 soybean hybrids. Crop Sci. 10: 159-160.
- Yang, G.Y.; H.Y. Zheng and C.F. Han (1992).** A preliminary study on genetic variation of major yield characters of progeny from *G. max* X *G. gracilis* hybrid. Soybean Genet. News. 19: 33-37.
- Yang, Q.; J.L. Wang and Q.K. Yang (1994).** Combining ability analysis of the main agronomic characters for three different types of soybean and their progeny. Acta Agron. Sinica. 20(4): 481-488.

- Yao-Zhen Chum; L. Hong; L.Y. Cai; L.X. Lan; Y.Z.; H. Lin; Y.C. Lai and X.L. Li (1996).** Evaluation of inheritance potential to new germplasms of interspecific crosses in soybean. *Soybean Sci.* 15:4, 310-316; 5 ref.
- Yassien, H.E. and M.A. Abd El-Mohsen (2000).** Combining ability analysis, heritability and heterosis in soybean. *J. Agric. Sci. Mansoura Univ.* 25(6): 3177-3186.
- Zhan, G.L. and W.L. Cao (1982).** Studies on heterosis in F_1 soybean hybrids. *J. of Agric. Res. of China.* 31(2): 127-136.
- Zhang, G.R.; W.G. Du; X.Y. Lan; X.Z. Gu; W.Q. Man; Y. Chen; B.R. Wang and C.Y. Huang (1992).** Study on conversion index of soybean. II- Genetic control of apparent harvest index and seed stem ratio of soybean. *Soybean Sci.* 11(4): 299-307.
- Ziya Gizlice; T.E.Jr. Carter and J.W. Burton (1993).** Genetic diversity in north American soybean: II- Prediction of heterosis in F_2 populations of southern founding stock using genetic similarity measures. *Crop Sci.* 33: 620-626.