

VI. REFERENCES

- Abayomi, Y.D. and D.Wright (1999).** Effects of water stress on growth and yield of spring wheat (*Triticum aestivum* L.) cultivars. Trop. Agric. 76 (2): 120-125.
- Abd Alla Kotb, M. (2005).** Effect of foliar application of glycinebetaine on growth and yield of wheat (*Triticum aestivum*L.) under water stress. The 11th conference of Agronomy, Agron, Dept., Fac. Agric., Assiut Univ., Nov. 15-16. (2005)
- Abd El-Aty, M.A. and Y.S. Katta (2002).** Genetic analysis and heterosis of grain yield and related traits in bread wheat (*Triticum aestivum* L.) J. Agric. Res. Tanta Univ., 28(2): 287-300.
- Abd El-Aty, M. S. M. and H. S. El-Borhamy (2007).** Estimates of combining ability and susceptibility index in wheat diallel crosses under stress and normal irrigation treatments. Egypt. J Plant Breed. 11(2): 651-667.
- Abd El-Aty, M. S. M. and Y.S. Katta (2007).** Estimation of genetic parameters using five populations in three bread wheat crosses. Egypt. J Plant Breed. 11(2): 627-639.

- Alderfasi, A.A. (2001).** Evaluation of certain traits associated with drought resistance in wheat under field conditions. *Annals of Agric. Sci. Ain Shams Univ.*, 46 (1): 71-83.
- Ali, H.K. (1999).** Nile valley and Red Sea moisture stress yield trial at Hudeiba. ICARDA. Annual Reports: 53-55.
- Atlin, G. N. and K. J. Fery (1989).** Breeding the relative effectiveness of dried versus in dried selection for at yield in three types of stress environments. *Euphytica*, 44: 137-142.
- Atta, Y.E. (2002).** Effect of soil moisture content on productivity and water use efficiency of some wheat cultivars under Eastern Delta conditions. *Zagazig J. Agric. Res.*, 29 (5): 1443-1456.
- Awaad, H.A. (2002).** Assessment of some genetic parameters uses diallel cross fashion and their implications in breeding programs of bread wheat (*Triticum aestivum* L.). *Zagazig J. Agric. Res.*, 29 (4): 1123-1141.
- Calhoun, D.S.; G. Gebeyehu, A. Miranda, S. Rajaram, and M. Van Ginkel (1994).** Choosing evaluation environments to increase wheat grain yield under drought conditions. *Crop Sci.*, 34: 673-678.

- Clarke, J.M. and T. N. McCaig (1982).** Evaluation of techniques for screening for drought resistance in wheat. Crop Sci., 22(3): 503-506.
- Clarke, J.M.; T.F. Townley-Smith, T. N. McCaig and G. Green (1984).** Growth analysis of spring wheat cultivars of varying drought resistance. Crop Sci., 24: 537-541.
- Darwish, I.H.I. (1998).** Breeding wheat for tolerance to some environmental stresses. Ph. D.Thesis Fac. of Agric., Minufiya Univ., Egypt.
- Darwish, I.H.I and H.A. Ashoush (2003).** Heterosis, gene effect, heritability and genetic advance in bread wheat. Minufiya J. Agric. Res. 28 (2): 433-444.
- Dhanda, S.S. and G.S. Sethi (1998).** Inheritance of excised-leaf water loss and relative water content in bread wheat (*Triticum aestivum*). Euphytica 104: 39-47.
- Edwards, L.H.; H. Ketata and E.L. Smith (1976).** Gene action of heading date, plant height and other characters in two winter wheat crosses. Crop Sci. 16 (2): 275-277.
- Ehrler, W. L. (1973).** Cotton leaf temperature as related to soil water depletion and meteorological factors. Agron. J., 65: 404-409.

- Ehrler, W. L.; S. B. Idso; R. D. Jackson and R. J. Reginato (1978).** Wheat canopy temperature: Relation to plant water potential. *Agron. J.*, 70: 251-256.
- El-Banna, M.N., M.A.A. Nssar, M.A. Moustafa and S.H. Abd-allah (2002).** Evaluation of some wheat genotypes under drought conditions in Nubaria region. *J. Adv. Agric. Res.*, 7(2): 349-366.
- El- Borhamy, H. S. (2000).** Genetic studies on some quantitative characters in bread wheat (*Triticum aestivum* L.). Ph. D. Thesis Fac. Agric., Moshtohor, Zagazig Univ., Benha Branch, Egypt.
- EL-Defrawy, M. M.; K. A. Kheiralla and R. A Dawood (1994).** Effect of genotype, moisture stress and stability analysis on grain yield and some quality traits in wheat. *Assiut J. Agric. Sci.*, 25 (1): 341-360.
- EL-Gamal, A. Abd EL-Ghafar (2001).** Studies on drought tolerance in wheat. M.Sc.Thesis, Fac. of Agric., Minufiya Univ., Egypt.
- El-Gayar, M.A.; M.A. Abd El-Gawad ; M.T. Hegab and M.O. Salem(1985).** Identification of wheat lines for salt tolerance under Sinai conditions. *Desert Inst. Bull.*, Egypt, 35 No 2 pp: 595-608.

- El-Hawary, M.A., (2000).** Evaluation of some wheat varieties under water deficit conditions. Zagazig J. Agric. Res., 27(4): 819-830.
- EL-Hennawy, M. A. (1996).** Heterosis and combining ability in diallel crosses of eight bread wheat varieties. Bull. Fac. Agric. Cairo Univ., 47 (3): 379-392.
- El-Marakby, A. M. ; A. A. Mohamed and M. F. Abd El-Rahman (1993a).** Studies on general and specific combining ability in bread wheat (*Triticum aestivum* L.). 4th Conf. Agron. Dev. Res. Ain Shams Univ., Cairo Feb. 13-18, 1993. Annals of Agric. Sci., Sp.Issue. 1,161-173.
- El-Marakby, A. M. ; A. A. Mohamed and M. F. Abd El-Rahman (1993b).** Heterotic performance for agronomic traits in bread wheat (*Triticum aestivum* L.). 4th conf. Agron. Dev. Res. Ain Shams Univ. Cairo Feb. 13-18, 1993. Annals of Agric. Sci., Sp.Issue. 1: 135-149.
- El-Marakby, A. M.; A. A. Mohamed ; Afaf M. Tolba and S. H. Saleh (2007).** Nature of gene action in the inheritance of earliness, grain yield and grain quality traits in diallel crosses of bread wheat under different environments. Egypt. J. Plant Breed. 11(2): 75-100.

- El-Sabbagh, A.A. (1998).** Effect of soil moisture deficits at different stages of plant growth on wheat production. Minufiya J. Agric. Res. 23 (2): 415-426.
- Fischer, R.A. and J.T. Wood (1979).** Drought resistance in spring wheat cultivars. III- Yield association with morphological traits. Aust. J. of Agric. Res., 30: 1001-1020.
- Gilbert, N. E. G. (1958).** Diallel cross in plant breeding. Heredity, 12: 477-492.
- Giorio, P.; G. Sorrentino and d'Andria (1999).** Stomatal behavior, leaf water status and photosynthetic response in field-grown olive trees under water deficit. Environmental and Expt. Bot., 42: 95-104.
- Griffing, J.B. (1956).** Concept of general and specific combining ability in relation to diallel crossing systems. Asut. J. Biol., Sci., 9: 463-493.
- Hamada, A.A. and M.B. Tawfelis (2001).** Genetic and graphical analysis of diallel crosses of some bread wheat (*Triticum aestivum* L.). J. Agric. Res. Tanta Univ., 27 (4): 633-647.

- Hassan, E. E. and A. M. Abd El-Moniem (1991).** Combining ability, heterosis and gene action of some quantitative characters in wheat. Zagazig J. Agric. Res., 18(5): 1369-1381.
- Hassan, A. A. and S. A. Omar (2004).** Studies on some wheat crosses under saline conditions . J. of Agric. Sci., Mansoura Univ., 29 (10): 5157-5168.
- Hassan, U. A.; V. B. Ogunlela and T.D. Sinha (1987).** Agronomic performance of wheat (*Triticum aestivum* L.) as influenced by moisture stress at various growth stages and seeding rate. J. Agron. and Crop Sci., 158: 172-180.
- Hendawy, F.A., (1989).** Influence of nitrogen levels on heterosis and combining ability in common wheat. Minufiya J. Agric. Res., 14 (1): 135-152.
- Hendawy, F.A., (1994).** General and specific combining ability estimates in a diallel cross of seven bread wheat varieties. Minufiya J.of Agric. Res., 19 (1): 75-93.
- Hendawy, H. I. (1990).** Breeding for yield and its components in wheat. M.Sc. Thesis Fac. Agric. Minufiya Univ., Egypt.

- Ibrahim, M.E.; S.E. Esmail and F.M. Dawoud (1996).** Effect of irrigation regime, N.P. fertilization on yield, quality, and rate of water loss from excised leaves as indicator to drought resistance in wheat. J. Agric. Res. Tanta Univ., 22 (1): 1-22.
- Jones, M. M.; C. B. Osmond and N. C. Turner (1980).** Accumulation of solutes in leaves of sorghum and sunflower in response to water deficits. Aust. J. Plant Physiol., 7: 193-205.
- Keim, D.L. and W.F. Kronstad (1979).** Drought resistance and dryland adaptation in winter wheat. Crop Sci., 19: 574-576.
- Kheiralla, K.A.; M.M. El-Defrawy and T.HI. Sherif (1993).** Genetic analysis of grain yield, biomass and harvest index in wheat under drought stress and normal moisture conditions. Assiut J. Agric. Sci., 24: 163-183.
- Kheiralla K.A. and M.M. El-Defrawy (1994).** Inheritance and selection for early heading in wheat under water stress and non-stress conditions. Assiut J. of Agricultural. Sci., 25 (5): 1-17.
- Kheiralla, K.A.; A.A. Ismail and G.R. El-Nagar (1997).** Drought tolerance and stability of some spring wheat cultivars. Assiut J. Agric. Sci., 28 (1): 75-88.

- Koraïem, Y. S. ; A. I. Nawar and M. I. Motawei. (1997).**
Yield stability of wheat genotypes under drought stress.
Adv. Agric. Res., 2 (3): 25-36.
- Kramer, P. J. (1983)** Water relations of plants. Academic press,
Inc. California, pp.16.
- Mani, S.C. and M.V. Rao (1975).** Heterosis in winter × spring
wheat crosses. Indian J. of Genetic and Plant Breeding, 35
(3): 330-335.
- Misra, R. D. and K. S. Gangwar (1990).** Screening of wheat
(*Triticum aestivum* L.) germplasm for drought resistance.
Indian J. Agric. Sci. 60 (1): 63-65.
- Morgan, J.M., (1983).** Osmoregulation as a selection criterion
for drought tolerance in wheat. Aust. J. of Agric. Res., 34:
607-614.
- Morgan, J.M., (1992).** Osmotic components and properties
associated with genotypes differences in osmoregulation
in wheat. Aust. J. Plant Physiol., 19: 67-76.
- Moursi, M.A.; Nemat A. Nour El-Din, Olfat H. El-Bagoury
and A.A. El-Sayed (1983).** Water requirement of wheat.
1: effect of soil moisture stress on growth, yield and grain
quality. Proc. the First conf. of Agron. V.1.A. Cereal
crops: 285-302.

- Moustafa, M.A.; L. Boersma and W.E. Kronstad (1996).**
Response of four spring wheat cultivars to drought stress.
Crop Sci., 36: 982-986.
- Musick, J.I. and D.A. Dusek (1980).** Planting date and water deficit effects on development and yield of irrigated winter wheat. Agron. J., 72: 45-52.
- Nada, G.S.; P.S. Virk and K.S. Gill (1983).** Diallel analysis over environments in wheat plant characters and harvest index. Indian J. Genetic and Plant Breeding, 43 (1): 21-27.
- Omar, S. A. (1999).** Selection of some wheat genotypes for salt tolerance .Desert Inst. Bull. Egypt, 49 (1): 13-24
- Paschal, H.E.H. and J.R. Wilcox (1975).** Heterosis and combining ability in exotic soybean germplasm. Crop. Sci., 13: 344-349.
- Ravichandran V. and Mungse H.B. (1995).** Effect of moisture stress on leaf area development, dry matters production and grain yield in wheat. Annals Plant Physiology, 9 (2): 117-120.
- Richards, R.A. (1983).** Manipulation of leaf area and its effect on grain yield in drought wheat. Aust. J. Agric. Res., 34: 23-31.

- Roy, N.N. and B.R. Murty (1970).** A selection procedure in wheat for stress environment. *Euphytica*, 19: 509-521.
- Saad, F.F.; A.A. Hoballah and Manal M. Salem (1997).** Biometrical and genetical analysis in wheat 1- Heterosis and combining ability for grain yield and yield components in diallel cross among seven Egyptian bread wheat varieties. *J. Agric. Sci. Mansoura Univ.*, 22 (4): 985-997.
- Saadalla, M.M. (2001).** Water use efficiency and its components of wheat genotypes of varying drought tolerance. *Annals of Agric. Sci., Ain Shams Univ., Cairo*, 46 (1): 85-102.
- Sadiq, M. S.; K. A Siddiqui, C. R. Araln and A. R. Azmi (1994).** Wheat breeding in a water-stressed environment-I- Delineation for drought tolerance and susceptibility. *Plant Breeding*, 113 (I): 36-46.
- Saulescu, N.N.; W.E. Kronstad and D.N. Moss (1995).** Detection of genotypic differences in early growth response to water stress in wheat using the snow and tingey system. *Crop Sci.*, 35: 928-931.
- Schonfeld, M. A.; R. C. Johnson; B. F. Carver, and D. W. Mornhinweg (1988).** Water relations in winter wheat as drought resistance indicators. *Crop Sci.*, 28(3): 526-531.

- Sharma, J. C.; Z. Ahmad, and A. N. Khanna (1978).** Combining abilities in relation to wheat breeding. Indian J. Genet. & Plant Breed., 38(1): 77-85.
- Sharma, S.C. and K.S. Thakur (2004).** Selection criteria for drought tolerance in spring wheat (*Triticum aestivum* L.). 4th International Crop Science Congress 26 September to 1 October. 2: 131-134.
- Shimishi, D. and J. E. Ephrat (1975).** Stomatal behavior of wheat cultivars in relation to their transpiration, photosynthesis and yield. Agron. J., 67: 326-330.
- Singh, D.; R. B. Srivastava and V. P. Singh (1982).** Combining ability in bread wheat. Indian J. Agric. Sci., 52 (6): 355-359.
- Sinha, S. K.; P. K. Aggarwal; G. S. Chaturvedi; A. K. Singh and K. Kailasnathan (1986).** Performance of wheat and triticale cultivars in a variable soil-water environment. 1. Grain yield stability. Field Crops Res. 13(4): 289-299.
- Snedecor, G.W. and W.G. Cochran (1967).** Statistical Methods (6th ed.) Oxford and IBH Publishing Co., 395 pp.
- Sojka, R.E.; L.H. Stolzy and R.A. Fischer (1981).** Seasonal drought response of selected wheat cultivars. Agron. J., 73: 838-845.

- Statistical year's book (2004).** Ministry of Agriculture, Giza, Egypt
- Thompson, J.A. and D.L. Chase (1992).** Effect of limited irrigation on growth and yield of semi-dwarf wheat in southern new Waales. *Aust. J. Exp. Agric.*, 32: 725-730.
- West, C. P.; D. M. Oosterhuis and S. D. Wull Schleger (1990).** Osmotic adjustment in tissues of tall Fescues in response to water deficit. *Environ. Expt. Bot.*, 30(2): 149-156.
- Wiegand, C. L. and L. N. Namken (1966).** Influences of plant moisture stress, solar radiation and air temperature on cotton leaf temperature. *Agron. J.*, 58: 582-586.
- Zhang, J.; X. Sui, B. Li, B. Su, J. Li and D. Zhou (1998).** An improved water-use efficiency for winter wheat grown under reduced irrigation. *Field Crops Res.*, 59: 91-98.
- Zhongjin, I. and P. M. Neumann (1998).** Water stressed maize, barley and rice seedlings show species diversity in mechanisms of leaf growth inhibition. *J. Exp. Bot.*, 49(32a): 1945-1952.