

REFERENCES

- Abd-El-Gawad, A.A.; Saad, A.O.M.; Edris, A.S.A and El-kholy, M.E.*
(1995): Effect of the stimulative dose of some forms of nitrogen fertilizer and bacterium inoculation on yield, its components and grain quality of maize plants. Bull. NRC, Egypt. 20 (4): 493 – 506.
- Adeoye, K.B. (1982):* Effect of tillage depth on physical properties of a tropical soil and yield of maize, sorghum and cotton. Soil and Tillage Research, 2 (3) : 225 – 231.
- Aflakpui, G.K.S.; Vyn, T.J.; Hall, M.R.; Anderson, G.W. and Swanton, C.J. (1993):* Effect of tillage on nitrogen response in corn (*Zea mays* L.) after established alfalfa (*Medicago Sativa* L.) condian J. of plant Sci 73 (1): 73 – 81 .
- Alagawadi; A.R. and Gour, A.C. (1992):* Inoculation of *Azospirillum brasilense* and phosphate solubilizing bacteria on yield of sorghum (*Sorghum bicolor*, L Moench.) In dry land. Microbiology Division, Indian Agricultural Research. Institute, Tropical Agriculture 69 (4): 347 – 350 .
- Al-Darby, A.M. (1986):* The effect of three conservation tillage systems on corn (*Zea mays* L.) growth and productivity. Sciences and Engineering 47 (4): 1333 B. (C.F.Field Crop Abst. 41 (4): 1239,. 1988).
- Al-Darby, A.M. and Lowery, B. (1984):* Effects of conservation tillage on corn growth. Paper No-84 – 1033, Meetings ASAE, Knoxville, TN. 24-27 June 1984. ASAE, St., Toseph. MI.

REFERENCES

- Al-Darby, A.M. and Lowery, B. (1987):* Seed zone soil temperature and early corn growth with three conservation tillage systems. Soil Sci. Soc. Am. J. 51: 768-774.
- Alegre, J.C.; Cassel, D.K.; Bandy, D. and Sanchez, P.A. (1986):* Effect of land clearing on soil properties of an nestisal and subsequent crop production in Yurimagvas, Peru (C.F.Soybeen Abst., 9: 2568, 1986).
- Anderson, E.L. (1986):* No-till effects on yield and plant density of maize hybrids. Agron. J.78 (2): 323 – 326.
- Anonymous (1983):* What is Agrispon. Appropriate technonlogy LTD., Dallas , Texas, U.S.A.
- Anonymous (1992):* “Agrispon” a natural conditioner for biothyntesis in plant and soil. A commercial produced. Appropriate Technonlogy Ltd., Dallas, Texas, U.S.A.
- Balasubramaniae, A. and Manickasundram, P. (1993):* Nutrient management for sorghum, sorghum ratoon system. Madras Agriculture Journal 80 (12): 718 – 720.
- Ball, D.A and Miller. S. D. (1993):* Cropping history, tillage and herbicide effects on weed flora composition in irrigated corn. Agron. J.85 (4): 817 – 821.
- Bremner, J.M. and Keeny, D.R. (1965):* Steam distillation method for determination of ammonium, nitrate and nitrite. Annal Chem. Acts 32: 485 – 495.

REFERENCES

- Burgess, M.S. Mehuys. G.R. and Madramootoo, C.A. (1996):** Tillage and crop residue effects on corn production in Quebec. Agron. J. 88: 792 –797.
- Burris, R.H., Okon, Y. and Albrech. S.L (1978):** Properties and reactions of Azospirillum lipofureum. Environmental role of nitrogen fixing blue – green aglae and asymbiotic bacteria. Ceol. Ecological Bulletins, Stockholm, 26: 353 – 363.
- Campbell, C.A; McConkey , B.G.; Zentner, R.P.; Sells, F. and Curtin. D. (1996):** Tillage and crop rotation effects on soil organic C and N in a coarse- textured Typic Haploborall in Southwestern saskatchewan. Soil and Tillage Res. 37: 3- 14 .
- Camp. G.R.; Christenburg, G.D. and Doty. C.W. (1984):** Tillage effects on crop yield in coastal plain soils. Transactions of the Amer. Soc. Agric. Engin. 6: 1729-1733. (C.F.Soybean Abst 8: 1562, 1985).
- Cochran, W.C. (1950):** Estimation of bacterial densities by means of the most probable number. Biometrics, 6: 102 – 116.
- Conti, M.E.; Marre, C. and Palma, R.M. (1990):** Cultural practices and their relation to nitrogen dynamics and yield of maize. Revista-de-la – facultad – de – Agronomia – universidad –de – Buene – Aires, Argentina. (C.F. Filed crop Abst 45 : 1998 , 1992).
- Cox.W.J.;Zobel. R.W.; Van Es, H.M. and Otis . D.J. (1990):** Tillage effects on some soil physical and corn physiological characteristics. Agron. J.82: 806 – 812.

REFERENCES

- Cox, W.J.; Otis, D.J.; Van Ec, H.M.; Gaffney, F.B., Snyder . D.P., Reynolds, K.R.; Grinton, M.Van. der .; Van, Es, HM. And Van, der. Grinten. M. (1992):* Feasibility of no-tillage and ridge tillage systems in the northeastern U.S.A. *J. Prod. Agric.* 5 (1): 111 – 117.
- Dick, W.A. and Van Doren. Jr. (1985):* Continuous tillage and rotation combinations effects on corn soybean and oat yields. *Agron. J.* 77: 459 – 465.
- Dobereiner, J. (1978):* Influence of environmental factors on the occurence of Azospirillum lipoferum in soil and roots. *Ecol. Bull (Btockhdm)*, 26 : 343 –352.
- Dowdy, R.H. Linden, D.R. Clapp. C.E.; Dolan, M.S. and Ault, K.T. (1993):* Nutrient content of monoculture corn (12 years) as function of nitrogen, tillage and residue management. *Plant nutrition – from genetic engineering to field: Proceedings of the Twelfth International plant Nutrition colloquim*, 21-26 September 1993., Perth, Wertern Australia (edited by Barrow, N. J.) 1993, 563-570.
- Duncan, D.B. (1955):* Multiple range and Multiple F-Test. *Biometrics* 11:11 – 42.
- Edwards, J.H., Thurlow, D.L. and Eason, J.T. (1988):* Influence of tillage and crop rotation on soybean growth on clay soil. *Agron .J.* 80: 818 – 821.

REFERENCES

- Eid, A.M. Hegazi, N.A.; Monib, M. and Shokr, E. (1984):* Inoculation of grain sorghum with a zospirilla. Rev. Ecol. Biol Sot. 21 (2): 235 – 242.
- El-Borollosy, M.; Ishac, Y.Z.; El-Haddad, M.E.; Saleh, E.A. and El-Demerdash, M.E. (1986):* Response of maize plants to inoculation with asymbiotic N₂-fixers in the presence of different nitrogen levels and organic amendment with maize stalk. Proc. 2nd AABNE Conf., Cairo, Egypt (15-19 Dec) 528 – 539.
- El-Gezawy, N.K.B (1996):* The effect of nitrogen fertilizer and agrispon on the yield of some maize varieties (*Zea mays*, L) M.Sc. Thesis, Fac. Agric. Moshtohor, Zagazig University.
- El-Hosary, A.A.; Sedhom, S.A. and Mohamed, S.A (1989):* Correlation and path coefficient studies in maize. Annals of Agric. Sci, Moshtohor, 27 (3) 1517 – 1525.
- El-Komy, H.M.; Vassyuk, L.F. and Abdel Wahab, A.M. (1993):* Response of *Zea mays* varieties to inoculation with Azospirillum: Pot and field experiments. Sixth internat. Symo. of Nitrogen Fixation with non-legumes, 6-10 Sept., 1993, Ismailia, Egypt, 477 – 478.
- El-Mallah, M.M. (1984):* Effect of some soil tillage practies on growth and yield of cotton. M.Sc. Thesis, Fac. Agric., Moshtohar, Zagazig univ., Egypt.
- El-Sayeda, H.M. (1997):* Studies on nitrogen fixation. M.Sc. Thesis, Fac. Agric., Moshtohar, Zagazig Univ., Egypt.

- Erbach, D.C.; Cruse. R.M.; Crosbie, T.M.; Timmons, D.R.; Kaspar, T.C. and Potter, K.N. (1986):* Maize response to tillage – induced. Trans. ASAE 29. 690 – 695.
- Fallik, E.; Okon.; Epstein, E.; Goldman, A and Fisher. M. (1989):* Identification and quantitation of IAA and IBA in Azospirillum brasilense inoculated maize roots. Soil. Biol. Biochem. 21: 147 – 153.
- Fayez, M.; Eman, N.F. and Makboul H.E. (1985):* The possible use of nitrogen fixing Azospirillum as biofertilizer for wheat plants. Egypt. J. Microbiol., 20 (2): 199- 206.
- Ghonsikar, C.P.; Raut, R.S. and Rudraksha, G.B. (1986):* Response of sorghum and pearl millet genotypes to Azospirillum and Azotobacter inoculations. Inter Crops Res Inst. for the semi-Arid Tropics, Patancheru, A.P. (India) Cereal nitrogen fixation: Proceeding of the working Group Meeting. Patancheru, A. P. (India). ICRISAT. 1986. P.53-54. (C.F. Compilation of Abstracts on Bio – Fertilizers No2 : 227 – 278).
- Giardini, A.; Cinti, F. and Stefanelli, G (1996):* Effects of ridging on agronomic factors and yields of maize (Zea mays L.) and soybean (Glycine max (L.). merr.) in the absence of weeds. Rivista di Agronomia 30 (3): 236 – 240.
- Gomaa. M.R. (1988):* Different Tillage methods effect on physical and chemical characters of clay soils and corn productivity under sprinkler irrigation Ph .D. Thesis, Agricultural Academy U.S.S.R.

REFERENCES

- Gomaa, M.R. (1996):** Soybean yield as affected by nitrogen levels, rhizobial inoculation and different tillage systems. *Annals of Agric. Sc. Moshtohor*, 34 (1) 107- 124.
- Gomaa, M.R. and El-Naggar, H.M.M. (1995a):** Influence of tillage, weed control and phosphorus fertilizer treatments on sunflower productivity and soil properties. *Annals of Agric. Sci. Moshtohor*, 33 (4) 1179 – 1193.
- Gomaa, M.R. and El-Naggar. H.M.M. (1995b):** Faba bean yield and soil properties as affected by various tillage practices and weed control management. *Annals of Agric. Sc; Moshtohor*, 33 (4) 1195-1209.
- Gordon, W.B.; Rickerl, D.H.; Sorensen, D.R. and Wieland, P.K. (1993):** Tillage and nitrogen effects on growth, nitrogen content and yield of corn. *Communications in. Soil Sci. and Plant Analysis*. 24 : (5-6), 421 –441.
- Griffith, D.R.; Kladienko, E.J.; Mannering, J.V.; West. R.D. and parsons, S. D. (1988):** long- term tillage and rotation. Effects on corn growth and yield on high and low organic matter, poorly drained soils. *Agron. J.* 80: 599 – 605.
- Gupta, S.C.; Larson, W.E. and linden , D.R. (1983):** Tillage and surface residue effects on soil upper boundary temperatures. *Soil Sc. Soc. Am. J.* 47: 1212 – 1218.
- Hakimi, A.H. and Chakrabarti. S.M. (1976):** The profitability of selected cultivations and their influence on growth and yield of silage corn. *J. Agric. Eng. Res.*, 21: 15 – 19.

REFERENCES

- Hargrove, W. L. (1985):** Influence of tillage on nutrient uptake and yield of corn. *Agron. J.*, 77 (5): 763 – 764.
- Hassanein, M. A. (1994):** Distribution and survival of Azospirillum brasilense in calcareous soil cultivated with sweet sorghum. *Annals. Agric. Sci. Moshtohor*. 32 (3): 1707 – 1713.
- Hassanein, M.S.; El-Hariri, D.M.; and Ahmed, M.A. (1997):** Effect of nitrogen fertilizer levels and bacterium inoculation on yield and its components of maize. *J.Agric. Sci. Mansoura Univ.*, 22 (1) 63 – 72.
- Hefni, E.H.M.; El-Hosary, A.A.; Salwau, M.I.M. and El-Sabbagh, A. (1993):** Effect of soil moisture stress and foliar application of zinc on some maize varieties II yield, yield components and chemical analysis. *Annal of Agric. Sci. Moshtohor* 31(4) 1829 - 1846 .
- Hegazi, N.A.; Monib, M. and Vlassak. K. (1979):** Effect of inoculation with N₂ – fixing spirilla and Azotobacter on nitrogenase activity on roots of maize grown under subtropical conditions. *Appl. Environ. Microbiol.*, 38 (4): 621 – 625 .
- Hegazi, N.A., Monib, M.; Amer, H. and Shokr. E. (1982):** Inoculation of Zea mays with nitrogen-fixing Azospirillum under Egyption conditions. The 1st inter. African Conf. On Biofertilizer, Cairo, Egypt. 22-26 March.
- Hegazi, N.A.; Monib, M.; Amer, H. and Shokr, E. (1983):** Response of maize plants to inoculation with azospirilla and / or straw amendment in Egypt. *Can. J. Mircrobiol.*, 29 (3): 888-894.

REFERENCES

- Hesterman, O.B.; Bierce, F.J. and Ressman, E.C. (1988):* Performance of commercial corn hybrids under conventional and no-tillage systems. J.Prod. Agric. 1:202 – 206. (C.F. Field Crop Abst. 42 (6): 4015, 1989).
- Horn, D.J.; Ross, C.W. and Hughes, K.A. (1992):* Ten years of a maize / oats rotation under three tillage systems on a silt loam in New Zealand A comparison of some soil properties. Soil and Tillage Res. 22 (1-3): 131 – 143 .
- Hughes, K.A.; Horn, D.J., Ross, C.W. and Julian, J.F. (1992):* A 10-year maize oats rotation under three tillage systems. 2. Plant population, root distribution and forage yields. Soil and Tillage Res. 22: (1-2), 145 – 157.
- Hummel, J.W.; Wax, L.M. and Simens, J.C. (1985):* Tillage system comparisons in central cornbelt. Amer.Soc. Of Agric. Engineers, No. 85 : 1008, 31 pp.
- Ike, I.F. (1987):* Maize and cotton yield responses to different tillage practices in a sandy loam soil of the nitrogen savanna. Sammaru Journal of Agricultural Research 5 (1-2), 25-34. (C.F. Field Crop Abst. 42 (8): 5988, (1989).
- Ishac, Y.Z.; El-Haddad, M.; El-'Borollosy, M.A. and Mostafa, M. (1983):* Effect of organic amendmets on nitrogen fixation by asymbiotic bacteria associated with wheat and maize plants. 5th Int. Sym. On N₂ – fixation, Noordwijkerhout, the Netherlands, August 28 – Sep. 3.

REFERENCES

- Ishac, Y.Z.; El-Haddad, M.; El-Borollosy, M.A.; Wedad, E.; Eweda, E.; and Girgis, M.G.Z. (1986):* Studies on Azospirillum in Egypt. 1-Densities as affected by some ecological factors. 2nd. Conf. of AABNF, Cairo, Egypt: 450 – 468.
- Ishac, Y.Z.; El-Haddad, M.; Saleh, E.; El-Borollosy, M.A.; El-Demerdash, M.; Abdel-Hafez, A. and Mostafa, M. (1991):* Effect of inoculation with associative and symbiotic N₂ – fixers on the growth and yield of maize plants cultivated in a fertile soil. Semi – Annual Report, (NARP, 072 – M-1-24), June, 1992. (C.F.Faid, E.M.(1994)): Studies on biofertilization in desert soil. M.Sc. Thesis. Fac.Agric. Ain Shams Univ, Egypt.
- Ismael, E.E. (1980):* A study on the effect of different plough types on salt distribution in the soil layers. M.Sc. Thesis, Fac. Agric., Zagazig Univ, Egypt.
- Jakson, M.L. (1967):* Soil chemical analysis. Prentice – Hall, Inc. Limited, New York.
- Kabesh, M.O.; Saber.M.S. and Yousry, M. (1975):* Effect of phosphate fertilization on the p-uptake by pea plant cultivated in calcareous soil. Egypt. J. of Microbiology (3) : 605 – 611.
- Kapulnik. Y.; Kigel, J.; Oken, Y., Nur, I. And Henis, Y. (1981):* Effect of azospirillum inoculation on some growth parameters and N-content of wheat, sorghum and panicum. Plant and Soil. 61 : 65-70.

REFERENCES

- Kasper, T.C.; Erbach, D.C. and Cruse, R.M. (1990):* Corn response to seed – row residue removal. Soil Sci. Soc. Am. J. 54: 1112 – 1117.
- Kitur, B.K.; Olsen, K.R.; Ebelhar, S.A. and Bullock, D.G. (1994):* Tillage effects on growth and yields of corn on Grantaburg Soil. Journal of Soil and Water Conservation 49 (3): 266-271.
- Knavel, D.E.; Herron, J.W. and white, G.M. (1985):* No –till popcorn performs as well as conventionally grown popcorn. Hort Science 20 (1) 136 -137 (C.F.Field Crop Abst. 4 (8): 5114, 1988.
- Koleva, S. (1970):* The effect of deep ploughing on certian soil properties. Pechv. Agron. Khim, 5 (2): 117 – 125.
- Lai, R. (1997):* Long – term tillage and maize monoculture effects on a tropical Alfisol in westren Nigeria. II Soil chemical properties. Soil and Tillage Res 42 : 161 – 174 .
- Lascu, I. and Ursachi, F. (1990):* Influence of some methods of soil working in its characteristics as well as on wheat, maize and sunflower yields and on fuel consumption. Analele. Institutului de Cercetari Pentru Cereal si Plant Tehnice Fundulea. 58, 269-277. (C.F. Weed Abst 42: 00745, 1993).
- Lee, K.B.; Park, K.B and Song, S.D. (1989):* Effects of Azospirillum amazonense on the growth of corn. The korean J. of Botany. 32 (3) : 137-144. (C.F Compilation of Abst on Bio – Fertilizers No (2) 244 – 245).

REFERENCES

- Mahgoub, G.M.A.; Esaad, H.B.; Younis, M.A. and El-Sherbieny, H.Y.S. (1991):** Effect of bacteria inocula and nitrogen fertilizer on maize plants. *Annals of Agric. Sci., Moshtoher*, 29 (2) 645 – 655.
- Materechera, S.A. and Mloza – Banda, H.R. (1997):** Soil penetration resistance, root growth and yield of maize as influenced by tillage system on ridges in Malawi. *Soil and Tillage Res.* 41: 13 – 24.
- Mayrya, P.R. (1988):** Comparison of zero – tillage and conventional tillage in wheat and maize production under different soil and climatic conditions in Nigeria. *Agricultural Mechanization Asia, Africa and Latin America* 19 (2): 30- 32. (*C.F. Field Crop Abst.* 41 (9): 5741, 1988).
- Monib, M.; Hegazi, N.; Eid, M. and Shokr, E. (1982):** Yield increase of grain sorghum after inoculation with nitrogen fixing azospirilla. 1st Int. Conf. on Bio- Fertilizer, Cairo, Egypt, 22- 26. March.
- Myrphy, J. and J.P.Riley. (1962):** A modified single solution method for the determination of phosphate in neutral water. *Ind. Chem. Acta*, 27 : 1-36.
- Nassar, A.N.M.E. (1992):** Studies on weed control in maize, M.Sc. Thesis. Fac. Agric. Al – Azhar Univ. Egypt.
- Neyra, C.A. and Doberiner, J. (1977):** Nitrogen Fixation in grasses. *Adv. Agron.*, 29: 1-38.
- Nawar, A.A.; Rady, M.S. and El-Hosary, A.A. (1984):** Genotypic variability and correlation coefficient of some quantitative

REFERENCES

- characters in Egyptian maize (Zea mays L.) Minufiya J. Agric., Res., 8, 123 –139.
- Nur, I.; Okon, Y. and Henis, Y. (1980):** An increase in nitrogen content of setaria italica and Zea mays inoculated with Azospirillum. Can. J. Microbiol 26 (1): 482 – 485.
- O, Hara, G.W.; Davey, M.R and lucas, J.A. (1981):** Effect of inoculaion of Zea mays with Azospirillum brasilense strain under temperate conditions. Can. J. Microbiol. 27: 871 – 877.
- Olsen, S.R.; Cole, O.V.; Watanabe, F.S. and del, A.L. (1954):** Estimation of available phosphorus in soil by extraction with sodium biocarbonate. U.S. Dept., Agric. Cir. 939.
- Opoku. G.; Vyn, T.J. and Swanton. C.J. (1997):** Modified no - till systems for corn following wheat on clay soils. Agron. J.89 : 549 – 556.
- Pacovsky, R.C. (1990):** Development and growth effects in the sorghum-Azospirillum association. J. applied. Bacterology 68: 555 – 563.
- Pagliai, M.; Raglione, M.; Panini, T.; Maletta, Marca, M.L. (1995):** The structure of two alluvial soils in Italy after 10 years of conventional and minimum tillage. Soil and Tillage Res 34 : 209 – 223.
- Pereira, J.A.R., Cavalcante, V.A.; Baldani, J.I. and Dobereiner J. (1989):**Field inoculation of sorghum and rice with Azospirillum spp. And Herbaspirillum seropedicae. F.A. Skinner et al., (eds) Nitrogen Fixation. With Non-legumes, 219 – 224.

REFERENCES

- Pinar. Y.; Kevseroglu, K.; Tekguler. A. and Sessiz, A. (1993):** Effects of seedbed preparation methods on some important properties of forage maize. International Congress on mechanization and energy in agriculture Proceeding of conference held in kusadasi, Turkey, 12-14 october, 1993. (C.F. Filed Crop Abst 47: 01395, 1994).
- Rao, R.V., Cheryulu, P.B.B.U.; Nayak, D.N. and Ramakrisuna, C. (1978):** Nitrogen fixation by free dirganisms in tropical rice soils. Basic life science. 10 : 354.
- Rasal, P.H. and Paril, P.L. (1993):** Effects of Azotobacter and Azospirillum inoculation on germination of hybrid sorghum. Madras. Agricultural Journal, 80 (3): 171 – 172.
- Reiad, M.S; Abdrabou, R.T. and Hanada, M.A. (1987):** Respons of maize plant to inoculation with Azotobacter and Azospirillum, nitrogen and organic fertilization rates. Annals. of Agric. Sci., Moshtohor, 25 (1): 1-12.
- Saleh, E.A.; El-Hadded, M.E.; Ishac, Y.S.; Eid, M.; El-Borollosy, M.A. and El-Demerdach, M.E. (1986):** Effect of seed bacterization and amendment with garbage compost on the growth of maize plants. Proc. 2nd Conf. AABNE. Cairo, Egypt, 514 – 527.
- Salim, M.S.M. and El-Sergany, D.Z. (1995):** Response of till and no-till maize to nitrogen fertilizer after different winter crops. Zagazig J. Agric. Res. 22 (2) 287 – 299.

REFERENCES

- Salwau, M.I.M. (1993):** Influence of source and rates of nitrogen fertilizers on yield and yield components of maize. *Annals of Agric. Sci. Moshtohor*, 31 (4) 1797 –1812.
- Sarig, S.; Kapulnik, Y.; Nur, I. and Okon, Y. (1984):** Respons of non-irrigated sorghum bicolor to *Azospirillum* inoculation. *Experimental Agriculture*. 20 (1): 59 – 66 .
- Sary, G.A.; El-Hosary, A.A.; Mohamed, S.A. and Abd El-Sattar, A.A. (1990):** Studies on combining ability and heterosis in maize (*Zea mays* L.) III. Association studies. *Egypt J. Agron.*, 15, 1-2, 1-8.
- Schaefer, K. P. (1985):** The influence of temperature and seedbed tillage on the emergence and early growth of corn and two species, giant foxtail (*Setaria faberi* Herrm.) and velvet leaf (*Abutilon theophrasti* Medic). *Sciences and Engineering*, 45 (7): 1975 B Iowa state univ. (C.F. Weed Crop Abst. 40 (5) 2568, 1987).
- Shafshak, S.E.; Gomaa, M.R.; Sharaf, A.E. and Omran, M.M. (1996):** Effect of some seedbed preparation practices on the growth and yield of soybean. *J.Agric. Sci. Mansoura Univ*. 21 (1) 33 – 52.
- Smith, M.A.; Carter, P.R. and Imbolete, A.A. (1992):** No – till Vs. conventional tillage for late-planted corn following hay harvest. *J. of. Prod . Agric.* 5 : (2), 261 – 264.
- Schuster, W.H and Lochow, V.J. (1978):** Anlage und a uswertung von feldversuchen 2. Auflag 1978, DLG. Verlags – Gmbtt, Fronkfurt am Main.

REFERENCES

- Snedecor, G.W. and Cochran, W.G. (1980):* Statistical Methods 7th Ed. Iowa State Univ. Press Ames, Iowa U.S.A.
- Sticker, F.C. (1964):* Row width and plant production studies. Sixth edition. Iowa State Univ. Press, Ames. Iowa U.S.A.
- Suliman, A.E. (1971):* Comparative study between mounted and trailed chisel ploughs. M.Sc. thesis. Fac. Agric., Cairo Univ. Egypt.
- Takahashi, H. and Sasiprapa, V. (1986):* Effects of land preparation on upland crop. Techn – Bull., Trop. Agric. Res. Cen., Japan, 1986, No. 20: 61 – 66.
- Terry, E.; Pino, M.D.L. A. and Medina, A. (1996):* Azospirillum lipoferum, an alternative for the nutrition of tomato (Lycopersicon esculentum, Mill.) in association with maize (Zea mays, lin.) cultivos - Tropicales. 17 (1): 48 – 51 .
- Tilak. K.V. B. R.; Singh, C.S.; Roy, N. K, and Subba Rao, N.S. (1982):* Azospirillum brasilense and Azotobacter chroococcum inoculum: effect on yield of maize (Zea mays) and sorghum (Sorghum bicolor). Soil Biol. Biochem. 14 : 417 – 418 .
- Tya GL., A.A.; Pokhariyal, G.P. and Odongo, O.M. (1988):* Correlation and path coefficient analysis for yield components and maturity traits in maize (Zea mays L.) [C.F. Maize Abst. 5 (2) 771, 1989].
- Van Wattstein, D.C. (1957):* Chlorophyll-lathale and der submikroskopische Formwechsel der plastiden. Exp. Cell Res., 12 : 527 – 533.

REFERENCES

- Vlasak. K. and Reynders. L (1981):* Agronomic aspects of biological dinitrogen fixation by Azospirillum sp. In : "Associative N₂ – fixation" Vol-I- (Ed.) by Vose. P.B and Ruschel. A.P Ruschel. CRC press, Boca Raton FL. pp. 93 – 102.
- Vyn. T. J. and Raimbault, B.A. (1992):* Evaluation of strip tillage systems for corn production in Ontario. Soil and Tillage Res. 23: (1-2), 163 – 176 .
- Vyn. T. J. and Raimbault, B.A. (1993):* Long-term effect of five tillage systems on corn response and soil structure. Agron. J.85 (5): 1074- 1079.
- U.S.B.R. (1974):*Earth Manual, Appendix E.8 Soluble Salts Determination of Soils U.S. Dep. Of Interior, U.S.B.R. Second Ed.
- Waggar, M.G. and Denton, H.P. (1989):* Tillage effects on grain yields in a wheat double crop soybean and corn rotation. Agro. J. 81: 493 – 498 .
- Wani, P.V. and Konde, B.K. (1986):* A study on Azospirillum – a review. J. of Maharashtra. Agric. Univ.India. 11 (3): 263 – 268. (C.F Compilation of Abst. Bio- Fertilizers No 2, 222 – 223).
- Wedad. E. (1990):* The association between Azospirillum brasilense and some higher plants in water culture. Annals Agric. Sci., Fac. Agric., Ain shams univ., 35 (2): 693 – 707.
- Wilson. R.G. (1993):* Effect of pre –plant tillage post – plant cultivation, and herbicides on weed density in corn (Zea mays) Weed Technology. 7 (3) : 728 – 734 .

REFERENCES

- Zaghloul, R.A.; Amer, A.A.; Mostafa, M.H. (1996a):* Efficiency of some organic manures and biofertilization with Azospirillum brasilense for wheat manuring. Annals of Agris. Sci., Moshtohor, 34 (2) : 627 – 640.
- Zaghloul, R.A.; Mostafa, M.H.; and Amer, A.A. (1996 b):* Influence of wheat inoculation with mycorrhizal fungi, phosphate solubilizing bacteria and Azospirillum on its growth and soil fertility. Annals of Agric. Sci. Moshtohor, 34 (2): 611 –626.