

LITERATURE CITED

- Abdalla, F.H.; H.H. El-Hinawy.; K.A. Abd El-Rahman and F.A. Abd El-Latif (1990):** Efficiency of some herbicides for weed control in sugar cane. *Assiut J. Agri. Sci.*, **21** (5): 291-302.
- Abd El-Latif, F.A.; Laila, M. Saif and A.M.A.El-Shafai (1999):** Optimum row spacing and nitrogen level for the plant cane and ratoon of the new promising sugar cane variety F-153. *Egypt J. Agric. Res.*, **77** (2): 769-782.
- .; **Nour El-Hoda M.Taha and A.M.A. El-Shafai (1998):** Performance of some sugar cane varieties grown under different row spacing. *J. Agric.Sci., Mansoura Univ.*, **32** (7): 3041-3051.
- Abd El- Rahman, A.; F.H. Abdalla.; H.H. El- Hinawy and F.A. Abd El-Latif (1990):** Influence of some herbicides on some quality parameters in sugar cane. *Assiut J. Agri. Sci.*, **21** (5): 303-316.
- Abo-Bakr, M.B. (1997):** Intercropping of some summer crops on spring sugar cane. M.Sc. Thesis, Agron. Dept., Fac. Agric., Minia Univ., Egypt.
- Abou- Salama, A.M. (1996):** Cultural practices and their improvement for maximizing the productivity of sugar crops particularly in Egypt. A review article, prepared for the General Committee for the Promotion of Assistant Professors and Professors.
- Agrawal, M.L.; J.P.S. Malik and S.A. Ali (1986):** Effect of tillage on productivity in sugar cane. *Indian Sugar Crops J.*, **12** (2): 5-7.

- Agrawal, M.L.; R.P. Srivastava and A.P. Singh (1990):** Effect of weed control practices on weed population and sugar cane under tarai condition of Uttar Pradesh.. Proc. Association Sugar Technol. Association India. No. 52, 15-20.
- Ahmad,Z.; S. Khan.; S. Rahman and G. Ahmad (1995):** Effect of nitrogen levels and setts density on various agronomic characteristics of sugar cane. Pakistan Sugar J., 9 (3): 7-11.
- Ahmed, A.M. (1995):** Evaluation of some sugar cane varieties grown in Upper Egypt. M.Sc. Thesis, Agron. Dept., Fac. Agric., Al-Azhar Univ., Cairo, Egypt.
- Anonymous (1981):** Chemical control in Egyptian sugar production factories. Jan., PP 232.
- Association of Official Agricultural Chemists (1995):** Official methods of analysis, published by the A.O.A.C., Box 540, Washington..
- Balusamy, M.; P. Parameswaran and V.S. Shanumugasundaram (1994):** Studies on non-monetary and monetary inputs like seed rate, spacing and N levels on yield and quality of sugar cane. Indian-Sugar. 43 (10): 771-774.
- Barbieri, J.L.; L.R.F. Alleoni and J.L. Donzelli (1997)** Agronomic and economic evaluation of soil preparation systems for sugar cane. Revista-Brasileira-de-Ciencia-do-Solo. 21 (1): 89-98.
- Bharad, G.M.; B.G. Bathkal and S. S. Wanjari (1991):** Effect of irrigation, nitrogen and row spacing on growth and yield of sugar cane. Annals Plant Physiol., 5 (1): 91-96.

- Borole, A.D.; J.K.Waghulde.; Y.R. Chaudhari.; A.D. Patil.; A.S. Patil and A.D. Wele (1990):** Research note on inter- relationship between row spacing, plant population and yield of sugar cane. *Bharatiya Sugar*. 16 (1): 117-124. (C.F. Field Crop Abst., 1993, 46 (11): 7876).
- Brar, L.S.; and S.P. Mehra (1995):** Weed management in sugar cane. *Co Operative-Sugar*. 26 (6): 447-448.
- Braunack, M.V. (1994).** The effect of soil physical properties on growth and yield of sugar cane . *Soil and Tillage Res. (ISSCT, XXII Congress 15 th September 1995, Cartagena, Colombia.)*.
- .; **D. McGarry.; L.R. Crees.; N.V. Halpin and D.M. Hogarth (1999):** Strategic tillage for planting sugar cane. *Proc. of the 1999 Conf. Australian Soc. Sugar Cane Technol., Townsville, Queensland, Australia, 27-30 April 1999.*, 101-107.
- Brown, J.D. and O. Lilliland (1964):** Rapid determination of potassium and sodium in plant material and soil extracts by Flamephotometry. *Proc. Amer. Soc. Hort. Sci.*, 48: 341-346.
- Buragohain, S.K.R. (1993):** Integrated weed management in spring planted sugar cane. *Co Operative-Sugar*. 25 (1-2): 39-41.
- Chattha, M.T.M.; M. Zubair.; M. Saeed and S. Afghan (1997):** Effect of pit versus flat plantation on productivity of autumn sugar cane. *Pakistan Sugar-J.*, 11 (3): 13-16.
- Chaugule, J.D and B. R. Patil (1983):** Weed management in Adsali sugar cane Co.740. *Indian Sugar Crops J.*, 9 (1): 15-17.

- Chauhan, R.S and G.B. Singh (1993):** Integrated weed management in spring planted sugar cane . Indian Soc., Weed Sci., 3: 188-191. (C.F. Field Crop Abst., 1993, 46 (8): 5345).
- Devi, C.; K.L. Rao and D.V.M. Raju (1990):** Studies on the effect of row space and nitrogen on yield and quality of early maturing sugar cane varieties. Indian Sugar, 40 (7) : 541 - 544.
- Diaz, P.J.A and F. H. Somoza (1987):** Study of two soil preparation methods for sugar cane in a calcareous brown soil. Boletin-INICA. 3 (1): 105-117.
- Dominf, M.E and R. Plana (1989-a):** Planting denisty and the production of cane for sets. Cultivos Tropicales , 11 (3): 55-65. (C.F. Field Crop Abst., 1991, 44 (5): 3372).
- Dominf, M.E. and R. Plana (1989-b):** Effect of planting density on growth and production of setts in sugar cane (*Saccharum sp.*). Cultivos Tropicales, 11(3):67-73. Instituto Nacional de Ciencias Agricolas, Havana, Cuba (C.F. Field Crop Abst., 1991, 44 (5):3373).
- Dominf, M.E and R. Plana (1989-c):** Effects of stalk age and planting denisty on planting material production in two sugar cane cultivars. Cultivos Tropicales , 11 (1): 75-79. (C.F. Field Crop Abst., 1991, 44 (5): 3374).
- El- Sayed, G.S. (1996):** Plant population and nitrogen fertilizer and their effect on yield and quality for some sugar cane varieties. M.Sc. Thesis, Agron. Dept., Fac. Agric., Moshtohor, Zagazig Univ., Egypt.

- Evans, H. (1963):** A review of recent developments and trends in sugar cane culture . Int. Sugar J. **65** : 163-166. (ISSCT, XXII Congress 15 th September 1995, Cartagena, Colombia.).
- Gaikwad, B.H. and B. Sundara (1993):** Effects of planting methods, plant growth regulators and nutrients on short duration sugar cane. J. Maharashtra Agric. Univ., **18** (1): 62-64. Sugar Cane Breeding Inst., Coimbatore, 641007, India. (C.F. Field crop Abst., 1994, **47**(6): 3921).
- Galvani, E.; V. Barbieri.; A.B. Pereira and Villa, N.A. Nova (1997):** Effect of different row spacings on yield of sugar cane (*Saccharum sp.*). Scientia-Agricola. **54** (1-2): 62-68.
- Gangwar, K.S.; and S.K. Sharma (1995):** Studies on weed and lodging management in sugar cane on cultivated fields. Farming-Systems. **11** (1-2): 8-11.
- Garcia, A.G and N.R. Lawas (1986):** Mulching and intercropping: their effects on soil erosion in the uplands. Research-at-Los-Banos. 1986, **5** (2): 18-19.
- Gascho, G.J. and S.F. Shih (1981):** Row spacing effects on biomass and composition of sugar cane in Florida. Proc. Amer. Soc. Sugar Cane Technol., N.S. **8**: 72-76.
- Gill, M.B.; M. Saeed.; I. Ahmad.; A. Ahmad.; and S. Afghan (1996):** Ratooning potential of two sugar cane cultivars planted in different geometrical patterns. Pakistan Sugar J., **10** (3): 12-14.

Glaz, B.; M.F. Ullao and R. Parrado (1989): Cultivation, cultivar and crop age effects on sugar cane. *Agron. J.*, **81**: 163-167.

Gonzalez, R.M.; R.A.Vega.; J. Vallina and R. Corrales (1992): Effect of plant spacing on the agricultural performance of initial sugar cane stands. *Cuba-Azucar*. **26** (1): 31-38.

Huang, Chi-Min (1982): The relationship between plant density and cane yield. Report of the Taiwan Sugar Res. Inst., 97: 35-48. Taiwan Sugar Res. Inst., Tainan, Taiwan. (C.F. Hort. Abst., 1983, **53** (7): 5593).

Ismail, A.M (1991): Effect of some herbicides on growth and yield of sugar cane. M.Sc. Thesis, Fac. Agric., Al-Azhar. Univ., Cairo. Egypt.

Jayabal, V. and S. Chockalingam (1990): Effect of spacing, seed rate and nitrogen levels on yields and quality of sugar cane. *Cooperative Sugar*, **22** (3): 171-172.

Johari, D and R.G. Singh (1991): Chemical weed control in spring planted sugar cane. *Bharatiya-Sugar*. **16** (7): 51-55.

Kannappan, K.; P. Manickasundaram.; J. Karmathullah and K. Kumaraswamy (1990): Effects of levels of nitrogen on yield and quality of sugar cane under different spacings and methods of planting. *Indian Sugar*, **40** (3): 157-159.

-----.; and **C. Ramaswami (1995):** Studies on weed manegment in sugar cane base intercropping systems. *Co operative Sugar*. **27** (4):275-278. (C.F. Field Crop Abst, 1997, **50** (10): 701)

Kathiresan, G and N. Selvaraj (1998): Influence of planting materials and intra-row spacings on cane population and yield. Co operative Sugar. 29 (8): 549-551.

Kumar, S.; and S.N.L. Srivastava (1991): Evaluation of pre-emergence and non-selective herbicides in sugarcane. Annals Applied Biology., 118: Supplement, 68-69.

Lazo, R.M.; G.L. Proenza and M.C. Legon (1989): Effect of planting density on yield of three cultivars of sugar cane (*Saccharum* sp.hybrid). ATAC Revista de la Asociacion de Tecnicos Azucareros de Cuba . 3: 26-33. (C.F. Field Crop Abst, 1992, 45 (9): 6604)

Lopez, N.; J. Armesto.; A. Sanchez.; E. Peart.; S. Hernandez.; D.R. Villegas.; and D. Ponce-de-Leon (1993): Effect of no-tillage on some soil physical properties and sugar cane yield. Memorias del XI Congreso Latinoamericano de la Ciencia del Suelo y II Congreso Cubano de la Ciencia del Suelo Volumen 1: quimica, fisica y biologia de suelos, 11-17 Marzo 1990 La Habana, Cuba. 1993, 172-175.

Mahadevaswamy, M. (1996): effect of nitrogen and row spacing on growth, yield and quality of sugar cane (*Saccharum officinarum*) varieties. Indian J. Agro., 41 (3):457-461. (C.F. Field Crop Abst, 1997, 50 (7): 5166)

----- (1997-a): Response of some promising sugar cane genotypes to row spacings and levels of nitrogen. Madras Agric. J., 84 (2): 94-95.

Mahadevaswamy, M. (1997-b): Studies on planting density and nitrogen levels on growth and yield of sugar cane variety 'Co 8011'. Co Operative-Sugar. 28 (7): 541-543.

-----.; **C. Kailasam and T.R. Srinivasan (1994):**
Integrated weed management in sugarcane (*Saccharum officinarum*).
Indian J. Agron., 39 (1): 83-86.

Mali, A.L. and P.P. Singh (1985): Quality of sugar cane as influenced by varieties in relation to varying row spacings. Indian Sugar, 35 (8): 451-456 G.B. Paut Univ., Pautnagar, India. (C.F. Hort. Abst., 1986, 56 : 10191).

----- (1986): Effect of varying row spacings on the yield of select varieties of sugar cane. Indian Sugar, 36 (3): 117-121. (C.F. Hort. Abst., 1987, 57 (5): 3887).

Mandloi, K.S.; R.V. Singh and B.R. Lokhande (1989): Response of sugar cane varieties to row spacing and seed rate. Indian J. Agron., 34 (2): 247-249. J.N. Krishi Vishwa Vidyalaya Campus. RAK College Agric., Sehore 466001 (MP), India. (C.F. Field Crop Abst., 1991, 44 (9): 6826).

McIntyre, G.; C. Barbe.; J. Pitchen and M. Yerrian (1984): Minimum tillage in Mauritius. Sugar Cane. 4: 1-3. {ISSCT, XXII Congress 15 th September 1995, Cartagena, Colombia.}.

Mehra, S.P.; L.S. Brar and K.K. Sharma (1995): Weed management in spring planted sugar cane. J. Res., Punjab Agric. Univ., 32 (1) : 11-18. (C.F. Field Crop Abst, 1997, 50 (2) :1362)

Mehra, S.P.; R.S. Kanwar and L.S. Brar (1990): Weed management in spring -planted sugar cane. J Res., Punjab Agric. Univ., **27** (3): 401-407.

-----.; ----- and **R.K. Bhatia (1991):** Herbicidal control of winter weeds in autumn cane + Indian mustard intercropping system. Indian J. Weed Sci., **21** (3-4): 37-41.

Murayama, S.; S.M.M. Uddin.; A. Nose and Y. Kawawitsu (1990): Effects of agronomical practices on sugar cane yield. Sci. Bull., College Agric., Ryukyus Univ., **37**: 1-6., Okinawa, Japan.

Nand-Lal and N. Lal (1997): Yield performance of sugarcane mericlone transplants under different inter-row and intra-row spacing combinations. Sugar Cane. No. (6): 12-14.

Nandihalli, U.B and J.N. Singh (1982): Note on the effect of row spacing and degree of defoliation on yield and quality of sugar cane. Indian J. Agric. Sci., **52** (1): 6-27. Govind Ballabh Pant Univ. Agric. and Technol., Pautagar, Uttar Praddesh, 263145, India.(C.F. Hort. Abst., 1983, **53** (7): 5577).

Narang, R.S.; M.S. Gill.; S.S. Mahal and K.S. Gosal (1998): Response of sugar cane (*Saccharum officinarum*) to fertilizers and row spacings. Indian J. Agron., **43** (2): 342-345.

Narayanamurthi, A.; S. Asokan.; and M. Mahadevaswamy (1998): Influence of nitrogen and row spacings on dry matter, nutrient uptake, yield and quality in certain midlate sugarcane varieties. Madras Agric. J., **84** (10): 620-622.

- Nayak, N.; P.K. Das.; S.S. Mahapatra and B.C. Jena (1997):** Recent agro-techniques for water-logged sugarcane in Orissa. *Indian Sugar*. 47 (4): 265-269..
- Nguyen-Thi-Mui.; F. Dolberg and P.H. Petersen (1997):** Effect of management practices on yield and quality of sugar cane and on soil fertility. Integrated farming in human development. Proceedings of a Workshop, Tune Landboskole, Denmark, 25-29 March 1996., 262-274; 47.
- Omran, M.M.M. (1995):** Effect of some seedbed preparation practices on the growth and yield of soybeen. Ph. D. Thesis, Fac.Agric., Moshtohor, Zagazig Univ. (Banha Branch).
- Paes, J.M.V.; N. Marciano.; C.H. Britos.; A.A. Cardoso and H.H.P. Martinez (1996):** Study of the effect of spacing and splitting of nitrogen applications on yield and technological characteristics of three sugar cane cultivars. *Revista Ceres*. 43 (250):775-784. (C.F. Field Crop Abst, 1997, 50 (11) :8596)
- Pandian, B.J.; P. Muthukrishnan.; K. Kumaraswamy and S. Rajasekaran (1991):** Management practices for short duration sugar cane varieties. *Bharatiya-Sugar*. 1991, 16 (4): 55-57.
- Patel, H.S.; N.J. Mehta.; M.P. Patil and B.C. Naik (1990):** Effect of row spacing and nitrogen levels on yield and quality of early maturing sugar cane cultivars. *Indian Sugar*, 5 (8): 609-611.
- Patil, J.R. and B.D. Khot (1986):** Effects of seed material, plant density and nitrogen rates on juice quality of suru sugar cane with spaced planting.

J. Maharashtra Agric. Univ., 11 (2): 205-208 {C.F. Hort. Abst., 1987, 57 (6): 5090}.

Pawar, L.G.; R.J. Bhosle.; G.S. Kalra and B.P. Patil (1985): Comparative performance of different methods of planting sugar cane. Indian Sugar, 35 (7): 395-399. (C.F. Hort. Abst., 1986, 56 (6): 4785).

Pear, E.; H. Bouza.; M.Morales.; N. Lopez.; S. Hernandez and I. Martinez (1992): Influence of two soil tillage technologies on the nutrient absorption, radical development and sugar cane yield. Ciencias-del-Suelo,-Riego-y-Mecanizacion. 2 (3): 25-35.

Pergl, F. (1945): Quantitative organic micro analysis. 4 th Ed. J. and Churchill Ltd., London.

Pleskhow, B.P. (1976): Analysis in Agriculture Biochemistry. 2 nd Ed., Moscow, Kales.

Ponnuswamy, K and S. Sankaran (1982): Evaluation of oxyfluorfen for weed control in early sugarcane cv. COC. 671. Absts. papers, Annual Conf. Indian Soc. Weed Sci., 1982. undated, 26.

Prasad, D.; U. K. Prasad and P. K. Bose (1983): Effect of pre-monsoon irrigation, nitrogen and spacing on the yield of sugar cane varieties. Indian J. Agron., 28 (2): 131-133. {C.F. Hort. Abst., 1985, 55 (2):1625}.

Quintero, E and S. Rodriguez (1982): Weed control and fertilizer application in the first ratoon of sugar cane. Centro-Agricola., 9 (2): 27-36. (C.F. CAB. Abst., 1984-1986).

- Raju, D.V.N and K.L. Rao (1991):** Preliminary study on selectivity and efficacy of Arelon- a new herbicide for control of weeds in sugar cane. *Bharatiya-Sugar*. 16 (6): 9-15.
- Ramesh, P. (1997):** Effect of planting geometry and method of planting on yield components, yield, quality and water use of sugar cane (*Saccharum officinarum*). *Indian J. Agron.*, 42 (2): 389-391.
- **and M. Mahadevaswamy (1996):** Agronomic practices for some promising sugar cane varieties in tropical India. *Indian-Sugar*. 46 (9): 719-722.
- Saif, Laila M.; Nour El - Hoda, M. Taha and Moona , M. Shehata (1999):** Effect of plant density and nitrogen fertilizer on yield and quality of sugar cane varieties. *Egypt. J. Appl. Sci*; 14 (11): 77-90.
- Saini, J.P.; I.S. Chakor and N.N. Angiras (1992):** Economics of weed management treatments in sugar cane under mid- hill conditions of H.P. Himachal J. *Agric. Res.*, 18 (1-2): 34-38.
- Sarjit, S.; S.S. Toor and A.I.S. Garcha (1995):** Early post-emergence application of metribuzin for chemical weed control in spring planted sugar cane. *Sugar Cane*, (5): 20-22. {C.F. Field Crop Abst, 1997, 50 (4) :2659}
- Shafi, M.; S. Afghan.; M.L. Shah and T. Mahmood (1994):** Screening of herbicides for weeds in sugar cane at post-emergence stage. *Pakistan Sugar J.*, 8: (1): 9-12.

- Shafshak, S.E.; A.S. El-Debaby; G.W. Amerhom and G.A.Sary (1975):** Effect of seedbed preparation and weed control on the growth and yield of maize. *Z.Acker-U-Pflanzenbau*, **141**: 25-37.
- Sharma, R.A. (1984):** Effect of pre-monsoon irrigation and inter-row spacing on yield and quality of sugar cane. *JNKVV Res. J.*, **16** (2): 136-141. (C.F. Hort. Abst., 1985, **55** (4): 3071).
- Sidhu, B.S.; K.K. Sharma and Avtar Singh (1994)** Performance of sugar cane (*Saccharum officinarum*) varieties as influenced by row spacings. *Indian J. Agron.*, **39** (4) : 705-706. (F.C.Abst., 1995, **48** (8): 6268).
- Singh, V.P.; K.C. Jha and Z. Zaman (1991):** Agronomic practices for late-planted sugar cane in North Bihar. *Sugar Cane Res. Inst., Pusa 848101, Bihar, India. Indian Farming*, **41** (4): 25.
- Singh, G.P.; U. Lal and B. Singh (1996):** Comparative efficacy of methods of weed control in sugar cane crop. *Indian-Sugar*. **46** (5): 343-347.
- Singh, P.P.; S.K. Saini and K. Kumar (1982):** Studies on plant density and nitrogen levels in sugar cane. *Indian Sugar* **32** (9): 581-585. Govind Ballabh Pant Univ. Agric. and Technol., Pantnagar, India. (C.F.Hort. Abst., 1983, **53** (7): 5578).
- Singh, P.P.; S.K. Saini.; K. Kumar and P.S. Negi (1984):** Studies on plant population and irrigation requirements of sugar cane under Tarai conditions of Uttra Pradesh. *Indian Sugar*, **34** (8): 621-624. (C.F. Hort. Abst., 1985, **55** (7): 5764).

Singh, P.P.; S.K. Saini; O.P. Mishra and T.P. Singh (1981): Planting technique and spatial density in relation to late sown sugar cane under North India conditions. *Indian Sugar*, **31**(9): 597-602. (C.F. Hort. Abst., 1982, **52** (7): 5166).

Singh, G and O.P. Singh (1993): Performance of sugar cane (*Saccharum officinarum*) varieties at various row spacings when grown under flood-prone conditions. *Indian J. Agric. Sci.*, **63** (12) 818-820.

Singh, R.K.; V.K. Singh and V. Singh (1995): Efficacy of herbicides and cultural practices for sustained yield and quality of sugar cane ratoon. *Co Operative-Sugar*. **26** (7): 545-548.

Singh, S.K.P.; S.S. Singh; U.P. Sinha and A.K. Singh (1996): Effect of spacing, seed rate and nitrogen on growth, yield and quality of sugar cane (*Saccharum officinarum*). *Indian J. Agron.*, **41** (1):119-121. (C.F. Field Crop Abst, 1997, **50** (2) :1346)

Sinha, U.P.; K.C. Jha and S. Kumar (1994): Inter-cropping systems in spring planted sugar cane with oilseeds and pulses. *Co Operative Sugar*. **26** (4): 273-275.

Sinha, U.P.; S.S. Sinha; H.N. Choube and S. Kumar (1998): Effect of nitrogen and weed control practices on yield and quality of sugar cane (*Saccharum officinarum*) L. *Indian-Sugar*. **48** (1): 23-27.

Snedecor, G.W. and W.G. Cochran (1981): Statistical Methods. Seventh Ed. Iowa State Univ. Press, Ames, Iowa, USA.

- Sundara, B and B.H. Gaikwad (1995)** Effects of planting methods, growth regulators and foliar nutrition on short duration sugar cane. *J. Maharashtra Agric. Univ.*, **20** (3): 385-387.
- Suryani, A. (1997):** Sugar cane-cotton intercropping in the unirrigated area to increase farmers' income and sugar cane supply. *Majalah-Penelitian-Gula*. **33** (1): 23-29.
- Suwanarak, K (1990):** Weed management in sugar cane in Thailand. BIOTROP-Special-Publication. No. **38**, 199-214; a Symposium on Weed Management held in Bogor, Indonesia, 7-9 June 1989.
- Thakur, G.L.; R.K. Sharma and H.D. Verma (1996):** Integrated weed management in sugar cane ratoon. *Indian Sugar* **46** (1): 23-26.
- Thomas, J.R.; F.G. Salinas and L.N. Namken (1978).** Growth and yield of sugar cane as affected by row spacing and irrigation regime. *Proc. Amer. Soc. Sugar Cane Technol.* **7**: 129-135.
- Toor, S.S.; A.I.S. Garcha.; Sarjit-Singh.; N.S.Saini and S.Singh (1996):** Bioefficacy of herbicides in conjunction with cultural methods for effective weed management in sugar cane. *Crop Res. Hisar*. **11** (3): 272-277.
- Uddin, S.M.M and S.Murayama (1993):** Effects of management practices on growth and yield of sugar cane. *Japanese J. Tropical Agric.*, **37** (1): 11-16.
- Usman, B. (1989):** Influence of AS dosage addition and amount of cane cuttings on plant growth, NPK leaf content and yield of several cane varieties. *Majalah Perusahaan Gula*, **25** (1): 1-12.

Yadav, R.L. (1992): Effect of sett size and row arrangement on yield and quality of sugar cane. Co Operative Sugar, **23** (10): 667-670. Indian Inst. Sugar Cane Res., Lucknow 2, Uttar Pradesh, India. (C.F. Field Crop Abst., 1994, **47** (8): 5337).

----- **(1993):** Cane yield in relation to shoot-population density of sugar cane [*Saccharum species*]. Indian J. Agron., **38** (2) 337-338. Indian Inst. Sugar Cane Res., Lucknow 226002, Uttar Pradesh, India (C.F. Field Crop Abst., 1994, **47** (8): 5339).

-----.; **and S.R. Prasad (1997):** Maximizing sugar cane yield by increasing plant population density, minimizing NO₃-N leaching and improving soil organic matter in different crop rotations. J. Agron. Crop Sci., **178** (2): 117-123.

Yang, P.C.; F.W. Ho.; S.A. Yin and C.C. Lo (1982): Effects of dual-row planting on the growth and yield of sugar cane. Report of Taiwan Sugar Res. Inst. **98**: 1-13. (C.F. Hort. Abst., 1983, **53** (9): 6841).

Wagner, M.; C. Rincones.; G. Medina and M. Mujica (1995): Effect of the chisel plough and of irrigation on development of sugar cane in a compacted soil. Agron. Tropical Maracay. **45** (1): 5-26.

Zahoor A.; S. Khan; S. Rahman; G. Ahmad and D. Khan (1997): Yield and quality of sugar cane as affected by different levels of nitrogen and planting density. Pakistan Sugar J., **11** (2): 29-33.

Zerega, M.L.; T. Hernandez and J. Valladares (1998): Effects of tillage on the soil and on sugar cane cultivation. I. Short-term effects. Agron. Tropical Maracay. **48** (4): 501-513.