

## ***REFERENCES***

## VI. REFERENCES

- Abd El-Halim, A.K.; A.M. Selim and M.M. Hussein (1988):*  
Effect of nitrogen and potassium fertilizers on growth and yield of groundnut under different irrigation intervals in South Tahrir. Egypt. J. Agron. 13(1,2): 147-158.
- Abd El-Motaleb, H. M. and M. S. H. Yousef (1998):*  
Intercropping maize with two varieties of peanut under two levels of nitrogen fertilizer. Proc. 8<sup>th</sup> Conf. Agron., Suez Canal Univ., Ismaillia, Egypt, 28-29 Nov. 544-552.
- Abdul-Galil, A.A.; S.A. Ghanem, O.A. Zeiton and N.M. Moselhy (1990):* Effect of planting density and foliar N fertilization on yield of maize. Proc. 4<sup>th</sup> conf. Agron., Cairo, 15-16 Sept. Vol. 1: 405-417.
- Adhikary, S.; D. K. Bagch; P. Ghosal; R. N. Banerje and B. N. Chatterjee (1991):* Studies on maize-legume intercropping and their residual effects on soil fertility status and succeeding crop in upland situation. J. of Agron. and Crop Sci., 167(5): 289-293.
- Ahmed, S. and H.P.M. Gunasena (1979):* Utilization and economics of some intercropped systems in tropical countries. Tropical Agric. 56:115-123.

- Anonymous (2004):** Summer and Nile crops 2003. Bull. Agricultural statistics, scientific material by Economic affairs sector – Ministry of Agriculture, Egypt. 2: 1-351.
- Anonymous (2005):** Summer and Nile crops 2004. Bull. Agricultural statistics, scientific material by Economic affairs sector – Ministry of Agriculture, Egypt. 2: 1-380.
- A.O.A.C. (1975):** Official Methods of Analysis. 12<sup>th</sup> Ed., Association Official Agric. Chem. Washington, D.C.
- Baker, E.F.I. (1979):** Population, time and crop mixtures. Proc. of an international workshop on intercropping. ICRISAT. Hyderabad. India 1013 January PP 3260.
- Balyan, J. S. (1997):** Performance of maize (*Zea mays*)-based intercropping systems and their after-effect on wheat (*Triticum aestivum*). Indian J. of Agron., 42 (1): 26-28.
- Barik, K. C. (1997):** Maize + legume intercropping for North Central Plateau of Orissa. Legume Research, 20(3/4): 218-220.
- Brockhaus (1962):** Brockhous ABC der Landwirtschaft. Band I (A.K), 2<sup>nd</sup>. Edition, VEB, F.A. Brockhous Verlag, Leipzig, Germany, pp. 489. (In German).

- Bull, T. A. (1979):** Photosynthetic efficiencies and photo respiration in calven cycle and C di-carboxylic acid plants. Crop Sci., 9: 726-752.
- Calavan, K.M. and R.R. Weil (1988):** Peanut-corn intercrop performance as affected by within-row corn spacing at a constant row spacing. Agron. J. 80: 635-642.
- Dahal, K. C.; B. D. Gurung and R. K. Neupane (1996):** Summer oilseed crop research report. PAC Working Paper - Pakhribas Agric. Center, No.125, 30 pp.
- Davis, J.H.C.; J.N. Woolley and R.A. Moreno (1986):** Multiple cropping systems. 7- Multiple cropping with legumes and starchy roots. Macmillan publishing company, NEW York, USA, 133-160.
- De-Wit, C.T. (1960):** On competition. Verslag Land-baukindige Onderzoek. 66: 1- 82 (c.a. **Willey, R.W. (1979):** Intercropping. Its importance and research needs. Part 1: Competition and yield advantages., Field Crop Abstr., 32: 1-10).
- Duncan, D. B. (1955):** Multiple range and multiple "F. test" Biometrics, 11: 1-42.

- El-Bana, A. Y. and M.A. Gomaa (2000):* Effect of N and K fertilization on maize grown in different populations under newly reclaimed sandy soil. Zagazig J. Agric. Res. 27(5): 1179-1196.
- El-Douby, K.A.; E.A. Ali and S.E.A. Toaima (2001):* Effect of nitrogen fertilizer, defoliation and plant density on maize grain yield. Egypt. J. Agric. Res., 79(3): 965-982.
- El-Gizawy, N.K.B. (2000):* Response of maize to nitrogen and manganese fertilization Ph.D. Thesis, Fac. Agric. Moshtohor, Zagazig Univ.
- El-Hosary, A.A. and M.I.M. Salwau (1989):* Effect of N levels and plant density on yield and some agronomic characters in maize (*Zea mays L.*) Ann. Agric. Sci. Moshtohor. 27 (2): 783-795.
- Eliseu, J. M. and M. J. Freire (1992):* Effect of plant density and sowing pattern on the yield of a groundnut/maize intercrop. Proc. 5<sup>th</sup> Regional groundnut workshop for Southern Africa, 9-12 March, Lilongwe, Malawi. 121-123.
- El-Wakil, N.M.H. (2002):* Response of some cultivars of maize to plant density and nitrogen fertilization. M.Sc. Thesis, Fac. Agric. Moshtohor, Zagazig Univ.

- Eneji, A. E. and B. D. F. Oke (1997):*** Sole and intercropping of maize and groundnut: effects on yield and economic returns in northern Cross River State of Nigeria. *Global J. of Pure and App. Sci.*, 3(3): 303-311.
- Fisher, N.M. (1977):*** Studies in mixed cropping II. Population pressures in maize-bean mixtures. *Exp. Agric.* 13:185-191.
- Fisher, N.M. (1982):*** Methods of cropping systems research in experiments sited at Research Stations. Training workshop farming system research. Nigerian Institute for oil-palm research. Benin City. Nigeria, July/August.
- Francis, C.A.; C.A. Flor and M. Proager (1978):*** Effect of bean association on yield and yield components of maize. *Crop Sci.*, 18(5): 760-764.
- Freire, J.M. and S. N. Reddy (1989):*** Effect of relative density of component crops and staggered sowing dates in groundnuts/maize intercropping. *J. of Res. APAU*, 17(2):175-177.
- Gomez, K.A. and A.A. Gomez (1984):*** Statistical procedures for agricultural research. A Wiley-Interscience Publication, John Wiley & Sons, New York.

- Hang, A.N.; D.E. McCloud; K.J. Boote and W.G. Duncan (1984):* Shade effects on growth, partitioning, and yield components of peanuts. *Crop Sci.* 24(1) 109-115.
- Hardy, R.W.F. and U.D. Havelka (1973):* Photosynthate as a major factor limiting nitrogen fixation by field grown legumes with emphasis on soybeans. P. 421-439. In p.s. Nutman (Ed.) *Symbiotic nitrogen fixation in plants*. IBP7. Cambridge Univ. Press, London.
- Hassanein, M.S.; D.M. El-Hariri and M.A. Ahmed (1997):* Effect of nitrogen fertilizer levels and bacterium inoculation on yield and its components of maize. *Field Crop Res. Dept., Nat. Res. Cent., Dokki, Giza, Egypt. J. Agric. Sci. Mansoura Univ.*, 22 (1) : 63 – 72.
- Hiebsch, C.K. (1978):* Comparing intercrops with monocultures. p. 187- 200. In *Agronomic economic research on soils of the tropics, 1976- 77 Annual Report*. North Carolina State Univ., Raleigh, N.C.
- Hiebsch, C.K. and R.E. McCollum (1987- a):* Area- x- Time Equivalency Ratio: A method for evaluating the productivity of intercrops. *Agron. J.*, 79: 15- 22.
- Hiebsch, C.K. and R.E. McCollum (1987- b):* Area -x- Time Equivalency Ratio: A method for evaluating the productivity of intercrops. *Agron. J.* 79: 945- 946.

- Hussein, Samira M.A. (2005):** Optimizing utilization of nitrogen fertilizer under some intercropping systems of groundnut and maize in sandy soil. J. Agric. Sci., Mansoura Univ., 30(9): 4979-4989.
- Hussein, Samira M.A.; S.A.A. Shams and A.M. El-Melegy (2002):** Effect of some intercropping patterns and foliar application with nutrients mixture on yield of maize and peanut. Ann. Agric. Sci., Moshtohor, 40(3): 1427-1447.
- Ibrahim, A.A. and M.F. Abd El-Maksoud (2001):** Leaf defoliation and hill spacing effects on maize productivity. Zagazig J. Agric. Res. 28 (2): 261-274.
- Ibrahim, Sahar T.A. (1996):** A study on intercropping potatoes and maize. M.Sc. Thesis. Fac. of Agric. Moshtohor Zagazig Univ. (Benha Branch).
- Ibrahim, Sahar T.A. (2000):** Effect of some cultural practices on the performance of intercropping maize and potato. Ph.D. Thesis. Fac. of Agric. Moshtohor Zagazig Univ. (Benha Branch).
- Jana, P. K. and B. K. Saren (1998):** Dry-matter accumulation, yield attributes and yield of summer maize (*Zea mays*) and groundnut (*Arachis hypogaea*) intercropping systems as influenced by irrigation. Indian J. of Agron., 43(1): 18-22.

- Kamel, A.S.; M.N. Sherif; M.A. El-Masry; S.K. Badr and M.A. Abd El-Aziz (1990):** Intercropping maize with soybean as influenced by different patterns. *Agric. Res. Rev.*, 28: 1-19.
- Kayhan Foroutan Pour; Pierre Dutilleul and Donated L. Smith (1999):** Soybean canopy development as affected by population density and intercropping with corn: Fractal Analysis in comparison with other quantitative Approaches. *Dep. of plant Sci. MacGill Univ., Canada. Crop Sci.* 39: 1784-1791.
- Khalil, H.E. (1994):** Evaluation of some intercropping patterns in relation to land equivalent ratio and competitive relationships. *Ph.D. Thesis. Fac. of Agric. Moshtohor Zagazig Univ. (Benha Branch).*
- Koraïem, Y.S.; A.A. El-Khishen and M. Shaheen (1980):** Response of maize (*Zea mays L.*) to different levels of plant density and nitrogen fertilizer in two types of soils. *Alex. J., Agric. Res.* 28 (3): 91-101.
- Koreish, E. A.; M. E. El-Fayoumy; H. I. El-Maddah and H. M. Ramadan (1998):** Response of maize (*Zea mays*) to inoculation with *Azotobacter* and *Azospirillum* under various mineral nitrogen levels. *Alex. Sci. Exch.*, 19 (1) 165-176.

- Krantiz, B.A. (1974):** cropping patterns stabilizing agricultural production in semi-arid tropics. Proc. Inter. Workshop on farming systems ICRISAT. 18-12, Hyderabad, India.
- Krishna, A. and S. V. Raikhelkar (1997):** Crop complementarity and competition in maize (*Zea mays*) when intercropped with different legumes. Indian J. of Agric. Sci., 67(8): 291-294.
- Lanier, J. E., D. L. Jordan, J. F. Spears, R. Wells, and P. D. Johnson (2005):** Peanut response to inoculation and nitrogen fertilizer. Agron. J. 97: 79-84.
- Larson, W.E. and W.O. Willis (1957):** Light, soil temperature, soil moisture and alfaalfa-red clover distribution between corn rows of various spacings and row directions. Agron. J. 49: 422-426.
- Liphadzi, M. S.; R. M. Thomas and P. S. Hammes (1997):** Competition between intercropped maize (*Zea mays* L.) and groundnut (*Arachis hypogaea* L.). App. Plant Sci., 11(2):31-34.
- Lucas, E.O. (1986):** The effect of density and nitrogen fertilizer on the growth and yield of maize (*Zea mays* L.) in Nigeria. J., Agric. Sci., Comb., 107: 573-578.

- Mahmoud, M.H.; A. Eskander and I.M.A. Aziz (1980):**  
Corn production in calcareous soils as influenced by N-application and plant population. Agric. Res. Rev., 58: 199-210.
- Mandimba, G. R.(1995):** Contribution of nodulated legumes on the growth of *Zea mays* L. under various cropping systems. Symbiosis (Rehovot), 19(2/3): 213-222.
- Mandimba, G. R.; C. Galandzou and N. Guenguie (1993):**  
Effect of plant population densities on the growth of *Zea mays* L. and *Arachis hypogaea* L. in intercropping systems. Biol. Agric. & Hort., 10(2): 141-154.
- Mc Gilchrist, C.A. (1960):** Analysis of competition experiments. Biometrics, 21: 975- 985.
- Metwally, A.A.; G.O. Mahamed; M. N. Shereif and M. M. Awad (2005):** Yield and land equivalent ratio of intercropped corn and groundnut. Proc. 11<sup>th</sup> Conf. Agron., Assiut Univ., 15-16 Nov., 201-211.
- Midmore, D.J. (1985):** Intercropping potato (*Solanum spp.*) with maize in warm climates. In : L. Degras Proc. 7<sup>th</sup> symp., International Soc. for Tropical Root Crops, 837-851). (c.f. The Commonwealth Agric. Bureaux Abstr., Dialog File No. 90-085782, 1988).

- Mohamed, S.S. (1986):** Effect of chemical weed control, nitrogen fertilization and plant density on yield and yield components of maize. M.Sc. Thesis, Fac. Agric. Moshtohor, Zagazig Univ. (Benha Branch).
- Nambiar, P.T.C.; M.R. Rao, M.S. Reddy; C.M. floyd; P.J. Dart and R.W. Willey (1983):** Effect f intercropping on nodulation and N-fixation by groundnut. Exp. Agric. 19: 79-86.
- Olasntan, F.O. (1988):** Intercropping of cassava (*Manihot esculenta*) with maize or cow pea under different row arrangements. Field Crops Res., 19: 41-50.
- Patra, B. C.; B. B. Mandal; B. K. Mandal and A. K. Padhi (1999):** Suitability of maize (*Zea mays*) based intercropping system. Indian J. of Agric. Sci., 69(11): 759-762.
- Patra, B. C.; B. K. Mandal and B. B. Mandal (1990):** Profitability of maize-legume intercropping system. Indian Agric., 34(4): 227-233.
- Patra, B. and S. C. Poi (1998):** Influence of intercropping on the nodulation in legumes. Environ. and Ecol., 16 (2): 418-423.
- Pregl, F. (1945):** Quantitative organic micro-analysis, 4<sup>th</sup> Ed. J. & A. Churchill, Ltd., London.

- Rao, R. C. N. and P. Subrahmanyam (1992):** Combined intercropping and crop rotation trials at Chitedze Agricultural Research Station. Proc. 5<sup>th</sup> regional groundnut workshop for Southern Africa, 9-12 March, Lilongwe, Malawi, 125-128.
- Roodagi, L. I. and C. J. Itnal (2001):** Planting methods and intercrops on nutrient uptake, yield, soil chemical properties and microbial population in sugarcane. Karnataka J. of Agric. Sci., 14(3): 596-600.
- Salem, M.S.; A. Roshdy and F.I. Gaballa (1983):** Grain yield of maize in relative to variety, plant population and nitrogen application. Ann. of Agric. Sci. Moshtohor, 20: 91-105.
- Saren, B. K. and P. K. Jana (1999):** Effect of irrigation and intercropping system on yield, water-use, concentration and uptake of nitrogen, phosphorus and potassium in maize (*Zea mays*) and groundnut (*Arachis hypogaea*) grown as sole and intercrop. Indian J. of Agric. Sci., 69 (5): 317-320.
- Sarkar, R. K. and D. Shit (1990):** Effect of intercropping cereals, pulses and oilseeds with maize on production, competition and advantage. Indian Agric., 34 (2):89-98.

- Searle, P.G.E.; Y. Comudom; D.C. Shedden and R.A. Nance (1981):* Effect of maize and legume intercropping systems and nitrogen fertilizer on crop yields and residual nitrogen. Field Crop Res., 4: 133-145.
- Senaratne, R. and D. S. Ratnasinghe (1993):* N supply by groundnuts to maize in a maize plus groundnut intercropping system, as affected by the genotype. Biol. and Fert. of Soils, 15 (3): 215-219.
- Senaratne, R. and M. T. K. Gunasekera (1994):* Nitrogen fixation, growth and yield of intercropped (*Vigna radiata* L.) and groundnut (*Arachis hypogaea* L.) affected by the genotype. J. of Agron. and Crop Sci., 173 (1): 53-60.
- Senaratne, R.; N. D. L. Liyanage and D. S. Ratnasinghe (1992):* Effect of K on nitrogen fixation of intercrop groundnut and the competition between intercrop groundnut and maize. Fert. Res., 34 (1): 9-14.
- Senaratne, R.; N. D. L. Liyanage and R. J. Soper (1995):* Nitrogen fixation of and N transfer from cowpea, mungbean and groundnut when intercropped with maize. Fert. Res., 40 (1): 41-48.

- Shams, A.S.A.A. (2002):* Effect of biological and mineral fertilizer on growth and yield of maize intercropped with soybean. M.Sc. Thesis. Fac. of Agric. Moshtohor Zagazig Univ. (Benha Branch).
- Sherif, Sahar A.; A.A. Zohry and, Sahar T. Ibrahim (2005):* Effect of planting dates and densities of maize intercropped with groundnut on growth, yield and yield components of both crops. Arab Univ., J. Agric. Sci., Ain Shams Univ., 13 (3): 771-791.
- Sison, L. C. and H. M. Pava (1990):* Inoculation, nitrogen and phosphorus fertilization on peanut (*Arachis hypogaea* L.) with and without corn intercrop. CMU J. of Sci., 3(1):25-62.
- Snedecor, G. W. and W.G. Cochran (1967):* Statistical methods, 6<sup>th</sup> Ed. the Iowa State Univ. press, Ames Iowa, USA: 325-330.
- Subasinghe, S. and R. Senaratne (2000):* Below-ground competition in a maize/groundnut intercropping system as affected by the rooting soil layer. Plant Production Sci., 3(2):108-111.

**Tofinga, M. P. and T. M. Tukunga (1995):** The nature of competition between maize (*Zea mays* var. *rugosa*) and peanuts (*Arachis hypogaea*). J. of South Pacific Agric., 2(2): 27-33.

**Tripathi, R.D.; Srivastava, G.P.; Misra, M.S. and Pandey, S.C. (1971):** Protein content in some varieties of legumes. The Allah Abad Farmer., 16:291-294.

**Vander Zaag, P. and A.L. Demagante (1990):** Potato (*Solanum spp.*) in an isohyperthermic environment. V. Intercropping with maize. International Potato Center, Manila, Philippines. Field Crops Res. 25: 157-170.

**Willey, R.W. (1979):** Intercropping. Its importance and research needs. Part 1: Competition and yield advantages., Field Crop Abstr., 32: 1-10.

**Willey, R.W. and M.R. Rao (1980):** A competitive ratio for quantifying competition between intercrops. Exp. Agric., (16) : 117- 125.

**Willey, R.W.; M. Natarajan; M.S. Reddy; M.R. Rao; P.T.C. Nambiar; J. Kannaiyan and V.S. Bhatnagar (1983):** Better crops for food – Intercropping studies with annual crops. (Ciba foundation symposium 97). Pitman Books, London, P 83-100.

*Younis, M.A; F.A. Salama and R.I. Faisal (1995):* Effect of planting date and nitrogen levels on growth and yield of maize. J. Agric. Sci., Mansoura Univ. 20(1): 9-14.

*Zhan WeiHua; Huang GuanHua; Feng ShaoYuan and Wang FengXin (1999):* The interaction of water and fertilizer on intercropped groundnuts and maize with sprinkler irrigation. J. of China Agric. Univ., 4 (4): 35-39.

*Zhou SuMei; Ma ShuQin; Li Wen and Zhang ShiTou (1998):* Analysis of superiority of maize and groundnut row intercropping. Acta Agric. Univ. Henanensis, 32(1): 17-22.

*Zuo YuanMei; Wang He; Li XiaoLin; Zhang FuSuo and Cao YiPing (1998):* The effects of peanut intercropped with maize on the morphological and physiological changes of peanut roots in calcareous soil. Acta Agron. Sin., 24(5): 558-563.

*Zuo YuanMei; Zhang FuSuo; Li XiaoLin and Cao YiPing (2000):* Studies on the improvement in iron nutrition of peanut by intercropping with maize on a calcareous soil. Plant and Soil, 220 (1/2): 13-25.