## CONTENTS

CONTENTS	Page
	·
List of Tables	_
I- INTRODUCTION	1
II- REVIEW OF LITERATURE	5
III- REVIEW OF BITTALES	38
IV- RESULTS AND DISCUSSION	57
IV- RESULTS AND DISCUSSION	57
IV.1. Apricot loading	
IV.1.1. Changes in physochemical properties leading	
to maturity of developing Ammar apricot	
fruits	57
IV.1.2. Effect of transporting containers on	
mechanical damage of Amaar apricot fruit.	67
a postharvest treatments on	
IV.1.3. Effect of some postnarios keeping quality of Amaar apricot fruits	
under different conditions of storage	72
	114
IV.2. Guava	
IV.2.1. Effect of transporting containers on	114
mechanical demage of Balady guava fruits	
IV.2.2. Effect of some prestorage treatments on	
keeping qualtiy of Balady guava fruits under	
different conditions of storage	117
	160
OTHER ASSESSMENT OF THE SECOND	178
	•
TITE ADARTO SUMMARY	

	Page
Table	(13): Changes in fruit juice total soluble solids (T.S.S.) percentage of Amaar apricot cv. in response to some postharvest treatments during cold storage at "5°C" in 1988 and 1989 seasons
Table	(14): Changes in fruit juice total soluble solids (T.S.S.) percentage of Amaar apricot cv. in response to some postharvest treatments during cold storage at "0°C" in 1988 and 1989 seasons
Table	(15): Changes in fruit juice total acidity percentage of Amaar apricot cv. as affected by some postharvest treatments stored under room condition during 1988 and 1989 seasons 98
Table	(16): Changes in Fruit juice total acidity  percentage of Amaar apricot cv. in relation to  some postharvest treatments during cold storage  at *5°C* in 1988 and 1989 seasons 100
Tabl	at "5°C" in 1988 and 1969 seasons 100  (17): Changes in fruit juice total acidity percentage of Amaar apricot cv. as affected by some postharvest treatments under cold storage \$\dlocum_0^{\circ}\$ cin 1988 and 1989 seasons 101
Tabl	e (18): Fruit juice T.S.S./acid ratio of Amaar apricot cv. as affected by some postharvest treatments during storage under room condition 1988 and 1989 seasons

	IV	•
	Pa	.ge
Table	(19): Fruit juice T.S.S./acid ratio of Amaar apricot cv. in relation to some postharvest	
	treatments during cold storage at "5°C" in	• •
	1988 and 1989 seasons 10	)6
Table	(20): Fruit juice T.S.S./acid ratio of Amaar apricot cv. in response to some postharvest	
	apricot cv. In response to treatments during cold storage at "0°C" in	. <del>-</del>
	1988 and 1989 seasons	107
+	(21): Fruit juice total sugar % of Amaar	
Table	annight cy as affected by some postnarvest	
	thents during storage under room condition	
	in 1988 and 1989 seasons	111
Table	(22): Fruit juice total sugars percentage of	
Table	apricot cv. in response to some	
	postharvest treatments during cold storage at	
	"5°C" in 1988 and 1989 seasons	112
<b></b>	(23): Fruit juice total sugars percentage of	
Table	apricot cy. in response to some post-	
	harvest treatments under cold storage at "0°C"	
·	in 1988 and 1989 seasons · · · · · · · · · · · · · · · · ·	113 '
Table	(24): Mechanical damage percentage of Balady	
IdDI	grava fruits in relation to type of trans-	
	porting containers used during 1988 and 1989	
	seasons	116
Tabl	e (25): Effect of some postharvest treatments	
IGNI	fresh weight loss percentage of Balady	
-	grava fruits stored under room condition	
	during 1988 and 1989 seasons	120

	•	Page
<b>Table</b>	(26): Effect of some postharvest treatments	
	on periodial fresh weight loss percentage of	
	Balady guava fruits stored at "15°C" during	
	1988 and 1989 seasons	123
Table	(27): Effect of some postharvest treatments	
14210	on periodial fresh weight loss percentage of	
	Balady guava fruits stored at "10°C" during	
·	1988 and 1989 seasons	124
Table	(28): Discarded fruits percentage of Balady guava in relation to some postharvest treat-	
	ents during storage under room condition in	
	1988 and 1989 seasons	129
Table	(29): Discarded fruits percentage of Balady	
	guava in relation to some postharvest treat-	
	ments during cold storage at "15°C" in 1988	
	and 1989 seasons	130
Table	(30): Discarded fruits percentage of Balady	
	guava in relation to some postharvest treat-	
	ments during cold storage at "10°C" in 1988	
	and 1989 seasons	131

	Page
Table (36): Changes in fruit juice total soluble	
solids percentage of Balady guava as affected	
by some postharvest treatments during cold	
storage at " $10^{\circ}$ C" in 1988 and 1989 seasons 1	44
Table (37): Changes in fruit juice total acidity	
percentage of Balady guava as affected by some	
postharvest treatments under room condition	
	147
Table (38): Changes in fruit juice total acidity percentage of Balady guava as affected by some	
postharvest treatments during cold storage at	148
"15°C" in 1988 and 1989 seasons	
Table (39): Changes in fruit juice total acidity	
percentage of Balady guava as affected by some	
postharvest treatments during cold storage at	
"10°C" in 1988 and 1989 seasons	149
Table (40): Fruit juice T.S.S./acid ratio of Balady	
guava cv. as affected by some postharvest	
treatments during storage under room condition	•
in 1988 and 1989 seasons	150

Page