

REFERENCES

- Abd El-Gawad, A.A.; A.M. Samra; A.N.Y. Ashour and M.T. Abd El-Fattah (1991).** Effect of cultivar and growing location on relative contribution of fiber properties on yarn strength and elongation. *Egyptian Cotton Gazette, J. of the Alexandria Cotton Exporters Assoc.* 97: 23-38.
- Abd El-Mohsen, M.A. (1978).** The effect of combing and some spinning processes on the yarn properties in Egyptian cottons. M.Sc. Thesis, Fac. Agric., Al-Azhar Univ., Cairo, Egypt.
- Abd-El-Mohsen, M.A. (1983).** A comparative study between the technological properties of some Egyptian and American Upland cotton varieties grown in Egypt. Ph.D. Thesis, Fac. Agric., Al-Azhar Univ., Cairo, Egypt.
- Abd El-Salam, M.E. (1994).** Quality assessment for breeding Egyptian high quality cotton varieties. *The Egyptian Cotton Gazette, J. Alexandria Cotton Exporters Assoc.*, 102: 29-40.
- Abd El-Salam, M.E.; B.M. Altantawy and M.S. Garawin (1972).** The relationship between yarn fineness, twist multiplier and yarn physical properties of Egyptian cotton varieties. *The Egyptian Cotton Gazette, J. Alexandria Cotton Exporters Assoc.*, 59: 65-83.
- Abdul-Sattar, C. and A. Hussain (1985).** Combined effect of micronaire and pressly strength characteristics on spinning performance in Pakistan cottons. *The Pakistan Cottons*, 39 (3): 117-126.
- Ahmed, N.T.; A.M. Ismail and M.M. Kamal (1987).** Effect of some spinning variables on single yarn mechanical properties of long-stapled Egyptian cottons. *Agric. Res. Rev.*, 65 (4): 701-709.
- Ahmed, M.A.; M.M. Kamal and A.E. Yousef (1984).** The contribution of micronaire reading, fiber length and fiber stiffness to yarn neppiness. *Agric. res. Rev.*, 62 (6): 259-365.
- Ahmed, S.A.S. (1994).** Egyptian cotton competitors. *The Egyptian Cotton Gazette, J. Alexandria Cotton Exporters Assoc.*, 102: 41-58.

- Almashouley, S.A. (1981).** Contribution of fiber to yarn physical properties. A paper presented to the Second Annual Conference of the International Textile Institute (Nigeria Section), Durbar Hotel, Kaduna, 2-3 April, 1981.
- Almashouley, S.A.; M.S. Garawin and A.I.S. Marzouk (1986).** Physical properties of Dendera cotton post processing through successive spinning machinery. *Annals Agric. Sci., Moshtohor*, 24 (1): 121-134.
- Al-Mashouley, S.A. and S.M. Abed (1987).** Properties of cotton spun yarns as affected by trash content and fiber properties of scutscher lap, Card and Comb Slivers. *Agric. Res. Rev.*, 65 (4): 687-699.
- Altantawy, B.M. (1977).** Analytical investigation of the occurrence of neps in Egyptian cotton. Ph.D. Thesis, Fac. Agric., Cairo Univ.
- Anon (1990).** Textile. How Jeans are made. *Textiles*, 19 (2): 33-35.
- Anon (1994).** World Cotton Statistics, The Egyptian cotton Gazette, J. Alexandria Cotton Exporters Assoc., 102: 1-20.
- Anthony, W.S.; W.R. Meredith and J.R. Williford (1988).** Neps in ginned lint: The effect of varieties, harvesting and ginning practices. *Text. Res. J.* 58 (4): 661-667.
- Ashour, A.N.Y.; M.T. Abd El-Fattah; M.A. Abd El-Mohsen and A.M. Ismail (1991).** Blending cotton wastes to produce low priced medium and coarse yarns with acceptable quality. *The Egyptian Cotton Gazette, J. Alexandria Cotton Exporters Assoc.*, 79: 10-21.
- ASTM Standards on textiles, American Society for Testing and Materials (1979).** D-1447-67, D 3818, D144-67, D2256-67, D1448-79, Philadelphia, USA.
- Balls, W.L. (1928).** Studies on quality in cotton. Macmillan and Co., London.
- Behery, H.M. (1993).** Short Fiber Content and Uniformity Index in Cotton. ICAC Review Articles on Cotton Production No. 4, CBA International, International Cotton Advisory Committee.
- Belin, R.E. and S.S. Taylor (1966).** The influence of hooked fibers on cotton comber waste. *Text. res. J.*, 36: 542-547.

- Berkley, E.E. (1945).** Fiber and spinning properties of cotton at progressive stages of development. *Text Res. J.*, 15: 460-467.
- Berkley, E.E. and H.D. Barker (1947).** Structures as shown by X-rays and strength of cotton fibers as related to yarn strength. *USDA, Tech. Bull.*, No. 949.
- Bogdan, J.F.; H.K.C. Woo and C.H. Pan (1959).** The control of cotton comber noils. *Text. Res. J.*, 29: 741-750.
- Booth, J.E. (1968).** Principles of textile testing. Third Edition, Heywood Book, London.
- Bragg, C.K.; C.L. Simpson and J.D. Wessinge (1992).** Carding and combing-How these processes affect yarn quality. *Beltwide Cotton Conf., National Cotton Council of America*, Vol. 3: 1270-1272.
- Campell, M.E. (1959).** Twist multiplier for maximum skein strength. *Text World*, 109: 7M: 35.
- Chapman, W.E. and V.L. Stedronsky (1959).** Ginning Acala cotton in South West. *Prod. res. Rpt., Agric. Res. Serv., USDA*.
- DeBarr, A.E. and H. Catting (1965).** The principles and theory of ring spinning. *Manual of Cotton Spinning*, 5: 128-136. The Textile Institute, Manchester.
- Deluca, L.B.; J. Simpson and L.A. Fiori (1968).** An evaluation of fiber parallelization and drafting tenacity of cotton silver. *Text. Res. J.*, 38: 817-822.
- Draper, N.R. and H. Smith (1966).** Applied regression analysis. John Wiley and Sons Inc., New York, pp. 704.
- Durest, J. (1956).** Yarn evenness measurements should take into account fiber length and surface area. *Text-Industry*, 120:106-107.
- El-Didi, M.A. (1962).** A study on the efficiency of fiber tests instruments for measuring the characters of Egyptian cotton. *The Third Cotton Conference, Cairo, Egypt*, 343-361.
- El-Didi, M.A. (1985).** Best yields in the history of Egyptian cotton. *The Egyptian Cotton Gazette, J. Alexandria Cotton Exporters Assoc.*, 85: 25-33.
- El-Hariry, S.H.M.; F.S. Mansour; E.M.S. Sawires and M.G. Seif (1990).** The relative contribution of fiber properties to yarn physical properties in Giza 77

- Egyptian cotton variety by using stepwise regression analysis. *Agric. res. Rev.*, 68 (6): 1282-1297.
- El-Hattab, H.E.; M.H. El-Shaer and A.M. Samra (1972).** Evaluation of fiber properties of single cotton plants as related to yarn strength. *Text. Res. J.*, 42: 650-655.
- El-Sabbagh, N. and M.F. Ahmed (1988).** response of Egyptian cotton yarns to bleaching and various spinning variables. *The Egyptian Cotton Gazette*, J. Alexandria Cotton Exporters Association, 93: 65.
- El-Tabbakh, A.E. A.A. Avd El-Gawad, A.M. Samra, m.A. Abdel-Salam and A.Y.A. Ashour (1985).** Relative contribution of fiber to yarn properties. *Agric. Res. Rev.*, 63 (6): 139-161.
- Everette, E. (1986).** Effect of short fiber content in cotton plant performance and quality. *Text. Res. J.*, 56 (2): 750-757.
- Fiori, L.A. and J.J. Brown (1951).** Effect of cotton fiber fineness on the physical properties and processing behaviour. *Text. res. J.*, 21: 751-757.
- Fiori, L.A.; J.J. Brown and J.E. Sands (1954).** Effect of cotton fiber strength on single yarn properties and on processing behaviour. *text. Res. J.*, 24: 503-507.
- Fiori, L.A. and J.N. (1963).** The effect of cotton fiber tensile stiffness and toughness on yarn properties. *J. Text. Inst.*, 54: 79-91.
- Foster, G.A.R. (1958).** The principles of roller drafting and the irregularity of drafted materials. *Manual of Cotton Spinning*, Vol. 4. Part. I, pp. 142, The Textile Institute, Manchester.
- Fransen, J.T.F. and L. Verschraege (1985).** Origin of short fibers. *textile, Horizons*, 5 (10): 40-42. The Textile Institute, Manchester.
- Garawin, M.S. (1971).** A study of the effect of some cotton fiber properties on yarn evenness. M.Sc. Thesis, Fac. Agric. Ain Shams Univ., Cairo, Egypt.
- Garawin, M.S. (1976).** A study of the relative effect of the various cotton fiber properties on yarn quality. Ph.D. Thesis, Fac. Agric., Ain Shams Univ., Cairo, Egypt.
- Gregory, J. (1950).** Cotton yarn structure. *J. Text. Inst.*, 41: 1-52.
- Grover, E.B. and D.S. Hamby (1969).** Handbook of textile testing and quality control. John Wiley and Sons, Eastern private Ltd., New Delhi.

- Hebert, J.J.; G. Mangialardi and H.H. Ramey (1986).** Neps in cotton processing. text. res. J., 56: 108-111.
- Hebert, J.J.; E.K. Boylston and D.B. Thibodeaux (1988).** Anatomy of nep. text. res. J., 58: 382.
- Hegab, A.A.T. (1978).** The effect of grade and processing performance on fiber and yarn properties in some Egyptian cotton varieties. Ph.D. Thesis, Fac. Agric., Al-Azhar Univ., Cairo, Egypt.
- Hegab, A.A.T.; A.E. Yousef and M.E. Abd-Ellah (1985).** Prediction of yarn strength of Egyptian cotton. Agric. Res. Rev., 63 (6): 155-162.
- John, D.; J.D. Tallant and L.A. Fiori (1961).** The effect of short fibers in cotton on its processing efficiency and product quality. Text. Res. J. 31: 866.
- Kamal, M.M.; N.T Ahmed And A.M. Ismail (1988).** Stress-strain curves of single cotton yarns as affected by count and twist multiplier. Annals Agric. Sci., Moshtohor, 26 (2): 943-957.
- Kemp, S. (1980).** Maturity measures. Textile Asia, Sept, 1980.
- Kothari, V.K.; A.K. Sengupta; J. Srinivasan and B.C. Goswami (1988).** Air-jet Texturing cotton-filament composite yarns for better apparel comfort. Text. Res. J., 58 (3): 392-399.
- Landstreet, C.B.; P.R. Ewald; K.L. Hertel and C.J. Craven (1954).** A chart gives twist multiplier for maximum strength. Text. World, 104: 106-123.
- Leitgeb, D.J. and H. Wakeham (1956).** Cotton quality and fiber properties. Part V: Effect of fiber fineness. Text. Res. J., 26: 543-552.
- Little, T.M. and F.J. Hills (1978).** Agricultural experimentation design and analysis. John Wiley and Sons, New York.
- Lord, E. (1967).** The characteristics of raw cotton. Manual of cotton spinning. Vol. II. Part. I. The Textile Institute, Manchester.
- Lord, E. (1981).** The origin and assessment of cotton fiber maturity. The International Institute of Cotton. Manchester.

- Louis, G.L. and P.D. Bel (1985).** Yarn spun by different methods from blends of wool/cotton and wool/polyester. *Text. Res. J.*, 55 (11): 681-685.
- Louis, G.L.; L.A. Fiori and J.E. Sands (1961).** Blending cottons differing in fiber bundle break elongation. Part. I: Effect on the properties of single combed yarns. *text. res. J.*, 31: 43-51.
- Louis, G.L.; L.A. Fiori and L.A. Leitz (1968).** relationship among fiber properties, yarn properties and end breakage for medium staple cottons. *Text. Bull.*, 94: 43-48.
- Mansour, F.S. (1984).** The effect of physical characteristics of cotton lint on yarn strength and irregularity of Egyptian cotton. Ph.D. Thesis, Fac. Agric., Ain Shams Univ., Cairo, Egypt.
- Martindale, J.G. (1950).** A review of causes of yarn irregularity. *J. text. Inst.*, 41: 340-356.
- Merchant, V.B. (1962).** Short fibers in cotton. *Test. Res. J.*, 32: 610-611.
- Meredith R. (1945).** The tensile behaviour of raw cotton and other textile fibers. *J. text. Inst.*, 36: 107-130.
- Moreau, J.P. (1990).** Cotton fibers for non woven. *Tappi. J.*, 73 (6): 179-185.
- Morton, W.E. (1931).** Yarn twist. *Textile Manufacturer*, 57: 427.
- Morton, W.E. and Hearle, J.W.S. (1962).** Physical properties of textile fibers. First edition, The Textile Institute, Butterworth, Manchester and London.
- Nanjundayayya, C. (1966).** The strength of cotton yarn with particular reference to the structure of the region of break. *Test. Res. J.*, 36: 954-966.
- Nawar, M.T. (1979).** A study of some technological properties in some Egyptian cotton varieties. Ph.D. Thesis, Fac. Agric., Al-Azhar Univ., Cairo, Egypt.
- Nawar, M.T.; M.A.M. Ghorab and M.G. Seif (1990).** A study of structural properties of cotton fibers of different length groups and its relative relation to tensile strength in some imported cultivars cultivated in Egypt. *Proc. Int. Conf. St. & Comp. Sci. Soc. Res. and DEM*, p. 139-153, Cairo.

- Nomeir, A.A.; M.T. Nawar and B.M. Altantawy (1985).** Effect of blending some ginning wastes with cotton on fiber and yarn quality. *Agric. Res. Rev.*, 63 (6): 211-219.
- Nour, O.D.M. (1991).** Studies on some technological and spinning properties in some Egyptian cotton varieties. M.Sc. Thesis, Fac. Agric., Al-Azhar Univ., Cairo, Egypt.
- Patel, C.K.; B.R. Shelot and T. Radhakrishnan (1967).** The relationship between yarn defects and other yarn characteristics. *Text. Paraxis*, 22: 304-307.
- Pearson, N.L. (1944).** Neps in cotton yarns as related to variety, location and season of growth. *USDA, Tech. Bull. No. 878*.
- Pillay, K.P.R. and K.S. Shankaranarayana (1961).** Variation in the properties of cotton fiber with length. *Text. Res. J.*, 31: 515-524.
- Pillay, K.P.R. (1964).** A study on the hairiness of cotton yarns. a. Effect of fiber and yarn factors, b) Effect of processing factor. *Text. Res. J.*, 34: 663-669 and 783-788.
- Rehman, H. (1960).** Nep formation and control in spinning. *The Pakistan Cottons*. 4 (2): 153-160.
- Riad, F.A. (1988).** Improvement of spinning efficiency of cotton waste in spinning mills. M.Sc. Thesis, Fac. Agric., Helwan Univ., Alexandria, Egypt.
- Robert, K.Q.; A. Baril; R.B. Reif and P.E. McCrady (1984).** New Electrostatic spinning concept for cotton. *J. of Engineering Industry*, 106 (8): 247-252.
- Robert, K.Q.; S.A. Almashouley and A.A. Alashwat (1990).** Development of blended cotton yarns. A proposal for joint activity between the USA and A.R.C., Egypt, SRRC, ARC, USDA, New Orleans, Louisiana, USA.
- Rodney, W. (1961).** Economic and statistical background of cotton growing and manufacturing. *The American cotton handbook*, Third Edition, D.S. Hamby, p 18-25, John Wiley and Sons, New York.
- Ruppenicjer, G.F.; R.J. Harper Jr.; A.P.S. Sawhney and K.Q. Robert (1989).** High cotton-content core-yarn fabrics for military uses. S.R.R.C., New Orleans, USDA, ARS. Oct., 1989, Industrial Fabrics Association International.

- Ruppenicjer, G.F.; R.J. Harper Jr.; A.P.S. Sawhney and K.Q. Robert (1990).** Properties of fabrics woven from twistless cotton yarns produced by wrap spinning. *Text. Res. J.*, 60 (5): 255-260.
- Rusca, R.A. (1970).** Cotton fiber properties. *Cotton Grow Rev.*, 47: 206-216.
- Sadek, S.; M.E. Abd El-Salam and B.M. Salluma (1972).** Studies on yarn evenness and its influence on yarn tensile properties in Egyptian cotton. *Agric. Res. Rev.*, 50: 175-189.
- Salama, N.F. (1962).** Correlations between different fiber properties and yarn strength. The Third Cotton Conference, Cairo, Egypt, March, 1962, 363-373.
- Salhotra, K.R. and Balasubramanian (1986).** Measurement of minimum fiber length contributing to tenacity of ring and rotor yarns. *Indian J. of Text. Res.*, 11: 67-69.
- Salluma, B.M. (1970).** Grades analysis of long Egyptian cotton. Ph.D. Thesis, Fac. Agric., Ain Shams Univ., Cairo, Egypt.
- Samra, A.M. (1970).** The evaluation of fiber properties of single cotton plants as related to yarn strength. M.Sc. Thesis, Fac. Agric., Cairo Univ., Cairo, Egypt.
- Sawhney, A.P.S.; G.F. Ruppenicker; L.B. Kimmel; H.L. Salaum and K.Q. Robert (1988).** New technique to produce cotton/polyester blend yarn with improved strength. *Text. Res. J.*, 58: 601-604.
- Sawhney, A.P.S.; G.F. Ruppenicker and R.Q. Robert (1989).** Cotton covered Nylon-core yarns and Greige-fabrics. *Text. Res. J.*, 59: 185-190.
- Sawhney, A.P.S.; G.F. Ruppenicker; K.Q. Robert and L.B. Kimmel (1989).** New types of ring-spun yarns. *Textile Technology International*, 143-146.
- Sawires, E.M.S.; S.H.M. El-Hariry; M.G. Seif and F.S. Mansour (1989).** Effect of lint grade, combing, yarn count and twist factor of yarn appearance grade in Egyptian long-stapled cottons. *The Egyptian Cotton Gazette, J. Alexandria Cotton Exporters Assoc.*, 93: 44-56.
- Sawires, E.M.S.; M.G. Seif; S.H.M. El-Hariry and F.S. Mansour (1990).** The relative contribution of fiber properties to yarn mechanical properties in Giza 77

cotton variety by using stepwise regression analysis. *Agric. Res. Rev.*, 68 (6): 1299-1308.

Sawires, E.M.S.; F.S. Mansour; M.G. Seif and S.M.M. El-Hariry (1994). Quality evaluation of commercial and newly developed Egyptian cotton varieties. *The Egyptian Cotton Varieties Gazette*, J. Alexandria Cotton Exporters Assoc., 103: 43-55.

Seif, M.G. (1994a). Fiber length measurements and distribution of Egyptian, Pima and Upland cottons as measured by HVI, AFIS, Peyer and Suter-Web Methods. Beltwide Conferences, Cotton Quality Measurements Conf., 1381-1384, USA.

Seif, M.G. (1994b). Comparative study on fiber and yarn properties of Egyptian and Pima cotton. Beltwide Cotton Conf., Cotton Quality Measurements Conf., 1478-1492, USA.

Seif, M.G. (1994c). Spinning potential of Egyptian and Pima cottons. Beltwide Cotton Conferences, Cotton Textile Processing Conf., 1636-1638.

Seif, M.G. (1994d). Effect of pre-spinning processing on fiber properties, nep count and trash content of Egyptian, Pima and Upland cottons. *The Egyptian Cotton Gazette*, J. Alexandria Cotton Exporters Assoc., 103: 57-72.

Seif, M.G.; S.H.M. El-Hariry and M.B. El-Kadi (1994). Predicted yarn strength of Egyptian cotton using HVI Testing. Nineteenth International Conference for Statistical, Computer Science and Social Applications, Cairo, Egypt, 9-14 April, 1994, Vol. II. Computer Science and Applications and Statistics and Basic Science, 213-224.

Simpson, J.; J.R., Coley and G.G. Shanabel (1957). Combed roving twist formula. *Text. Res. J.*, 27: 812-816.

Snedecor, G.W. and W.G. Cochran (1956). *Statistical Methods*. Fifth Edition, Iowa State College Press, Ames, Iowa, USA.

Sperling, P.E. (1965). The manufacturing of cotton sewing and handicraft threads. *American Cotton Handbook*, Third Edition, Vol. I., 437-471. John Wiley and Sons.

- Sullivan, R.R. (1942).** A theoretical approach to the problems of yarn strength. *J. Appl. Physics*, 13: 157-167.
- Syiam, M.M.; M.A. Abd-El-Mohsen, F.S. Mansour and A.I.S. Marzouk (1989).** Studies on the relationship between twist and yarn properties of extra-long stapled Egyptian cottons. *International Textile Engineering Conf., ITEC, Alexandria-Univ., Egypt.*
- Syiam, M.M.; M.A.M. Ghorab and F.M. El-Rayes (1990).** Factor analysis of fiber properties in Egyptian cotton (*G. barbadense* L.). *Proc. Int. Conf. St., Comp. Sci. Soc. Res. and DEM.*
- Tallant, J.D.; L.A. Fiori and C.D. Legedree (1959).** The effect of the short fibers in a cotton on its processing efficiency and produced quality. *Text. Res. J.*, 29: 687-695.
- Thibodeaux, D.P. and J.P. Evans (1986).** Cotton fiber maturity by Image analysis. *Text. Res. J.*, 56: 130-139.
- Truslow, N.A. (1965).** Twisting. *American Cotton Handbook, Third Edition*, 1, 418-436, John Wiley and Sons.
- Wakeham, H. (1955).** Influence of cotton fiber length distribution on processing and yarn quality. *Text. Res. J.*, 25: 422-429.
- Webb, R.W. (1965).** Interrelationships amongst five cotton quality factors including fiber strength at 1/8" versus 0" gauge as related to yarn strength at three staple length levels. *USDA, Agric. Mktg. Serv., M.R. Rpt. No. 684.*
- Webb, R.W. and H.B. Richardson (1947).** Relation and importance of certain fiber properties of long-stapled cotton to strength of combed yarns and to percentage of manufacture waste. *Text. World*, 97: 145-147.
- Webb, R.W. and H.B. Richardson (1951).** Neps in acrd web as related to six elements of raw cotton quality. *USDA, Prod., & Mktg. Admin. No. 54.*
- Zaher, M.A.; M.E. Abd El-Salam and S.M. Aboul Fadl (1975).** Studies on relationships between structural and physical yarn properties of the Egyptian cotton varieties. *Agric. Res. Rev.*, 53 (9): 86-110.
- Zürek, W.; I. Fryrych and S.Z. Zakzewski (1987).** A method of predicting the strength and breaking strain of cotton yarn. *Text. Res. J.*, 57: 439-444.