

CONTENTS

	Page
INTRODUCTION	1
REVIEW OF LITERATURE	3
MATERIALS AND METHODS	20
RESULTS AND DISCUSSION	32
1. Production and morphological characteristics	34
1.1. <i>Acacia saligna</i>	34
1.1.1. Fresh and fodder yield	34
1.1.2. Height of acacia shrubs	43
1.1.3. Number of branches	45
1.1.4. Stem diameter	47
1.1.5. Crown volume	49
1.2. <i>Medicago arborea</i>	53
1.2.1. Fresh and dry fodder yield	53
1.2.2. Height of <i>Medicago arborea</i> shrubs	60
1.2.3. Number of branches/shrub	63
1.2.4. Crown volume	65
1.3. The interplanted herbaceous fodder crops	69
1.3.1. Fresh and dry fodder yield of the interplanted herbaceous/fodder crops	69
1.3.2. Height of plants for the interplanted herbaceous fodder crops	78
1.3.3. Number of barley tillers and vicia branches per square meter of land	80
2. Chemical constituents of the fodder components of the grown agroforestorey plantation	83
2.1. Phosphorus content (P)	83

Cont.

Page

2.2. Carbohydrates content (NFE)	89
2.3. Crude protein content (CP)	94
2.4. Crude fiber content (CF)	98
2.5. Ether extract (EE)	103
3. Nutritive potentialities	105
3.1. Total fresh and dry fodder production	105
3.2. Total digestable nutrients (T.D.N.)	110
SUMMARY	118
LITERATURE CITED	127
APPENDEX	139

ARABIC SUMMARY.