

LITERATURE CITED

- Aktan, S. (1980): Tillage methods in maize population. Tarimsal Arastirma Dergisi, 2:1-8 (c.f. Field Crop Abst. 35:153, 1982).
- Allan, A.Y. and D. Laycock (1976): Maize yields in Western Kenya: Effect of plant numbers per hill and stage of thinning. East Africa Agric. and Forestry J. 42: 141-148. (c.f. Field Crop Abst. 33:8567, 1980).
- Baenziger, P.S. and D.V. Glover (1980): Effect of reducing plant population on yield and kernel characteristics of sugary - 2 and normal maize. Crop. Sci. 20:444-447.
- Barber, A. (1971): Effect of tillage practices on corn (Zea mays L.) root distribution and morphology. Agron. J. 63:724-726.
- Barhoma, M.A. (1982): Weed control in maize and its related problems. Ph. D. Thesis, Fac. Agric., Moshtohor, Zagazig Univ.
- Bayer, J. and G.D. Ywalski (1961): Influence of spacing and density of maize plants per hill on yields of seed. Pocz. Nauk. Polnizyc Ser. A. 80:120-125. (c.f. Biol. Abst. 39:35049, 1961).
- Bishr, M.A.; Y.S. Katta and R.M. Abdallah (1976): Grain yield of some maize (Zea mays L.) varieties as influenced by population density and nitrogen fertilizer levels. J. Agric. Res., Tanta Univ. 2:140-152.

- Bolton, A. (1971): Response of maize varieties in Tanzania to different plant populations and fertilizer levels. *Experimental Agric.* 7:193-203. (c.f. *Field Crop Abst.* 25:1625, 1972)
- Bone, S.W.; N. Rask; D.L. Forster and B.W. Scharle (1976): Evaluation of tillage systems for corn and soybeans. *Ohio Report on Research and Development*, 61:60-63. (c.f. *Field Crop Abst.* 30:3210, 1977).
- Bunting, E.S. (1973): Plant density and yield of grain maize in England. *J. Agric. Sci.* 81:453-463.
- Cereti, C.F. and D.C. Francese (1982): Temporary soil systems for the cultivation of maize in a rice growing environment. *Informate Agraria* 38:105-108. (c.f. *Field Crop Abst.* 35: 7206, 1982).
- Colville, W.L.; A. Dreier; D.P. McGill; P. Grabouski and P. Ehlers (1964): Influence of plant population, hybrid and productivity levels on irrigation corn production. *Agron. J.* 56:332-335.
- Colville W.L. and D.P. McGill (1962): Effect of rate and method of planting on several plant characters and yield of irrigated corn. *Agron. J.* 54:235-238.
- Cojocar, C. and I. Borcea (1970): The effect of fertilizer and sowing density on hybrids, HD 409 and HSL 196. *Agronomica*, 13: 231-242. (c.f. *Field Crop Abst.* 26:6295, 1973).
- Crews, J.W. and A.A. Fleming (1965): Effect of stand on the performance of a prolific and a non-prolific double-cross corn (Zea mays L.). *Agron. J.* 57:329-331.
-

- Crossman, G. (1967): Plant density and dry matter production in maize. *Z. Acker. u. Pflanzenbau*, 125:232-253. (c.f. *Field Crop Abst.* 21:794, 1968).
- Davide, J.G. (1962): The effect of fertilizer and population density on the growth and yield of corn in the Philippines. *Philippine Agric.* 14:573-586. (c.f. *Biol. Abst.* 41:12044, 1963).
- Davidson, J. (1926): Removal of plant food in thinning corn. *J. Amer. Soc. Agron.* 18:962-966.
- Daynard, T.B. and J.F. Muldoon (1983): Plant-to-plant variability of maize plants grown at different densities. *Can. J. Plant. Sci.* 63:45-59.
- Dimitrow, D.A. (1973): Effect of irrigation, mineral fertilizers and stand density on grain yield of maize in the regions of the Rousse-irrigation system. *Bastenien dni Nauki* 10:67-71. (c.f. *Field Crop Abst.* 27:4476, 1974).
- Downey, L.A. (1972): Effect of varying plant density on a tillering variety of maize. *Experimental Agric.*, 8:25-32. (c.f. *Field Crop Abst.* 26:3115, 1973).
- Dungan, G.H.; A.L. Lang and J.W. Pendleton (1959): Corn plant population in relation to soil productivity. *Adv. Agron.* 10:435-473.
- Dzhingov, A. (1975): Investigation of erosion control efficiency of different methods of formation of ridges for maize. *Pochvoznanie i Agrokhimiya* 10:106-114. (c.f. *Field Crop Abst.* 29:7691, 1976).

- Egharevba, P.N.; R.D. Horrocks and M.S. Zuber (1976): Dry matter accumulation in maize in response to defoliation. *Agron. J.* 68:40-48.
- Egrochenkov, A.L. and N.D. Sysorov (1968): Ridge cultivation of soybean and maize. *Vest. Sel-khoz. Nauki, Mosk*, 10:124-126.
(c.f. *Field Crop Abst.* 22:1947, 1969).
- Eik, K. and J.J. Hanway (1965): Some factors affecting development and longevity of leaves of corn. *Agron. J.* 57:7-12.
- El-Hefnawy, N. (1975): Effect of different nitrogen fertilizer levels and plant population on growth, yield and yield components of hybride corn. M.Sc. Thesis, Fac. Agric. Assuit Univ. (El-Minia).
- El-Sayed, F.A. (1966): The effect of varieties and plant population on the yield of corn. M.Sc. Thesis, Fac. Agric. Cairo Univ.
- Fayemi, A.A. (1963): Effect of plant population and spacing on yield of maize in humid tropics. *Emp. J. Exp. Agric.* 31:371-375.
- Fink, R. and D. Wesley (1974): Corn yield as affected by fertilization and tillage system. *Agron. J.* 66:70-71.
- Free, G.R. (1970): Minimum tillage for corn production. *Bull. 1030 New York Agric. Exp. Sta.*
(c.f. *Field Crop Abst.* 24:3245, 1971).
- Galvao, J.D.; S.S. Brandao and E.R. Gomes (1969): Effect of plant density and N level on grain yield and average cob weight in maize. *Experimentia*, 9:39-82.
(c.f. *Field Crop Abst.* 24:4695, 1971).

Genter, C.F. and H.M. Camper (1973): Component plant part development in maize as affected by hybrids and population density. Agron. J. 65:669-671.

Griffith, D.R.; J.V. Mannering; H.M. Galloway; S.D. Parson and C.B. Richey (1973): Effect of eight tillage-planting system on soil temperature, percent stand, plant growth and yield of corn on five Indian soils. Agron. J. 65:321-326.

Guerrero, J.L. and H.L.A. Restropo (1978): Comparison of three cultivation systems in maize. Revista Instituto Colombiano Agropecuario 13:369-377.
(c.f. Field Crop Abst. 33:3337, 1980).

Gupta, R.K.; S.S. Tomar and A.S. Tomar (1979): Improved soil management practices for maize and sorghum grown on vertisols of central Indian. Z. Acker-u. Pflanzenbau, 148:478-483. (c.f. Field Crop Abst. 34:2598, 1981).

Hallauer, A.R. and J.H. Sears (1969): Effect of thinning on stand, yield and plant height in maize. Crop Sci. 9:514-515.

Hati, N. and U.V. Panda (1970): Varietal response of maize (Zea mays L.) to level of fertilizations. Indian J. Agron., 15:393-394.

Hemingway (1957): Effect of population density on yield of maize. East African 22:199-202.

Hussein, M.A. (1958): The effect of plant population density and level of nitrogen fertilizer on the components of yield in maize.
Ph. D. Thesis, Fac. Agric., Cairo Univ.

- Ivanova, V.P. (1970): Effect of fertilizers on the productivity of corn with various degrees of plant density. *Agrokhi Miya* 3:49-56. (c.f. *Field Crop Abst.* 52:64295, 1971).
- Jones, J.N., Jr.; J.E. Moody and J.H. Lillar (1969): Effect of tillage, no-tillage and mulch on soil water and plant growth. *Agron. J.* 61:719-721.
- Johnson, R.R. and D.L. Mulvaney (1980): Development of a model for use in maize replant decisions. *Agron. J.* 72:459-464.
- Kang, B.T.; K. Moody and J.O. Adensina (1980): Effect of fertilizer and weeding in no-tillage and tilled maize. *Fertilizer Research* 1:87-93. (c.f. *Field Crop Abst.* 34:2599, 1981).
- Kang, B.T. and M. Yunusa (1977): Effect of tillage methods and phosphorus fertilization on maize in humid tropics. *Agron. J.* 69:291-294.
- Kantrarom, S. (1967): Effect of time of thinning on yield and some agronomic characters of maize. Thesis, Kasetsart Univ. Thailand. (c.f. *Field Crop Abst.* 25:1931, 1972.)
- Kassem, A.A. (1964): The effect of some cultural methods on the yield of corn and its components. M.Sc. Thesis, Fac. Agric., Alexandria Univ.
- Kaushik, S.K. and R.S. Gupta (1970): Effect of spacing and fertilization on the performance hybrid maize. *Indian J. Agron.*, 15:55-57.
- Kells, J.J.; R.L. Blevins; C.E. Rieck and W.M. Muir (1980): Effect of pH nitrogen and tillage on weed control and corn yield. *Weed Science* 28:719-722.

- Kohnke, H. and S.A. Barker (1968): Tillage techniques in Indiana prairie soil. Proc. Indiana Acad. Sci. 78:418-428.
(c.f. Field crop Abst. 24:246, 1971).
- Koraïem, Y.S. (1963): The effect of spacing and weed control on the yield of maize.
M.Sc. Thesis, Fac. Agric. Alexandria Univ.
- Liu, H.S. and H.H. Chen (1982): Effect of cutting young plants at different stages on grain yield and quality in maize. J. of Agric. Res., China 31:24-34.
(c.f. Field Crop Abst. 35: 8700, 1982).
- Loesch, P.J., Jr.; C.F. Stark and M.S. Zuber (1976): Effect of plant density on the quality of cobs used for corn cob pipes. Crop Sci. 16:706-709.
- Main, A.L.; M.F. Islam and S.M.A. Hussein (1969): Effect of plant spacing and fertilizer placement in corn. Pakistan J. of Biological and Agric. Sci. 12:65-69.
(c.f. Field Crop Abst. 25:1662, 1970).
- Mariani, G. (1970): Effect of plant density and nitrogen application on the production of maize grain in arid conditions. Maydica 15:107-125.
(c.f. Field Crop Abst. 26:1129, 1973).
- McGregor, K.C. and J.D. Greer (1982): Erosion control with no-till and reduced till corn for silage and grain. Transactions of the ASAE 25:154-159.
(c.f. Field Crop Abst. 35:9636, 1982).

- Minhas, P.S. (1977): Effect of pre-planting and post-planting tillage with and without straw mulch on maize (Zea mays L.). Thesis Abst. 3:198-199.
(c.f. Field Crop Abst. 33:3336, 1980).
- Mišović, M. and D. Božić (1970): On growing maize without tillage. Savr. Poljopr 18:573-580.
(c.f. Field Crop Abst. 24:4688, 1971).
- Moursi, M.A.; A.A. Abd El-Gawad and M.B. El-Haddad (1970): Production of maize in U.A.R. 4. Effect of time and intensity of replanting on the yield and its components. Ain Shams Univ. Res. Bull. 15:69-79.
- Neamtu, T. (1976): Effect of various methods of soil cultivation on erosion and yield in maize grown on a slope. Cercetaria Agronomic in Moldova 9:55-59.
(c.f. Field Crop Abst. 30:3209, 1977).
- Nosberger, J. (1971): Influence of plant population on yield formation of maize: 1. Effect of plant population and light intensity on yield formation. Z. Acker. u. Pflanzenbau, 133:41-44.
(c.f. Field Crop Abst. 26:3113, 1973).
- Okigbo, B.W. (1973): Maize experiments on the Nsukka plains (Nigeria). 5. Effect of pre-planting cultivation, mulching and frequency of weeding on the yield and general performance of maize. Agronomie Tropicale 28:54-74.
(c.f. Field Crop Abst. 27:3174, 1974).
- Pendleton, J.W. and G.H. Dungan (1955): The influence of time of thinning corn and the number of plants removed on the grain yield of the remaining plants. Agron. J. 47:325-326.

- Pendleton, J.W. and R.S. Seif (1961): Plant population and row spacing studies with Baachytic 2 dwarf corn. Crop. Sci. 1:433-436.
- Pinter, L. (1980): Effect of even and uneven distribution of plants on grain yield and stalk strength in maize hybrids. Maydica 25:211-217.
(c.f. Field Crop Abst. 34:8899, 1981).
- Poneleit, C.G. and D.B. Egli (1979): Kernel growth rate and duration in maize as affected by plant density and genotype. Crop Sci. 19: 385-388.
- Prine, G.M. (1961): Light as a factor to be considered in growing corn. Soil Crop Sci. Soc. Fla. Proc. 21:221-228.
- Prine, G.M. (1971): A critical period for ear development in maize. Crop. Sci. 11:782-786.
- Prine, G. M. and V.N. Schroder (1965): Varying the light environment of semiprolific corn (Zea mays, L.) Soil Crop Sci. Soc. Fla. Proc. 25:284-294.
- Pumphrey, F.V. and A.F. Dreier (1959): Grain, silage and plant population experiments with corn hybrids at the Scottabluff Experiments Station. Nebr. Agric. Exp. Sta. Bull. 449.
- Rodney, J. Fink and Dean Wesley (1974): Corn yield as affected by fertilization and tillage system. Agron. J. 66:70-71.
- Rutger, J.N. and L.V. Crowder (1967): Effect of high plant density on silage and grain yield. Agron. J. 59:475-476.
- Rykbost, K.A.; P.J. Zwerman and R.E. Lucey (1967): Surface drainage research. 1. Bedding as evaluated by corn response under two fertility levels on a very fine textured Aeric Ochroqualf. Agron. J. 59:324-327.
-

- Sato, T.; H. Sakai and K. Fujiwara (1970): Productivity and root growth of Indian corn (Zea mays L.). 2 - Influence of plant density and ridging height. J. Jap. Soc. Grassld Sci. 16:94-97.
(c.f. Field Crop Abst. 24:3253, 1971).
- Schoper, J.B.; R.R. Johnson and R.J. Lambert (1981): Maize yield response to increased assimilate supply. Annual meeting (Abst.). American Soc. Agron. 95.
(c.f. Field Crop Abst. 35:5906, 1982).
- Schulte, E.E. (1979): Fertility needs change under conservation tillage. Crop and Soils, 31:10-11.
- Selim, H.M. and R.D. Voth (1980): Soil water behavior under different tillage practices. Louisiana Agric. 23:14-15.
(c.f. Field Crop Abst. 34: 3129, 1981).
- Shabana, M.R.A. (1967): The effect of some early cultural treatments on the stand and yield of corn. M.Sc. Thesis, Fac. Agric. Cairo Univ.
- Sharma, R.K. (1973): Response of maize to nitrogen fertilization. Madras Agric. J. 60:399-400.
- Shaheen, M.M. (1973): The study of some cultural methods on the yield of maize and its components. M.Sc. Thesis, Fac. Agric. Alexandria Univ.
- Shear, G.M. and W.W. Moshler (1969): Continuous corn by the no-tillage and conventional tilled methods. Agron. J. 61:524-526.
- Singh, A.N. (1967): Effect of variation in plant density and soil fertility on yield of two varieties of maize. Indian J. of Agron. 12:314-319.

Singh, R.P.; K.P. Nair and K.C. Sharma (1976): A note on leaf removal in hybrid maize. J. of Agric. Sci. 87:391-394.

Sipos, G. (1959): The effect of the nutrition area on the productivity of maize. Anal. Inst. Cercetari Agron. 27:9-19.
(c.f. Field Crop Abst. 14:618, 1960).

Sorour, S.G.R. (1977): A comparative study on yield productivity of tall and dwarf varieties of corn at different levels of nitrogen fertilizer and plant density.
M.Sc. Thesis, Fac. Agric., Tanta Univ.

Spencer, J.T. (1941): The effect of root pruning and prevention of fruiting on the growth of roots and stalks of maize.
J. Amer. Soc. Agron. 33:481-489.

Srivastava, S.P. and A.P. Singh (1975): Note on effect of two maize plants per hill and subsequently one plant on grain yield. Sc. and Culture. 41:316-317.
(c.f. Field Crop Abst. 29:4531, 1976).

Stanacer, S. (1962): The effect of distance between the rown on the yield and plant morphology of maize. Sawyer Polj. 6:411-423.
(c.f. Field Crop Abst. 17:1198, 1963).

Steel, R.G.D. and J.H. Torrie (1981): Principles and procedures of statistics, a biometrical approach. Second Edit. McGraw-Hill Company.

Stickler, F.C. (1964): Row width and plant population studies with corn. Agron. J. 56:438-441.

- Taki, S.K. (1970): Effect of land preparation on maize yield. *Ghana Jnl Agric. Sci.* 3:151-154.
(c.f. *Field Crop Abst.* 24:4689, 1971).
- Thomas, G.W.; L. Blevins; S. Phillips and M.A. McMahon (1973): Effect of a killed sod mulch on nitrate movement and corn yield. *Agron. J.* 65:736-739.
- Tollenââr, M. (1977): Sink-source relationships during reproductive development in maize. A review *Maydica* 22:49-75.
(c.f. Baenziger, P.S. and D.V. Glover, 1980).
- Triplett, G.P. Jr. and D.M. Van Doron, Jr. (1969): Nitrogen, phosphorus and potassium fertilization of non-tilled maize. *Agron. J.* 61:637-639.
- Vyne, T.J.; T.B. Daynard and J.W. Ketcheson (1979): Research experience with zero-tillage in Ontario. *Proc. Inter. Soil Tillage Res. Org., ISTRO.* 1:27-32.
(c.f. *Field Crop Abst.* 35:157, 1982).
- Wilhelm, W.W. (1980): Dry land corn development under various tillage systems. *Agron. Abst.* 72 annual meeting, American Soc. of Agron. 107.
(c.f. *Field Crop Abst.* 34:5292, 1981).
- Williams, C.G. and F.A. Welton (1915): Corn experiment Ohio. *Agric. Exp. Sta. Bull.* 282.
- Woods, D.J. and E.C. Rossman (1956): Mechanical harvest of corn at different plant population. *Agron. J.* 48:394-397.
- Woolley, D.G.; N.P. Boracco and W.A. Russell (1962): Performance of four corn inbreds in single and cross hybrids as influenced by plant density. *Crop. Sci.* 2:441-444.