

LITERATURE CITED

- Abou Dahab, A.M., (1963) : The effect of different methods of stopping on potted chrysanthemum. M.Sc. Thesis Agric. Fac., Cairo University.
- Agena, E.A., (1966) : Effect of some cultural treatments on the growth and oil yield of geranium. M.Sc. Thesis, Agric. Fac. Ain Shams University.
- Angeliev, V., (1972) : Results of growing cala lilies in soilless culture on various substrates. Gradin - arstovo (1972) 14 (9) 27-28(B9) Vissh Selskostonpanski Institut Plovdiv Bulgaria. Hort. Abst. 44(5) P 297 No. 3383 (1974).
- Anon (1964) North carolina tests (of fertilizers). N.C. Flower Gr's Bull., 1964 8(8) : 2-4 illus. Hort. Abst. 35(1) P. 145 No. 1330 (1965).
- Bal., and Meter., (1951) : Total nitrogen determination, the modified Kjeldahl method. Anal. Chem., 23: 1632 (1951).
- Bertramson, (1942) : Chlorostannous - reduced molybdo-phosphoric blue color method, in sulphuric acid system for P determination. Soil Sci., 53:135 (1942).
- Bishr, G.A., (1972) Effect of irrigation and spacing treatments on the growth and yield of marjoram. M.Sc. Thesis, Agric. Ain Shams University.
-

- Blomme, R. (1969) : Influence of planting date on the flowering period, value and quality of carnation Meded. Bedr Voor Dienst, Oost-Vlaanderen, 54, 1969. pp.8 (bibl 13) Hort. Abst. 40(4) P. 1054 No. 8720 (1970).
- Boodley, J.W., (1960) : Progress report on growing pot plants in artificial media, Bull. N.Y. St. Flower Grs, 1960 No. 170, pp. 1-4. Hort. Abst 30(2) P. 751 No. 5803 (1960).
- Boodley, J.W., and shelldrake R., JR. (1966) : A comparison of amended peat lite mixes and growth of pot chrysanthemum Bull. N.Y.St Flower Grs, 1966, No. 249 pp. 7-8 Hort. Abst. 37(1) P. 196 No.1311 (1967).
- Brown, J.D., and Lilliland, O. (1946) : Rapid determination of potassium and sodium in plant material and soil extracts by flame photometry. Proc. Amer. Soc. Hort. Sci, 48:341-346, (1948).
- Bunt, A.C. (1971) : The use of peat-sand substrates for pot chrysanthemums culture. Acta Hort., Int. Soc. Hort. Sci., 1971, No. 18 pp 66-74 bibl.5, illus Hort. Abst. 41(4) P. 1112 No. 9294 (1971).
- Butters, R.E., (1970) : An experminetal programme on year-round chrysanthemum, Comm. Gr., 1970, No. 3879, pp. 598-9 illus. Hort. Abst. 41(1) P. 210 No.1687 (1971).

- Carter, A.R., and Dermott, W. (1966) : Nitrogen manuring of early flowering chrysanthemum. In unheated glass. Exp. Hort., 1966. No. 16, pp. 12-18 bibl.3 Hort-Abst. 37(3) P. 626 No. 5273 (1967).
- Cockshull, K.E., and Hughes, A.P. (1967) : Distribution of dry matter to flower in chrysanthemum morifolium Nature 1967. 215:780-1 bibl.2 Hort. Abst. 38(1) P. 188 No. 1409 (1968).
-
- _____ (1968) : Accumulation of dry matter by chrysanthemum morifolium after flower removal. Nature 1968, 217:979-80 bibl.3. Hort. Abst-38(3) P. 773 No. 6006 (1968).
- Conover, C.A., and Joiner, J.M., (1967) : Garbage compost as a potential soil component in production of Chrysanthemum morifolium "Yellow Delaware" and Oregon. Proc. Fla.St. Hort. Soc. 1966, 1967, 79:424-9 bibl.11 Hort. Abst. 37(4) P. 866 No. 7268 (1967).
- Conover, C.A., (1970) Response of pot grown chrysanthemum morifolium. Yellow Delaware to media and fertilization levels, Proc. Fla.St. Hort. Soc., 1969, 1970, 82:425-9 bibl.9 Hort. Abst. 41(1) P. 211 No. 1696 (1971).
- Curtes, O.F. and Clark, D.G., (1950) : An introduction to plant Physiology. Mc Graw - Hill Book Co. Inc. New York.

- Cykler, J.F. (1950) : Plant growth in relation to soil moisture in pot experiments. Annual review of plant physiology, Vol. 1, 292.
- Danhardt, W., and Kuhle, G., (1959) : Experiments on the most favourable peat-clay ratio in standard peat soils to be used for pot plants. Arch. Garten., 1959, 7:157-74, bibl.5 Hort. Abst. 39(4) P. 709 No. 3846 (1959).
- El-Gendi, S.A., (1965) : Studies on factors controlling the flowering and growth of chrysanthemum morifolium. Ph.D. Thesis, Agric. Fac. Ain Shams University.
- ESU, (1965) : Nitrogenous fertilizers for pot chrysanthemum. Dtsche Gartnerborse, 1965, 65, 134, illus. Hort. Abst. 35(3) P. 640 No. 6019 (1965).
- Fleming, R.A., (1970) : A comparison of "Magamp" and 20:20:20 soluble fertilizer in the production of greenhouse chrysanthemum. Rep. Hort. Res. Inst. Ont. 1969, 1970, pp. 104-7-Hort. Abst. 41(2) P. 531 No. 4359 (1971).
- Fransen, J.W., and others (1963) : Chrysanten(chrysanthemums). Jversl. Proefstat. Bloem. Aalsmeer 1963, pp. 53-65(illus). Hort. Abst. 34(4) P. 731 No. 7042 (1964).

- Freeman, R.N. and Bing, A., (1972) : The magic of water. New York state flowers Industries Bulletin(1972) No. 24,2-3(En, 12 ref.) Cooperative Extension, Long Island, USA. Hort. Abst. 43(4) P. 219 No. 2185 (1973).
- Fries, K.F., and White, J.W., (1965) : Quality achieved in fast crop pot mum production. Bull. Pa flower Grs, 1965, No. 176, pp. 1-2, 4-7; illus. Hort. Abst. 36(2) P. 370. No. 3191 (1966).
- Gardus, J., and Lasala, M., (1962) : Relation between fertilization, topping and production of carnation grown in the open. Proc. 16th Int. Hort. Cong. Brussels, 1962, Vol. 1.P. 314. Hort. Abst. 33(2) P. 345 No. 3319 (1963).
- Goletiani, G.I., and Dzgarkava, D.V. (1969) : The effect of the soil water regime on the productivity, oil accumulation and essential oil quality in the geranium hybrid No.24. Trudy subum. opyt. Stan. efirnomasl kul tur 1969, No.8, pp. 75-83(1970) Abstr. 2-55.780. Hort. Abst. 40(4) P. 1094 No. 9113 (1970).
- Gortz, H., (1965) : Reduce water application during bud formation. Dck Inf., 1965 No. 12, P. 6 illus. Hort. Abst. 36(3) P. 586, No. 5023 (1966).
- Gortz, H., (1966) : Peat as culture medium for chrysanthemum. DCK Inf., 1966 No.18, pp. 6-7 illus. Hort. Abst. 37(1) P. 169 No. 1310 (1967).

- Graifenberg, A. and Tesi, R., (1972) : Polystyrene-peat mixtures. Studies on new substrates for chrysanthemum grown in pots. Italia Agricola (1972) 109(11) 1199-1209 (It, 8 ref., 4 Pl) Università di Pisa, Italy. Hort. Abst. 43(7) P. 447 No. 4624 (1973).
- Hammer, P.A., and Boodley, J.W., (1968) : Capillary bench watering of pot plants. Bull. N.Y. St Flower Gr's 1968 No. 275, pp. 1, 3-8 bibl -27 illus). Hort. Abst. 39(3) P. 619 No. 5120 (1969).
- Hassan, H.A., and Gamal El-Din, I. (1975) : Studies on chlorosis and dry leaves in chrysanthemums
1- Effect of some cultural treatments on chlorosis and dry leaves of Chrysanthemum morifolium L
Annals of Agric. Science. Moshtohor. (in press).
- Herklotz, A., (1968) : Pinching out the lateral buds of Mefo chrysanthemum. Gartenwelt, 1968, 68:457-8 bib .2, illus. Inst. ZeirpfiB., tech. Univ., Berlin. Hort. Abst. 39(3) P. 620 No. 5127 (1969).
- Hiroyasu, T. and others, (1970) : The effects of time of nitrogen application on the growth of chrysanthemum. Tech. Bull. Fac. Hort. Chiba, 1970, No.18, pp. 43-6 bibl.15. Hort. Abst. 41(4) P. 1101 No. 9297 (1971).

- Hoffman, M., and Komosa, A., (1972) : Changes in the uptake of N, P,K, Ca and Mg by chrysanthemum indicum grown in high peat with different pH levels. Prace Komisji Nauk Rolniczych i Komisji Nauk leznych PTPN(1972). 33,123-135 pl, en, 7 ref. from referativnyi zhurnal (1972) 12.55.874. Hort. Abst. 43(8) P. 594 No. 6145 (1973).
- Hoffmann, G., and Fischer, P. (1973) : Nutrient uptake by pot chrysanthemum and nutrient contents of various substrates. Gartenwelt (1973). 73(7) 152-154. (De, 1 pl.) Bayevische Hauptversuchsanstalt fur Landwirtschaft, Weihen stephan, German Federal Republic. Hort. Abst. 44(4) P. 228. No. 2597 (1974).
- Holland, P.W.K., (1974) : The lighting and pinching re-examined-Grower (1974) 81 (9. suppliment), En, 1 fig Exp. Hort. Stat. Hoddesdon, UK. Hort. Abst. 44(12) P. 874 No. 9790 (1974).
- Jackson, L.M., (1958) : Soil chemical analysis - Constable & Co. Ltd.
- Jensen, M.E.K., (1973) : The effect of plant spacing and stopping on stem yield, quality and economics on carnation. Tidsskrift for planteavl (1973) 77(3) 377-351 (Da, en, 14 ref., 1pl). Statens Vaeksthusforsog, Virum, Denmark. Hort. Abst. 44 (10) P. 695 No. 7814 (1974).

- Joiner, J.N., and poole, R.T., (1967) : Relationship of fertilization frequencies to chrysanthemums yield and nutrient levels in soils and foliage. Proc. Amer. Soc. Hort. Sci, 1967, 90:397, 402 bibl.13 Hort. Abst. 38(1) P. 186 No. 1402 (1968).
- Joiner, J.N., (1967) : Effects of P.K. and Mg levels on growth yield and chemical composition of chrysanthemum morifolium. "Indianapolis white 3" Proc. Amer. Soc. Hort. Sci, 1967, 90:389-96 bibl.13 Hort. Abst. 38(1) P. 186 No. 1403 (1968).
- Joiner, J.N., and Knoope, W.E., (1970) : Effect of ratios of NH_4 to NO_3 and levels of N and K on chemical content of Chrysanthemum morifolium "Bright Golden Anne" Proc. Fla. St. Hort. Soc. 1969, 1970, 82: 403-7 bibl.4. Hort. Abst. 41(1) P. 211 No. 1697 (1971).
- Jungk, A. (1962) : The value of chemical methods for testing substrates for pot plants. I-The relationship of growth to P and K contents in the soil. Z. Pflernahr Dung. 1962, 99.118-82 bibl.13 Hort. Abst. 33(2) P. 346 No. 3329 (1963).
- Jungk, A., (1962) : The value of chemical methods for testing substrates for pot plants II- The relationship between growth and the N and K content of the substrate. Z. Pflernahr. Dung., 1962. 99:194-206 bibl.12 Hort. Abst. 33(2) P. 346 No. 3330 (1963).

- Kazimirova, R.N., (1970 : Nutrient content and ratios in chrysanthemum in relation to productivity. Nikitskogo Botanicheskogo Sada (1970) No.3(14), 73-76(Ru, en Yalta, crimea, USSR. Hort. Abst. 43(4) P. 219 No. 2188 (1973).
- King, E.J., (1951) : Microanalysis in medical biochemistry 2nd Ed. Churchil, London.
- Kochkin, M.A., and Kazimirova, R.N., (1971) : Changes in the available forms of nutrient in the soil during chrysanthemum growing. Turedy Gosudar stvennoggo Nikitskogo Botanicheskogo Sada (1971) 53, 59-71 (Ru, en) Yalta, Crimea, USSR. Hort. Abst. 43(4) P. 219 No. 2187 (1973).
- Kohl, H.C., (1970) : De-Shooting carnation for better flower quality. Calif. Agric., 1970, 24 (12) : 10-11. Hort. Abst. 41(3) P. 846 No. 7064 (1971).
- Korematsu, H., and Shino, H., (1972) : Studies on irrigation methods for flowering plants grown in glasshouses. I- The effects of irrigation methods on the growth and development of chrysanthemum flowers under green house conditions. Bulletin of the Horishima prefectural Agric. Exp. St. (1972) No. 32 39-44 (Ja, en,9ref) Hachihonmutsy, Japan. Hort. Abst. 44(1) P. 50 No. 568 (1974).
- Lunt, O.R., and Others (1963) : Deficiency symptoms and mineral nutrient levels in Good News chrysanthemum. The exchange, 1963, 140(15) : 38-9, 66. Hort. Abst. 34(2), P. 323, No. 3118 (1964).

- Mason, D.T. and Vince, D. (1962) : The patterns of growth in chrysanthemum as a response to changing seasonal environmental. Proc. 15th inter. Hort. Congr. Nice, 1958, Vol. 2, 1962, pp. 374-83, (bibl.16, illus). Hort. Abst. 33(1) P. 120, No. 1142 (1963).
- Mastalerz, J.W. (1962) : Sow dust suitable for greenhouse soil mixtures. Science for farmers 1962, 9(3):13 Hort. Abst. 32(4), P. 876 No. 6822 (1962).
- Merwin, and Peech, (1951): Ammonium acetate for exchangeable K extraction. S.S.S.A. Proc., 15:125 (1951).
- Meyer, M.M. Jr., and Boodley, J.W. (1964) : Foliar application of nitrogen, phosphorus and potassium to chrysanthemum and poinsettia. Proc. Amer. Soc. Hort. Sci., 1964, 84 : 582-7 (bibl.9). Hort. Abst. 35(1), P. 145, No. 1331 (1965).
-
- _____ (1964) : Interaction of root and foliar applied nitrogen on the growth of chrysanthemum morifolium. Proc. Amer. Soc. Hort. Sci., 1964, 85 : 564-7, (bibl.8). Hort. Abst. 35(3), P. 640, No. 6018 (1965).
- Olsen, et al. (1954) : Hydroxyl and carbonate extractable phosphorus of soil. U.S.D.A. Cir. 939 (1954).
- Oszkinis, W. and Haber, Z. (1968) : The effect of nitrofoska on the growth and development of the chrysanthemum variety Red Mary Elisabeth. Biul. Inst. Nodowli Aklimat. Rosl., 1968, No. 3-4, pp. 165-9. from Ref. Z. (Rasten), 1970, Abstr. 2.55.806 Hort. Abst. 40(4), P. 1057 No. 8746, (1970).

- Palyanitsa, G. (1970 : Pinching date as a factor regulating flowering in perpetual flowering carnation. Byulleten Gosudarstvennogo Nikitskogo Botanicheskogo Sada (1970) No. 3(14). 21-24 (Ru, 6 ref.) Yalta. Crimea, USSR. Hort. Abst. 43(4), P. 218 No. 2177 (1973).
- Papazova, G. (1966) : The effects of pinching out on the seed yield of chabaud carnations. Grad. Lozar. Nauka, 1966, 3 : 495-9. Bulgaria. Hort. Abst. 37(2), P. 393, No. 3229 (1967).
- Pavlova, Z. (1969) : The economic effectiveness of certain cultural practices in Chabaud carnation seed production. Grad. Lozar. Nauka, 1969, 6(8) : 63-9. (bibl.18, Bulg). Hort. Abst. 40(3), P. 802, No. 6700 (1970).
- Pawlowski, H.E. (1966) : The effect of calcium and ammonium nitrate on petunias and chrysanthemum. Gartenwelt, 1966, 66 : 422-4 (bibl.2, illus.) Hort. Abst. 37(2) P. 394, No. 3240 (1967).
- _____. (1966) : The effect of different N : K ratios in the nutrient solution. Z. Pflernahr, Dung., 1966, 115 : 100-13 (bibl.14). Hort. Abst. 37(2), P. 627, No. 5274 (1967).
- Penningsfeld, F. (1972) : Macro and micronutrient requirements of pot plants in peat. Acta Horticulturae (1972) No. 26, 81-102 (En, de, Spl.) Lehr. and Forschungsanstalt fur Gartenbau Weihenstephan, German Federal Republic. Hort. Abst. 44(1), P. 48, No. 555 (1974).

- Post, K. (1959) : Florist crop production and marketing
Orange Judd. Publ. Comp. INC - New York.
- Pustjarvi, V. (1972) : Soil and plant analysis to determine
the N. requirement of peat. In Peat and Plant
Year Book 1971. Helsinki, Finland (1972) 6 - 8
(En) Peat Research Inst., Satoturve-Expert,
Suoturve Oy. Hort. Abst. 44(12) P. 699, No.7815
(1974).
- Rober, R. (1971) : The influence of N nutrition on flower
formation and development in chrysanthemum.
Gartenbauwissenschaft (1971). 36(2) 189 - 200
(De, en 9 ref.). Inst. fur Pflanzenernahrung,
Technische Universitat, Hannover. West Germany.
Hort. Abst. 42(1), P. 212, No. 1656 (1972).
- Roo, H.C.De, (1972) : Artificial root media and fertiliza-
tion for container-grown-chrysanthemum circular,
Connecticut Agric. Stat. (1972) No. 245, 11 pp.
(En, 8 ref.), New Haven, Connecticut, USA. Hort.
Abst.44(10), p. 699, No. 7822 (1974).
- Russel, M.B. (1939) : Soil moisture sorption curve . Soil
Sci.Soc. Am. Proc., 4 : 51 : 54
- Rutland, R.B., (1972) : Salt induced water stress as a
determinant of flower quality and longevity in
chrysanthemums. Hort. Sci. (1972) 7(1), 57-59
(Eng., 7 ref.) Georgia Univ., Athens, U.S.A.
Hort. Abst. 42(4), p. 936, No. 8008 (1972).

- Schekel, K. (1969) : Influence of nutrient solution concentration. Bull. Colo. Flower Grs' Ass. 1965, No. 229, pp. 1-3 (bibl.5). Hort. Abst. 40(1) p. 190, No. 1523 (1970).
- Schroeder, H. (1963) : Investigation on the influence of differential water supply on yield, volatile oil content, transpiration quotients, leaf sizes and relation oil gland densities in several species of the Labiatae family. Karlmarx Univ. Leipzig. Ger. Pharmazie 18, 241 - 5 cf. C.A. 59, 309 from pot expts. Chem. Abst. 60(3), No. 7137 (1964).
- Seager, J.C.R., (1969) : Effect of spacing and stopping on flower production in the perpetual-flowering carnation. Irish J. agric. Res., 1969, 8 : 261-70 (bibl.14). Hort. Abst. 40(1), p. 189, No. 1519 (1970).
- Shaffer, P.A. and Hartman, A.F., (1921) : The iodometric determination of copper and its use in sugar analysis. Jour. Biol. Chem., 4 : 365 and modified by Saeed (1937).
- Sherman, (1942) : Vanadomolbydo phosphoric yellow colour method for P. determination Ind. Eng. Chem., A.E., 14 : 182 (1942).
- Soil Reaction Committee, Intern. Soc. Sci. Soil Res., 2 : 241 (1930).
-

- Spomer, L.A. and Langhans, R.W. (1966) : The effect of soil aeration and moisture on chrysanthemum growth. Proc. 17th inter. Hort. Congr., Md., 1966, 1966, 1, Abst. 474. Hort. Abst. 38(1) p. 186 (1968).
- Tabak Forsschungsinsit, F.K. (1953) : Investigation of the glandular solases of leaf marjoram and influence on them of fertilization, lack of water, and shading. Pharmazie 8(5) : 435-496, Biol. Abst. 31 : No. 22463 (1957).
- Tayama, H.K. and Kiplinger, D.C. (1967) : Factors affecting the number of breaks obtained on chrysanthemum cuttings. Ohio Flor. Ass. Bull., 1967, No. 453, pp. 2, 6. Hort. Abst. 38(1), p. 185, No. 1398 (1968).
- Toussaint, C.G. (1968) : Irrigating tulips on sandy soil. Meded. Dir. Tunib., 1968, 31 : 212-2-1 (bibl.10, illus., English summary). Hort. Abst. 38(3), p. 1043, No. 8185 (1968).
- Van Wijk, A.L.M., and Buitendijk, J. (1970) : Growth reaction of carnation, measured by net photosynthesis, on different air contents of the soil. Neth. J. agric. Sci., 1970, 18 : 149-157 (bibl.12). Hort. Abst. 41(1), p. 208, No. 1668 (1971).
- Veihmeyer, F.J. and Hendrickson, A.H. (1950) : Soil moisture in relation to plant growth. Ann. Rev. of plant physiology, 1 : 285.

Vonk-Noordegraaf, C. (1969) : When should we plant carnation? How many plants per sq.m. ? Vakblad Bloemist., 1969, 24 : 277 (illus). Hort. Abst. 40(1) p. 189, No. 1518 (1970).

(1971) : Once again, pinching carnation, in the second growing year. Vakblad voor de Bloemisterij (1971) 26(23) 10-11 (N1) Proef-Station voor de Bloemisterij, Aalsmeer, Netherland. Hort. Abst. 42(3), p. 749, No. 6329 (1972).

Wadsworth, G.A. and Butters, R.E. (1972) : The nutrition of A.Y.R. spray chrysanthemum in loamless media. In Colloquium proceeding. The nutrition of protected crops. Henley-on-Thames, U.K., Potassium Inst. Ltd. (1972), No. 2, 83-88 (En) Agric. development and advisory service, Reading UK. Hort. Abst. 43(2) p. 92, No. 718 (1973).

Waters, W.E., (1963) : Effect of fertilization rates and frequencies on potted chrysanthemum production. Proc. Fla. St. Hort. Soc. 1962, 1963, 75 : 460-3 (bibl.4). Hort. Abst. 33(4), p.752, No. 7495 (1963).

(1964) : The effects of soil mixture and phosphorus on growth responses and phosphorus content of Chrysanthemum morifolium. Proc. Amer. Soc. Hort., Sci. 1964, 84 : 588-94 (bibli.14). Hort. Abst. 35(1), p. 145, No. 1332 (1965).

Waters, W.E. (1965) : Influence of nutrition on flower production, keeping quality, disease susceptibility, and chemical composition of Chrysanthemum morifolium. Proc. Amer. Soc. Hort. Sci., 1965, 86 : 650-5, (bibl.1). Hort. Abst. 36(1) p. 157, No. 1330 (1966).

—————, (1967) : Effects of fertilization schedules on flower production, keeping quality, disease susceptibility and chemical composition at different stages of Chrysanthemum morifolium. Proc. Amer. Soc. Hort. Sci. 1967, 91 : 627 - 32 (bibl.13). Hort. Abst. 38(3), p. 772, No. 6004 (1968).

White, J.W. (1966) : Costs cut for plants with automatic system for irrigation and fertilization. Science for the farmer, 1966, 13(4) : 11 (illus). Hort. Abst. 37(1) p. 169 No. 1312 (1967).

—————, and Others (1972) : Anthracite coal refuse as a soilless medium for greenhouse flower crops. Bulletin, Pennsylvania Flower - growers (1972), No. 255, 2-5 (En). Pennsylvania State Univ. Hort. Abst. 43(12), p. 857, No. 8857 (1973).

Wright, C.H. (1939) : Soil Analysis Thomas Murky & Co. London.