

### LITERATURE CITED

- Abd-El-Wahab, A.M.; Hussein, T.A.; Zaitoon, M.I. and Hassan, M.A.M. (1982).** Effect of phosphorus fertilization levels, sowing dates and planting spaces on field bean. 1. Effect on nodulation and some growth characters and flowering characteristics. (Unpublished).  
Fac. of Agric., El Minia Univ., Egypt.  
c.f. Nile Valley Faba bean Abst., 134, May 1982.
- Abo El-Zahab, A.A.; Al-Babawy, A.A. and Abd El-Latif, K. (1981).**  
Density studies on faba beans (Vicia faba, L.) 1. Seed yield and its components.  
Z. Acker-und Pflanzenbau 150, 291-302.
- Ahmed, M.M.E. (1973).** Growth and yield response of horse bean to plant population and nitrogenous fertilizer.  
M.Sc. Thesis, Fa. of Agric., Ain Shams Univ. Egypt.
- Ahlawat, I.P.S.; Singh, A. and Saraf, C.S. (1979 a).** Studies on weed control in lentils. LENS, 6, 19-21.  
c.f. Weed Abst. 30 (12), 4176, 1981.
- Ahlawat, I.P.S.; Singh, A. and Saraf, C.S. (1979 b).** Studies on weed control in chick pea.  
Pans 25 (3) : 275 - 78.
- Ali, A.A. (1987).** Effect of plant density, nitrogen and phosphorus fertilization on yield and yield components of field bean (Vicia faba, L.).  
Proc. 1st Conf. Agric. Develop. Res., II: 12-23 Ain Shams Univ. Egypt.

- Al-Marsafy, H.T.; Hassanein, E.E.; Khattab, A.M. and Rabaia, B.M.B. (1986).** Response of chick pea (Cicer arietinum) to chemical weed control under Egyptian conditions. *Annals of Agric. Sci., Moshtohor*, 24 (1), 79-88.
- A.O.A.C. (1980).** Association of Official Agriculture Chemist. official Methods of Analysis, 13<sup>th</sup> Ed., Washington, D.C.
- Barry, P. and Storey, T.S. (1979).** Influence of some cultural practices on the yield, development and quality of field beans (Vicia faba, L.). *Irish J. of Agric. Res.*, 18 (1), 77-88. c.f. *Field Crop Abst.*, 33 (5), 3593, 1980.
- Chan, K.L. and Tsaur, W.L. (1973).** Experiment on spacing and weeding treatment for weed control on soybean yield. *J. Taiwan Agric. Res.* 22 (2), 119 - 29. c.f. *Weed Abst.*, 23, (6) 1756, 1975.
- Covarelli, G. and Bianchi, A. (1979).** Results of weed control trials in horse beans. *Rivista di Agronomia* 13 (1), 231-36. c.f. *Weed Abst.*, 29 (1), 51, 1980.
- Day, J.M.; Roughley, R.J. and Witty, J.F. (1979).** The effect of planting density, inorganic nitrogen fertilizer and supplementary carbon dioxide on yield of Vicia faba, L.. *J. of Agric. Sci., UK*, 93 (3) 629 - 33. c.f. *Field Crop Abst.*, 33 (5), 3594, 1980.
- Domanska, H.; Legowisk, Z. and Leska, L. (1975).** The influence of herbicides on the morphological characteristics and chlorophyll content of leguminous plants. *Trudy Vsesoyuznogo Nauchno-Issledovatel'skogo Instituta Zashchity Rastenii* 43, 82-88. c.f. *Weed Abst.*, 27 (1), 80, 1978.

**Duncan, D.B. (1955).** Multiple range and multiple "F" test.  
Biometrics, 11, 1-42.

**El-Assily, K.A. (1980).** Effect of some cultural treatments on yield of lentil. M.Sc. Thesis, Fac. of Agric., Al-Azhar Univ., Egypt.

**El-Beheidi, M.A.; and Salem, A.H. (1971).** the effect of different cultural methods on the yield of field beans (Vicia faba, L.). Beiträge zur Tropischen und Subtropischen Landwirtschaft und Tropenveterinärmedizin 9 (3), 247 - 51.  
c.f. Nile Valley Faba Bean Abst., 119, May, 1982.

**El-Debaby, A.S.; Sary, G.A.; Roshdy, A. and Salem, A.A. (1988).** Effect of soybean planting methods and efficiency of herbicides. II. Yield, yield components and chemical contents.  
Annals of Agric. Sci., Moshtohor, 26 (1), 17-29.

**El-Saeed, E.A.K. (1968).** Agronomic aspects of broad beans (Vicia faba, L.) grown in the Sudan. Expl. Agric. 4, (2), 151-59.  
c.f. Nile Valley Faba Bean Abst., 115, May, 1982.

**El-Shandidy, S.E.; Ibrahim, T.S.I.; Hassanein, E.E. and Khalil, S.A. (1983).** Weed control in faba bean.  
Proc. 4th Arab. Pesticide Conf. Tanta Univ. (Unpress).

**Ethiopia, Arssi Rural Development Unit, Crop and Pasture Section. (1978 a).** Report on crop protection surveys and experiments 1976/77. Addis Ababa, Ethiopia.  
c.f. Weed Abst., 30 (1), 57, 1981.

**Ethiopia, Arssi Rural Development Unit, Crop and Pasture Section.**

(1978 b). Report on crop protection surveys and experiments 1977/78. Addis Ababa, Ethiopia.

c.f. Weed Abst. 30 (2), 482, 1981.

**Eweida, M.H.T. and Fayed, M.H. (1978).** Effect of some herbicides

on weed control, yield and yield components of soybean.

Proc. 4<sup>th</sup> Conf. Pest. Control. Tanta Univ.

**Gabbar, A.G.A. (1970).** Agronomic Studies on pluses. In Hudeiba

Research Station, 1969-70. Annual Report (Undated)  
7 - 8.

c.f. Nile Valley Faba Bean Abst., 116, May, 1982.

**Gardos, J.; Simek, I. and Bogdan, T. (1982).** The effect of herbicides

on weeds in lentil stand. Sbornik UVTIZ, Ochrana Rostlin  
18 (1), 61 - 68.

c.f. Weed Abst., 32 (1), 25, 1983.

**Glasgow, J.L.; Dicks, J.W. and Hodgson, D.R. (1976).** Competition

by, and chemical control of, natural weed populations  
in spring-sown field beans (*Vicia faba*, L.).

Annals of Applied Biol. 84 (2), 259-69.

c.f. Weed Abst., 26 (5), 1241, 1977.

**Goncharov, L. Yu. (1976).** The effect of herbicides on the seed quality

and productivity of yellow fodder lupin. Khimiya V  
Sel'skom Khozyaistve 14 (8), 60-62.

c.f. Weed Abst., 26 (7), 1907, 1977.

**Gruzdev, G.S. and Berezkin, Yu. N. (1976).** The effects of prometryne

on pea crops. Khimiya V Sel'skom Khozyaistve 14  
(3), 45 - 57.

c.f. Weed Abst., 26 (4), 918, 1977.

- Hassan, M.E. (1984).** Effect of some herbicides and agriculture density on productivity of lentils and chick pea.  
Ph.D. Thesis, Fac. of Agric. Ain Shams Univ. Egypt.
- Hassanein, E.E.; Al-marsafy, H.T.; Hussein, A.H.A. and Mousa, A.M. (1987).** Comparative study on the effect of sowing method, seeding rates and herbicidal treatments on weeds associated with faba bean and economic evaluation.  
Annals of Agric. Sci., Moshtohor, 25 (2), 613-32.
- Hassanein; E.E.; Rizk, M.A.M. and Khalil, S.A.M. (1981).** Weed control in lentils.  
Proc. 4th., Arab, Pesticides, Conf. Tanta, Univ., 11, 73 - 83.
- Hassanein, E.E.; Rizk, M.A.M.; El-Shardidy, S.E. and Al-Marsafy, H.T. (1985).** Response of lentil and associated weeds to some S-triazine and urea herbicides under the dry sowing method.  
10th Inst. Cong. for Statistics, Comp. Sci. Social and Demographic Res. Ain Shams Univ.
- Himme, M. van; and Stryckers, J. (1975).** Comparison of new soil applied herbicides and triazines applied just after sowing. Rijksuniversiteit-Gent, Belgium, Mededeling 23, 158.  
c.f. Weed Abst., 25 (10), 2865, 1976.
- Hussein, A.H.A. (1977).** Effect of some cultural practices on agronomic characters and yield in lentil.  
M.Sc. Thesis, Fac. of Agric., Al-Azhar Univ. Egypt.
- Hussein, A.H.A.; Hassanein, E.E. and Al-marsafy, H.T. (1985).** Study on the effect of igran herbicide on nodulation, yield of faba bean, residual effect and associated weeds.  
Annals of Agric. Sci., Moshtohor, 23 (1), 29-40.

- Hussein, T.A.; Zaitoon, M.I.; Abd El-Wahab, A.M. and Hassan, M.A.M. (1982).** Agricultural studies on beans (Vicia faba, L.) II. Effect on yield and yield components. (Unpublished).  
Fac. of Agric., El-Minia Univ., Egypt.  
c.f. Nile Valley Faba Bean Abst., 135, May, 1982.
- Islam, R. and Afendi, F. (1980).** Effect of several herbicides on the nodulation and yield of faba bean (Vicia faba, L.).  
FABIS, 2, 36 - 37.
- Jensen, K.I.N. (1975).** Weed control in processing peas. In Annual Report 1975, Research Station, Kentville, Nova Scotia. Canada; Agriculture Canada, 92.  
c.f. Weed Abst., 26 (6), 1533, 1977.
- Kamel, M.S.; Mahmoud, E.A. and Hassan, M.Z. (1978 a).** Effect of plant density and harvesting time on yield and its components of two Egyptian chick pea varieties.  
Res. Bull. 886, Fac. of Agric., Ain Shams Univ.
- Kamel, M.S.; Mahmoud, E.A. and Hassan, M.Z. (1978 b).** Effect of plant density on growth attributes of two Egyptian chick pea varieties.  
Res. Bull. 969, Fac. of Agric. Ain Shams Univ.
- Keller, E.R. and Burkhard, J. (1981).** Relationship between plant density and structure of yield in different growth types of (Vicia faba, L.). World crops, 4, 244-58.  
c.f. Faba Bean Abst., 3 (2), 116, 1983.
- Kostrinski, J. (1974).** Problems in chick pea cultivation and grain crop rotation. Agric., Res., Organization, Volcani Centre, 34, 51.  
c.f. Field Crop Abst., 29 (9) 7266, 1976.

- Kshnikatkin, A.G. (1977).** Effectiveness of herbicides applied to lentil. Sbornik Nauchnykh Rabot, Saratovskii Sel'skokhozyaistvennyi Institut, 88, 140-43.  
c.f. Weed Abst., 30 (4), 1334, 1981.
- Kumar, S.; Pahwa, S.K.; Promila, K. and Sharma, H.R. (1981).** Effect of simazine and prometryne on the growth and nodulation of chick pea (Cicer arietinum, L.).  
J. of Agric. Sci. Camb. 97 (3), 663-68.
- Lisiewska, Z. and Kmiecik, W. (1981 a).** The effect of sowing density on the yields of three cultivars of broad beans grown for precessing. Acta Agraria et Silvestria, 20, 163-178.  
c.f. Faba Bean Abst., 3 (1), 18, 1983.
- Lisiewska, Z. and Kmiecik, W. (1981 b).** The effect of sowing density on selected morphological characteristics of broad bean plants, pods and seeds at the milk-rip stage. Acta Agraria et Silvestria 20, 179-187.  
c.f. Faba Bean Abst., 3 (1), 19, 1983.
- Mc-Whorter, C.G. and Barrentine, W.L. (1972).** Effect of method of planting, seeding rate and use of different varieties on weed control in soybeans.  
Proc. Weed Sci. Soc. of America 25-54.
- Moshtohry, M.R.M. (1983).** Weed control in soybean with some agronomic practices.  
Ph.D. Thesis Fac. of Agric., Zagazig Univ., Egypt.
- Nassib, A.M.; Hussein, A.H.A. and Hassanein, E.E. (1982).** Effect of plant density and weed control treatments on yield, yield components, seed quality and associated weeds of faba bean (Vicia faba, L.).  
Res. Bull., 2065. Fac. of Agric., Ain Shams Univ. Egypt.

- Newton, S.D. (1979).** Response of yield components to plant and time of sowing in two cultivars of field beans (Vicia faba, L.). proc. of the Agron. Soc. of New Zealand 9, 11 - 14.  
c.f. Faba Bean Abst., 3 (2), 117, 1983.
- Pandy, R.K. (1981).** Growth, dry matter and seed yield of faba beans (Vicia faba, L.) as influenced by planting density. FABIS, 3, 37 - 38.
- Panwar, K.S. and Pandey, K. (1977).** Weed control studies in Bengalgram. Indian, J. Agron. 22 (4), 257-59.
- Pope, M. (1980).** Chemical weed control in shallow-drilled spring-sown field beans (Vicia faba, L.) 1979. Annals of Applied Biol. 94 (Supplement, Tests of Agrochemicals and Cultivars, 1) 46 - 47.  
c.f. Weed Abst., 30 (6), 2028, 1981.
- Portugal, Laboratorio De-Fitofarmacologia. (1977).** Annual Report 1975. Relatorio de actividade em 1975.  
c.f. Weed Abst., 29 (12), 3976, 1980.
- Prakash, J. and Pahwa, S.K. (1975).** Effect of pre-em. herbicides on growth and weed control in pea. Third All Indian Weed Control Seminar, Hissar, 1973, 49.  
c.f. Weed Abst., 25 (7), 1944, 1976.
- Rafiqul, I. (1980).** Nodulation and growth response of lentils to herbicides application.  
LENS, 7, 54-55. ICARDA, Syria.
- Ramirez De Vallejo, A. and Martin, R.V. (1970).** The use of herbicides pre-sowing and post-emergence in lentils. Soci. Chilena de Cont. de Malazas, 83-4.  
c.f. Weed Abst., 21 (4), 1763, 1972.

**Rizk, M.A.M. (1973).** The effect of density and distribution of plants on the yield and its components in two varieties of field bean (Vicia faba, L.).

M.Sc. Thesis, Fac. of Agric., Cairo Univ., Egypt.

**Rizk, T.Y.; Ashoub, M.A.; Mostafa, M.T. and Hassan, M.W.A. (1986a).** Lentils productivity as affected by seeding rates and some herbicides.

Annals Agric. Sci., Fac. Agric., Ain Shams Univ., Egypt. 31 (2), 1143-57.

**Rizk, T.Y.; Mostafa, M.T.; Ashoub, M.A. and Hassan, M.W.A. (1986b).** Effect of some herbicides and plant density on chick pea yield and its components.

Annals of Agric. Sci., Moshtohor, 24(1), 49-64.

**Roshdy, A. (1979).** Physiological response of some leguminous crops to herbicides.

Ph.D. Thesis, Fac. of Agric. Ain Shams Univ., Egypt.

**Salem, K.G.; El-Shandidy, S.E. and Abd Alla, F.M. (1984).** Effect of some herbicides on weeds, growth and nodulation of faba beans.

J. Agric. Res. 10, 3, 1021-33. Tanta Univ., Egypt.

**Salih, F.A. (1983).** Influence of sowing date, seed rate and seed size on yield and yield components of faba beans. Fabis Newsletter, 7, 32.

c.f. Faba Bean Abst. 4 (4), 348, 1984.

**Sary, G.A.; El-Debaby, A.S.; Roshdy, A. and Salem, A.A. (1988).** Effect of soybean planting methods and the efficiency of herbicides. 1. Growth characters and associated weeds.

Annals of Agric. Sci., Moshtohor 26 (1), 1-16.

- Saxena, M.C. and Wassimi, N. (1980).** Crop weed competition in lentils.  
LENS, 7, 55-66, ICARDA, Syria.
- Saxena, M.C. and yadav, D.S. (1975).** Some agronomic considerations of pigeon peas and chick peas. International Workshop on grain legumes, 39-61, Jan. 13-16, ICRISAT, India.
- Saxena, N.P. and Krishnamurthy, L. (1979).** Response of plant population as affected by irrigation at ICRISAT Center, Hyderabad. Pulse Physiol. Progress Report-5.
- Saxena, N.P.; Krishnamurthy, L. and Sheldrake, A.R. (1980).** Effect of plant density in November and December sowings at Hissar.  
Pulse physiol. Progress Report-5.
- Shaalán, M.I.; Sorour, F.A.; Sgaier, K. and Yousef, M.E. (1977).** The effect of row spacing and phosphorus level on growth and yield of broad beans (Vicia faba, L.).  
the Libyan j. of Agric., 6, Part 1.
- Shalaby, Y.Y. and Mohamed, L.K. (1978 a).** Variations in growth analysis of field beans due to plant density and phosphatic fertilization at different planting dates.  
Egypt. J. Agron., 3 (1), 1-11.
- Shalaby, Y.Y. and Mohamed, L.K. (1978 b).** Differences in yield of field beans due to plant density and phosphatic fertilization.  
Egypt. J. Agron., 3 (1), 13-23.
- Simon, J. (1970).** A study of minimum cultivation in horse bean.  
1. The effect of different methods of sowing and treatment on the growth, weediness and yields of beans.  
Rast. Vyroba 16 (3), 321-30.  
c.f. Weed Abst., 21 (3), 1196, 1972.

- Singh, J.N., Kurti Kumar, K. and Pandita, M.L. (1973).** Herbicidal control of weeds in peas.  
*Indian J. Weed Sci.* 5 (1), 42-47.
- Singh, R. and Chowdhury, S.L. (1970).** A note on weed control in rabi pulses with pre-emergence and pre-planting herbicides.  
*Indian J. Agron.* 15, 302-4.
- Snedecor, G.W. and Cochran, G.W. (1967).** Statistical methods.  
6th Ed. Iowa State Univ. Press, Ames, Iowa, USA.
- Srivastava, G.P. (1979).** Effect of dates of sowing and row-spacing on the performance of lentil varieties.  
*Indian J. Agron.*, 24, 458-59.
- Subramanian, A.; Raj, S.M. and Venkatachalam, S. (1974).** A note on the effect of graded doses of phosphate and spacing on the yield of Bengal gram. *Madras Agric. J.* 61 (9), 791 - 93.  
c.f. *Field Crop Abst.*, 29, 3968, 1976.
- Tripathi, R.D.; Srivastava, G.G.; Misra, M.S. and Pandey, S.C. (1971).** Protein content in some varieties of legumes.  
*The Allah Abad Farmer*, 16, 291-94.
- UK, Processors' And Growers' Research Organisation (1976).** Annual Report 1974. Thornhaugh, Peterborough, PE 8 6HJ, UK.  
c.f. *Weed Abst.*, 26 (12), 3613, 1977.
- UK, Processors' And Growers' Research Organisation (1979).** Annual Report 1978. Thornhaugh, Peterborough, PE8 6HJ, UK.  
c.f. *Weed Abst.*, 30 (3), 846, 1981.

**Volodin, V.S. and Iarionova, V.I. (1977).** Chemical control of weeds in peas. Nauchnye Trudy, Voronezhskii Sel'skokhozyaistvennyi Institut. 91, 211-15.

c.f. Weed Abst., 30 (3), 847, 1981.

**Vulsteke, G. and Bockstaele, L. (1974).** Peas. Summary of research 1973 and 1974. Beitem-Rumbeke, Belgium, Onderzoek- en Voorlichtingscentrum voor Land- en Tuinbouw.

c.f. Weed Abst., 25 (6), 1495, 1976.

**yadav, D. (1979).** Physiological and biochemical effects of prometryne on lentil (Lens culinaris, Moench) and one of the predominant weeds. Thesis Abstracts 5 (3), 145 Haryana Agric. Univ., Hissar.

c.f. Weed Abst., 30 (9), 3035, 1981.

**Zahran, M.K. and Ibrahim, T.S. (1982).** Report on back-up research-weeds and Orobanche control. ICARDA IFAD Nile Valley Project on Faba beans. 1-17.

**Zhuran, M.K.; Ibrahim, T.S.; Hassanein, E.E.; El-Shandidy, S.E.; Al-Marsafy, H.T. and Rabeia, B.M.B. (1984).** Report on back up research weed control ICARDA IFAD Nile Valley Project on faba bean. 1-13.