

## REFERENCES

## REFERENCES

Abdel-Fattah, L. E. (1970).

Detection and determination of pig fat in other animal fats, M.Sc. Thesis, Faculty of Pharmacy, Cairo University.

-----, (1974).

Analysis study of some food and pharmaceutical lipids products, Ph. D. Thesis, Faculty of Pharmacy , Cairo University.

Abou- Arab, A. A. (1980).

Identification of the sort of fats and oils in different foods, M.Sc. Thesis , Faculty of Agriculture Ain Shams University.

Alford, J. A. ; Smith , J. L. and Lilly, H. D. (1971).

Relationship of microbial activity to changes in lipids of foods, J. Applied Microbiology, 34: 133-138.

Al- Shabibi, M. M. A. and Juma, K. H. (1973).

Fatty acid composition of tail, subcutaneous and kidney fat-tailed., Awassi sheep J. of Agric. Science, 80, 2, : 255-257.

Amer, M. M. ; Abdel-Kader, S. A., and Abdel-Fattah, E.L.,  
(1972).

Detection and determination of lard in other  
animal fats, proceeding of the third congress  
of the Arab Pharmacists Union, Bagdad, 16-20  
November, 1972.

Anfimov, A. N. ; Lavrova, L. P., Manerberger, A.A. and  
Mirkin, E. U. (1959).

Technology of meat and meat production,  
Food industry Pub., Moscow.

A. O. A. C. (1975).

Official Methods of Analysis of the Association  
of Official Analytical Chemists, 12 th ed.,  
Washington, D.C.

A. O. C. S. (1942, 1964).

Official and Tentative Methods of the American  
Oil Chemists Society; 2 nd ed. , Chicago. III.  
Ionois.

Arnold, L. F. and Milloy, A. D. (1963).

Distribution of individual fatty acids in the  
crystallization fractions of lard, J. Am. Oil.  
Chem. Soc. , 40, 296-297.

Bali, G. S. ; Das, S. A. ; Gopinathan, V. K. and Sharma, T. R. (1976).

Preliminary studies on some characteristics of Bannur mutton, J. of Food Science and Technology, 13 (2): 97-98.

Barett, C. B. , Dallas, M. S. J. and Padley, F. B. (1962).

The separation of glycerides by thin-layer chromatography on silica impregnated with silver nitrate. Chem. Ind. , 1050-1051, London.

-----, -----, -----, (1963).

The quantitative analysis of triglyceride mixtures by thin layer chromatography on silica impregnated with silver nitrate. J. Am. Oil. Chem. Soc. 40: 580-584.

Bligh, E.G. and Dyer W. J. (1959).

Can. J. Biochem. and Physiol., 37, 911, c.f. El-Zeany, B.A. Analysis of some Red Sea Fish Oil. M.Sc. Thesis, Faculty of Pharmacy, Cairo University, (1971).

Bremner, H. A. Ford, A. L. and Macfarlane, J. J. (1976).

Meat with high linoleic acid content: Oxidative changes during frozen storage, J. of Food Science, 41 (4): 757-761.

Cattaneo, P. Bianchi, M. A.; Beretta, G. and Cantoni, C.  
(1979).

Keeping characteristics of lamb and its  
nutritive value. *Industrie Alimentari*, 18(9):641-643.  
(c.f. F. S.T.A., 12,05 735, (1980)).

Coleman, M. H. (1961).

Further studies on the pancreatic hydrolysis of  
some natural fats . *J. Am. Oil. Chem. Soc.*, 38:  
685-688.

Coleman, M. H. and Futton, W. C. (1961 a).

Enzymes of lipids metabolism. Edited by P.  
Desiello, P. , 127.

-----, ----- (1961 b).

*J. Am. Oil. Chem. Soc.* , 38: 685-688. ( c.f.  
De Vries, Separation of triglycerides by column  
chromatography on silica impregnated with silver  
nitrate, *J. Am. Oil. Chem. Soc.* 41: 403-406(1964)).

Coleman, M. H. (1963).

The pancreatic hydrolysis of natural fats, III.  
The influence of the extent of hydrolysis on  
monoglycerides composition, *J. Am. Oil. Chem. Soc.*  
40, 10: 568-571.

Coline, G. and Hilditch, T. P. (1928).

Regularities in the glyceride structure of  
vegetable seed fats, *Biochem. J.* 23: 1273-1289.

Congiu, F. and Argiolas, A. (1977).

Differences in the acid composition of depot lipids in the goat and lamb. Riv. Zootec. Vet. 662-668, (c.f. Chem. Abst. Vol. 89, No. 15: 1278689, (1978).

Dally, R. A. (1969).

A note on the fat content of lean meat.  
J. of the Association of Public Analysts,  
7, (1); 33.

Dattilo, M. ; Congiu, F. Rossi, G. and Brandano, P. (1975).

Comparative study of physico-chemical characteristics of meat and fat of different age and sexes, Attidella Societa Italiana dell Scienze Veterinarie, 27, 409-414.  
(c.f. F. S. T. A. Vol. 7; (1975).

Davis, D. D. ; Mc Kusick, V. A. and Rahilly, R.O. (1972).

Dorland's pocket Medical Dictionary, 21<sup>st</sup> Edition, Oxford and IBH publishing Co., Calcutta, Bombay, New Delhi.

Desnuelle, P. (1951).

Hydrolyse enzymatique des triglycerides.  
Bull. Soc. Chem. Biol., 33: 909-923.

De Vries, B. (1962).

Quantitative separations of lipids material by column chromatography on silica impregnated with silver nitrate.  
Chem. Ind. , 1049-1050. London.

De Vries, B. (1963).

Quantitative separation of higher fatty acid methyl esters by adsorption chromatography on silica impregnated with silver nitrate, J. Am. Oil. Chem. Soc. 40:184-186.

De Vries, B. and Jurriens, G. (1963).

Fette. Seifen. Anstrichmittel, 65 , 72, 5,  
( c.f. De Vries, B. 1964, Separation triglycerides by column chromatography on silica impregnated with silver nitrate. J. Am. Oil. Chem. Soc. , 41 , 6, 403-406., 1964.

-----, ----- (1964).

Determination of triglycerides composition by horizontal thin-layer chromatography. J. Chromatog. , 14: 525-526.

Dieckert, J. W. and Reiser, R. (1956).

Paper chromatographic procedure for separating 1-mono-1,5 di and triglycerides cholesterol and cholesterol esters. J. Am. Oil. Chem. Soc. , 33: 123-126.

Dister , E. and Baur, F. J. (1965).

The determination of mono-di and triglyceride concentrates by column chromatography, J. Assoc. Offic. Agr. Chemists, 48, 2: 444-448.

Dugan, L. R. and Slaver, H. T. (1960).

Fats. Chemistry of Animal Tissues, The Science of Meat and Meat production. American Meat Institute Foundation, W. H. Freeman and Company, San Francisco and London.

Egyptian Standards (1971).

Egyptian standard N. 114 - 1971 Luncheon meat.  
Egyptian Organization for standardization, Arabic Republic of Egypt.

El- DASHLOUTY, A. A. (1978).

Studies on the quality of some meat products.  
Ph.D. Thesis , Faculty of Agriculture Ain Shams University.

Gauglitz, E. J. and Lehman, L. W. (1963).

The preparation of Alkyl Esters from highly unsaturated triglycerides , J. Am. Oil. Chem. Soc. 42, 9,: 197-198.

George, J. and Mountney, T. (1966).

Poultry products technology . The AVI publishing Company 1 st Ed. West Part, Connecticut.

Gunstone, D. (1962).

The distribution of fatty acids in natural glycerides of vegetable origin, Chem. Ind.,: 1214-1223, London.

Gunstone, D.; Padley, F.B.; and Illyas Qureshi (1964).

Determination of the component glycerides of seed oils containing saturated oleic and linoleic acids.

Gunstone, D. (1967).

An introduction to the chemistry and biochemistry of fatty acids and their glycerides. Chapman and Hall, London.

Hammond, E.G.; and Jones, G.V. (1960).

The calculation of restricted random glyceride distribution, J. Am. Oil Chem. Soc., 37, 376.

Hassan, M.M., and Osman E., F. (1971).

Separation of glyceride by thin layer chromatography, Seifen Oele. Wachsè, 97, 12, 404.

c.f. Laila E.-Abdel-Fattah,

Analysis of some foods and lipids products, pH.D.

Thesis, Faculty of Pharmacy Cairo University (1974).

Herb, S.F.; Magidman, P.; Barford, R.A.; and Riemenschneider, R.W. (1963).

Fatty acids of lard, A. Identification by gas-liquid chromatography, J. of Am. Oil Chem. Soc., 40, 3; 83-85.

Hilditch, T.P. (1956).

The chemical constitution of Natural fats, 3rd Ed., Chapman and Hall, London.

Hilditch, T.P. (1964).

The chemical constitution of natural fats.  
Chapman and Hall, London.

Huebner, V.R. (1959).

Preliminary studies on the analysis of Mono- and diglycerides by gas liquid partition chromatography, J.Am.Oil Chem. Soc., 36, 262-263.

Huebner, V.R. (1961).

J. Am. Oil Chem. Soc., 38, 628. c.f. Carter Lichfield, Analysis of triglycerides, Academic Press, New York and London.

Jean, B.; Bugaut, M.; and Clement, G. (1971).

Triglyceride composition of coconut oil.  
J. Am. Oil Chem. Soc., 48,3,134-139.

Jones, G.V.; and Hammond, E.G. (1961).

Analysis of the glyceride structure of Cocoa Butter by thermal gradient, crystallization,  
J. Am. Oil Chem. Soc. 38, 69-73.

Jurriens, G. (1964).

Quantitative analysis of glycerides by thin layer chromatography, Riv. Sostanze Grass, 41,1, 4-6.

Jurriens, G.; De vries, B.; and Schouten, L. (1964-a).  
Quantitative analysis of mixtures of glycerides,  
J. liquid Res., 5, 267-268.

----- ; ----- ; ----- (1964-b).  
Quantitative semimicro analysis of triglyceride  
fatty acids and distribution in Congo Palm Oil,  
J. Lipid Res., 5, 366-369.

Jurriens, G. (1965).  
Quantitative analysis of oils and fats by means  
of thin layer and Gas chromatography, Chem, week  
Lolad, 61, 257-264.

Jurriens, G.; and Kroeson, C.J. (1965).  
Determination of triglyceride composition of  
several solid and liquid fats, J. Am. Oil Chem.  
Soc., 42,1, 9-14.

Jurriens, G.; and Schouten, L. (1965).  
Rev. Franc crops Gra, 12, 505 - c.f. Carter  
Lichfield, Analysis of triglycerides, Academic  
Press, New York and London, (1972).

Jurriens, G. (1968).  
Analysis and characterization of oils, fats and  
fat products, Edited by H.A. Bockenoogen, volume 2,  
p. 217, p. 220, John Wiley, New York.

Kartha, A.R.S. (1953-a).

The glyceride structure of natural fats. 1) A technique for the quantitative determination of glycerides types in natural fats, J. Am. Oil Chem. Soc. 30, 280-282.

----- (1953-b).

The glyceride structure of fats. 2) The rule of glyceride type distribution of natural fats, J. Am. Oil Chem. Soc., 30, 326-329.

----- (1962).

Glyceride type distribution rule calculation, J. Am. Oil Chem. Soc., 39, 272.

----- (1969).

Improvements in the Azeleoglyceride Analysis Technique, J. Am. Oil Chem. Soc., 46, 1, 56.

----- (1970 - a).

The abnormal proportions of Di-unsaturated glycerides in some pig depot fats. J. Am. Oil Chem. Soc., 47, 2, 75-76.

----- (1970 - b).

A standardized procedure for oxidative determination of fully saturated glycerides in natural fats, J. Am. Oil Chem. Soc., 47, 9, 366-368.

Khalafty, H.M.E. and Meara, M.L. (1970).

Grases Aceites (sevilla), 21, 3, 131. c.f. Laila E. Abdel-Fattah. Analysis of some foods and pharmaceutical lipids products. PH. D. Thesis, Faculty of pharmacy, Cairo University, (1974).

Kuksis, A.; and Mc Carthy, M.J. (1962).

Gas liquid chromatography fractionation of natural triglycerides mixtures by carbon number, Can. J. Biochem. physical., 40, 679-686.

Kuksis, A. (1965).

Gas liquid chromatography of glycerides, J. Am. Oil Chem. Soc., 42, 269-282.

Lawrie, R.A. (1974).

Factors reflected in specialized muscle, function and constituents, species; Meat science, second Edition, Oxford, New York, Toronto, Sydney . Braunschweig.

Liskovskaia, U.V., and Kelman, L.F. (1965).

Evaluation of meat quality by poly unsaturated fatty acids contents, Meat Industry USSR, 6,50.

-----, ----- (1969-a).

Muscle lipid fatty acids of slaughtered animals, Meat Industry, USSR, 1, 35-38.

Liskovskaia, U.V.; and Kelman, L.F. (1969-b).

On the food value of meat, Meat Industry, USSR,  
4, 11-13.

Litchfield, C.; Fraquhar, M.; and Relser, R. (1964).

J. Am. Oil Chem. Soc., 41, 588. c.f. Gunston,  
F.D., Padley, F.B., Glyceride studies, Part II.  
The component glycerides of five seed oils  
containing linolenic acid.

Loven, J.A. (1965).

Comprehensive Biochemistry, Vol. 6, Edited by  
Marcel Florkin and Elmer H. stotz, p. 72.

Magnusson, J.R. and Hammond, E.G. (1959).

The separation glycerides by crystallization in  
a thermal gradient. J. Am. Oil Chem. Soc. 36,  
339-343.

Manerberger, A.A.; and Bortkevich, L.L. (1973).

Technology of Meat and Technical products, 1.ab  
Ed., Food Industry pub., Moscow.

Mattson, F.H. and Beck, L.W. (1956).

The specificity of pancreatic lipase for the pri-  
mary hydroxyl of glycerides, J.Biol. Chem. Vol.  
219, 735-740.

Mattson, F.H.; and Lutton, E.S. (1958).

The specific distribution of fatty acids in the glycerides of animal and vegetable fats, J.Biol. Chem., Vol. 233, 868-871.

Mattson, F.H.; Volpenhein, R.A.; and Lutton, E.S.(1964).

J. Lipid Res., 5, 363, c.f. B.C. Litchfield, Taxonomic patterns in the triglyceride structure of natural fats, Fette seifen anstrichmittel, 4, 223-231. (1973).

Mazuelose Vela (1965).

La determinacion de aceites esterificados de oliva orgio por medio de la lipase pancreatica, Grassas Aceites, 16, 2, 69-72.

Mc Cane, R.A.; and Widdowson, E.M. (1946).

The chemical composition of foods, second Edition, Medical Research Council, Special Report Series No. 235, London; His Majesty's stationary office.

Mehran, M. and Filsoof, M. (1976).

Fatty acid composition of sheep tail fats from five Iranian native breeds. J. Fette seifen Anstrichmittel 5, 187-189. c.f. F.S.T.A., Vol.9 No. 01, N22 (1977).

Monick, J.A.; and Treybol, R.E. (1956).

Separation of monoglycerides, diglycerides, and triglycerides by liquid-liquid extraction, J. Am. Oil Chem. Soc., 33, 193-197.

Osman, F.; Ashour, A.E.; and Gad, M.A. (1973).

Planta Med., 24,b, 53. c.f. Laila E-Abdel-Fattah, Analysis of some foods and pharmaceutical lipids products, Ph.D. Thesis, Faculty of pharmacy, Cairo University, (1974).

Otake, Y. and Nakazato, T. (1972).

Fatty acid and triglyceride composition of mutton lipids. Japanese Journal of Zootechnical Science, 43, 2, 75-80. c.f. F.S.T.A. Vol. 4, (1972).

Palmer, L.S. (1928).

J. Am. Oil Chem. Soc., 44, c.f. Laila E. Abdel-Fattah, Analysis of some foods and pharmacultical lipids products, Ph.D. Thesis, Faculty of Pharmacy, Cairo University (1974).

Parvaneh, V. (1972).

The physical and Chemical characheristics of sheep tail fat (Donbeh), Tropical Science, 14,2, 169-171.

Pavlovski, P.E. and Palmin, V.V. (1963).

Biochemistry of meat and meat products, Food Industry, pub. Moscow.

Pearson, D. (1970).

The chemical analysis of food, National college of Food Tech., Univ. of Reading, Weybridge, Surry, J. and A. Chirchill.

Privett, O.S.; and Blank, M.L. (1963).

A method for the structural analysis of triglycerides and Lecithins, J.Am. Oil Chem. Soc., 40, 70-75.

Pulatov, A.S. (1977).

Some constants and the content of fatty acids in sheep tail fat, Food Technology, 121,2,159-161.

Raziq, F.; Ahmed, I.; and Shah, S.B.A. (1979).

Comparative nutritive value of beef, mutton, and chicken meats and their extracts, Pakistan J. of Scientific Research 31, 1/2, 22-25.

Savary, P.; Flanzy, J.F.; and Desnuelle, P. (1957).

Use of pancreatic lipase for the study of the structure of naturally occurring fats, Biochem et Biophys. Acta, 24, 414-423.

Sokolov, A.A.; Pavlov, D.V.; Bolshakov, A.S.; Joravskaja N.K.; Shopenski, A.P. and Diklop, A.P. (1960).

Technology of meat and meat products, Food Industry Pub., Moscow.

Sokolov, A. A.(1965). Physico-Chemical and Biochemical basis of meat products technology, Food Industry Pub. Moscow.

Starry, J.T.; and Juckley, B. (1967).

Lipids 2,6,501, c.f. Laila E. Abdel-Fattah, Detection and determination of pigs fat in other animal fats, M.Sc. Thesis, Faculty of Pharmacy, Cairo University (1970).

Subbaram, M.R. and Youngs, C.G. (1964-a).

Determination of the glyceride structure of fats; distribution of individual saturated and unsaturated acids, J.Am. Oil Chem. Soc., 41, 445-448.

-----, ----- (1964b).

Determination of the glyceride structure of fats, analysis of 14 animals and vegetables fats, J.Am. Oil Chem. Soc. 41, 595-596.

Szollar, L.; Jaky, M. and Pucsok, J. (1979).

Approximation of stereo specific structure of triglycerides from analytical data of pancreatic lipase hydrolysis, Olaj SZappan Kozmetika, 28,4, 97-102, c.f. F.S.T.A. Vol. 12, 07, N335 (1980).

Thomas, A.E.; Scharaum, J.E.; and Rolston, H. (1965).

Quantitative estimation of isomeric monoglycerides by thin layer chromatography, J.Am. Oil Chem. Soc. 42, 9, 789-792.

Tuna, N.; and Mangold, H.K. (1965).

Evolution of the arteriosclerotic plaque, The University of Chicago.

Van den Tempel, M.; Bruyne, p.d.; and Mank, A.P.J. (1963).  
Crystallization chromatography of triglycerodes.  
Rec. Trav. Chem., 81, 1075.

Vander Wal, R.J. (1960).  
Calculation of the distribution of the saturated  
and unsaturated Acyl groups in fats, from pancreat  
lipase hydrolysis data, J. Am. Oil Chem. Soc., 37,  
18-20.

Willester, R.; and Mammen, F. (1924).  
Z. Physiol. Chem., 133, 247. c.f. Lialia E.  
Abdel-Fattah, Detection and determination of pigs  
fat in other animals fats, M. Sc. Thesis, Faculty  
of Pharmacy, Cairo University, (1970).

Williams, K.A. (1966).  
Oils, fats, and fatty acids, Their practical  
examination, Fourth edition, J. and A. Churchill  
LTD, London.

Youngs, C.G. (1959).  
Glyceride structure of fats, J. Am. Oil Chem.  
Soc., 36, 664-667.

----- (1961).  
Determination of the glyceride structure of fats,  
J. Am. Oil Chem. Soc., 38, 62-67.

Zamoryshev, A.V. and Kuznetsova, K.I. (1971).

Meat production in Romanov sheep. Proceeding of  
valgagard Institute of Dairy Science, 63, 60-66,  
USSr.

Zayats, Yu. F. and Bekkulieva, B.M. (1978).

Chemical composition and contents of fatty acids  
in fat tissue of Kirghizian sheep, Meat Industry  
USSR, 49, 11, 41-44.