

170

REFERENCES

REFERENCES

- Abo-Raya, S.H., 1975.
Calcium and iron determination using atom. absor.
techniq.
M. Sc. Thesis, Fac. of Agric. Cairo Univ.
- Adriaens, L., 1953.
The banana, its chemical composition considered
from the nutritional point of view.
Bull. Agr. Congo. Velge 44, 232-3
C.F. C.A. 48, 904b, 1954.
- Agot, A., 1968.
Biochemistry, physiology, and nutritive value of
the banana.
Bull. Soc. Sci. Hyg. Aliment. 56, (1-3), 27-41.
C.F. C.A. 69, 34772 +
- A.O.A.C., 1965.
Official methods of analysis of the association
of Agri. Chemists 10th ed.
Published by the Association of Official Agricultural Chemists, P.O.Box 540, Benjamin, Franklin
Station, Washington, D.C. 20044.
- Asker, A., 1972.
Analysis of plant proteins.
Dent. Lebe. sum.-Rumsch. 68 (8), 259-61.
C.F. C.A. 78, 41814, 1973.

Asker, A., 1973.

Significance of amino acids in fruits.

Gordian, 73, (1), 12, 14, 16.

C.F. C.A. 78, 134685.

Azzony, M.M., Badawi, M.A., Silen, H.H. and Istino,

G.R. (1965-1966).

Production of some important fruits.

Memcir, Faculty of Agri. Cairo Univ. (Cain Arabic).

Bazarova, V.I., 1964.

Changes of some sugars in the process of ripening
of banana.

Sb. Tr. Leningr. Inst. Sov. Rorgovli, 23, 71-81.

C.F. C.A. 64, 1269b 1966.

Bender, A.E. and Boell, B.H., 1957.

Biological evaluations of proteins a new aspect.

Brit. J. of Nutrition, 11, 140.

Bhatia, B.S. and Amin, H.D., 1963.

Nutritive value of products.

Ibid. 85-7.

C.F. C.A. 59, 5698h.

Brassan, R., Glias, L. and Julians, B.O., 1971.

Evaluation of the protein quality and Milled Rices
differing in protein content.

J. Agri. Fd. Chem. 19, (5).

Bueno, J.R., DeDliveira, L.F., Teixeira, A.R. and Sollero, L., 1970.

Spectro fluorometric evaluation of serotonin (5-HT) in Brazilian Musa banana Ecologic variations in.

An. Acad. Brasil. Sienc. 42, (Supl.) 281-4.

C.F. C.A. Vol. 75, 106111, 1971.

Clegg, K.M., 1956.

The application of the anthrone reagent to the estimation of starch in cereals.

J. Sci. Food Agri. 7, 40.

Davidson, S. and Passmore, (1969.

Human nutrition and dietetics.

4th ed. p. 243.

E. and S. Livingstone Ltd.

Deacon, W.M., Jr., H.V., 1971.

Properties of an enzyme from bananas (Musa sapientum) which hydroxylates tyramine to dopamine.

Phytochemistry 10 (12), 2915-24.

C.F. C.A. 76, 69374, 1972.

Dubois, M., (1956).

Determination of concentration of pure sugar.

Analytical chem., 28, 350.

F.A.O., 1957.

Protein requirements.

F.A.O. nutritional studies No. 16.

Food and Agriculture Organization of the United Nations, Rome.

F.A.O., 1973.

Production year book, Vol. 27, p. 182.

Food and Agric. Organization of the U.N., Rome.

Furutani, S., and Osajima, Y., 1965.

Colorimetric estimation of pectin.

Kyush Duigaku Nogakubu Grkugei.

Zasshi 22 (1), 35-44 (Japan).

C.F. C.A. 64, 3948a 1966.

Gaponekov, T.K., and Prostenko, Z.I., 1963.

Colorimetric determination of pectins.

Kanservn. I. Ovasheshhil, Prom. 18 (1) 29-30.

C.F. C.A. 59, 8959 f.

Gradwohl, R.E., 1948.

Blood sedimentation rate.

Clinical laboratory methods and diagnosis.

4th ed. Vol. 1. Henry Kimpton 25, Blooms Bury,

W.W. London.

Hough, L., Jones, J.K. and Wadman, W.H. 1950.

Improved method for the separation and detection of sugars in chromatography.

J. Chem. Soc. p. 1702.

Ibn-El-Bitar (Anon).

Individual of pharmacy. (in Arabic).

Jackson, D.E., 1917.

Effect on arterial blood pressure and respiration.
Experimental pharmacology. p. 99.

Jackson, M.L., 1958.

Soil chemical analysis.

Contable and Co. Ltd., London, pp. 498.

Jamalian, J. and Pollett, P.L., 1968.

Nutritional value of Middle Eastern Food Stuffs,
IV. Amino acids composition.

J. Sci. Food Agri., 19, 378.

Jean, Declerck, 1958.

A text book of brewing.

Chapman and Hall Ltd., London, pp. 134.

Knapp, F.F., Nicholas, H.J., 1969.

Sterols and triterpenes of banana peel.

Phytochemistry, 8 (1), 207-14.

C.F. C.A. Vol. 70: 54852.

Lavellay, J. (1952).

Chemical composition of the banana from the nutritional point of view.

Fruits, Z., 365-70, 1952.

Morcos, S.R., 1967.

The effect of the diet on the neurological manifestations produced in rats, by B, B-imino-di-proinitrile.

Brit. J. Nutri. 21, 269.

Mullor, J.B., Vigil, J.B. and Migeuz, M.A., 1968.

Vitamin C content of fruits and fruit products.

Rev. Fac. Ing. Quin. Univ. MNac, Litoral 1968.

C.F. C.A. 73, 108454 x, 1970.

Nekolaeva, L.A., 1960.

Separation of pectic substances from dried tobacco leaves.

Izvest. Vysshikh Usheb. Zavadeniv. Pishchsvaya

Tecknol, No. 4, 40-3.

C.F. C.A. 55, 7765-1961.

Osborn, T.B., Mendel, L.B. and Ferry, E.L., 1919.

A method of expressing numerically the growth prompating value of proteins.

J. Biol. Chem. 37, 223-229.

Patel, S.Z. and Shah, C.C, 1955.

Iron content of vegetables of Gujarat Bansilal Amritlal.

Agri. Coll. Nag. 2 No. 1, 4-9.

C.F. C.A. 51, 17013c, 1957.

Pereira, J.R., Bustos, R.E., and Zyngier, Z., 1963.

Pharmacological properties of the juice of the banana plant.

Arch. Intern. Pharmacolyn. 144, (112), 144-50.

C.F. C.A. Vol. 459, p. 12054.

Person, D., 1962.

The chemical analysis of foods.

J. and A. Churchill Ltd., London, 1962.

Ramsay, W.N., 1957.

The color reaction for determination of iron in fruit ash.

Clinea Chemica Acta, 3, 214.

Relvas, M.E., 1959.

Chromatographic study of amino acids of some fruits.

Arquiv. Port. Bioquim. 3, 366-88.

C.F. C.A. 56, 711e, 1962.

Robson, J.M., 1938.

Quoted from Sharaf, A.A. p. 19.

Quart, J. Exp. Physiol. 28, 195.

Robson, J.M., 1962.

Recent advanced in pharmacology.

Schalm, O.W., 1961.

Determination of packed cell volume.

Peter. Haematology 1st. ed.

Lea and Febiget, Philadelphia.

Schalm, O.W., 1965.

Determination of heamoglobin percent.

Vet. Haematology, Bailliere, Tindall and Cassell,
Ltd. London.

Sgarbieri, V.C., 1966.

Amino acids present in banana pulp grown in Brazil.

An. Ass. Brasil. Quim. 25 (1-4), 99-106

C.F. C.A. Vol. 68, 1968, 48434.

Sharaf, A.A., 1951.

Mechanism of hormone antagonism.

Ph. D. Thesis presented to the Univ. of London.

Sharaf, A.A. and Gomaa, N., 1968.

Interrelationship between gonadal hormones and some
vitamins.

Ph. D. Thesis, presented to Cairo Univ.

Sharaf, A., Shehata and Fouad, K., 1955.

Nembutal rectal anaesthesia.

Vet. Med. J. 2: 83.

Siliciana, A.M. and Nasset, E.S., 1953.

Nitrogen balance and growth of the rat as affected
by certain fruits in the diet.

J. Nutrition 51, 403-11.

Stuffines, C.B., 1967.

Determination of phosphate and calcium in feeding
stuffins.

Analyst. 92, 107-111.

Syme, J., 1918.

Physiol. S. 2. Proc. 46.

Quoted from Estagan, M.Y. 1970.

Medical doctor, Cardiology, Cairo Univ. 1970.

Thornton, N.C., 1943.

Influence of CO₂, O and ethylene on the Vit. C.
content of ripening bananas.

Contrib. Boyce Thompson, Inst. 13, 201-20.

C.F. C.A. 38, 2407 7, 1944.

_____, 1946.

Factors influencing Vit. C. content of asparagus
banana.

Contrib. Boyce Thompson Inst. 14, 296-304.

C.F. C.A. 40, 5852.

Tronchet, M. J., 1971.

Effect of injuries on banana rind disappearance
of flavonoids.

Plant. Med. Phytother. 5 (2), 147-53.

C.F. C.A. Vol. 75, 72642.

Waggle, D., BParrish, D.B. and Deyse, C.W., 1966.

Nutritive value of protein in high and low protein
content sorgham grain as measured by rat performance
and amino assays.

J. Nutrition, 88, 370.

Wali, Y.A. and Hassan, Y.M., 1965.

Qualitative chromatographic survey of the sugars
prevailing in some horticultural crops.

Proc. Am. Soc. Hort. Sci. 87, 264-9.

Yonekawa, B., 1971.

Oxidation of ascorbic acid of fruits and
vegetables.

Aichi, Kyoiku Daigaku Kenkyu Kokoku Shizenka Gaku,
(20), 203-11.

C.F. C.A. 76, 139231. 1972.