




VI- LITERATURE CITED

- Abo - Hassan, A.A., (1986):* Effect of duration of after-ripening and gibberellic acid on germination of seeds and growth of seedlings of peach, Apricot and Apple. Alexandria Journal of Agricultural Research 31 (2) 235 - 244 (Hort. Abst. 57 : 64.)
- ; *El-Hamady A.A.M and Hamouda M.A., (1979) :* Effect of gibberellic acid and kinetin on germination of apricot and lime seeds and subsequent seedling growth. Proceedings of the Saudi Biological Society No - 3, 1-6 (Hort. Abst. 50 : 8767.)
- Badizadegan, M., (1967) :* Physiological studies of dormancy and germination of apple seeds. Diss. Abst. Sect - B. (Hort -Abst. 38 : 4886).
- Balboa, O; Gil, G. and Valenzuela, W., (1983) :* Seed germination in two Mericier sweet cherry clones. Cienciae Investigación Agraria 10 (3) 231- 239 (Hort. Abst. 54 : 6022).
- , *Z.O., (1980) :* Distribution of gibberellin in seeds of two apple cultivars-phyton Argentina 39, 1/2, 1-6.
- , *(1982) :* Bound gibberellins in *Prunus avium* L.cv. Mericier seeds. Universidad Católica, Santiago, Chile. 32 (3) 340-343 (Hort. Abst. 53 : 3929.).
- *and Dennis, F.G.JR., (1977) :* Absciscic acid and apple seed dormancy. Journal of the American Society for Horticultural Science. 102 (5) 633-637 (Hort. Abst. 48 : 3117).
- Bartellet, M.S.; (1937):* Some examples of statistical methods of research in Agriculture and applied biology. Il. R. Statist. Soc. 4: 137 - 183.
- Barthe, P. and Bulard, C., (1978) :* Bound and free absciscic acid levels in dormant and after - ripened embryos of *pyrus malus* L.cv. Golden Delicious - Nice university, 06034 Nice cedex, France. Zeitschrift fur pflanzenphysiologie 90,3, 201 - 208. (Hort. Abst. 49 : 4768).

- Baz, A.G.I.O. and Salama, M.A., (1984) :** Some physiological studies on dormancy in Mit - Ghamr peach cultivar, 3. Dormancy termination in Mit-Ghamr peach seeds as affected by low temperature. *Annals of Agricultural science, Ain shams University* 29 (2) 1003 - 1014 Suez-canal University, Egypt. (Hort. Abst. 55:4014).
- Bekker, A.M. and Nikolaeva, M.G., (1984) :** Changes in the lipolytic activity of apple seeds during stratification *Fiziologiya Biokhimiya kul'turnykh Rastenii* 16 (6) 523-528. *Botanicheskii Institut v.L. Komarova*, 197022 Leningrad, USSR. (Hort. Abst. 55 : 2380).
- Bogatek, R.; Podstolski, A.; Ostraszeweka, A. and Lewak, S., (1976) :** Phloridzin transformation and accumulation of isolated embryo. *Biologia plantarum* (1976) 18 (4) 241-250. (Hort.Abst. 47 : 3302).
- Bulard, C., (1985) :** Intervention by gibberellin and cytokinin in the release of apple embryos from dormancy : a reappraisal. *New phytologist* 101 (2) 241-249 *Univeristé de Nice*, 06034 Nice cedex, France. (Hort.Abst. 55 : 68).
- .; **Barthe, P. and Garello, (1974) :** Evidence for ABA bound to beta D-glucanophranose in dormant apple seeds. *Laboratoire de physiologie vegetale, Nice, France. Comptes Rendus Hebdomadaires des seances de l'Academie des sciences*, 278,17, 2145-2148.
- Chao, L. and Walker, D.R., (1966) :** Effect of temperature, chemicals and seed coat on apricot and peach seed germination and growth-proc. *Amer. Soc. Hort. Sci.*, 88 : 232-238.
- Czabator, P.; (1962):** Germination value. An index combining speed and completeness of pine seeds germination. *Plant Propagation, Principles and Practices. Hartmann and Kester*, 4th ed. 1983 PP. 220 - 221 Prentice Hall., U.S.A.
- Czarska-Machjowska, B.; Sinska, I.; Witkowska, E. and Lewak, S., (1980):** Low temperature, gibberellin and acid lipase activity in removal of apple seed dormancy. *Physiologia planterum* 48 (4) 532-535 *warsow University, warsow, Poland*. (Hort. Abst. 51 : 2402).

- Czerski, J. and Jankowska, K., (1981)** : Germination of embryos from stratified and non-stratified seeds and growth of apple seedlings (*Malus domestica* Borkh-cv.Antonówka'). *Acta societatis Botanicorum poloniae* 50 (4) 595-605 warsow University, Warsaw, Poland. (Hort. Abst. 53 : 54).
- Dahshan, S.A.; El-Shazly and M.; Abou Rowash (1987)**: Effect of seed coat removal, GA3 and stratification on germination of apricot seeds and subsequent seedlings growth. *Annals Agric. Sa. Fac. Agric. Ain Shams Univ. Cairo Egypt* 32 (3), 1625 - 63d5.
- Dall'orto, F.A.C.; Ojima, M.; Rigitano, O.; Searanari, H.J. and Martins, F.P., (1978)** : Germination of apple seeds. *Istituto Agronomico do Estado de sao paulo, Campinas, Sp, Brazil-Bragantia*, 37,10,83 - 91.
- Daniel, H.D. and George, G.M., (1972)**: Peach seed dormancy in relation to endogenous inhibitors and applied growth substances. *J.Amer. Soc. (Hort. Sci., 97 : 651-654)*.
- Darwish, M.S. and Khamis, M.A., (1981)** : Effect of pre-sowing seed treatment with growth regulators, nutrients, some chemical compounds and their combinations on the germination of sour orange and cleopatra mandarin seeds. *Annals of Agricultural Sc., Moshtohor Vol. 17*.
- Davies, F.T. JR., (1983)** : Breaking seed dormancy of 'Nemaguard' peach *Hortscience* 18 (6) 959.
- Dawidowicz - Grzegorzwska, A.; Weisman, N.; Thevenot, C. and Come. D., (1982)** : Proteolysis and dormancy release in apple - embryos. *Zeitschrift für Pflanzenphysiologie* 107 (2) 115-121. (Hort. Abst. 53 : 7684).
- Dekhiel, A.A., (1969)** : Studies on the effect of radiation, microelements and gibberellin on olive seed germination and the growth of olive seedlings. M.Sc. Thesis, Fac. of Agric. Cairo University. Egypt.

- Deol, I.S.; Chopra, H.R. and Grewal S.S., (1993) :** Studies on seed germination and seedling growth of sharbati peach. (*Prunus persica* Batsch). Punjab Horticulture Journal (1993) 33/40 58-62. Department of Horticulture, punjab. Agriculture University, Ludhiana, India. (Hort. Abst. 65 : 7756).
- Dhillon, B.S. and Sharma, M.R., (1978) :** Note on the effect of growth-regulators on the germination of wild pear seeds. Indian J. of Agric. Sci. 48 (6) 370-372.
- Diaz, D.H. and Martin, G.C., (1972) :** Peach seed dormancy in relation to endogenous inhibitors and applied growth substances. Journal of the American Society for Horticultural Science. 97 (5) 651-654. (Hort. Abst. 43 : 2637).
- Durand, M.; Thévenot, C. and Come, D., (1973) :** The influence of abscisic acid on germination and dormancy in apple embryos. Comptes Rendus Hebdomadaires des séances de l'Académie de Sciences, 277 (1) 35 - 55. (Hort. Abst., 44 : 332).
- Dziwanowska, K. and Lewak, S., (1982) :** Hydrogen cyanide and cyanogenic compounds in seeds. V. Effects of cyanide and azide on germination of apple embryos in relation to their dormancy. Physiologie végétale 20 (2) 171-177 warsaw University, 00-927 warsaw 64, poland. (Hort. Abst. 52 : 7683).
- Eichholtz D.A.; Robitaille, H.A. and Herrmann, K.H., (1983):** Protein changes during the stratification of *Malus domestica* Borkh. seed. plant physiology 72 (3) 750 - 753 purdue University, west lafayette, Indiana 47907, USA. (Hort. Abst. 53 : 8330).
- El-Gindi, F.M.; Atawia, A.A.R. and Al-Ariki, A.N., (1991) :** Germination of *coffea arabica* seeds in response to some pre-sowing seed treatments. Ann. of Agric. sci., Moshtohor, 29 (4) 1679-1690.
- El-Nabawy, S.; Abou - Rawash, M.A.; El-Hamady, A.M.; Desouky, I. and Khalil, F., (1980-b) :** Changes in growth active substances in pecan seeds as affected by stratification and GA treatments. Egyptian Journal of Horticulture 7 (1) 33-43 Ain shams University Cairo, Egypt. (Hort. Abst. 53 : 141).

El-Nabawy, S.; Abou - Rawash, M.A.; El-Hamady, A.M. (1980-a) : Effect of stratification and GA3 on the germination of pecan seeds and subsequent seedling growth. *Annals Agric. Sci., Fac. Agric., Ain shams Univ., Cairo, Egypt* 25 (1 & 2), 323 - 338.

(1985) : Effect of stratification and GA3 on the germination of pecan seeds and subsequent seedling growth. *Ann. of Agric. Sci., Ain Shams University* 25 (1/2) 323-338 *Ain shams University, Cairo, Egypt.* (Hort. Abst. 56 : 4031).

El-Tomi, A.L.; Showky, I.; Abou-Rawash, M. and Makarem, M., (1978): Effect of cold stratification and gibberellic acid on seed germination of Mit-Ghamer peach. *Research Bulletin, Ain shams Unive., Fac. of Agric., No. 834* : 1-4.

Fadl, M.S.; Baz , A.G.I.O. and Tayel, S., (1978) : The effect of low temperature on the dormancy of "Fayoumi apricot seeds and on activities of native inhibitors existing in their seed coats. *Egyptian J. of Horti.* 5 (2) 105-114 *Al-Azhar University, Cairo, Egypt.* (Hort. Abst. 50 : 3129).

Gathaara, M.P.H., (1986) : Effects of some seed advancement treatments on the germination of coffea arabica L. seeds. *Kenya coffee.* 1986. 01- other information 51 (593) : 55-59.

Gil, G.F.; Balboa, O. and Valenzuela, W., (1980) : Effect of storage on the germination capacity of seeds from two Mericier sweet cherry clones, *Cieniciae Investigación Agraria* 7 (2) 127-130 *Universided católica, Santiago, Chile.* (Hort. Abst. 51 : 8346).

Gils., G.; Guerra, D.R. and Lavandero, R.R., (1979) : Germination of cherry seeds in relation to stratification conditions. *Ciencia e investigacion Agraria* 6 (2) 95-98 *Univesidad catolica de chile, Santigao, Chile.* (Hort. Abst. 49 : 5015).

Hassaballa and Mougheith, M.G., (1977) : Effect of pre-sowing seed reatments and low gama ray dose on the germination of citrus seeds, *Res. Bull. No. 51, Faculty of Agriculture Zagazig University.*

Helail, B.M., (1989-a) : Effect of some chemical treatments and cold stratification on germination of pecan seeds. *Annals of Agric. Sci., Moshtohor*, 27 (2) : 1141-1150.

—————, **(1989-b) :** Effect of some chemical treatment and cold stratification on germination of walnut seeds. *Annals of Agric. Sci. Moshtohor*, 27 (2) : 1151-1159.

—————, **and Mehanna, S. Sh.; (1989-a) :** Effect of sowing date, mechanical and chemical treatments on germination of olive seeds. *Annals of Agric. Sci., Moshtohor*, Vol. 27 (3) 1743 - 1752.

————— **and Mehanna, S.Sh., (1989-b) :** Studies on germination of *Annona* seeds. *Annals of Agric. Sci., Moshtohor*, 27 (3) : 1753-1759.

Herrero, J., (1980): Stratification of cherry stones. *Estación Experimental de Aula Dei, Zaragoza, Spain*. 15 (1/2) 46.53. (*Hort. Abst.* 52: 4557).

Hundal, P.S., and Khajuria, H.N., (1979) : Effect of GA₃ and thiourea on seed germination of different varieties of peach *Ind. J. of Agric. Sci.* 49 (6) : 417-419 *punjab Agricultural University, Ludhiana, punjab 141 004, India.* (*Hort. Abst.* 50 : 1691)

Jarvis, B.C.; Frankland B. and Cherry, J.H., (1968) : Increased DNA template and RNA polymerase associated with the breaking of seed dormancy. *Plant. Physiol.* 34 : 1734-6.

Ji, J.P. and Wang, Y.L., (1987) : Effect of stratification on hormones and its relationship with dormancy in seed of peach. *Journal of Nanjing Agricultural University*, No. 1-25-30 section of pomology, *Nanjing Agricultural University, Nanjing, Chine.* (*Hort. Abst.* 59 : 7264).

Kashyap, A.S.; Parmar, C. and Rana, H.S., (1992) : Improving germination and seedling vigour of moist stratified Crab apple seed with growth regulator treatments. *Prog. Hort.* 21 (3-4) 285-291.

- Kawecki, Z., (1970) :** Studies on the physiology of stratified seed of common Antonovka apple. I. Germination of stratified 3 and 12 months old apple immersed in water, GA₃ and CuSO₄ solutions. Roczn. Naukrol., Ser. A, 96 : 345-59. (Hort. Abst., 41 : 3192).
- Kefeli, V.I. and Others, (1970) :** The effect of abscisic and uara -coumaric acids on seed germination. Dokl. Akad SSSR, 186:1437-40. (Hort. Abst., 40 : 209).
- Keleg, F.M.; Haggag, M.N. and Sourour, M.M., (1989) :** Effect of the endocarp, stratification and gibberellic acid on germination and biochemical changes during after - ripening of apricot, almond, peach and plum seeds. Alex. J. Agric. Res. 34 (1) : 89 - 99.
- Khattak, M.S.; Jamsher Khan and Saifullah, Khattak, (1991) :** Stratification studies on the germination of peach stones (prunus persica Linn.), Sarhad Journal of Agriculture 7 (2) 57-62, Horticulture section, Agriculture Research Institute, Tarnab, Peshawar, Pakistan. (Hort. Abst. 63 : 146).
- Kilany, Omaima A., (1986) :** Effect of seed coat, cold stratification and growth regulators. Ann. of Agric. Sc., Moshtohor, 24 (4) : 2169-2180 (1986).
- Kolomiets, I.A. and Romanshchak, S.P., (1978) :** Physiologico-biochemical analysis of dormancy and stratification - Nauchnye Trudy Ukr. S.Kh. Akad., No. 220, 5-9 Sec In source: Referativnyi zhurnal 6-55:597.
- Lee, J.M. and Looney, N.E., (1978) :** Change in ABA and gibberellin levels in apple seeds during stratification and their relationship to genetic compaction. Cana. J. of Plant Sci., 58 (3) 761-767.
- Lin, C.F. and Boe, A.A., (1972) :** Effect of some endogenous and exogenous growth regulators on plum seed dormancy. J. Amer. Soc., (Hort. Sci- 97 : 41-44).
- Madden, G.; Roberts, D. and Campbell, D., (1977) :** Stratification and chilling. Pecan quarterly 11(2) 9-10 (En) Us pecan Fieldstation, Brownwood, Texas, USA. (Hort. Abst. 48 : 170).

- Makarem, M.M.S., (1978) :** Studies on germination of some fruit varieties with some nutrient- elements and growth regulators, M.Sc. Thesis, Fac of Agric., Ain Shams Univ.
- Martin, G.C.; Dennis, F.G.; Macmillan, J. and Gaskin, P., (1977) :** Hormones in pear seeds. I-levels of Gibberellins, ABA, Phasic acid, Dihydrophaseic acid and two metabolites of dihydrophaseic acid in immature seeds of *pyrus communis* L.J. Pro. Amer. Soc. Hort. Sci. 102 (1) 16-19.
- Mehanna, H.T. and Marten. G.C., (1984) :** Effects of temperature and chemical treatments on germination and subsequent peach seedling growth. J.Agric. Sci. Mansouria Univ. 9 (3) : 396 : 400.
- Nesterov, Ya.S., (1973) :** Differences in the length of the dormant period of fruit seeds. Refrativnyi zhurnal, 1-55. (Hort. Abst. 44 : 2049).
- Ngunen, X.V. and Come, D., (1984) :** Opposite effects of temprature on breaking of dormancy and on induction of frost resistance in apple embryos. Physiologia plantarum 62 (1) 79-82 Laboratoire de physiologie des organes Végétaux apres Récolte, CNRS, F-92190 Meudon, France. (Hort. Abst. 54 : 1984).
- Ozga, J.A. and Dennis, F.G., (1991) :** The role of abscisic acid in heat stress-induced secondary dormancy in apple seeds. Hort. Science 26 (2) 175-177 Department of Horticulture, Michigan State University, East Lansing, MI 48824 - 1325, USA. (Hort. Abst. 61 : 7670).
- Paul, J.R. and Bigges, R.H. (1963):** Influence of GA, Mercaptoethanol,, mercaptoethylamine, thiourea and urea on the germination of okinawa peach seeds. Proc. Fla. St. Hort. Soc., 76 : 393 - 7.
- Proctor, J.T.A. and Dennis, F.G., (1968) :** Gibberellin-like substances in offer-ripening seeds of *prunus avium* L. and their possible role in dormancy. Proc. Amer. Soc. Hort. Sci., 93 : 110-114.

Rouskas, D. and Hugard, J.; (1982) : The possibility of using a cytokinin alone or with other growth regulators to break the dormancy of seeds of rosaceous fruit trees of the genus *Prunus*. Fruits 37 (3) 195 -202 centre de Recherches Agronomiques de Montpellier, 34060 Montpellier cedex, France. (Hort. Abst. 52 : 7168).

-----; **Jonard, R. and Villemur, P., (1981)** : Study of germination of peach seeds *Prunus persica* cultivar INRA - GT 305 culture effects of benzyl amino purine and gibberellin A₃ and gibberellin A₄ + A₇ on the rise of embryonic dormancy and the absence of foliar abnormality on plants from non bedded seeds. CR Hebd seances acad Sci ser D sic Nat.291 (10). 761-864.

Rudnicki, R.; Sinska, I. and Lewak, S., (1972) : The influence of abscisic acid on the gibberellin content in apple seeds during stratification. Warsaw Univ. Poland. Biologia Plantarum 14,5, 325-329.

----- **and Czapski, J. (1974)** : The uptake and degradation of 1 - 14 C- abscisic acid by apple seeds during stratification. Research institute of pomology, skierniewice, poland. Annals of Botany, 138, 154, 189 - 192.

Ruiz-arrozola, M.A. and Vidal Lezama, E., (1989) : Pregermination treatments for peach (*Prunus persica* L.Batsch) seeds, selection carlos. Revista chapingo 13-16 (62-63) 60-62 Universidad Autonoma chapingo, chapingo, Mexico. (Hort. Abst. 62 : 9796).

Ryc, M. and Lewak, S., (1982) : Hormone interaction in the formation of the photosynthetic apparatus in dormant and stratified apple embryos. Zeitschrift fur Pflanzenphysiologie. 107 (1) 15-24. (Hort. Abst., 52 : 7120).

Said, H.M.; Qureshig Inayatullah, B.H. and Baqi, A., (1970) : Scarification of peach stone. Journal of Agricultural Research, Pakistan 8 (4) 410 Agricultural Research Institute, Tarnab, Peshawar. (Hort. Abst. 43 : 507).

Sharma, H.c. and Singh, R.N., (1981) : Stratification temperature response to the endogenous gibberellins and release of dormancy in seeds of subtropical peach. Indian Journal of plant physiology 24 (3) 218-223 Indian Agricultural Research Institute, New Delhi, India. (Hort. Abst. 52 : 7764).

Shawky, I., (1973) : Cold stratification of Balady apricot seed. Annals of Agric. Sci., Fac. of Agric., Ain shams Univ., Cairo 38, 1973.

_____.; **El-Tomi, A.L.; Abo-Rawash, M. and Makarem, M., (1978):** Preliminary studies on the germination of the pyrus communis seeds. Research Bulletin. Ain shams Univ. Faculty of Agriculture No. 826.

Shen, X.S. and Mullins, M.G., (1983) : Seed germination in pear rootstock pyrus calleryana. Australin Hort. 81 (6) 50 - 51.

Singh, K.K. and Nijjar, G.S., (1968) : Effect of seed treament with growth regulators on the growth of peach seedlings. J. Res. Iudhiana, 5 : 203-11. (Hort. Abst. 39 : 2050).

Sinha, M.M.; Pal, R.S. and Awasthi, D.A., (1977) : Effect of stratification and plant growth regulating substances on seed germination and seedling growth in apples. Progressive Horticulture 9 (2) 27 - 30 Horticultural Reseach station, Dunda, Uttarkashi (U.P.), India, (Hort. abst. 48 : 4199).

Sinska, I. and Lewak, S., (1978) : Is the gibberellin GA₄ biosynthesis involved in the removal of dormancy in apple seeds ? plant sicince letters 9 (2) 163-170 Warsow University, Warsow, Poland. (Hort. Abst. 48 : 4200).

Siyapananont, V., (1988) : Breaking dormancy of native peach seeds. Acta - Horticulture, No. 279, 481-485 Proceedings of third international workshope on temperate zone fruits in the tropics and subtropics, held at chiang Mai, Thailand, 12-16 December, 1988.

Snedecor, G.W. and Cochran, W.C., (1972) : Statistical Methods 6thed. Iowa state Univ. Press, Ames., Iowa, USA.

Staden, J.; Van and Dimalla, G.G., (1977) : High temperature increases germination. Pecan Quarterly 11 (12) 14-15 Natal University, pietermaritz burg, south Africa. (Hort. Abst. 48 : 171).

Subbaiah, T.K. and Powell, L.E., (1992) : Absciscic acid relationship in the chill - related dormancy mechanism in apple seeds. Plant Growth Regulation 11 (2) 115-123 Department of Fruit and vegetable Science, Cornell University, Ithaca, Ny 14853, USA. (Hort. Abst. 62 : 7969).

Suriyapananont, V., (1989) : Propagation of apple rootstocks in Thailand : Stratification temperature time on breaking dormancy of apple seeds. Acta - Horticulture. 1990.

Takaki, M. and Dietrich, M.C., (1979) : Effect of sugars liberated by action of gibberellic - acid on growth of isolated embryos of coffee arabica. So Rev. Bras Bot. 2 (2): 1979. 125-128. JT. Brazilian Journal of Botany.

—————; ————— **and Furtado, J.S., (1979)**: Anatomical changes in the hard endosperm of gibberellic- acid treated. Coffea arabica cultivar Mundo - Novo seeds during germination serev Bras Bot. 2 (2) : 1979. 103-106. JT. Brazillian Journal of Botany.

Thévenot, C.; Gaspar, T.; Lewak, S. and Come, D., (1977) : Peroxidases in relation to rmoval of dormancy and germination of apple embryos. Physiologia plantarum 40 (2) 82 - 86 CNRS, F-92190 Meudon, France. (Hort. Abst. 48 : 54).

—————.; **Perino, C. and Come, D., (1983)** : Influence of temperature on breaking of dormancy, dermination sensustricto and growth of apple embryo : thermal optimum of these phenomena. Israel of Batany 32 (3) 139-145 CNRS, Universite Pierre et Marie Curie, F 92190 Meudon, France. (Hort. Abst. 54 : 3122).

Toit, H.J. Du.; Jacobs, G. and Strydom. D.K., (1978) : Role of the various seed parts in peach seed dormancy and initial seedling growth. J. of the Amer. Soc. for Hort. Sci., 104 (4) 490-492 stellenbosch University, stellenbosch, south Africa. (Hort. Abst. 50 : 890).

Tripathi, P.C. and Arora, R.L., (1994) : Seed germination studies in subtropical plum cultivars. Annals of Agriculthar Research (1994) 15 (4) 458-461. Department of Horticulture, G.B. Plant University of Agriculture and technology. Pantangar 263- 145, U.P. India.

Tukey, H.B. and Carlson, R.F., (1945) : Breaking the dormency of peach seed by treatment with thiourea. Plant. Phvs. 20 : 505-516.

Wanic, D.; Kawecki, Z. and Naglicka, I., (1968) : The effect of gibberellic acid on the germination of 3-year - old stratified seeds of apple variety common. Antanovka. Zesz. Nauk. Roln. Olsztyn ser. Anoz. (Hort. Abst. 39 : 3168).

Westwood, M.N. and Bjornstad, H.O., (1968) : Chilling requirements of dormant seeds of 14 pear species as related to their climatic adaptation. Proc. Amer. Soc. (Hort. Sci 92 : 141 - 149).

Zankov, Z. and Kolev, V., (1969) : Some biochemical changes occurring in graps seeds during stratification. Grad. and Lozar. Nauka, 1969, 6 (3) : 77-90.