



REFERENCES

6- REFERENCES

- A.O.A.C. (1990).** Official methods of analysis of the association of official analytical chemists. Fifteenth ed. Published by Association of Official Analytical Chemists Arlington, Virginia, USA.
- A.O.C.S. (1978):** Official and tentative method of the American Oil Chemists Society. Third edition. American Oil Society. 508 South. Sixth street, Champaign, Illinois, 61820.
- Abd El-Baky, M.; Seham Gad and El-Shirbeeny (1991).** Fatty acids of an edible oil fourth Arab. Conf. of Sci. & Tech. Jan., 1991 P. 339-348.
- Abdel Rahman, A. H. (1982).** The chemical constituents of tomato seeds. Food Chem., 9: 315-318.
- Abdul Magied, M. M. (1994).** Utilization of pumpkin strain for jam production. Bull Fac. of Agric., Univ., Vol. 42, No. 4 (October, 1991): 1187-1212.
- Abdul Magied, S.S. (1994).** Effect of packaging materials and storage conditions on shelf-life of refined cotton seed oil. M. Sc. Thesis Fac. Agric. Cairo Univ. Cairo Egypt.
- Abullaev, G. M.; Zeinalov, B. K.; Saryeva, S. A.; Kerova, Kh. I.; Ismailov, I.I. and Akhmedova, A. Kh. (1986):** Producing Olive Oil. USSR. Su 1.211, 280 (Cl. (11B1/10). APP 1.33, 663. C.f. C.A., 104, 17, 147485m.
- Ahmed, K.I. (1987).** Effect of planting density and applications of certain growth regulators on fruit quality and storage ability of Sultani fig cultivar. Assiut J. of Agric. Sci. 18 (4). 155-165.

- Ahmed, K.M. and Shahidi, F. (1999).** Rapid oxidation of commercial extra virgin olive oil stored under fluorescent light. *Journal of food lipids*; 6 (4) 331-339, 22 ref.
- Ahmed A. E.I.D (2000).** Chemical studies on olive fruits. M. Sc. Thesis Fac. Agric. Mansoura Univ.
- Allgizakis, M. (1982).** Processing and canning of edible olive. Mauromatis, N. Editor. Athens , Greece (in Greek). c.f. olive oil book, Copyright by the AOCS. P. 16-17.
- American Public Health Association (1958).** Recommended Methods for Microbiological; Examination of Food American Public Health Association Inc. Broadway, NY. 19.
- Anderson, C. (1978).** HFCS improves flavor retention of jellies, jams preserves. *Fd process*. 39(12): 64. C. A. Hyvonen, L. and Torma, R. (1983).
- Anon, (1975).** Orange concentrate in aseptic package DC: bulds business for Swedishdary. *Food Eng.* 47: 21.
- Anon, (1978).** Zur kartonabfulung van fruchtsaften and nektaren. *Flussinges abst.* 45: 446.
- Anonymous, (1997).** Ministry of agriculture, Fisheries and Food, United kingdom. Survey of lead and tin canned fruits and vegetables. *Food Surveillance Information Sheet*, No. 122.
- Anthony, L. (1986):** A complete course in conning, processing procedures for canned food products (3rd book). The canning trade INC. Baltimore, Maryland 21218-4576 USA. P. 143.
- Aparicio, R.; Morales, M.T. and Alonso, V. (1997).** Authentication of European virgin olive oils by their

- chemical, sensory attributes and consumers attitudes. J. Agric. Food Chem., 45, 1076-1083.
- Arvanitoyannis, I. (1990a):** The effect of storage of canned juices on content of the metals Fe, Cu, Zn, Pb, Sn, Al, Sb and Ni. Die Nahrung, 34: (2), 141-145.
- Arvanitoyannis, I. (1990b):** The effect of storage of canned vegetables on concentration of the metals Fe, Cu, Zn, Pb, Sn, Al, Cd and Ni. Die Nahrung 34: (3): 247-253.
- Arvanitoyannis, I. (1990c):** The effect of storage of canned meat on concentration of the metals Fe, Cu, Zn, Pb, Sn, Al, and Ni: Die Nahrung, 34: (2), 147-151.
- Askar, A.; El-Samahy, S.; Ibrahim, S.; and El-Emary, Z.H. (1993):** Reduction of heavy metal content and improving quality of canned mango nectar. Fruit processing 3: (3), c.f. 84-92, FSTA, 25 (6H 150). 1992.
- Babie, I.; Amiot, M.J.; Nguyen, X.C. And Aubert, S. (1993).** Change in phenolic content in fresh ready to use shredded carrots during storage. J. Food Science, 58: 351.
- Bahgat, M. and Ezzat, A.H. (1965).** "Fig in Egypt" published by Ministry of Agriculture, Egypt.
- Bajaj, K.L. and Mahajan, R. (1982).** Chemical constituents of fruits of some root Knotnemtode resistant varieties tomato (*Lycopersicon scolentum*). J. Res. Punjab Agric. Univ. 19(4); 339.
- Balatsouras, G., (1984).** The olive tree. Mauromatis, N. Editor . Athens Greece (in Greek) c.f. Olive Oil Book, Copyright by the AOCS. P. 13.

- Balazs, E. (1969).** Purification of vegetable and animal oils and fats. Swiss, 469, 804 (cl. Cllb), 30 Apr. 1969, appl. 19 jan 1966, 2 pp. C.f. Chem. Abst. 71, 37595q (1969).
- Baldioli, M.; Servili, Perretti, G. and Montendoro G. F. (1996).** Antioxidant activity of tocopherols and phenolic compounds of virgin olive oil. JAOCS., 73, 1589-1593.
- Bauerfeind, J.D. and Pinkert, D.M. (1970).** Food processing with added ascorbic acid Adv. Food Res. 18: 219.
- Bian, Y.; Grozalez, A.R. and Aselage, J.M. (1994).** Effect of pasteurization or sodium benzoate on long-term storage stability of peach puree. J. Food Quality, 17: 299.
- Bolin, H.R. and Steele, R. J. (1987).** Noennzymatic browning in dried apples during storage J. of Food Sci. 52 (6): 1654-1657.
- Borja, R.; Alba, J. and Banks, C.J. (1996).** Anaerobic digestion of wash waters derived from the purification of virgin olive oil using a hybrid reactor combining a filter and sludge blanket. Process- Biochemistry; 31 (3) 219-224, 19 ref.
- Bruck, C.G., Figge, K. and Rudolph, F. (1981):** Interaction of fat containing food with plastics packaging JAOCS, 58, 811-815.
- Calixto, S.; Goni, I.; Manas, E. and Abia, R. (1989).** Dietary fiber in olive foot cake and olives. (Fac. Fam., Univ. Complutense Madrid, Spain 28040). Grasasa Aceites (Selville) 40 (4-5), 241-5. C.f. c.A., 113, 11405a.

- Capar, S.G. (1978):** Changes in lead concentration of foods stored in their opened cans. *Journal of Food Safety*, (1), 241-245.
- Capar, S.G. (1990):** Survey of lead and cadmium in adult canned foods eaten by young children, *Journal Associated Official Analytical Chemistry*, 73: (3), 357-364.
- Capar, S.G. and Loges, M. (1987):** Lead content of food stored in cans after opening. *Journal of Food Safety*, (8), 187-197.
- Carbonell, E., Costell, E. and Duran, L. (1989):** Evaluation of various method for measurement of pectin content in jam. *J. Assoc. Of Anal. Chem.* 72 (4): 689-693.
- Carbonell, E. Costell, E. and Duran, L. (1991):** Rheological behaviour of sheared jams relation with fruit content. *J. texture studies* 22: 33-34.
- Carrante, V. and Tricarico, N. (1964).** Olive press residues containing highly acid oil. (*Staz. Agrar. Sper., Bari*). *Riv. Ital, Sostanze Grasse* 41 (5), 251-60. c.f., *C.A.* 62, 10, 12030n.
- Cas, M. and Estienne, J. (1971).** Virgin olive oils from the French Mediterranean basin. *Rev. Fr. Corps Gras*, 18, 696.
- Colakolgu, M. (1972):** Analytical characteristics of turkish olive oil produced in the period 1966-1969. *Grasas y aceites* 23 (4), 303-7.
- Coni, E.; Baldini, M.; Draisci, R.; and Stacchini, P. (1986):** Constructional characteristics of tinplate cans and metal release. *Rivista della societa Italiana di Sceienza dell'*

Alimentazione, 15: (3), 121-128 Cf. FAST, 19 (2f13) (1987).

Costa, H.M. and Sameiro, M.E. (1977). Tenth. Survey of olive oil (Portuguese regista). Characteristics of the identification and quality of the olive oil produced in 1975/1976. Bol. Inst. Azeite Prod. Oleaginoses, 5 (1), 149-76. (1977).

Costell, E. and Duran, L. (1983). Über das fließverhalten von fruchtsäften und purees fluss. Abst, 50, 648-654. C. A. Coestell. Caarbonell, E. and Duran, L. (1987).

Costell, E. Izquiere, L. and Duran, L. (1985a): Comportamiento reológico de las confituras de albaricoque. Su relación con el contenido en pulpa. Rev. Agroquim. tecnol. Aliment. 25, 241-249. C. A. Carbonell, E., Carbonell E., and Duran, L. (1991a).

Costell, E. Izquiere, L. and Duran, L. (1985b). Comportamiento reológico de Las confituras de albaricoque Su relación con el contenido en fruta Rev. Agroquim. Tecnol. Aliment, 25, 241-249. C.A. Costell, E. Carbonell, E. and Duran, L. (1987).

Costell, E., Carbonell, E. and Duran, L. (1986). Comportamiento reológico de las confituras de melocoton. Relación con el contenido en fruta. Rev. Agroquim. Tecnol. Aliment 26, 387-397. C.A. Carbonell, E., Costell, E. and Duran, L. (1991a).

Costell, E., Carbonell, E. and Duran, L. (1987). Chemical composition and flow behavior of strawberry jams. Relation with fruit content. Acta Aliment 16: 319-330.

- Costell, E. Carbonell, E. and Duran, L. (1993):** Rheological indices of fruit content in jams: Effect of formulation on flow plasticity of sheared strawberry and peach jams. *J. Texture studies* 24, 375-390.
- De Azeite, J. N. (1974).** Survey on the portuguese olive oil (1971-72). *Grasas Y Aceites*, 25 (2) (1974).
- Dempsey, W.H. and Leonard, S. (1954a). pectin substances of pearson and san Merzano tomatoes. *Food Res.* 19: 146.
- Dhyani, PP. and Khali, MP. (1993).** Fruit yield and economics of jelly and jam production from fruits of some promising Ficus (fig) tree crops. *Ecology of food and nutrition* 30 (3/4) 169-178, 17 ref.
- Di Giovacchino, L. (1989).** Olive processing systems. Separation of the oil from the must. *Olive*. 26: 21. c.f., *Olive oil book*, Copyright by the A.O.C.S. P. 71 and 72.
- Doke, SN.; Sherekar, SV. and Ghadi, SV. (1992).** Radiation preservation of white pomfret (*stomateus cinereus*) in tomato sauce. *Journal Article C.f. FSTA, Acta Alimentaria*; 21 (2) 123-129, 6 ref.
- Egyptian Standard (1993).** Vegetable edible oils No. 49. Egyptian organization for standardization and quality control.
- El-Atawy, Y. S. (1979):** Chemical and technological studies on the production of tomato powder. M. Sc. Thesis Fac. Agric. Al-Azhar Univ., Cairo Egypt.
- El-Atawy, Y. S. Gad, M. R. A. and Habbash, L. A. (1989).** Evaluation of ash and mineral contents of pectins extract.

Conf. of Fd. Sci., and Tech. For Mediterranean countries
154-166.

El-Atawy, Y.S., Radwan, H.M. and Sidky, H.A. (1991): Effect of A technological process on some properties of whole canned tomatoes. Fourth Arab. Conf. Of Fd. Sci. & Tech., Jan (1991).

El-Kalyobi, M.H. and Mostafa, M.M. (1995). Effect of germination on chemical composition oil characteristics and fatty acids in some rapeseed varieties Res. Bull. Home Econ. Menoufia Univ. 5(1):111.

El-Milladi, S.S.; Gould, W.A. and Clements, R. L. (1969). Heat processing effect on starch, sugars, protein; amino acids and organic acids of tomato juice. Food Technol. 23: 93.

El-Qadi, H. Abd- El- G. A. (1976). Chemical studies on olive oil, its cake and analogous oil. M. Sc. Thesis, Faculty of Agr., Cairo University.

El-Sayed, M.M. (1998). Effect of packing materials on keeping quality of virgin olive oil. M. Sc. Thesis Fac. Agric. Cairo Univ. Cairo Egypt.

El-Sherbiny, G.A.; Rizk, S.S.; El-Shiaty, M.A. (1983). Quality aspects as related to seasonal variations in tomatoes. Egyptian Journal Of Food Science 11: 73.

Farghaly, S.A. and Khalil, F.A. (1982). "Fig culture and production". Booklet of Horti. Inst., Ministry of Agric. Egypt.

Fedeli, E. (1983): Miscellaneous Exotic oils. JAOCS, Vol. 60 No. 2.

- Fellers, P.I.; Jager, G. de. and Poole, M.J. (1986):** Quality of retail forida-packed frozen concentrated orange juice as determined by consumers and physical and chemical analysis. J. Food Sci. 51: 1189.
- Foda, Y.H. and Hassan, Y. M. (1963).** Studies on the dehydration of fig fruits grown in the Western Coast of Egypt. Annals of Agric. Sci., Fac. of Agric. Ain Shams Univ. Cairo, 8 (2) : 127-137.
- Foda, Y.H.; El-Aswad, M.B., and Ebd El-Ahad, G. (1976):** Studies on the production of tomato paste in IRAC. First Arab conference of food Science and technology Cairo.
- Fonseca H., and Luh, B.S. (1976):** Effect of break temperature on quality of tomato juice reconstituted from frozen tomato concentrates. J. Food Sci. 41 (6): 1308-11.
- Forcadell, M.L.L., Comas, M., Miquel, X. and De la Torre, M. C., (1987):** Olive and sunflower oils by no press cloth mechanical pressing : physico-Chemical characterization and cost/benefit analysis crops Gras., 34, 547.
- Gega, A. (1971).** Physico chemical characteristics and level of fatty acids in Elbasan olive oils. Bul. Univ. shteteror tiranes, Ser. Shkencave Natyre., 25, 71. C.f. , C.A., 77, 18350.
- Gega, A. (1978).** Characteristics of the fruit and oil of the Kolinjot variety olive. Bul. Shrencave Nat., Univ. shteteror tiranse (1978), 32 (1), 87-98. C. F. Chem. Abst., 89, 74394 r (1978).
- Gel'Fand, S.Y.; Medvedeva, T.N.; Vdovina, Z.N.; and Malofeeva, L.N. (1984):** content of heavy metals in fruit

- and vegetable preserves. *Voprosy Pitaniya* , (6), 65-66.
C.f. *FSTA*, 17 (8J52) (1985).
- Gomez, K.A. and Gomez, A.A. (1984):** Statistical procedures for Agricultural Research . Awiley- Interscience. Publication John Wiley & Sons.
- Gouda, M.S.M. (1974).** Chemical & Technological studies on imported fig varieties planted in Egypt. M. Sc. Thesis, Fac. of Agric., Alex., Univ. , Egypt.
- Gould, W.A (1974).** Tomato production processing and quality evaluation. Avi. Publishing Co. 1974.
- Grace, M . R. (1957).** Methods and equipments for the use of solar energy in the drying of fig fruits. *Annals of Agric. Sci.* , Fac. of Agric., Ain Shams Univ., Cairo, 2 (2) : 277-292.
- Gracian, J. and Dabrio, M.V. (1971).** Contribution to the study of minor components in the saponifiable fraction of olive oil. *Grasas Y Aceites* 22 (2) 88-101 (1971).
- Greger, J.L. and Baier, M. (1981):** Tin and iron content of canned and botled foods . *Journal of food science* , 46: 1751-1754, 1965.
- Guillen, R.; Heredia, A.; Felizon, B.; Jimenez, A.; Moutano, A. and Fernandez- Bolsnos, J. (1992).** Fiber fraction carbohydrates in *olea europaea* (Gordal and Manzanillo var.) (Inst. Grasa Deriv, Seville, Spain E-41012. C.F. Food Chem., 44(3) 173-8.
- Guillen, R.; fernandez- Bolanose; and Heredia, A. (1993).** Compositional changes in olives (Hojiblanca var. during ripening.

- Gutfinger, T.; Vatoriu, O.; Alter, M. and Letan, A. (1975).**
Chemical characteristics of Israeli olive oil. *Grases Y Aceites*, 26, (1), 8-13.
- Gutierrez, R.G.Q. (1975):** Bottling and canning In: Olive oil technology . Edited by J. M. Moreno Martinez, FAO, Rome.
- Gutierrez, R.F.; Gomez, H.C. and Gutierrez, G.Q.R. (1988).**
Study of the kinetics of changes in the quality indices of virgin olive oil during storage in commercial packages. Journal Article, C.F. FSTA. *Grasas-y Aceites*; 39 (4/5) 245-253, 22 ref.
- Hallabo, S.A. Galal, S.M. and El-Akel, A.T. (1993):** Effect of packaging materials on the shelf life of cotton seed oil. *Egypt. J. Food Sci.*, 12, (1), 79-86.
- Hamdy, M.M. (1993):** Combat food ration in the armed forces. Assessment of the nutritive value of food items in combat ration and effect of storage on chemical composition and microbiological quality Ph.D. Thesis, Military Institute of Health and Epidemiology. Military Medical. Academy.
- Hamza, M.; Khalil, M.; El-Sayed, S. and Osman, H.O.A. (1992).** Suitability of sycamore (*ficus sycamorus*) fruits for drying candying, compote and jam manufacturing conference proceedings. C. F. FSTA, pp. 43-65, 30 ref.
- Hanlon, J.F. Editor (1984).** Hand book of package engineering. 2nd Ed. Mc Graw Hill Book Company.
- Heredia, A.; Guillen, R.; Felizon, B.; Jimenez, A. and Femandez- Bolanos, J. (1990).** Analysis of the dietary fiber from *olea europaea* (Gordal and Manzanillo var.).

- (Inst. Grasa Deriv., Seville, Spain 41012). C.f., C.A. 115, 17, 18109g.
- Hyldon, R. and Bhatia, U. (1989).** Storage stable tomato-based sauce. United states patent, US4 840 806, US 201303 (19880527) (pillsbury, Minneapolis, MN, USA).
- Hyvonen, L. and Torma, R. (1983a):** Examination of sugars sugar, alcohols and artificial sweeteners as substitutes for sucrose in strawberry jam. Keeping quality tests.
- Hyvonen, L. and Torma, R. (1983b):** Realized that during 10 months of storage at either room temperature or at 5 °C the jams lost some of their color.
- International Olive Oil Council (IOOC), (1984).** International trade standard applying to olive oils and olive residue oils. 20 September 1984.
- International Olive Oil Council (IOOC), (1987):** Organoleptic assessment of virgin olive, oil COL/T. 20/*Doc. No., 3., Madrid, Spain.
- International Olive Oil Council (IOOC), (1992):** International olive oil council: international trade standards applying to olive oils and olive residues oils. 20 September 1992.
- International Olive Oil Council (IOOC), (1996).** Trade standard applying to olive oil and olive pomace oil. COI/T. 15/NC no. 2/ rev. 5. 20 November.
- Issanchou, S.N.; Maingonnat, J.F.; Guichard, E. A. and Etievant, X. (1991).** Oral consistency and simple rheological measurement of strawberry jams. Sciences Des Aliments 11: 85-98.

- Itoh, T.; Tamura, T. and Matsumoto. T. (1973):** Sterol composition of 19 Vegetable oils. *JAOCs.*, 50, 122-125.
- Jang, J. (1998):** Tin content of canned orange juice during storage under the different canning conditions. *Journal of the Korean Society of food Science and Nutrition*, 27: (1):75-79 *C.F. FSTA*, 30, (9): (Hq 1694) (1998).
- Johnson, J. R.; Braddock, R.J. and Cehn, C.S. (1995):** Kinetics of ascorbic acid loss and nonenzymatic browning in orange juice serum: Experimental rate constants. *J. Food sci.*, 60: 502.
- Jorhem, L. and Slorach, S. (1987):** Lead, chromium, tin, iron and cadmium in foods in welded cans. *Food Additives and Contaminants*, 4: (3), 309-316.
- Kakhniashvili, T.A.; Kolesik, A.A.; Zherebin, Yu.L. and Golubev, V.N. (1986a).** Lipids of *Ficus carica* fruit. *Khim. Priro. Soedin* 4. 423-427. *C. f. Chem. Abst.* 106: 4003 h (1987).
- Kakhniashvili, T.A. Kolesik, A.A.; Zherebin, Yu.L. and Golubev, V.N., (1986b).** lipid- soluble Pigments in *Ficus Carica* Fruits. *Khim priro. Soedin*, 4: 508-509. *C.f. Chem. Abst.*, 106: 17200 v (1987).
- Karagodina, Z.V.; Veprintseva, O.N. and Levachev, M.M. (1991).** Control of peroxides in fats and oils. (*Inst. Pitan, USSR*). *Pishch. Prom-St. (Moscow)*, (12), 82-3 (Russ). *C.f., C.A.* 116, 21, 213222z.
- Khalaf, H.A.A. (1977):** Microbiological studies on tomato products. *M. Sc. Thesis faculty of Agric. Ain shams Univ.*

- Khalaf, H.G.M. (1992):** Chemical studies on palm oil M. Sc. Thesis dept. of Agricultural Biochemistry Faculty of Agriculture, El-Mansoura university.
- Khalil, K.E. (1981):** chemical Microbiological and technological studies on tomato paste. M. Sc. Thesis faculty of Agric Cairo Univ.
- Khalil, M.F.; El-Sharkawy, A.A.; Halabo, S.A. and Morsi, M.K. (1983a):** Identification of hydrocarbons and sterols compounds of hydrocarbons and sterols compounds of shehlali olive oil. First African Conference of Food Science and Technology. Nov., 1983, 247-261. Cairo Egypt.
- Khalil, M.F., El-Sharkawy, A.A.; Hallobo, S.A. and Morsi, M.K. (1983b):** Effect of some technological treatments on shehlali olive oil. First African Conference of Food Science and Technology. Nov., 1983, 271-285. Cairo Egypt.
- Khalil, M.F.; and El-Agaimy, M.A. (1991):** Effect of light and containers types on virgin olive oil stability. Fourth Arabic Conference of Food Science and Technology. 5-9 January, Cairo, Egypt.
- Khattab, F.; El-Naggar, R.; and Amer, M. (1984):** Determination of trace metals in canned food used in Egypt. 1 By using atomic absorption spectroscopy. Egyptian Journal of Food Science , 12: (1-2), 1-14.
- Kim, K.H. (1981).** Chemical composition of korean figs and its storage stability. Korean. J. of food science and technology , 13 (2): 165-169.

- Kiritsakis, A.K. and Dugan, L.R. (1983a).** Effect of selected storage antioxidants on the stability of virgin olive oil. JAOCS, 60, (7), 286-290.
- Kiritsakis, A.K. Stine, C.M. and Dugan, L.R. (1983b).** "Effect of selected Antioxidants on the stability of virgin olive oil." JAOCS, 60. (7), 1287-90.
- Kiritsakis, A.K.; and Dugan, L.R. (1984):** Effect of selected storage conditions on packaging materials on olive oil quality. JAOCS., 61, (12), 1868-1870.
- Kiritsakis, A.K. and Markakis, P. (1987).** Olive oil. A review Advances in Food Research : 31, 453-462.
- Kondyli, E. Demertzis, P.G. and Kontuminas, M.C. (1990):** Migration of dioctylphthalate and dioctyladipate plasticizers from polyvinyl chloride films into olive oil. Food chemistry, 36, 1-10.
- Kula, M. and Lasota, W. (1986):** Cans as a potential source of food contamination with lead and zinc. Roczniki panstwowego Zakladu Higieny 37: (1), 32-43. C.F. FSTA, 19 (8F12). (1987).
- Kulta S.Z. (1964):** The effect of processing on the stability of cotton seed oil. M. Sc. Thesis . Agricultural Industries , Cairo University .
- Lamparelli, F. and Interse, F.S. (1977).** Characteristics of Apulia olive oil. Part II. Oil obtained from olives of the cultivar "(Cima di Bitonto)" Riv. Soc. Ital. Sci. Aliment., 6 (4), 261-72 (1977). C. F. Chem. Abst. , 88, 73207z (1978).

- Lanzani, A.; Bondioli, P.; Cozzoli, O.; Folegatti, L. and Fedeli, E. (1990).** Effect of technical parameters on the quality of industrially produced virgin olive oils. Note I. [Stn. Sper. Ind. Grasse, Milan, Italy]. Riv. Ital. Sostanze Grasse, 67(11), 559-76 (Ital.). c.f., C.A. , 114, 17, 162690z.
- Lazovic, B.; Miranovic, K.; Gasic, O. and Popovic, M. (1998).** Olive protein content and amino acid composition *Olivae*, 71-April.
- Leo, D. A. (1983):** Effect of packaging on oil product quality. JAOCS, 60 No. 2, 301-303.
- Leo, D. A. (1985):** Packaging of fats and oils. In: Bailey's Industrial oil and fat products Vol. (3). Edited by T. H. Apple white, A wiley. Interscience publication. John Wiley and sons. New York, chichester, Brishane. Toronto, Singapore.
- Leonardis, A. De. and Macciola, V. (1998).** Evaluation of the shelf life of virgin olive oil. Journal Article, C.F. FSTA Rivista Italiana delle Sostnze Grasse, 75 (8/9) 391-397, 12 ref.
- Lopez, A. and Williams, H. L. (1981):** Essential elements in fresh and canned tomatoes. Journal of Food Science , 46: 432-434, 444.
- Luh, B.S.; Leonard, S., and Marsh, G.L. (1958a):** Objective criteria for storage changes in tomato paste. Food Technol. 12: 347.
- Luh, B.S.; Leonard; S.J. and Marsh, G.L. (1958b):** Storage changes in tomato juice. Food Technol. 12: 380.

- Luh, B.S. and H.N. Daoud (1971):** Effect of break temperature and holding time on pectin and pectic enzymes in tomato pulp. J. Food Sci. 36: 1039.
- Lui, Y.K. and Luh, B.S. (1977).** Effect of harvest maturity on carotenoids in pastes made from VF – 14567879 tomatoes J. Food Sci, 42: 216-220.
- Lui, Y.K. and Luh, B.S. (1979).** Effects of harvest maturity on free amino acids, pectins ascorbic acid, total nitrogen and minerals in tomato pastes. J. Food. Sci. 44(2): 425.
- Manzi, P.; Panfili, G.; Esti, M. and Pizzoferrato, L. (1998).** Natural antioxidants in the unsaponifiable fraction of virgin olive oils from different cultivars. Journal of the Science of Food and Agriculture , 77 (1) 115-120, 16 ref.
- Marsh, G.L. Leonard, S.J., Buhlert, J.E. and Vibas, M.R. (1979).** Yield and quality of catsup produced to a standard solids and consistency level . 1- Method of determining the amount of tomato solids required J. Food Proc. Pres. 3: 189.
- Marsh, G.L., Buhlert, J.E., and Leonard, S. (1980):** Effect of composition upon Bostwick consistency of tomato concentrate. J. Food Sci. 45: 703.
- Marshalkin, G.A.; Pkakadze, M.D. and Silagaze, M.A. (1986).** Chemical and technological evaluation of figs for conficitionary manufacture. Khlebopekarnaya ikonditerskaya promyshlennost No. 6: 38-39. c.f. F.S.T.A. 19 (7): J88 (1987).

- Martinenghi, G. B. (1966).** Elaidic acid in edible oils. III. Presence in olive oil extract. *Rass. A.I. T. O.G.A.*, 2,2. C.f., C.a. 67, 31617.
- Mastrobattista, G. (1990):** Effect of light on extra virgin olive oil in different types of glass bottles. *Italian Journal of Food science* 2, (3), 191-195. C.F. FSTA vol. 24, 3N43 (1992).
- Mesallam, A.S. (1987):** Heavy metal content of canned orange juice as determined by direct current Plasma atomic emission spectrophotometry (DCPAES). *Food chemistry*, 26: 47-58.
- Miers, J. C.; Sanshuck, D.W.; Nutting M. D. and Wagner, J. R. (1970):** consistency of tomato products. 6 Effects of holding temperature and pH. *Food Technol.* 24: 1399.
- Miki, N. (1974):** Effects of chemical components on the browning of tomato juice. *Agricultural and Biological chemistry* 38 (3): 499-506.
- Minessy, F.A.; Keleg, F.M. and Bacha, M.A. (1971).** Growth and chemical composition of olive fruit. *Alexandria J. Agr. Res.*, 19 (2) 303-11 (1971). C. F. Chem. Abst. 78, 40441 m (1973).
- Ministry of Agriculture (1977).** Report of Dept. of statistics, Ministry of Agriculture, Egypt.
- Ministry of Agriculture (1988).** Report of Dept. of statistics, Ministry of Agriculture, Egypt.
- Ministry of Agriculture (1999).** Report of Dept. of statistics, Ministry of Agriculture, Egypt.

- Orzaez, V. MT.; Matallana, G. MC.; Polomino, F.P.; Valdelutase, V. MT. and Diaz, M.A. (1991).** Changes in vitamin C contents of tomato products. Journal Article C.F., FSTA, Analese, de, bromatologia, 43 (1) 45-49, 5 ref.
- Pacheco, D.; Garcia, M. and Bolumen, S. (1998).** Use of epoxyphenol lacquer in canning of tomato preserves. Journal Article. C.F. FSTA Alimentaria-; No. 295, 61-62, 7 ref.
- Paganuzzi, V. (1979).** Distribution of the alcoholic components of the unsaponifiable matter within the olive drupe I: sterols. Riv. Ital. Sostanze Grasse, 56 (11), 431-7 (1979). C.F. Chem. Abst ., 92, 213664 f (1980).
- Pagliarini, E.; Zanoni, B. and Giovanelli, G. (2000).** Predictive study on Tuscan extra virgin olive oil stability under several commercial conditions. Journal of Agricultural and Food Chemistry, 48 (4): 1345-1351, 22 ref.
- Quijano, R. G.; Vega, M. N. Colakoglu, M. and Martin, J. C. (1972).** The profile evaluation of the aromagrams during the oxidation of olive oils. Grasas y Aceites, 23, (5) 351-358 (1972).
- Rahmani, M. and Csallany, A.S. (1991).** Chlorophyll and B-carotene pigments in Morocco virgin olive oils measured by high performance liquid chromatography. J.A. O.C.S., 68, 672-674.
- Raina, B.C. Bhatia, A.K.; Katiyar, S.K. and Gupta, A. K. (1986).** Quality characteristics of promising Himacha, olive varieties. J. Food. Sci. Techn. 23, 237.

- Ramirez, H.; Rodriguez, T. and Pagan, LY. (1990).** Evaluation of six tomato (*Lycopersicum esculentum*) varieties for industrial tomato sauce preparation. *Journal of Agriculture of the University of Puerto Rico*, 74 (2) 181-188, 10 ref.
- Rana, M.S. and Ahmed, A.A. (1981).** Characteristics and composition of Libyan olive oil. *J. A. O.C. S.* , 58, 630.
- Ranalli, A. and Angerosa, F. (1996):** Integral centrifuges for olive oil extraction on the qualitative characteristics of products. *JAOCs.*, 73, (4), 417-421.
- Ranalli, A. and Giansante, L. (1993).** Effect of olive moisture content on oil yields. Note II. Percolation-centrifugation system. *Ist. Sper. L' Elaiotec., Peacaro Italy Riv. Ital. Sostanze Grass* 70 (3), 337-45. C.f. *C.A.* , 120(7) 75924j.
- Ranganna, S. (1979).** "Manual of analysis of fruit and vegetable products". Tata Mc Grow – Hill Publishing Co. Limited, New Delhi.
- Raphaelides, S.; Antoniou, K.D. and Petridis, D. (1996).** Sugar composition effects on textural parameters of each jam. *J. Food Sci.* 61 (5): 942-946.
- Robe, K. (1991).** Tomato sauces in aseptic cartons. *Food - processing USA*; 52 (11) 42-44.
- Rokba, A.M. Shahein, A.H.; Etman, A.A.; Eissa, A.M. and Zahran, M.A. (1985).** Fruit trees collection farm in King Mariut, 1 Agrobiological characteristics and evaluation of some fig (*Ficus Carica* Risso). *Cultivars. Egypt. J. Hort.* , 12 (2) 103-113.

- Romieu, I.; Palazuelo, E.; Hernandez, A.M.; Rios, C.; Munoz, I.; Jimenez, C. and Cahero, G. (1994).** Sources of lead exposure in Mexico city. Journal Article C.f. FSTA, Environmental health perspectives, 102 (4) 384-389; 37 ref.
- Rouseff, R. L. and Ting, S.V. (1980):** Lead uptake of grapefruit juices stored in cans as determined by flameless atomic absorption spectroscopy. Journal of Food Science, 45: 965-968.
- Rovesti, P. (1968).** Oil and extracts of olives leaves in modern cosmetological practice. Indian oil Soap j., 33 (10), 276-84 (1968). C.F. Chem. Abst. 69, 80113 b (1968).
- Ruleva, TN. and Golubev, SA. (1991).** Preparation of canned fish in tomato sauce. USSR- Patent; SU1 692 491.
- Russell-P (1997).** The European sauces and dressing market. European- Dairy- Magaine, No. 3, 10.
- Saad, F.A.; Bacha, M.A. and Abo-Hassan, H. A. (1979).** Preliminary studied on fruit characteristics of four fig cultivars grown at Riydah, Saudia Arabia. J. of the Colelge of Agric., Univ. of Riydah, 1: 97-103. C. F. F.S.T.A., 14 (7): j 909 (1982).
- Sacharow, S.B.A. (1976):** Hand book of package materials chap. 2 the AVI publishing company, INC. Wastport, Connecticut.
- Satue, M.T.; Huang, S.W. and Frankel, E.N. (1995):** Effect of natural antioxidants in virgin olive oil on oxidative stability of refined bleached and deodorized olive oil. JAOCS., 72, (10): 1131-1137.

- Sfakiotakis, F. (1987).** Lectures on olive production. Aristotel Univer. Of Thessaloniki Greec (in greek) c.f., Olive oil book. Copyright by the A.O. C. S. P. 13.
- Sharf, J.M. (1966).** Recommended methods for the microbiological examination. American Public Health Association (APHA) INC.
- Shaw, P.E. and M.G. Mashonas (1991):** Ascorbic acid retention in orange Juice stored under simulated consumer home conditions. J. Food Sci.: 56:867.
- Shouman, M.A.M.; Heikal, Y.A.; El-Kalioby, M.O. and El-Sayed, S.M.Z. (1992).** Quality of tomato products as affected by concentration method. Egypt. J. Food Sci. Vol. 20. No. 1 pp. 143-158.
- Siddique, F.A.; Salah, V. Mahmood, B.A. and Shah, F. H. (1987).** Copper, Lead, Tin and zinc contents in canned and bottled fruit and fruit products. Pakistan journal of scientific and Industrial Research, 30: (7), 505-507, C.F. FSTA, 20 (11J4) (1988).
- Soliman, K. Fathia (1991).** Studies on the volatile components of tomato and tomato products. M. Sc. Thesis Fac. Agric., Cairo Univ., Cairo Egypt.
- Somogyi, M. (1952):** Notes on sugar determination. J. Biol Chem. 195: 19-23.
- Soulis, T.; Kavlentis, E.; and Arvantionnis, I. (1988):** iron, copper , manganese and zinc content of some processed and fresh green citrus juices. Journal of Science and Food Agriculture, 45: 373-337.

- Spugnoli, P.; Parenti, A.; Cardini, D.; Modi, G. and Caselli, S. (1998).** Characterization of single variety extra virgin olive oils of three cultivars from Tuscany. Journal Article, C.F., FSTA Rivista Italiana delle Grasse, 75 (5) 227-233, 27 ref.
- Stadtmon, F.H.; Buhlert, J. E., and Marsh, G. L. (1977):** Titratable acidity of tomato juice as affected by break procedure . J. Food Sci., 42 (2) 379.
- Stoforos, N.G. and Reid, D.S. (1990).** A test for evaluation of the serum separation potential of tomato ketchup J. Food. Sci. 55 (6): 1626.
- Taiwo, K.A.; Akanbi, CT. and Ajbola, OO. (1997).** Estabilshing processing conditions for canning cowpea seeds in tomato sauce. International Journal of Food Science and Technology ; 32 (4) 313-324; 27 ref.
- Thakur, B. S.; and Chadha, T.R. (1992).** Comparative studies on the fatty acid composition of olive (*Olea europaea* L.) oil extracted from pupl and kernel. Gartenbauwissenschaft 56, (1), 31-33, (1991). C.F. FSTA., 24, (5) 5N 35 (1992).
- Thomas, B., Roughan, J. A.; and Watters, E. D. (1973):** Lead and cadmium content of some canend fruit and vegetables . Journal of Science and Food Agriculture, 24: 447-449.
- Thomas, B.; Edmunds, J.W.; and Curry, J. (1975):** Lead content of canned fruit. Journal of Science and Food Agriculture, 26: 1-5.
- Trammell, D.J.; Dalsis, D.E. and Malone, C. T. (1986).** Effect of oxygen on taste, ascorbic acid loss and browning for

- HTST-Pastcurized. Single--strength orange juice. J. Food Sci. 51, 1021-3.
- Trautner, K. Demmel, I.; Rumm Kreuter, D. and Somogyi, J.C. (1989).** Glucose, Fructose and sucrose contents, of various exotic fruits. Aktuelle ernahrungsmedizin., 14 (6): 304-308. C.F. Horti. Ast., 061 07644 . (1991).
- Treptow, H, A. Askar, and Hans Joachim Bielig (1978).** "Bleigehalt ion fruch-und Gemüße Konserven". Lebensmittelchemie U. Gerichtl. Chemüe 32, 63-66.
- Tsantili, E. (1990).** Changes during development of "Tsapela" fig fruits Scientia Horticulturae, 44: 227-234. C.F. Horti Abst., 06104677 (1991).
- U.S. Environmental Protection Agency (1983):** Methods for Chemical Analysis of water and wastes, EPA600 /4-79-020.
- Unal, K. (1978).** Change in quality of virgin oil during storage for 24 months. Eg. Univ. Ziraat. Fakul Dergisis. 15: 199-210.
- Villanueva, M.T. (1985).** Lead and cadmium in tomatoes and tomato products. Anals de Bromatologia. 37: 7.
- Warner, K. and Mounts, T.L. (1984):** Flavor and oxidative stability of hydrogenated and unhydrogenated soybean oils. Efficacy of plastic packaging . JAOCS. 61 no.3, 548-555.
- Wilbur, A.G. (1983):** Tomato production processing and quality evaluation. AVI Publishing company, INC. West port. Connecticut, P. 164-166, 184.

- Won, N.H. and Myoung, H.K. (1998).** Processing of low sugar jams from fig pulp treated with pectinseterase. Korean journal of food science and technology, 30 (1) 125-131, 20 ref.
- Won, N.H.; Myoung, H. K. and Eun, K. G. (1999).** Processing of low sugar fig jam for marketable production. Korean - journal of food science and technology ; 31 (3) 651-657, 13 ref.
- Woodburn, M. (1982).** PH of Oregon-grown figs and their acidification for home- canning. J. of Food Protection, 45: 1245-1247.
- Young, C.T. (1975).** Composition and nutritive value of raw and processed fruits. In "Commercial Fruit Processing eds. J. G. Woodroof , and B. S. Luh, pp. 539-594. The AVI publishing company INC.,
- Zagibalov, AF.; and Sabkov, NI. (1990).** Production of tomato sauce. USSR Patent; SU 1 604 320.
- Zeitoum, M. A.; Neff, M.; Selke, W. E. and Mounts. T. L. (1991):** Analysis of vegetable oil triglyceride molecular species by reversed phase high performance liquid chromatography, J. liquid chromatography, 14, (14), 2685-2698.