

# ***REFERENCES***

## ***REFERENCES***

**A.A.C.C. (2002).**

Approved Method Of American Association of Cereal Chemists Publ. By American Association of Cereal Chemists, In. St. Paul. Minnesota, U.S.A.

**Aamodt, A, magnus, E. M. and Fergestad E. M. (2003).**

Effect of flour quality, Ascorbic acid and DAtem on dough rheological parameters and hearth loaves characteristics.

J. Food Sci., 68 N7: 2201 – 2210.

**Abd El-Lateef, B.M. and Attia, Afaf.A (1995).**

Production of bakery products from whole wheat meal.  
Egypt J. Agric. Res., 73 (4): 1091-1100.

**Abd. EL-Hamid, S.S. (2002).**

Studies on production of some types of pastry.

Ph. D. Thesis food Sci., Fac., Agric, Moshtohor Zagazig  
Univ., Egypt.

**Abo-zid, A.A.M. (2000).**

Use of Tritical flour in cake production.

M, Sci Thesis Foods Ci, Fac, of Agric. MOshtohor,  
Zagazig, Uni. (Benha Branch).

**Akers, A.A and Hosene, R.C. (1994).**

Water soluble dextrans from  $\alpha$ - amylase treated bread  
and their relationship to bread staling.

Cereal chem., 71 (3): 223-226.

**Anon (1995).**

Baking naturally with surfactants.

Food Marketing & Tech., 9(5): 22-26.

**A.O.A.C. (2002).**

Official Methods of Analysis. Association of Official Analytical Chemists, A.O.A.O International (17<sup>th</sup> Ed.). Revision I, 2002, Maryland,U.S.A.

**Armero, E. and Coller,c. (1996).**

Antistaling additives flour type and sourdough process effects on functionality of wheat doughs.

J. Food Sci, 61(2): 299-303.

**Badei, AZ. M., Raoul, M.S. and Wasfy, A.S. (1992).**

Sieve fractionated wheat flours: Improved physical and baking properties for biscuit – making.

Egypt J. Food Sci .(20) : 85 – 97.

**Bedeir, S.H.M (2004).**

Addition of gluten, pentosans, Ascorbic acid and milk casein to wheat flour to produce high quality bakery products.

Ph.D. Thesis Fac. Of Agric., Sci., Moshtohor zagazig univ.

**Bhattacharya, M.; Erazo – Gastrejon, S. V.; Doehiert, D. C.  
and Mc Mullen, M. S. (2002).**

.Staling of bread as affected by waxy wheat flour  
breads.

Cereal chem., 79(2): 178-182.

**Bot, A. and Bruijne D.W., (2003).**

Osmotic properties of gluten.

Cereal Chem. 80 : 404 – 408.

**Boyacioghu, M.H. and D'appolonia, B.L (1994).**

Characterization and utilization of durum wheat for bread making . Study of flour blends and various additives. Cereal Chem. 71 : 28-34.

**Chung, O.K. and C.C., Tsen (1975).**

Changes in liquid binding and protein extractability during dough mixing in presence of surfactants.

Cereal Chem (52): 548-560.

**Compos, D.T, Steffe, J.F. and fand perry, V.W.N.G. (1997).**

Rheological and properties of undeveloped and developed wheat dough.

J. Cereal chem., 74(4): 489 – 495.

**Considine, P.E. and Considine, G.D. (1982).**

Foods and Food production encyclopedia page 282-291

Van Nostrand Reinhold company (VNR) – New York.

**Doguchi, M., and Hlynka, I., (1967).**

Some rheological properties of crude gluten mixed in the farinograph.

Cereal Chem. 44 : 561 – 575.

**Doweidar, M.M. (2002).**

Chemical and physical studies on some natural resources used in improving bakery products.

Ph.D. Thesis Fac. Of Agric., Cairo Univ.

**Dweidar, Mona, M. (1995).**

Production and evaluation of low calories bread.

Msc., thesis Fac., of Agric. Cairo Univ., Egypt.

**Duran, E., Leon, A., Barber, B. and benedito de barber, c. (2001).**

Effect of low molecular weight dextrins on gelatinization and retrogradation of starch.

Food Res. And Tech., 212 (2): 203-307, 26 ref.

**Egyption Baking Technology Center (E.B.T.C) (2005).**

Turkey wheat.

**El –Bedawey, A. A. and Atia, A. A. (1990).**

Utilization of peanut for the preparation of  
unconventional high protein foods.

Minufiya J. Agric. Res., 15(2): 1905 – 1919.

**EL-Badrawy, A.K. (1994).**

Utilization of refused bread in Egyption bread making  
Msc. Thesis, Dept, of food techn. Fac., Agric., Cairo  
Univ., Egypt.

**El-Beheiry, Waffa A. M. (1998).**



Studies on frozen cake dough and their relation to  
quality attributes of final product.

M. Sc. Thesis, Food Sci. and Technol. Dept., Fac. Of  
Agric., Cairo Univ.

**Eliasson, A. CH. And Larsson, K. (1993).**

Cereals in bread making. Printed by Marcel Dakker, Inc.  
New York, Basel.

**El-Hofi, Amal A.A., (1995).**

Technological studies on cake staling.

M. Sc. Thesis. Food – Sci. Dep. Fac. Of Agri, Zagazig  
Uni.

**El-Rakaybi, A. (1983).**

Studies on production and packaging of some bakery  
products.

Ph.D. Thesis, Fac., of Agric., Zagazig Univ., Egypt.

**Faheid, S.M.M (1992).**

Application of sieve fractionation on wheat flours to improve different quality characteristics for bread making.

Egypt J. Food Sci, 20(1): 159-168.

**Farvili, H. A. and Rubenthaler, G. L. (1989).**

Effect of baking time and temperature on bread quality starch gelatinization, and staling of Egyptian balady bread.

Cereal Chem. 61: 151 – 154.

**Farvili, N, Walker, C.E. and Qarooni, J. (1995).**

Effects of emulsifiers on pita bread quality.

J. Cearl Sci, 21: 301-308.

**Farvili, N., Walker, C.E. and Qarooni, J. (1997).**

The effects of protein content of flour and emulsifiers  
on tanoor bread quality.

J. Cereal Sci. 26. 137 -143.

**Fatma (2004).**

Biochemical studies on balady bread.

Ph. D. thesis. Biochemistry. Dept., Fac. Of Agric.,  
Cairo Univ.

**Gaines, S. C. (1985).**

Associations among soft wheat flour particle size,  
protein content, kernel hardness, milling quality, white  
layer cake volume and sugar snap cookiespread.

Cereal Chem. 62 (4): 290 – 292.

**Galal, M.S., Ramy, A. and Ragab, G. (1991).**

Effect of glycerol monostearate on the quality characteristics of cookies.

Egypt G. Food Sci, 19 No 1-2: 209-215.

**Gerrard, J.A, Every, D., Sutton, K.H. and Gilpin, M.J. (1997).**

The role of maltodextrins in the staling of bread.

J. Cereal Sci., 26: 201-209.

**Gomez, K. A. and Gomez, A. A. (1984).**

Statistical procedure for agricultural research. Published by John Wiley and Sons Inc., USA.

**Greenway, W.T., and Watson, C.A. (1975).**

The Gluto-matic for semiautomatic determination of wet and dry gluten content of wheat flour.

Cereal Chem. 52 : 367 – 373.

**Grinsted products Inc. (1992).**

New emulsifiers cut fat in bakery food prepared Foods.  
(161) (6):123.

C.F. FSTA (11) M97 (1992).

**Hebeda, R. E., Bowles, L. K. and Teague, W.M. (1991).**

Use of intermediate temperature stability enzymes for  
retarding staling in baked goods.

Cereal Food World, 36: 619 – 625.

**His, M.L. and cheng – Yilli (1996).**

The effect of alpha – amylase and ascorbic acid in  
bromate free bread making.

J. Chinese Agric. Chemi. Soc, 34: 518-534.

**Holas, J. and Tipples, K. H. (1978).**

Factors affecting farinograph and baking absorption.

Quality characteristics for flour streams.

Ibid. 55(5): 637 – 652.

**Hlynka, L., (1971).**

Arnylograph mobility and liquefaction number.

Cereal Sci. To day 13: 245-249.

**Hung-Iten, Hand Scin, S., Cond – Petit, B. and Escher, F.  
(1999).**

Changes in starch microstructure on baking and staling  
of wheat bread and cake.

Lebensmittel – Wissenschaft and Technologic 32 (5): 255  
– 260.

**Hung – Iten, S., E seher, F. and conde Petit, B (2001).**

Structural properties of starch in bread model systems  
in fluency of an antistaling  $\alpha$ -amylase.

Cereal Chem, 68(4): 421-428, 44 Ref.

**Kassim, S.A.S. (2002).**

Studies on production of some types of pastry.

ph.D. Thesis, Fac. Of Agric., Zagazig Univ.

**Kitterman, J.S. and Rubentholar, G.L. (1971).**

Assessing the quality of early generation wheat selection with mico alkaline water retention capacity test.

Cereal Sci. To day. 16(9): 313-320.

**Kunionori, T., and Matsumoto, H., (1984).**

L- Ascorbic acid oxidizing system in dough and dough improvement.

Cereal Chem. 60: 647-657.

**Larsson, A. K. (1993).**

Rheological behavior of the dough cereal in Bread  
Food Technological Chemical center Univ. of making

Lund. Sweden Marcel Dekker, Inc. Newyork, Basel  
Hong Kong.

**Lias, M.L. and Seib, P.A (1988).**

Chemistry of L-ascorbic acid related to processed foods.

Food Chem. 30: 289-312.

**Lillard, D.W., Seib, P.A. and Hoseney, R.C (1982).**

Isomeric ascorbic acid and derivatives of L-Ascorbic  
acid. Their effect on the flow of dough.

Cereal Chem.. 59: 297-296.

**Lorenz, K. (1973).**

Chemical composition and protein quality of some  
varieties of wheat.

Food Tech. 26 (11): 66 – 71.

**Lorenz, K (1972).**



Studies on the milling, Rheological and baking characteristics of tritical and wheat blends.

Food Technology. 26 (11) , 66 – 70.

**LU, X., and Seib, P. A. (1998).**

Assay of dehydro ascorbic acid in bread and dough  
ascorbic acid in bread and dough added as a crystalline  
dimmer.

Cereal Chem. 75: 200-206.

**Magnum, E.M.; Brathen, E.; Sahlstron, S.; Vogt, G. and  
Faergested, E.M. (2000).**

Effect of flour commotion, physical dough properties  
and baking process on hearth loaf properties studied by  
multivariate statistical methods.

J. Cereal, Sci. 31: 199-212.

**Maldle, R.L. and Tsen, C.C. (1973).**

Milling and Technological evaluation of tritical flour mixtures with wheat flour for bread making.

Cereal. Chem. 50, 215 – 220.

**Martin, M. I. K. J., Zeleznak and Hoseney, R.C. (1991)**

A mechanism of bread firming.

J. Role of starch swelling.

Cereal Chem.. 68: 498-507.

**Mathewson, P. R. (1998).**

Application of enzymes and Emulsifiers in baked products pages 49 – 51: In Enzymes Eagan press : Am. Assoc. Cereal Chem. St. Paul, MN.

**Matz. S. A. (1991).**

Bakery technology and engineering.

Published by Van Nostrand Reinhold. New York. Page 81-92 and 285-296.

**Meda, T., Hashimoto, T. Minoda, M., Tamagawa, S. and Mortia, N. (2003).**

Effect of mutant thermostable  $\alpha$ -amylase on rheological properties of wheat dough and bread.

Cereal Chem., 80 (6): 722 – 727.

**Metter, E. and Seibel, W. (1993).**

Effect of emulsifier and hydrocolloids on whole wheat bread quality: response surface methodology study".

Cereal Chem., 70 (4): 373-377.

**M,Gregor, A.W. and Morgan, J.E. (1986).**

Hydrolysis of barley starch granules by  $\alpha$ - amylases forms barley malt.

Cereal Foods World, 31: 688-693.

**Mohsen, M. M., Hussein A.A. and Selem, E. M. (1997).**

Balady bread characteristics as affected by addition of  
corn barley or Soy flour.

Presented at the international conference and  
exhibition for food industries, quality control, Food  
Quality Alex.

**Moser, M.A., Dorfiner, H.H., and Mniel, B. (1999).**

A new method for the quantitative determination of  
ascorbic acid in flour by high performance liquid  
chromatography.

Deutsche – Lebensmittel – Rundschau, 95(S): 180 – 185

**Nakamura, M. and Kurata. T (1997).**

Effect of L. ascorbic acid on the rheological properties  
of wheat flour water dough.

Cereal Chem. 74:647-651.

**Olpsoh, B.T (1994).**

Wheat classes/ grades from wheat production,  
properties and Quality. P.P2-H (1994).

**Park, H. Seib. P.A., Chng, O.K. and seitz, L.M. (1997).**

Fortifying bread with each of three antioxidants.

Creal Chem. 74: 202-206.

**Peter, W., (2002).**

Biscuits, Cookies and crackers. I: 237-320. Elsevier  
Applied Science, London and Newyork.

**Pomeranz, Y. (1988).**

Wheat chemistry and Technology, 3 rd Ed. American  
Association of Cereal Chem. St. Paul. Minn., U.S.A.

**Qarooni. J. (1996).**

Wheat characteristics of flat breads.

Cereal Food World 41(5): 391 – 395.

**Ranhotra, G.S. (1994).**

Wheat Contribution to world food supply and human  
nutrition from wheat production.

properties and Quality P.P 12-16.

**Rehuman, Salim-Ur, Awan-JA, Imran-Pasha, Nuzhat-  
HUma and Amer-Mumtaz (2002).**

Preparation and application of bread improver using  
locally available ingredients.

J.Pakistan of Agri – Sci, 39: (2), 154 – 158.

**Roussel, P. (1985).**

Improving flour quality Additives authorized in the  
baking of French breads.

Primary Cereal Processing, 21:463-488.

**Saleh, S.A, (2003).**

Evaluation of some additives for bakery products as functional foods.

Ph. D Thesis. Fac. Of Agric. Ain Shams Univ, Egypt.

**Stauffer, C. E. (2000).**

Emulsifiers as antistaling agents.

Cereal Foods World. 45: 106 – 110.

**Tyler, E.J. (1973).**

Cake baking Technology page 966 in baking Science and Technology. Siebel publishing Co, Chicago.

**U.S.Wheat Associates (2005).**

Hard red winter and hard white P.P.2, 26 crop quality report.

**U.S.Wheat Associates (2004).**

Hard red winter and hard white P.P.2, 26 crop quality report.

**U.S.Wheat Associates (2000).**

Hard red winter and hard white P.P.2, 26 crop quality report.

**Valjakka (1994).**

Studies on a raw starch digesting enzyme. I. Comparison to fungal bacterial enzymes and an emulsifier in white pan bread.

Cereal Chem., 71(2): 139-144.

**Wikstorm, K., and Eliasson, A., (1998).**

Effects of enzymes and oxidizing agents on shear stress relaxation of wheat flour dough. Addition of protease, glucose oxidase, ascorbic acid, and potassium bromate.



Cereal chem. 75: 331-337.

**Xiuzhen, LU. And Sieb, P.A. (1998).**

Assay of dehydroascorbic acid in bread and dough  
added as crystalline dimmer.

Cereal Chem. 75(2): 200-206.

**XU, A., Chung, O.K. and Ponte, J.G. (1992).**

Bread crumb amylograph studies. I. Effects of storage  
time, shortening, flour lipids, and surfactants.

Cereal chem. 69(5):495-507.

**Zakaria, M.I. (2001).**

Annual production of grains in Egypt. Proc. Of 6<sup>th</sup> conf.  
Strategy for safe Agricultural production in Arab  
countries. Cairo Univ. Oct. 72-79: 331-334.

-----