

REFERENCES

REFERENCES

REFERENCES

- Abd-El-Gawad, M.A.M. (1998).** Manufacture and properties of Mozzarella cheese from buffaloes' milk. Ph.D., Thesis, Faculty of Agric. Cairo Univ.
- Abd-El-Hamid, L.B. ; Hagrass, A. E. ; Awad, R. A. A. and Zammar O. A. (2001a).** Physical and Sensory properties of low calorie Mozzarella cheese with fat replacers. Proc. 8th Egyptian Conf. Dairy Sci. & Techn. P. 283-298.
- Abd-El-Hamid, L.B. ; Hagrass, A. E. ; Awad, R. A. A. and Zammar O. A. (2001b).** Physical and Sensory properties of reduced calorie Mozzarella cheese with some food additives. Proc. 8th Egyptian Conf. Dairy Sci. & Techn. P. 299-315.
- Abd-El-Kader, Y.I. (1993).** Technological studies on the properties of Kachkaval-like cheese as affected by direct acidification. Ph.D. Thesis, Fac. Of Agric. Alex. Univ. Egypt.
- Abdel-Rafee, S. ; Salama, F. M. M. and Abdel Kader, M. (1998).** Rheological properties and characteristics of low moisture buffaloes' Mozzarella cheese. Annalsd Agric. Sci., 43 (2): 477-488.
- Abdou, S.M. ; El-Alfy, M. B. ; Hefny, A.A. and Nasr, W.I.A. (2003).** Probiotic Ras cheese made from concentrated milk

by ultrafiltration or recombination technique. Egyptian J. Dairy Sci., 31: 319-333.

Abou-Dawood S.A.I. (2002). Survival of nonencapsulated and encapsulated *B.bifidum* in probiotic Kareish cheese. Egypt. J. of Dairy Sci., 30 (1): 43-52.

Amer, S. H.; Naghmoush M. R. and Anis S. A. K. (1978). Studies of some changes in the calcium paracaseinate phosphate complex during cheddaring of Kachkaval cheese as affected by the kind of milk. Egyptian. J. Dairy Sci., 7 (1) 17-24.

Anis, S. M. K. (1979). Studies on Romi cheese making. Ph.D. Thesis, Fac. Of Agric. Cairo. Univ. Egypt.

Anis, S. M. K. and Ladkani, B. G. (1988). Effect of kind of acidulant and pH level of some characteristics of Mozzarella cheese made by direct acidification. Egyptian J. Dairy Sci., 16:267.

Antonio, F. and Kosikowski, F. V. (1984). Manufacture of directly acidified cheese from ultrafiltered milk retentates. J. Dairy Sci., 67: (Suppl 1) 77.

AOAC (1990). Official Methods of Analysis. 15 th Ed. Association of Official Analytical Chemists, Inc., USA.

- Bush, C. S. ; Garoutte, C.A.; Amundson, C. H. and Olson, N. F. (1983).** Manufacture of Colby and Brick cheeses from ultrafiltered milk. *J. Dairy Sci.*, 66: 415-421.
- Candan, R. (1982).** Can ultrafiltration give cheese makers the cutting edge. *Dairy Record* 83: 144.
- Cheng Li Jiaug; Augustin; M.A.; McKinnon, L.R. and Sutherland, B. J. (1997).** The effect of mineral salt addition on Mozzarella cheesemaking. *Austr. J. of Dairy Technol.* 52: No. 1.
- Cheryan, M.(1986).** Process design. Page 197 in ultrafiltration handbook. Technomic Publ. Co., Inc., Lancaster, PA.
- Clarke, G.M. and Kempson, R.E. (1997).** Introduction to the design and analysis of experiments, Arnold, a member of the Holder Headline Group, 1st Edt, London, UK.
- Codex Standard (1978).** Codex general standard for cheese. A-6-1978, Rerv.1-1999.Codex alimentarius Vol. 12.
- Corbo, M. R.; Albenzio, M.; Angelis, M. De ; Sevi, A. and Gobbetti, M. (2001).** Microbiological and biochemical properties of Canestrato Pugliese hard cheese supplemented with *bifidobacteria*. *J.Dairy Sci.*, 84 (3): 551-561.

- Covacevich, H. R. (1981).** Recent experiences in Pasta filata cheese making by ultrafiltration. PP.237-244. In 2nd Biennial Marschall International cheese Conference. Madison, WI.
- Covacevich, H.R. and Kosikowski, F.V. (1978).** Mozzarella and Cheddar cheeses manufacture by ultrafiltration principles. J. Dairy Sci., 61: 701.
- Creamer, L.K.; Iyer, M. and Lelievre. J. (1987).** The effect of various levels of rennet addition on characteristics of Cheddar cheese made from UF milk. N.Z.J. Dairy Sci. Technol. 22: 205 – 214.
- Dalgleish, D. G. (1981).** Effect of milk concentrate on the nature of curd formed during renneting a theoretical discussion. J. Dairy Res. 48: 65 – 69.
- Desjardins, M.L.; Roy, D. and Goult, J. (1990).** Growth of *Bifidobacteria* and Their Enzyme profiles. J. Dairy Sci. 73: 299.
- Desjardins, M.L.; Roy, D. and Goult, J. (1991).** β -Galactosidase and proteolytic Activities of *Bifidobacteria* in milk: a preliminary study. Milchwissenschaft 46:11.
- Dinkar, P. and Mistry, V. V. (1994).** Growth and viability of *B. bifidum* in Cheddar cheese. J. Dairy Sci., 77: 2854-2863.

Effat, B. A. (2000). Effect of using *Lactobacillus reuteri* with other probiotic cultures on quality of Domiati cheese. Minufia. J. Agric. Res. Vol. 25, No 2. 445-460.

Egyptian legal standards 4485 - (1993).

Egyptian legal standards (2005). Mozzarella cheese. Es: 1008-14.Ics: 67, 100-130.

El-Batawy, A.M.; Galal, A.E.; Morsy, A.M. and Abbas, Kh.A.A. (2004). Utilization of ultrafiltration technique in making Mozzarella cheese from different kings of milk. Egyptian J. Dairy Sci., 32: 303-314.

El-Sayed, E.M.(1998). Growth and survival of *Bifidobacteria* in Ras cheese for use as probiotic food. Annals of Agric. Sci., Moshtohor, 63 (4): 2381-2394.

El-Zoghby, A.S. (1994). Studies on Mozzarella cheese. Ph.D. Thesis, Zagazig Univ. Egypt.

FAO (1977) Regional Dairy Development and Training Center for the Near East. "Laboratory Manual" Spring.

Feeny, E.P.; Guinee, T.P. and Fox P.F. (2002).Effect of pH and calcium concentration on proteolysis in Mozzarella cheese. J. Dairy Sci., 85:1646-1654.

- Fernandez, A. (1981).** Use of retentate and new fermentation techniques to make Mozzarella and Guayanes cheeses. M.S. Thesis, Cornell Univ., Ithaca, NY.
- Fernandez, P. (1985).** Milk saving in cheese making by ultrafiltration. *Milchwissenschaft*, 41: 686.
- Fernandez, A. and Kosikowski, F. V. (1984).** Manufacture of directly acidified Mozzarella cheese from ultrafiltered milk retentates. *J Dairy Sci.*, 67 (Suppl. 1) 77. (Abstr)
- Fernandez, A. and Kosikowski, F. V. (1985).** Physical properties of direct acidified Mozzarella cheese from ultrafiltered whole milk retentates. *J. Dairy Sci.*, 68.
- Fernandez, A. and Kosikowski, F. V. (1986 a).** Physical properties of Direct Acidified Mozzarella cheese from ultrafiltered whole milk retentates *J. dairy Sci.*, 69: 643 – 648.
- Fernandez, A. and Kosikowski, F. V. (1986 b).** low-moisture Mozzarella cheese from whole milk retentates of ultrafiltration. *J. Dairy Sci.*, 69: 2011.
- Fernandez, A. and Kosikowski, F. V. (1986 c).** Hot brine stretching and molding of low-moisture Mozzarella cheese made from retentate-supplemented milk. *J. Dairy Sci.*, 69: 2551.

- Ferris, S. (1981).** Italian cheese. The US experience and future trends. Dairy Industries International, 46 (4) 17, 19, 21, 22.
- Francesco G. and Raffaello, S. (1980).** Use of pH-Salt to indicate the end-point in titration of calcium plus magnesium in milk and whey. J. Dairy Res. 47: 417 – 419.
- Friis, T. L. (1988).** Mozzarella production by the ultrafiltration process. C.F. Dairy Sci., Abstr., 44: 4553.
- Garcia - Nevarez, H .; and Wade, V. N. (1993 a).** Separation by membrane in the manufacture of ice cream. Latte. 18: 1132 – 1135.
- Garcia - Nevarez, H .; and Wade, V. N. (1993 b).** Membrane separation process in ice cream. Dairy Industries International 58: 35, 37.
- Geilman, W. G. ; Schmidt, D.E. (1992).** Physical characteristics of frozen desserts made from ultrafiltered milk and various carbohydrates. J. Dairy Sci. 75: 2670 – 2675.
- Geilman, W.; Schmidt, D.; Herfurth-Kennedy, C. and Path, J. (1990).** Production of frozen dairy desserts from milk retentate. J. Dairy Sci. 73 (suppl. 1) 94.

- Geurts, T.J.; Walstra, P. and Mulder, M. (1980).** Transport of salt and water during of cheese. 2- Quantities of salt taken up and of moisture lost. *Neth. Milk dairy J.* 34: 229-254.
- Ghosh, B.C. (1987).** Production, packaging and preservation of Mozzarella cheese from buffalo milk using microbial rennet. Ph.D. Thesis Submitted to the Kurukshetra Univ. Kurukshetra Indian. (C.F. *Indian J. Dairy Sci.*, 45 (10); 1992.
- Ghosh, B.C. and Singh, S. (1991).** A new method for vegetarian Mozzarella cheese from buffalo milk-*Indian J.Dairy Sci.*, 44:1.
- Ghosh,B.C.and Singh,S.(1996).** A comparison of cow and buffalo milk Mozzarella cheese. *Indian J. dairy Sci.*, 49: 38-41.
- Glover, F. A. (1971).** Concentration of milk by ultrafiltration and reverse osmosis. *J. Dairy Res.*, 38: 373.
- Glover, F. A. (1985).** Ultrafiltration and reverse osmosis for the dairy industry. Technical Bulletin 5. The National Institute for Research in Dairying (NIRD) Reading, England.
- Glover, F. A. (1986).** Advances in milk processing. Page 235 in *Modern Dairy Technology*. Vol. I.R.K.Robinson, ed. Elsevier Appl. Sci., Publ., London United Kingdom.

Gobbetti, M.; Corsetti, A.; Smacchi, E.; Zocchetti, A. and Angelis, M.de (1998). Production of Crescenza cheese by incorporation of *Bifidobacteria*. J. Dairy Sci., 81 (1): 37-47.

Gomes A. M. P. and Malcata, F. X. (1998). Development of probiotic cheese manufacture from goat milk: response surface analysis via technological manipulation. J. Dairy Sci., 81 (6): 1492-1507.

Green, M. L. (1985). Effect of milk pretreatment and making conditions on the properties of Cheddar cheese from milk concentrated by ultrafiltration. J. Dairy Res, 52: 555 – 564.

Green, M.L.; Glover, F.A.; Scurlock, E.M.W.; Marshall, R.J. and Hatfield, D.S. (1981). Effect of use of milk concentrated by ultrafiltration on the manufacture and ripening of Cheddar cheese. J. Dairy Res., 48: 333.

Green, M.L.; Scott, K.J.; Anderson, M. M.; Griffin, C.A. and Glover, F.A. (1984). Chemical characterization of milk concentrated by ultrafiltration. J. Dairy Res. 51: 267-278.

Grow, K. P.; Roberts, H.A.; and Jeon, I. J. (1989). Evaluation of ice milk containing ultrafiltered skim milk solids. J. Dairy Sci. 72 (suppl 1) 130.

- Guinee, T. P.; Pudja, P. D., and Mulholland, E.O. (1994).** Effect of milk protein standardization by ultrafiltration, on the manufacture, composition and maturation of Cheddar cheese. *J. Dairy Res.* 61, 117 – 131.
- Gupta, S. and Pal, D. (1993a).** Studies on concentration of buffalo whole milk for bulk transportation employing reverse osmosis. *Indian J. Dairy Sci.* 46:440.
- Guy, E. J. (1980).** Partial replacement of nonfat milk solids and cane sugar in ice cream with lactose hydrolyzed sweet whey solids. *J. Food Sci.*, 45: 129.
- Hagrass, A.E.; Haggag, H.F.; Abo-El-Naga, F.M. and Hofi, A.A. (1984).** Ripening changes in Ras cheese made by direct acidification. *Egyptian J. Dairy Sci.*, 13: 41-49.
- Harvey, C.D.; Morris, H. A. and Jennes, R. (1982).** Relation between melting and textural properties of process Cheddar cheese. *J. Dairy sci.*, 65: 2291.
- Hassan, F. A. M. and Abdel Kader, M. (2000).** Manufacture of Mozzarella cheese supplemented with different protein concentrates. *Egyptian, J. of Dairy Sci.*, 28 (1): 37-48.
- Hector, J. Q.; David, M. B.; and Lance, G. P. (1997).** Influence of protein standardization by ultrafiltration on the viscosity,

color, and sensory properties of skim and 1% milk. J. Dairy Sci., 80: 3142-3151.

Hefny, A. A.; El-Alfy, B.M.; Nasr, I. W. and Sania M.Abdou (2004). Potential of making Ras cheese from milk concentrated by ultrafiltration and recombination techniques. Egyptian J. Dairy Sci., 32: 163-173.

Hickey, M.W. and Versteeg, C. (1993). Mozzarella cheese with ultrafiltration retentate. Australian J. Dairy. Tech, 48:44.

Hofi, M. A. (1989). The use of ultrafiltration on ice cream making. Egypt. J. Dairy Sci. 17: 27-34.

Honer, C. (1984). Ridgeview: Years ahead. Dairy Record, 85: 67.

Honer, C. and Horwich, A. (1983). Cheese and ultrafiltration where we are today. Record. 84: 80 – 82.

Hong, Y.H.; Yun, J.J.; Barbano, D.M.; Larose, K.L. and Kindstedt, P.S. (1998). Mozzarella cheese: Impact of three commercial culture strains on composition, proteolysis and functional properties. The Aust. J. of Dairy Technol., 53 (10): 163-169.

International Dairy Federation Standard (IDF) (1987).

Determination of total phosphorus content (photometric method) of cheese and processed cheese products. 33 C.

IDF (1991 a). Milk and milk products determination of fat content.

General Guidance on the use of Butyronic methods (IDF) 152.

IDF (1991 b). Milk and milk products determination of nitrogen content. General Guidance on the use of Butyronic methods (IDF).

Iversen, E.K. (1979). Use of skim milk concentrated by reverse osmosis in Ice cream. Nordisk Majeriindustri, 6: 436, 438-440. C.F. Dairy Sci., Abst., 42: 3326, 1980.

Jana, A.H. and Upadhyay, K. G. (1991). Mozzarella cheese. A Review. Indian J Dairy Sci., 44,2.

Jayaprakasha, M. H. ; Patel; R. S. ; Singh, S. and Renner, E. (1993). Effect of compositional variation of whey on reverse osmosis concentration. Indian J. Dairy and Biosciences., 4:29.

Jeremiah, J. S.; and Timothy, P. G. (2004). Effect of pH and calcium level on the biochemical, textural and functional

properties of reduced fat Mozzarella cheese. *Inter. Dairy, J.* 14: 161-172.

Joshi, N.S.; Muthukumarappan, K. & Dave, R.I. (2003).
Understanding the role of calcium in functionality of part skim Mozzarella cheese. *J. Dairy Sci.*, 86: 1918-1926.

Karlsson, A. O.; Ipsen, R. and Ardö, Y. (2007). Rheological properties and microstructure during rennet induced coagulation of UF concentrated skim milk . *Inter. Dairy J.*, V (17): 647-682.

Karlsson, A.O .; Ipsen, R .; Schrader, K.; and Ardo, Y. (2005).
Relationship between physical properties of casein micelles and rheology of skim milk concentrates. *J.Dairy Sci.* 88: 3784-3797.

Keller, B.;Olson, N.F. and Richardson,T. (1974). Mineral retention and rheological properties of Mozzarella cheese made by direct acidification. *J. Dairy Sci.*, V. 57 (2): 174-180.

Kiely, L. J.; Kindstedt, P.S.; Hendricks, G.M.; Levis, L.E.; Uun, J.J. and Barbano, D.M. (1992). Effect of draw pH on the development of curd structure during the manufacture of Mozzarella cheese. *Food structure*, 11: 217-224.

- Kim, Y. H. and Yu , J. H. (1988).** A study on the manufacture of pizza cheese by DACA (direct acidification continuous agitation procedure. Korean J. of Dairy Sci. 10 (1):21.
- Kindstedt, P.S.(1993).** Effect of manufacturing factors, composition and proteolysis on the functional characteristics of Mozzarella cheese. Critical Reviews in Food Sci. and Nutrition (USA) V 33 (2): 167-187.
- Kindstedt, P. S. and Fox, P. F. (1991).** Modified Gerber test for free oil in melted Mozzarella cheese. J. Food Sci., 56 (4):1115–1116.
- Kindstedt,P.S. and Guo, M.R. (1998).** A physico-chemical approach to the structure and funtion of Mozzarella cheese. The Aust. J. of Dairy Tech., 53 (6): 70-73.
- Kindstedt, P. S.; Rippe, J. K. and Duthie, C. M. (1989).** Application of helical viscometry to study commercial Mozzarella cheese melting properties. J.Dairy Sci., 72: 3123.
- Kosikowski, F. V. (1975).** The manufacture of Mozzarella and related cheese by ultrafiltration. Cult. Dairy Products J., 10:15.

- Kosikowski, F. V. (1979).** Characteristics of cheese and cheesemaking using whole milk retentates of ultrafiltration. J. Dairy Sci., 62 (Suppl. 1): 59. (Abstr.).
- Kosikowski, F. V. (1982).** Cheese and Fermented Milk Foods. Edwards Brothers, Inc. Michigan, U.S.A.
- Kosikowski, F. V. (1983).** Mozzarella and Ricotta cheese from ultrafiltration retentates. Marschall Italian & Specialty cheese Seminar, pg. 1-7.
- Lawrance, R. C.; and Gilles, J. (1982).** Factors that determine the pH of young Cheddar cheese. N.Z.J. Dairy Sci. Technol., 17: 1.
- Lawrence, R.C.; Gilles, J. and Creamer, L. K. (1983).** The relationship between cheese texture and flavour. NZ. J. Dairy Sci. Technology 18: 175.
- Lawrence, R.C.; Heap, H.A. and Gilles, J. (1984).** A controlled approach to cheese technology. J. Dairy Sci., 67: 1632.
- Lee, C.H., Imoto, E.M. and Rha, C. (1978).** Evaluation of cheese texture. J.Food Sci., 43: 1600.

- Lee, F. V. and White, C. H. (1991).** Effect of ultrafiltration retentates and whey protein concentrates on ice cream quality during storage. *J. Dairy Sci.* 74:1170 – 1180.
- Lelievre, J. (1990).** Incorporation of size-reduced dispersions of whey proteins into Mozzarella cheese. *International Dairy Federation*, 517 ISDN 0-9694713-4-3.
- Lucey, J. A. and Fox, P. F. (1993).** Importance of calcium and phosphate in cheese manufacture: a review. *J.Dairy Sci.*, 76: 1714-1724.
- Lucey, S. Govindasamy, J. J. Jaeggi, M. E. Johnson, T. W., and Lucey, J. A. (2005).** Use of cold ultrafiltered retentates for standardization of milks for Pizza cheese: Impact on yield and functionality. *Inter. Dairy J.* (15): 941-955.
- Maubois, J. L., and Kosikowski, F.V. (1978).** Preparation of Mozzarella cheese by membrane ultrafiltration. *Xx Int. Dairy Congr. Paris Vol.E.P.792.C.F. Egyptian J. Dairy Sci.*, 201-218. 1992.
- Masters, A. R and Kosikowski, F.V. (1986).**Effect of protein and solids content on low lactose ice cream from ultrafiltered milk.*J.Dairy Sci.*69:(suppl 1) 78.

- Maubois, J. L. and Mocquot (1975).** Application of membrane ultrafiltration to preparation of various types of cheese. *J. Dairy Sci.*, 58, 1001.
- Mc Brearty, S.; Ross, R. P.; Fitzgerald, G. F.; Collins, J. K.; Wallace, J. M. and Stanton, C. (2001).** Influence of two commercially available *Bifidobacteria* cultures on Cheddar cheese quality. *Int. Dairy J.* 11, 599-610.
- McMahon, D. J. (1995).** How the microstructure of Mozzarella cheese is related to functional properties. Proceeding of 32nd Annual Marschall Invitational Italian Cheese Seminar, Madison, Wisconsin.
- McMahon, D. J. ; Alleye, M. C . ; Fife, R. L. and Oberg, C. J. (1996).** Use of fat replacers in low fat Mozzarella cheese. *J. Dairy Sci.*, 79: 1911.
- McMahon, D.J.; Fife, R.L. and Oberg, C. J. (1999).** Water partitioning in Mozzarella cheese and its relationship to cheese meltability. *J. of Food Sci.*, 82 (7): 1361-1369.
- McMahon, D.J.; Oberg, C.J. and McManus, W. (1993).** Functionality of Mozzarella cheese. *The Austr. J. of Dairy Techn.*, 48 (11): 99-104.

- McMahon, D.J.; Paulson, B. and Oberg, C. J. (2005).** Influence of calcium, pH, and moisture on protein matrix structure and functionality in Direct- Acidified nonfat Mozzarella cheese. J.Dairy Sci., 3754-3763.
- Medonough, F.E.; Mattingly, W.A. and Vestal, J. H. (1971).** Protein concentrate from cheese whey by ultrafiltration. J. Dairy Sci., 54: 1406.
- Mehana, N. S.; Sharaf, O. M.; Ibrahim, G. A.; Tawfik, N.F. (2002).** Incorporation and viability of some probiotic bacteria in functional dairy food. 1- Soft cheese. Egyptian J. of Dairy Sci., 30 (2): 217-229.
- Metzger, L. E. ; Barbano, D. M. and Kindstedt, P. S. (2000).** Effect of milk preacidification on low fat Mozzarella cheese. 1- Composition and yield. J.Dairy Sci., 83: 648-658.
- Metzger, L. E. ; Barbano, D. M. and Kindstedt, P. S. (2001 a).** Effect of milk preacidification on low fat Mozzarella cheese. III-Post-melt chewiness and Whiteness. J.Dairy Sci., 84: 1357.
- Metzger, L.E.; Barbano, D. M.; Kindstedt, P. S. and Guo, M. R. (2001b).** Effect of milk preacidification on low fat

Mozzarella cheese. II- Chemical and functional properties during storage. J. Dairy Sci. 84 (6): 1348-1356.

Micketts, R.J. and Olson, N.F. (1974). Effect of variations in amounts of milk clotting enzymes on cheese made by direct acidification. J.Dairy Sci., 57: 273.

Modsen, J.S. and Qvist-KB. (1998). Mozzarella made by ultrafiltration. Australian J. Dairy Technol. 53 (2): 112.

Mohamed, R.O.Y.(1997). Studies on the effect of some mix ingredients and technological treatments on the properties of frozen dairy products. M Sc. Thesis, Fac. Of Agric. Ain Shams Univ.

Murad, H. A.; Zeinab, A.; Sadk, I. and Fathy, T. A. (1998). Production of bifidus kariesh cheese. Deutsche. Lebensmittel-Rundschau; 94 (12) 409-412. C.F.computer Search.

Nilson, K. M. (1989). Evaluation criteria for Italian cheesemakers in the adoption of membrane processing technology. In Symposium on advances in dairy products technology San Luis Obispo, CA, Oct. 4-5.

Nilson,K.M.and LaClair, F.A. (1976).A national survey of the quality of Mozzarella cheese. Am. Dairy Rev., 38 (10) 18 A.

- Oberg, C.J. Merrill, R.K., Brown, R.J. and Richardson, G.H. (1992).** Effect of milk clotting enzymes on physical properties of Mozzarella cheese. *J.Dairy Sci.*, 75: 669.
- Olson, N. F. and Price, W.V.(1958).** A melting test for pasteurized process cheese spreads. *J. Dairy Sci.*, 41: 999 – 1000.
- Omar, R.H. (1983).** Studies on the manufacture of frozen yoghurt. M.Sc., Thesis, Faculty of Agric., ain Shams Univ.
- Ong, L.; Henriksson, A. and Shah, N.P. (2001).** Development of probiotic Cheddar cheese containing *Lactobacillus acidophilus*, *Lb. casei*, *Lb. paracasei* and *Bifidobacterium* spp. and influence of these bacteria on proteolytic patterns and production of organic acid. *Inter. Dairy J.*, (16) 599-610.
- Ong, L.; Henriksson,A. and Shah,N.P. (2007).** Proteolytic pattern and organic acid profiles of probiotic Cheddar cheese as influenced by probiotic strains of *Lactobacillus acidophilus*, *Lb. paracasei*, *Lb. casei* or *Bifidobacterium* sp. *Inter. Dairy J.*, (17): 67-78.
- Patel, R. S.; and Mistry, V. V. (1997).** Physicochemical and Structural Properties of Ultrafiltered Buffalo Milk and Milk Powder. *J.Daity Sci.* 80: 812-817.

- Patel, R. S.; Singh, S.; and Gupta, V. K. (1993).** Concentration of milk and whey using reverse osmosis technology. *Indian J. Dairy Sci.*, 46:118.
- Poduval, V.S. and Mistry, V.V.(1999).** Manufacture of reduced Mozzarella cheese using ultrafiltered sweet buttermilk and homogenized cream. *J. Dairy Sci.*, 82: 1-9.
- Premaratne, R. J. and Cousin, M. A. (1991).** Chanages in the Chemical Composition During Ultrafiltration of Skim Milk. *J. Dairy Sci.* 74: 788-795.
- Quarne, E.L.; Larsonm W.A. and Olson, N.F. (1968).** Effect of acidoulants and milk clotting enzymes on yield, sensory quality and proteolysis of Pizza cheese made by direct acidification. *J. Dairy Sci.*, 51: 845.
- Rajiv, I. Dave; Donald, J. Mc.; Craig, J. O., and Jeffery, R. B. (2003).** Influence of coagulant level on proteolysis and functionality of Mozzarella cheese made using direct acidification. *J. Dairy Sci.*, 86: 114-126.
- Rao, D. V. and Renner, E. (1988).** Studies on the application of ultrafiltration for the manufacture of Cheddar cheese. 2. Effect of heating UF whole milk concentrate on composition and yield. *Milchwissenschaft* 43: 708 – 711.

- Ravi Sunder, M. R. and Upadhyay, K.G. (1992).** Influence of whey acidity at draining on the manufacture of buffalo milk Mozzarella cheese baking rheological and sensory characteristics. *Indian J. Dairy Sci.*, 45 (5): 261-267.
- Rayan, A.; Kalab, M. and Ernstrom, C.A. (1980).** Microstructure and rheology of pasteurized process cheese. *Scanning Electron Microscopy* (1980) No. 3, 635-643. *C.F. Dairy Sci.*, Abstr. 43: 7856.
- Rehman, S.U.; Farkye, N.Y. and Yim, B. (2003).** Use of dry milk protein concentrate in Pizza cheese manufactured by culture or direct acidification. *J. Dairy Sci.*, 86: 3841-3848.
- Renda, A.; Barbano, D.M.; Jun, J.J.; Kindstedt, P.S. and Mulvaney, S.J. (1997).** Influence of screw speeds of the mixer at low temperature on characteristics of Mozzarella cheese. *J. Dairy Sci.*, V. 80 (9): 1901-1907.
- Renner, E. and Abd El- Salam, M. H. (1991).** In " Application of Ultrafiltration in the Dairy Industry"., Elseveir Appl. Sci. Pub., London and New York.
- Richarolson, B.C. and Pearce, K. N. (1981).** The determination of plasm in dairy products. *N.Z.J. Dairy Sci. Technol.* 16: 209 – 220.

- Roadsveld, C.W. and Klomp, H.K. (1971).** A simple method for the estimation of the calcium content of cheese. *Neth. Milk Dairy J.*25: 81-87.
- Roweny, M.; Roupas, P.; Hickey, M. and Everett, D. W. (1998a).** Milk fat structure and free oil in Mozzarella cheese. *The Aust. J. Dairy Techn.*V. 53 (6): 110.
- Roweny, M.; Roupas, P.; Hickey, M. and Everett, D. W. (1998b).** Mozzarella cheese: Putting the pieces together. *The Aust. J. Dairy Techn.*V. 53 (10): 191.
- Roweny, M.; Roupas, P.; Hickey, M. and Everett, D. W. (1999).** Factors affecting the functionality of Mozzarella cheese: The *Aust. J. Dairy Technology*. V. 54 (10): 94-102.
- Rudan, M.A.; Barbano, D.M.; Guo, M.R. and Kindstedt, P.S.(1998).** Effect of the modification of fat particle size by homogenization on composition, proteolysis, functionality and appearance of reduced fat Mozzarella cheese. *J. Dairy Sci.*, 81: 2065.
- Rudan, M.A.; Barbano, D.M.; Yun, J.J.; and Kindstedt, P.S. (1999).** Effect of fat reduction on composition, proteolysis, functionality and yield of Mozzarella cheese. *J. Dairy Sci.*, 82 (4): 661-672.

- Rudan, M.A.; Yun, J.J.; Barbano, D.M.; Kindstedt, P.S. and Larose, K.L. (1994).** Impact of fat reduction on composition, proteolysis, functional properties and microstructure of Mozzarella cheese. *J. Dairy Sci.* 77 (Suppl 1): 34.
- Russell, P. (1994).** Applications of membrane technology. *Milk industry*, London., 96: 16. C.F. Computer search.
- Saleh, A. E. (1997).** Technological and chemical studies on Mozzarella cheese. M.Sc. Thesis, Faculty of Agric. Kafr El-Sheikh Branch, Tanta Univ.
- Sallam, D. M. M. (1998).** The use of (UF) and (R.O) in some dairy products manufacturing. M. Sc. Thesis, Cairo, Univ., Gizza., Egypt.
- SAS⁰ User's Guide: Statistics, Version 6.0. (1990).** SAS Inst., Inc., Cary, NC.
- Savello, P.A. (1982).** Process toward use of ultrafiltered milk for increasing yields of curd for processing. *Fifth Biennial cheese conference*, Utah State, University, Logon, Utah, August 31 to September 2.
- Savello, P.A. (1998).** Method for manufacturing ice cream mixes by reverse osmosis concentration and ultra-high temperature processing. United- States – Patent.

- Shehata, A.E.; El-Nawawy, M.A.; El-Kenary, Y.M. and Aumara, I.E. (2004 a).** Use of *Bifidobacteria* in Ras cheese production. 1- Chemical and organoleptic properties. Proc. 9th Egypt Conf. For Dairy Sci., and Techno. 533.
- Shehata, A.E.; El-Nawawy, M.A.; El-Kenary, Y.M. and Aumara, I.E. (2004 b).** Use of *Bifidobacteria* in Ras cheese production. II. Microbiological properties. Proc. 9th Egypt Conf. For Dairy Sci. and Techno. 563.
- Shehata, A.E.; Meenalyer, O.N.F. and Richardson, T. (1967).** Effect of type of acid used in direct acidification procedures on moisture, firmness and calcium levels of cheese. J. Dairy Sci., 50: 824.
- Shihata, A. and Shah, N.P. (2000).** Proteolytic profiles of yoghurt and probiotic bacteria. Int. Dairy J.; 10 (5/6) 401- 408.
- Shimmin, P.D. (1982).** Observations of fat distribution in cheese by incident light fluorescence microscopy. The Aust. J. of Dairy Technology, 37: 33-34.
- Shmidt, D.G., and Both, P. (1987).** Studies on the precipitation of calcium phosphate. I. Experiments in the pH range 5.3 to 6.8 at 25 °C and 50 °C in the absence of additives. Neth. Milk Dairy J. 41: 105 – 120.

- Shukla, D.C. and Ladkani, B.G. (1989).** Quality of direct acid Mozzarella cheese from buffaloes' milk. *Indian J. Dairy Sci.*, 42: 601.
- Siapantas, I.G. and Charalambous, G. (1993).** New Foods from cheese whey In. *Food-Flavour, ingredients and composition* PP 151-156 . *Developments in food Sci.* Elsevier Sci. Publishers BV; Amsterdam; Netherlands. C.F. Computer Search.
- Snell, F.D and Snell, C.T. (1949).** *Colorimetical Methods of Analysis*, 2, 668.D.Van Nostrand Co.
- Solorza, F.J.; and Bell, A.E. (1995).** Effect of calcium, fat and total solids on the rheology of a model soft cheese system. *J. Soc. Dairy Technol.* 48: 133-139.
- Spangler, P. L.; Jensen, L.A.; Olson, N.F.and C. G. Hill, G.R.(1991).** Ultrafiltered Gouda cheese: Effects of Priacidification, Diafiltration, Rennet and Starter concentration and Time to cut. *J. Dairy Sci.* 74: 2809 – 2819.
- St-Gelais, D.; Hache, S.; Gros-Louis,M. (1992).** Combined effects of temperature, acidification, and diafiltration on composition of skim milk retentate and permeate. *J. Dairy Sci.* 75: 1167 – 1172.

- Tilley, C.H. (1985).** Break- Through in membrane technology. *Deutsche-Milchwirtschaft.*, 36:33, 1033-1034.
- Toledo, T.T. (1980).** In "Fundamental of Food Process Engineering". AVI Pub. Co. Westport, Connecticut, USA.
- Tong, P.S.; Barbano, D.M. and Rudan M.A. (1988).** Characterization of proteinaceous membrane foulants and flux decline during the early stages of whole milk ultrafiltration. *J. Dairy Sci.*, 71:604.
- Tunick, M.H.; Mackey, K.L.; Smith, P.W. and Holsinger, V.H. (1991).** Effects of composition and storage on the texture profile of Mozzarella cheese. *Neth. Milk Dairy. J.*, 45 (2): 117-125.
- Upadhyay, K.G.; Patel, G.C.; Vaghela, M.N. and Sunder, M.R. (1986).** Manufacture of Mozzarella cheese from buffaloes' milk. *Indian Dairy man.* 38: 479. *C.F. Dairy Sci. Abstr.*, 47: 847.
- Vakaleris, D. G. and Price W.V. (1959).** A rapid spectrophotometric method for measuring cheese ripening. *J. Dairy Sci.* 47: 264.
- Walstra, P. and Jenness, R. (1984).** Chemistry and physics. John Willy, New York.

- Walstra, P.;Geurts, T.J.;Noomen, A.; Jellema, A.and Van Boekel, M.A.J.S.(1999).** Dairy Technology: Principles of milk properties and processes, Marcel Dekker. INC. New York. Basel.
- Winton, A.L. (1958).** In "Analysis of Food" 3rd Ed, John Wiley & Sone. Inc., New York, USA.
- Yun, J. J.; Barbano, D. M.; Kiely, L.J. and Kindstedt, P. S. (1995 a).** Impact of rod: coccus ratio on composition, proteolysis and functional properties. J.Dairy Sci., 78 (4): 751-760.
- Yun, J. J.; Barbano, D. M. and Kindstedt, P. S. (1991).** Impact of milk pH on chemical composition, soluble nitrogen and texture profile of Mozzarella cheese during refrigerated storage. J. Dairy Sci., 74 (Supp 1) 98.
- Yun, J. J.; Barbano, D. M. and Kindstedt, P. S. (1992).** Impact of cook temperature on chemical composition, proteolysis and texture of Mozzarella cheese. J.Dairy Sci., 75 (Supp 1): 102.
- Yun, J. J.; Barbano, D. M. and Kindstedt, P. S. (1998).** Mozzarella cheese: Impact of nonfat dry milk fortification on chemical composition, proteolysis and functional properties. J.Dairy Sci., 81: 1-8.

Yun, J. J.; Barbano, D. M.; Kindstedt, P. S. and Larose, K.L.
(1995a). Mozzarella cheese: Impact of whey pH at draining
on chemical composition, proteolysis and functional
properties. J. Dairy Sci., 78 (1):1-7.

Zammar, O.B.A.(2000). Technological studies on Mozzarella
cheese. Ph.D. Thesis, Fac. Agric., Ain Shams Univ., Egypt.