

LITERATURE CITED

**Abatzoglou, K.K.; (1979).**

"Effect of N. and P. on yield of safflower".

Georgike Ereuna (3): 301-308.

(c.f. Field Crop. Abst. 37, 8237, 1984).

**Abd Allah, M.M.S. (1969).**

Effect of some micro-elements and plant density on the growth and yield of peanut (Arachis hypogaea L.).

M. Sc. Thesis, Fac. Agric. Moshtohor, Zagazig Univ.

**Abdrabu, R.T. (1981).**

"Relationship between leaf area index and yield and quality of sunflower and safflower plants."

Ph.D. Thesis, Fac. of Agric. Ain Shams Univ.

**Abel, G.H. (1976).**

"Effect of irrigation regimes, planting dates, nitrogen levels and row-spacing on safflower cultivars".

Agron. J., 68, (3): 448 - 451.

**Agalarov, S.S. (1974).**

"Fertilization of irrigated sunflower on meadow chernozem soil in Kabardino-Balkar, USSR. Khimiy vsel'skom".

Khozyaistv 12 (12): 23 - 24.

(c.f. Field Crop. Abst., 29: 4140, 1976).

**Ahmed, N.Y.N. (1979).**

"Evaluation of urea and ammonium sulphate as nitrogen fertilizers for southern. Iraq. Soils".

Coll. of Agric. Baghdad Univ., 39 - 40.

**Andrascik, M.; and Smutny, J. (1978).**

Study of the effect of some agrotechnical factors on yield and quality of sunflower (Helianthus annuus. L.).

Czechoslovakia, Pol nohospodar. Stvo 24 s(3): 181-191.

(c.f. Field Crop. Abst. 32, 6364, 1979).

**A.O.A.C., Association of Official Agricultural Chemists (1970).**

Official Method of Analy., 11th ED., A.O.A.C.

Washington, 5 D.C.

**Appelovist, L.A. (1979).**

"Relationship between the use of fertilizers and production of lipids".

(International potash Institute, 33: 257-268).

**Ashop, A. (1984).**

The effect of varying levels of nitrogen fertilization as well as different spacings between rows and hill on growth and yield characters of safflower.

(Ph. D. Thesis, Fac. of Agric. Cairo, Univ.).

**Beech, D.F. and Norman, M.J.T., (1966).**

The effect of plant density on the reproductive structure of safflower in old River valley.

Aust. J. Exp. Agric. Ani. 6, (22): 255-60.

**Belkin, N.J. and Karastan, D.I. (1968).**

Effect of fertilizers on yield and quality of sunflower seed on the southern Moldavia Soils.

Agrokhimiya (5): 113 - 115.

(c.f. Field Crop. Abst. 21: 2776, 1968).

**Bidwell, R.G.S. (1979).**

Plant physiology. Second Edition Collier Macmillan International Editions, New York and London pp. 261-262.

**Borisov, G. and Nikolov, E. (1975).**

Application of fertilizers to sunflower grown on calcareous chernozem Soil in N.W. Bulgaria.

Pochvoznamiei Agrokimiya 10: 107 - 113.

(c.f. Field. Crop. Abst. 29: 1288, 1976).

**Braunus, P.J. (1961).**

"Safflower row-spacing and seeding rates, Cand., Agric. J; 87, (6): 347 - 348.

**Bhan. S., Singh. J., and Pathak. R.N., (1980).**

"Studies on suitable agronomical practices for safflower under dry land".

Annals of Aridzone (1980) (19, (3): 221-225 Dep. Agron. C.S.-AZAD-Univ. of Agric., and Tech. Kanpur 208-212. Up. India.

(c.f. Field. Crop. Abst., 37, 4821, 1984).

**Chaudoari, C.S. (1977).**

Response of Safflower to N and P. under rainfed condition. Indian J. of Agric. Research, 11 (4): 226-228.

**Chauhan, C.P.S., Solamk. N.S. and Ram. N. (1979).**

"The effect of inter and row spacing on moisture use and grain yield of rainfed safflower".

Indian. J. of Agric. Sci., 49 (11): 901-902.

**Curotti, G.L., Rosania, A., and Vicentini, G., (1973).**

Results of a 3-years trial on fertilizer application to sunflower Rivisto de Agricultural Subtropicale tropical 67: 93-118.

(c.f. Field. Crop. Abst., 27: 59181, 1974).

**Danovan, L.S.; Dimmock, F. and Carson, R.B. (1963).**

Some effects of planting pattern on yield, percent oil and percent protein in mandarin (Ottawa) soybean.

Canada. J. Plant Sci., 43: 131-140.

**Dhote, G.S. and Ballol. D.K. (1964).**

"Effect of N.P. and K. on the yield and oil content of safflower".

Indian oil seed. J. 8. (1): 17-22.

(c.f. Field Crop. Abst., 18: 2256, 1964).

**Dimancea, S. (1972).**

"Investigations on the effect of ploughing depth and fertilizers on the yield of sunflower on alluvial soil in Danube flood plain, Oltenita".

Lucrai Stiintifice, Institute Agronomic N. Balcescu, A 15: 59 - 71 Rominia.

(c.f. Field Crop Abst. 29, 2108, 1976).

**Duncan D.B., (1955).**

Multiple range test and multiple F. test. Biometrics 11: 1 - 124 .

**Enyi, B.A.C. (1973).**

Effect of plant population on growth and yield of soybean (Glycine max L.).

J. Agric: Sci. 81: 131 - 138.

**Eweida, M.H.T., Hagra, A.M.; Fayed, M.H., and El-Kafoury, A.A. (1981).**

Influence of some nutrient elements on plants characters, Seed yield and quality in Safflower (Carthamus tinctorius L.).

Research Bull., Faculty of Agric., Ain Shams Univ. No. 1437, 18 pp.

- Galgoczi, J. (1968).**  
Three year results of sunflower fertilization trials on sand soils in szabolcs country Venenyter nele's 17 No., (1): 35-45.  
(c.f. Field Crop Abst., 21, 2777, 1968).
- Gaur, B.L., Tomar, D.S. and Trehan, N.B. (1973).**  
"Rate and Time of application of Nitrogen".  
Agron. J. 59: 54.
- Gilbert, N.W.; and Tucker, T.C. (1967).**  
Growth, yield and yield component of safflower as affected by source, rate and time of application.  
Agron. J. 59: 54 - 56.
- Girase, P.D.; Deokar, A.B. and Patil, G.D., (1975).**  
Studies on the effects of various levels of nitrogen and phosphorus on growth yield and oil content of sunflower.  
Indian Agric. 19 (1): 59 - 63.
- Grinev. YA. P., (1976).**  
"Effect of fertilizers on seed yield and quality of sunflower".  
Khimiya Sel'skom khozyaistve, 14 (9): 33-34.  
(c.f. Field Crop. Abst. 30, 2965, 1977).
- Gruev, T.S. (1968).**  
Date of fertilizing irrigated sunflower.  
Agrokmiya 4: 35 - 43.  
(c.f. Field Crop. Abst. 22, , 1969).
- Hanwante, P.R.; Vaidya. C.S.; and Maange, J.B. (1981).**  
Effect of nitrogen and phosphorus rates on yield and moisture use efficiency (M.U.E) of Safflower Crop. India. Punjabrao Krishi Vidyapeeth Research. Journal, 5 (2): 183-186.  
(c.f. Field Crop. Abst., 37, 1854, 1984).

**Hoag, B.K.; Zubrisk, J.C. and Geiszec, C.N. (1968).**

Effect of fertilizer treatment and row spacing on yield quality and physiological responses of safflower.

Agron. J. 60 (2): 198 - 200.

**Inganteva, B. and Tokareval (1978).**

Effect of fertilizers on yield and quality of sunflower and safflower.

Instit Agrokimicheskogo obsluzhivoniya sel skogo.

Khov 4 (11): 107 - 112.

(c.f. Field. Crop. Abst., 31: 4321, 1978).

**Jessop, R.S. (1977).**

"Influence of plant density on yield and soil content of dry land sunflower".

Australian J. of exper. Agric. and Animal Husb., 17 (87): 664-668.

**Jones, I.P. (1960).**

"Effect of nitrogen and irrigation level on yield of safflower".

Dis. Abst. 27 (5): 1349B (Univ. Arizona).

(c.f. Field. Crop. Abst., 20: 2671, 1967).

**Jones, I.P. and Tucker. T.C. (1968).**

Effect of nitrogen fertilizer on yield, oil content, and yield components of safflower.

Agronomy. J. 60 (4) : 363-364.

**Kamel, K.F. and Mohamed, A.K. (1973).**

"Effect of different levels of N.P.K. fertilizers on the physical and biochemical properties of safflower oil".

Egyptian J. of Botany 6 (113): 43 - 48.

**Kamel, M.S., Shabana, R., Mahmoud, E.A. and Keshtah, M.M. (1982).**

Associations between growth attributes of safflower and yield of seed and oil under different production practices. Z. Acker and pflanzenbau. (J. Agron and Crop Sci.) 151, 169 - 175.

**Kandil, A.A., (1981).**

"Growth yield and yield components of safflower as affected by planting Date, population density and N. Fertilization". J. Agric., Mansoura, Univ. 6 : 604 - 610.

**Kandil, A.A., and Sonbol, H.A. (1981).**

Effect of different levels of N, P and K fertilizers on safflower yield and yield components and chemical composition. J. Agric., Mansoura, Univ. 6 : 611 - 618.

**Kapusta, George; French, E.W. and Clarence Swallers (1962).**

Safflower Production in North, Dakota.  
N.D. Farm. Res. 22 (4) : 4 - 11.

**Keshtah, M.M.A. (1981).**

Growth, yield and quality of safflower as affected by row spacing, hill spacing and nitrogen fertilization levels.  
M. Sc. Thesis, Fac. of Agric., Cairo, Univ.

**Knowles, P.F. and Miller, M.D. (1965).**

Safflower.  
Circular 532 Univ., of California, Dairs, Calif.

**Kulandivelu, R. and Shanmugasundaram, V. (1974).**

Effect of nitrogen levels and spacings on irrigated Safflower.  
(Carthamus tinctorius L.)

Medras. Agric. J. 61 (9) : 832 - 833.

(c.f. Field Crop. Abst., 29 : 3177, 1976).

**Laseu, I., and Chiorescu, L., (1976).**

Effect of some agronomic measures on the yield of sunflower  
at poputi Botosanin.

Romiani. Cercetani. Agronomic in Moldova 9 : 75-80.

(c.f. Soil and fertilizers Abst. 40 : 3347, 1977).

**Lencrerot, P. Decau, J. and Puech, J., (1977).**

Development of levels of oil protein in seeds of sunflower  
(Helianthus annuus. L.)

Comptes Renduse. Hebdoma daires des seances de L'Academic  
de Sciences D' 284 : 907 - 910.

(c.f. Soils and Fertilizers Abst., 40 : 7405, 1977).

**Leocov, M. (1974).**

Effect of density and fertilizer on the yield and quality  
of sunflower.

Rominia Univ. 20 (1) : 155 - 162.

(c.f. Field Crop. Abst., 29, 2110, 1976).

**Lgov, G.K., Adinyaev, E.D., Agalarov, S.S. and Urutskove, Z.M. (1975).**

Fertilization of sunflower under irrigated conditions in  
foothills of N-caucusus.

Trudy Gorskogo selskokha yaistvennogo. Institut. 37 : 42-54

Referativny. Zhurnal, 8 : 55 - 664.

(c.f. Soils and fertilizers Abst., 40, 293, 1977).



**Majid, F.Z. Atharuddin, M. and Rahman, Q.N., (1976).**

"Sunflower as oil seed crop in Bangladesh. 6 effect of date of sowing on sunflower varieties. Ho, and H-67-6. and Effect of row-spacing on oil content.

Bangladesh, J. of Scientific and Industrial Research 11 (1/4) : 162 - 167 .

(c.f. Field Crop. Abst., 32, 6363, 1979).

**Massey, J.H., (1971).**

"Effect of nitrogen rates and plant spacing on sunflower seed yield and other characteristics".

Agron. J. 63 : 137.

**Mazid, F.Z., Nahar, L. and Rahman, Q.N.S. (1977).**

"Oil seed, seed crops in Bangladesh, 6-Effect of row spacing and storage condition on safflower".

Bangladesh. Journal. of Scie. and Indus. Res. 112 : 34-40.

(c.f. Field. Crop. Abst., 31 : 2093, 1978).

**Milner, J. F. and Fick; G.N. (1978).**

Influence of plant population on performance of sunflower hybrids.

Canadian. J. 58 (3) : 597 - 600.

**Monotti, M. (1975).**

Experimental research on cultural techniques for 3 sunflower. 3. effect of application of increasing rates of nitrogen, phosphorus and potassium.

Annali. della Facolta di Agraria Universita degli Studi di Perugia 30, 341 - 354, Italy.

(c.f. Field Crop. Abst., 31; 1414, 1978).

**Montilla, D., (1968).**

Effect of different sowing spacings on yield and plant height of safflower.

Agronomica. Trop. 18 (1) : 165 - 68.

(c.f. Field Crop. Abst., 22, 3156, 1969).

**Morris, A. (1975).**

Effect of nitrogen on sunflower (Helianthus annuus L.).

Rodesia. Agric. J. 72, (6) : 149.

(c.f. Field Crop. Abst. 29 : 4137 - 1976).

**Nasr, H.G., Katkhuda, N. and Tannir, L. (1978).**

Effect of nitrogen fertilization and population rate, spacing on safflower yield and other characteristics.

Agron. J. 76 (4) : 663 - 685.

**Naughting, Q. (1975).**

The influence of agronomic practices on the yield and oil content of safflower (Carthamus tinctorius L.).

J. of Exp. Agric. and Animal Husb., 15 : 270 - 275.

**Nour El-Din, N.A.; Hamada, M.A. and Abdrabu, R.T. (1983).**

Effect of N. fertilization and row-spacing on safflower yield and its components".

Proceeding of the first Conf. of Agron. Egypt, 2 : 659 - 664.

**Nur, I.M. (1975).**

"Sunflower response to nitrogen fertilization at G.R.S.".

Acto. Agronomic. Academic Scie., Hungaricae 24 (3/4): 463 - 466.

(c.f. Field Crop. Abst. 30 : 7171, 1977).

**Nur, I.M., (1976).**

Effect of nitrogen fertilizer levels on the performance of safflower at G.R.S.

J. of A.A.A.S. in Africa, 3 (1) : 33 - 52.

(c.f. Field. Crop. Abst., 31, 4369, 1978).

**Onitshchenko, M.A. (1968).**

Effect of mineral fertilizers on seed yield and quality of sunflower.

Maikop, 47 - 51 (Ru).

(c.f. Field Crop. Abst. 24 : 2534, 1971).

**Pacucci, G. and Martignano, F. (1975).**

"Effect of sowing density on yield and bioagronomic characteristics of tall and dwarf sunflower cultivars.

Italy. Rivistadi. Agron., 9 (2/3) : 180 - 186.

(c.f. Field Crop. Abst., 30, 2963, 1977).

**Peterson, W.F. (1965).**

Safflower culture in the west central plains. A.R.S., USDA and Nebraska.

Agr. Exp. Sta. Agr. Infor. Bull. 300, 24 p.

**Popescu, C.; and Axinte, S. (1979).**

Yield and water consumption in safflower in the pedoclimatic conditions of Lasi.

Romania, Moldova. Agronomic No. (1) : 73 - 76 .

(c.f. Field. Crop. Abst., 34, 2216 - 1981).

**Putt, E.D. and Fehr, J.A. (1951).**

Effect of plant spacing, row-spacing and number of plant per hill on Advance hybrid sunflower.

Sci. Agric., 31, (11) : 480 - 491.

(c.f. Field Crop. Abst., 5, 909, 1952).

**Quilantan, Villarral L. (1969).**

Effect of N.P.K. fertilization on yield, oil and protein fiber of sesame, peanut and safflower seed grown in Mexico.

Diss. Abst. Int., 30, (4) : 1462 - 3 B.

(c.f. Field Crop. Abst., 24, 1158, 1971).

**Rahman, N.Q., Akhtar, N. , Majide, F.Z.; and Solam, M.A. (1969).**

Effect of plant spacing on safflower.

Sci. Res., Dacca, 6, (4) : 177 - 80.

(c.f. Field Crop. Abst. 24, 4049, 1971).

**Repka, J. Mizla, C., and Lorencik, L. (1977).**

"Analysis of the yields of field crops and the processes of yield formation in the east slovak Lowlands, 5. The effect of plant density on the vertical distribution of the levels in sunflower (Helianthus annuus. L.).

Czechoslovakia, Pol' nohopedorstvo, 23, (11), 952-962.

(c.f. Field. Crop. Abst., 32, 6365, 1979).

**Riveland, N.R., French, E.W. and Bardbury, G.T., (1977).**

Proper seeding rate for safflower.

North Dakota, Farm. Res., 34, (4): 19 - 20.

(c.f. Field Crop. Abst., 31 : 736, 1978).

**Saunda, G., Seth, L. and De; R. (1977).**

Effect of levels of nitrogen and plant population on the grain yield and yield components of three varieties of safflower.

Indian. J. of Agric., Sci., 47 (8) : 394 - 6.

**Sharma, V.D.; and Verma; B.S. (1982).**

Effect of N.P. and row-spacing on yields, yield attributes and oil content of safflower under rainfed condition.

India. J. Agrono. 27, (1) : 28 - 33.

**Sheelavantar; M.N. (1973).**

Response of safflower (Carthamus tinctorius L.).

Varieties to nitrogen levels under rainfed conditions. Thesis, Univ. of Agric. Sci. Bangalores, Karnataka, India from Mysore, Journal of Agric. Sci. 8 : 639 - 40.

(c.f. Field Crop. Abst., 29, 6134, 1976).

**Shimanskii, N.K., Loshak, L.F., and Fastovets; L.S. (1961).**

The effect of fertilizer on yield and oil content of sunflower seeds.

Agrobiologiga 6 : 849 - 853.

(c.f. Soils and Fertilizes Abst., 25, 1843, 1962).

**Singh; P.P. and Kaushal, P.K. (1974).**

A note on the response of safflower to levels of nitrogen and phosphorus.

JNKVV Res. Journal 8 (3/4) : 260 - 262.

(c.f. Field Crop. Abst. 29, 5090, 1976).

**Singh, R.A., Silvoh, O.P. and Sharma; H.E. (1977).**

Effect of levels of nitrogen and phosphorus on yield, oil content of sunflower.

Indian J. of Agric. Sci., 47 (2) : 96 - 99.

**Singh, V.; Singh, G. and Singh; T.P. (1973).**

Not on the yield response of sunflower to application of N and P under traicondition.

India. J. of Agric. Sci., 43, (9) : 890 - 891.

**Snedecor, G.W. and Cochran, W.G. (1967).**

Statistical methods. 6<sup>th</sup>. ed. Iowa State Univ. Press, Ames., Iowa, U.S.A.

**Spepetoglu, H. (1982).**

Effect of plant spacing good nitrogen on the yield and some quality characteristics of safflower.

Univ. Ziraat, Fakultesi, Dergisi., in Turkey, 19 (1) : 9-22.  
(c.f. Field. Crop. Abst., 37, 7387, 1984).

**Tarantino, E., and Alba, E. (1978).**

Influence of irrigation and plant density on yield characteristics of some commercial and improved sunflower cultivars grown as a second crop.

Italy; di Bari, Bari. Univ., 12, (3) : 136 - 142.

(c.f. Field Crop. Abst., 32, 6366, 1979).

**Tavora; F.T.A. (1973).**

Effect of sulfer and nitrogen nutrition on total seed yield and seed characteristics of safflower (Carthamus tinctorious L.).

Dissertation Abst., international, 33, (7) : 2896.

(c.f. Field. Crop. Abst., 28, 1599, 1975).

**Tiwari, K.P.; and Maandroi, K.K. (1972).**

"Optimum time of planting and plant populations in safflower".

India. J. Res. 6, (2) : 172.

**Tomov; T.M. (1976).**

Effect of fertilizer on sunflowe yield.

Pochvoznanie. Agrokhimiya (11) : 101 - 108.

(c.f. Field. Crop. Abst., 29; 4014, 1976).

**Tripathi, R.D.; Srivastava, G.P., Misra, M.S. and Pandey, S.C. (1971).**

Protein content in some varieties of legumaa.

The allah Abad Farmer 16 : 291 - 294.

**Varghese; P.T. Sadanandan; N.; and Nair, R.V. (1976).**

A study on the yield and yield attributes of sunflower  
Nariety peredouik as affected by goded doses of nitrogen  
and phosphorus.

Agricultural Res. J. of Keral, in India, 14, (2) : 121 - 126.

(c.f. Field Crop. Abst., 31, 7666, 1978).

**Vicentni, G. and Anelli, G. (1973).**

The effect of various rates of N and  $P_2O_5$  on the produc-  
tivity and oil composition of sunflower (Helianthus annuus  
L.).

Agric. Lalabian. Pisa 73 : 175 - 187.

(c.f. Field Crop. Abst. 27 : 4144, 1976).

**Vitkov, M. (1976).**

Fertilized of irrigated sunflower on podzolized, chernozem  
soil.

Pochvoznanic. IA. Agrokхимиya 11 : 106 - 114.

(c.f. Field Crop. Abst. 30 : 4886, 1977).

**Vrebalovt; (1972).**

The role of leaves in the process of Kernal yield and oil  
content formation in sunflower.

In proceeding of 15<sup>th</sup> International Conference on sunflower,  
25 - 29, 1972.

**Weber, C.R.; Shibles, R.M. and Byth, D.E. (1966).**

Effect of plant population and row spacing on soybean development and production.

Agron. J., 58 : 99 - 102.

**Weiss, E.A. (1971).**

Caster, sesame and safflower.

Leonard Hill, London, pp. 533 - 677.

**Werkhoven; C.H.; Ingretsen; K.H. and Kernel; T.R. (1963).**

"Fertilizer trails with safflower in sacramento valley".

Calif. Agric. 22, (1) : 6 - 7.

**Werkhoven; C.H.E. and Massantini; F. (1967).**

Effect of phosphorus and nitrogen placement on safflower growth and phosphorus absorption.

Agron. J. 59 : 169 - 171.

**Wetselar; R. Beech; D.E., and Norman, (1968).**

The effect of wst. season land treatment on safflower Linseed and wheat in the Ard River Valley.

Aust. J. Exp. 8, 30 : 59 - 65, 66 - 71 and 22-80.

**Williams, J.H. (1962).**

Influence of plant spacing and flower position on oil content of safflower.

Crop. Sci. N. (6) : 475-7.

**Wybenga, J.M. (1976).**

Cultivation and manuring of sunflower.

Stikotof No. (19) : 13 - 19.

(c.f. Field Crop. Abst. 30, 3638, 1978).



**Yadav, S.C.M. and Rthig, S. (1974).**

Effect of nitrogen and phosphorus on yield and yield attributes of safflower (Carthamus tinctorius L.).

Research. J. 8 (2) : 143 - 145.

(c.f. Soils and Fertilizers, 38, 6412, 1975).

**Yermanos, D. M.; Hau. B.J. and Burge, W. (1964).**

Effect of iron and nitrogen on safflower and quality.

Agron. J. 56, (6) :582 - 585.

**Zahan, P. (1965).**

Influence of sowing density and spacing on yield of soybean for seed and silage. Problem Agric. 5: 13-23.

(c.f. Field Crop Abst. 19, 959, 1966).

**Zubriski, J.C. and Zimmerman; D.C. (1974).**

Effect of nitrogen, phosphorus and plant density on sunflower.

Agron. J. 66, (6) : 798 - 801.