

VI- LITERATURE CITED

- Abdalla, K.A.; Mohsen, A.M.; Radda, K.A. and Ahmed, R.B. (1981). Morphological responses to salinity in (*Ficus carica*) transplants. Zagazig J. Agric. Res., 8(1): 21-38.
- Abd El-Aziz, A.Z.; Kamis, M.A.; El-Ashram, M.A. and Shazly, S.A. (1985). Effect of increasing salt concentration on leaf mineral composition of Guava and Olive seedlings. Annals of Agric. Sci., Moshtohor, 23.
- Abd El-Aziz, A.Z.; Youssef, E.Y.; Kamis, M.A.; Sharaf, M.M. and El-Ashram, M.A. (1985). Effect of salinity, sodium adsorption ratio and chloride levels on vegetative growth and leaf mineral composition in some citrus stock seedlings. 1- Effect on vegetative growth. Annals of Agric. Sci., Moshtohor, 23.
- Abd El-Ghani, N.A. (1990). Effect of salt on peach plants. Ph.D. Thesis, Fac. Agric. Ain Shams Univ., Cairo, Egypt.
- Abd El-Karim, N.Y. (1991). Studies on the effect of salinity on mango seedling. Ph.D. Thesis, Fac. Agric., Ain Shams Univ., Egypt.
- Abd El-Messih, M.N.; Rokba, A.M. and Mohamed, M.A. (1984). Effect of salinity levels on growth and leaf mineral composition of Washington Navel orange budded on different rootstocks. J. Agric. Sci., Mansoura Univ., 9: 92-99.
- ; -----; El-Shourby, M.A. and El-Nokrashy, M.A. (1979). Effect of different salinity levels on leaf minerals composition of some citrus stock seedlings. Egypt. J. Hort., 6(1): 81-89.

- Alexandrescu, I. and Blanaru, V. (1970). Effect of irrigation with saline water on vines. *Rev. Hort. Vitic.*, 19(4): 48-54. [c.f. *Hort. Abst.*, 41(2): 3619].
- Al-Khateeb, A.F. (1989). Effect of water salinity on plant growth of some fig varieties. M.Sc. Thesis, Fac. of Agric. Moshtohor, Zagazig Univ., Egypt.
- Al-Saidi, I.H. (1980). Studies on the influence of different salt types on growth of some grape cultivars transplants. *Mesopotamia J. Agric.*, 15: 125-135. [c.f. *Hort. Abst.*, 53(3): 1626].
- ; Shakir, I.A.; Dawood, Z.A. and Alawi, B.J. (1985). Effect of saline conditions on growth and mineral content in different parts of grapevine Dess Anz cv. (*Vitis vinifera* L.). *Annals Agric. Sci., Fac. Agric., Ain Shams Univ., Cairo, Egypt.*; 30(2): 1495-1512.
- Aly, M.M.; El-Hamady, M.M. and Salama, M.A. (1986a). Plant nutrients of some citrus rootstock as affected by salinity. *Proc. 1st Hort. Sci. Conf., Tanta Univ.*, 11: 804-829.
- ; ----- and ----- (1986b). Response of some citrus rootstocks to salinity. *Proc. 1st Hort. Sci. Conf., Tanta Univ.*, 11: 872-893.
- A.O.A.C. (1970). Association of Official Agricultural Chemists. *Official Methods of Analysis*. P. 832-849. and 873. Washington D.C., USA.
- Ayers, R.S. (1977). Quality of water for irrigation. *Journal of irrigation and drainage division. Proc. Amer. Soc. Civ. Eng.*, 103(IRZ): 135-154.

- Ayob, S.T. and Minessy, F.A. (1974). Studies on salt tolerance of Marsh seedless grapefruit and Bearss lime. Sudan Agric. J., 9: 53-57. [c.f. Hort. Abst., 47(1): 835].
- Bacha, M.A. and El-Azab, E.M. (1976). The influence of three sodium salts on the growth, leaf and root mineral contents of pecan. Alex. J. Agric. Res., 24: 83-92.
- Badawi, A.M.; Barakat, M.R.; El-Kholi, A. and Ragab, M.A. (1979). Effect of the combined microelements Fe, Mn or B and NaCl salt treatments on sour orange seedlings. Res. Bull, Fac. Agric., Ain Shams Univ. No. 1101, 16 pp, Egypt.
- Barakat, M.R. and Ragab, M. (1983). Effect of irrigation water of different sodium adsorption ratio (SAR) and osmotic pressure values on growth and development of sour orange seedlings. Zagazig J. of Agric. Res., (unpublished).
- ; Salem, A.T. and El-Khoreiby, A.M. (1982). The response of guava and olive seedlings to different types of sodium salt treatments. Zagazig J. Agric. Res., 9: 25-30.
- Barrows, L.H. and Simpson, E.C. (1962). An EDTA method for the direct routine determination of calcium and magnesium in soil and plant tissues. Soil Sci. Soc. Amer. Proc., 26: 443.
- Behairy, Z.H.; Khamis, M.A.; Abd El-Aziz, A.Z. and Ibrahim, M.M. (1984). Modification of salt tolerance in relation to some fruit seedlings by foliar applications with elements and growth substances. 1- Effect of salinity on growth of American and European grape seedlings. 3rd Arabic congress for Horticulture 7-10 October (1984). (un published).

- Behairy, Z.H.; Sharaf, M.M. and Khamis, M.A. (1985). Micro nutrients influence on salt tolerance of guava and olive seedlings.
- Bernstein, L. (1980). Salt tolerance of fruit crops. Agriculture information Bulletin. United States Department of Agriculture No. 292; 8 pp. (En, 2 P1. Col) U.S. Salinity Laboratory, Riverside, California 92501, U.S.A. [c.f. Hort. Abst.,52(4): 1989].
- Bernstein, L.C. and Hoyward, H.E. (1958). Physiology of salt tolerance. Ann. Rev. Plant Physiol, 9: 25-46.
- ; Brown, J.W. and H.E. Hayward (1956). The influence of rootstock on growth and salt accumulation in stone fruit trees and almonds. Proc. Amer. Soc. Hort. Sci., 68: 86-95.
- ; Francois, L.E. and Clark, R.A. (1972). Salt tolerance ornamental shrubs and ground covers. J. Amer. Soc. Hort. Sci., 97: 550-556.
- Bhambota, J.R.; Singh, P.P. and Gupta, M.R. (1963). Studies on salt tolerance of mango plant. Panjab Hort. J., 3: 164-170.
- Bingham, F.T.; Fenn, L.B. and Oerthi, J.J. (1968). A sand-culture study of chloride toxicity to mature avocado trees. Soil Sci. Soc. Amer. Proc., 32: 249-252.
- Bower, C.A. and Wadleigh, C.H. (1949). Growth and cationic accumulation by four species of plants as influenced by various levels of exchangeable sodium soil. Sci. Soc. Amer. Proc., 13: 218-223.
- Brown, J.D. and Lilleland, O. (1946). Rapid determination of potassium and sodium in plant material and soil extract by Flame photometry. Proc. Amer. Soc. Hort. Sci., 73: 813.

- Caro, M.; Fernandez, F.g.; Cerda, A. and Guillan, M.G. (1979). The effects of sodium chloride in irrigation water on the development of citrus rootstocks. *Revista de Agroquímica Tecnología de Alimentos Biología Aplicada del Segura Murcia*, Spain (Hort. Abst., 49: 1530).
- Cherif, D.; Zid, E. and Thellier, M. (1982). The effect of sodium chloride on the growth and mineral nutrition of *Citrus aurantium* (Sour orange) and the hybrid *Poncirus trifoliata* X *Citrus sinensis* (Troyer citrange). *Siences de la vie.*, 292(14): 879-882. [c.f. Hort. Abst. 52: 2542].
- Cooper, B.S.; Gorton and Obson, E.O. (1952). Ionic accumulation in citrus, as influenced by rootstock and scion and concentration of salt and boron in the substrate. *Plant Physiol.*, 27: 191-203.
- Dasberg, S.; Bielorai, H.; Erner, J.; Brum, M.; Cohen, S. and Nadler, A. (1985). The effect of saline irrigation water on Shamouti oranges Alon Hanotea., 40(1): 35-42. [c.f. Hort. Abst. 56: 2049].
- Dhanker, O.P.; Makhija, M.; Chauhan, K.S. and Singhrot, R.S. (1981). Foliar mineral composition of guava and phalsa grown on saline soils. *Indian Soc. Desert. Technology*, 6: 33-6. [c.f. Hort. Abst., 54(9): 6614].
- Dilley, D.R. and others (1958). Growth and nutrient absorption of apple, cherry, peach and grape as influenced by various levels of chloride and sulphate. *Proc. Amer. Soc. Hort. Sci.*, 72: 64-73.
- Divate, M.R. and Pandey, R.M. (1981-a). Salt tolerance in grapes. III- Effects of salinity on chlorophyll, photosynthesis and respiration. *Indian J. Plant Physiol.*, 24(1): 74-79. [c.f. India Hort. Abst., 52(6): 3709].

- Divate, M.R. and Pandey, R.M. (1981-b). Effect of salinity on mineral Composition of grapevine. *Indian J. Plant Physiol.*, 24: 361-365. [c.f. Hort. Abst., 52(12): 7840].
- Downton, W.J.S. (1978). Growth and flowering in salt stressed avocado trees. *Australian J. Agric. Res.*, 29(3): 523-534.
- and Loveys, B.R. (1981). Absciscic acid content and osmotic relations of salt-stressed grapevine leaves. *Aust. J. Plant Physiol.*, 8: 443-452.
- Duncan, D.B. (1955). Multiple range and Multiple "F" tests. *Biometric*, II: 1-42.
- El-Ashram, M.A.; Sharaf, M.M.; Youssef, E.Y.; Abd El-Aziz, A.Z. and Khamis, M.A. (1985). Effect of salinity, sodium adsorption ratio and chloride levels on vegetative growth and leaf mineral composition in some citrus stock seedlings. 2- Effect of leaf mineral composition. *Annals of Agric. Sci., Moshtohor*, 23.
- El-Azab, E.M. (1978). Effect of salinity on two fig varieties grown in calcareous. *Soils. Alex. J. Agric. Res.*, 26(1): 199-206.
- and Minessy, F.A. (1975). Effect of salinity on Thompson seedless and Roumi Red grape vines in calcareous soils. *Alex. J. Agric. Res.*, 23(2): 265-74.
- ; ----- and Ismail, A. (1976). Effect of salt source on the nutritional status of Cleopatra mandarin and sour orange seedlings. In *Idem* 317-320. College of Agric. Alex. Univ. Egypt. [c.f. Hort. Abst., 46: 6174].

- El-Azab, E.M.; Nasr, T.A. and Barakat, M.A. (1973). Effect of salinity on growth and mineral content of pecan grown in calcareous soils. *Alex. J. Agric. Res.*, 21(2): 303-308.
- El-Azab, E.M.; Taha, M.W. and Rawi, M.N. (1978). Effect of stratification and salinity on seed germination. Vegetative growth and leaf mineral content of apricot and peach seedlings. *Alex. J. Agric. Res.*, 26(2): 415-422.
- El-Deen, S.A.; Wassif, M.M. and Fadl, M.S. (1979). Effect of salinity on olive seedling growth. *Agricultural Research Review.*, 57(3): 259-268.
- El-Demerdash, A.M. (1988). Effect of salinity and mineral nutrients on growth and mineral content of banana plants. Ph.D. Thesis, Fac. Agric., Ain Shams Univ., Cairo, Egypt.
- El-Gazzar, A.M.; El-Azab, E.M. and Shehata, M. (1979). Effect of irrigation with fractions of sea water and drainage water on growth and minerals composition of young grapes, guavas, oranges and olives. *Alex. J. Agric. Res.*, 27: 207-219.
- El-Hawary, A.H. (1987). Studies on propagation of grape rootstocks and their tolerance to salinity. Ph.D. Thesis, Cario Univ., Giza, Egypt.
- El-Hefnawy, S.M. (1978). Effect of saline water on seed germination and developing of mango seedlings. M.Sc. Thesis, Fac. Agric. Zagazig Univ., Egypt.
- (1986). Physiological studies on guava. Ph.D. Thesis, Fac. Agric., Zagazig Univ., Egypt.

- El-Kholi, A.F.; Barakat, M.R.; Badwi, A.M. and Ragab, M.A. (1979a). Effect of various chloride salts on growth and mineral content of valencia orange. Res. Bull. 1106. Fac. Agric., Ain Shams Univ.
- ; -----; ----- and ----- (1979b). Sour orange seedlings as affected by saline water. Res. Bull. 1106. Fac. Agric., Ain Shams Univ.
- El-Kobbia, T.; Hamdy, H. and Mostafa, F.B. (1971). The effect of high salts concentrations on the growth of barley plants. U.A.R. J. Soil Sci., 11: 61-76.
- ; Habib, S.A. and Abdel-Aziz, S.M. (1981). Effect of salinity on the internal structure of sunflower and cotton plants. Res. Bul. No. 1562; Fac. Agric., Ain Shams Univ., Cairo, Egypt.
- Fenn, L.B.; Oertli, J.J. and Bingham, F.T. (1970). Specific chloride injury in persea americana. Soil Sci. Soc. Amer. Proc., 34: 617-620.
- Flowers, T.J.; Troke, R.F. and Yeo, A.R. (1977). The mechanism of salt tolerance in halophytes. Ann. Rev. Plant Physiol., 28: 89-121.
- Fouad, M.M.; Barakat, M.K. and Salem, S.E. (1984). Growth rate and leaf minerals content of some citrus rootstocks as affected by irrigation with saline water. Zagazig J. of Agric. Res. (Unpublished).
- Garton, B.S. and Cooper, W.C. (1954). Relation of calcium and potassium accumulation in citrus as influenced by rootstock and salinity of irrigation water. Proc. Amer. Soc. Hort. Sci., 63: 49-54.

- Gaser, A.A. (1986). Physiochemical studies on tolerance of Avocado seedlings to salinity. M.Sc. Thesis, Fac. Agric., Cairo Univ., Giza, Egypt.
- Gobran, Y.N. (1989). Selection of some citrus rootstocks tolerant to salinity. Ph.D. Thesis, Fac. of Agric. Moshtohor, Zagazig Univ.
- Gorosko, V.V. (1969). The use of saline soil of the steppe region of the crimea for vine cultivation. *Vinodeliai Vinogradarstvo*, 29(1): 36-38.
- Grieve, A.M. (1983). Salt uptake by citrus plants. *Australian citrus News* 59 (November): 38.
- Guiffen, M.C.; Caro, M.; Fernandez, F.G. and Gerda, A. (1979). Foliar composition of citrus seedlings irrigated with saline waters. *Soil, Sci. and Plant Analysis*, 9(7): 595-606
- Hassan, M.M. and Galal, M.A. (1986). Salt tolerance among some citrus rootstocks. *J. Agric. Sci., King Saud Univ.*, (1): 87-93.
- ; Seif, S.A. and Abou-Harb, A.A. (1990). Salt tolerance of some olive cultivars. *J. Agric. Sci. Mansoura Univ.*, 15(5): 737-743.
- Hayward, H.E. and Bernstein, L. (1958). Plant growth relationships on salt affected soils. *Bot. Rev.*, 24: 584-635.
- and Long, E.M. (1942). Vegetative responses of the Elberta peach on lovell and shalil rootstocks to high chloride and sulphate solution. *Proc. Amer. Soc. Hort. Sci.*, 49: 149-155.

- Hayward, H.E. and Spurr, W.B. (1943). Effect of osmotic concentration of substrate on the entry of water into corn roots. *Bot. Gaz.*, 105-164.
- Hewitt, A.A.; Fure, J.R. and Carpenter, J.B. (1964). Uptake and distribution of chloride by cutting during a short-term salt test. *Proc. Amer. Soc. Hort. Sci.*, 84: 165-169.
- Ivanova, A.S. (1971). The reaction of apricot trees to readily soluble salts in the soil *Bulleten Nikitskogo-Botonicheskogo-Sado*, 12(55): 797. (c.f. *Hort. Abstr.*, 42: 5435).
- Jackson, M.L. (1958). *Soil chemical analysis*. Constable & Co. Ltd London pp. 498.
- Jindal, P.C. and Makija, M. (1983). Salt accumulation in different mango cultivars. *Dept. Hort. Haryana Agric., Univ. Hissar 125004, India. Progressive Horticulture*, 15(3): 226-228.
- ; Singh, J.P. and Gupta, O.P. (1975). Screening of mango seedlings for salt tolerance. *Haryana J. Hort. Sci.*, 4(3/4): 112-115. [c.f. *Hort. Abstr.*, 47(4): 4081].
- ; ----- and ----- (1976). Salt tolerance of mango. *Bangladesh Hort.*, 4(1): 34-36. [c.f. *ESA Information Retrieval Service*].
- ; ----- and ----- (1977). Studies on salt tolerance on mango. Injurious effects of salt on young mango seedlings. *Haryana Agric. Univ. Hissar, India Progressive Hort.* 8(1): 65-71.

- Jindal, P.C.; Singh, J.P. and Gupta, O.P. (1979). Effect of salinity on the mineral nutrients in mango seedlings. Indian J. Agric. Sci. 49(2): 105-109. [c.f. ESA Information Retrieval Service].
- Joolka, N.K. and Singh, J.P. (1979). Effect of soil salinity on growth of citrus rootstocks. Ind. J. Agric. Sci., 49(11): 858-861.
- ; ----- and Khara, A.B. (1980). Effect of saline irrigation water on the growth of sweet orange plants (*Citrus sinensis* Osbeck). Haryana J. of Hort. Sci., 9(3/4): 125-128. [c.f. Hort. Abst. 51: 8980].
- Kabeel, H.I.A. (1985). Physiological studies on salt tolerance of some deciduous fruit species. M.Sc. Thesis, Fac. Agric. Moshtohor, Zagazig Univ., Egypt.
- Kadman, A.; Gazit, S. and Zir, G. (1978). Experiments with the selection of mango rootstocks for the southern Arava Israel J. Botany, 27(1): 1978. [c.f. ESA Information Retrieval Service].
- Khamis, M.A. and Darwish, M.S. (1981). Effect of some growth regulators, nutrients and chelating agents on growth and mineral composition in citrus biosalinity. Annals of Agric. Sc., Moshtohor, 17.
- Khamis, M.A.; Behairy, Z.H. ; Ibrahim, M.M. and Abd El-Aziz, A.Z. (1984). Modification of salt tolerance in relation to some fruit seedlings by foliar applications with elements and growth substances. Studies on the response of guava and olive seedlings to saline conditions. 3rd Arabic Congress for Horticulture, 7-10 October, 1984 (un published).

- Khelil, A. (1979). The action of NaCl on the growth and mineral composition of clementines in hydroponic culture. *Fruits*, 34(2): 116-122 (Fr, 22 ref.). Institut National Agronomique, Algar, Algaria. [c.f. Hort. Abst. 50(1): 579].
- Lapina, L.P.; Popove, B.A. and Strogonov, B.P. (1968). Effect of iso osmotic concentration of NaCl, Na₂SO₄ and dextran on the structure of chloroplasts. *Sov. Plant Physiol.*, 15(16): 890-894. [c.f. *Annals Agric. Sci.*, 30(2), 1985].
- Leonova, T.C. and Shevyalova, N.I. (1970). Incorporation of S35 methionine into free S-amino acids in plant leaves under salinization of the medium. *Sov. Plant Physiol.*, 17: 689-693. [c.f. *Annals Agric. Sci.*, 30(2), 1985].
- Makhija, M.; Dhankhar, O.P. and Singhrot, R.S. (1980). Effect of salinity on growth and leaf mineral content of guava. *Haryana J. Hort. Sci.*, 9: 21-25. [c.f. Hort. Abst., 51(10): 8164].
- Meiri, A. Poljokaff-Myber, A. (1970). Effect of various salinity regimes on growth, leaf expansion and transpiration rate of bean plants. *Soil Sci.*, 109: 26-34.
- Meligi, M.A.; Hussein, F.; Tawfik, A.A. and El-Demerdash, A.M. (1983). Effect of saline irrigation on vegetative growth of one-year-old rooted vines. *Zagazig J. Agric. Res.*, 10(1):
- Mobayen, R.G. and Milthorpe, F.L. (1980). Response of seedlings of 3 citrus rootstock cultivars to salinity. *Aust J. Agric. Res.*, 31(1): 117-124. [c.f. Hort. Abst., 50(12): 9538].
- Motosugi, H.; Sugiura, A. and Tomana, T. (1987). Salt tolerance of various apple rootstock cultivars. *J. JPN Soc. Hort. Sci.*, 56(2): 135-141. Dialog File 50: CAB Abst. P. 128.

- Nasr, T.A.; El-Azab, E.M. and El-Shurafa, M.Y. (1977). Effect of salinity and water Table on growth and tolerance of plum and peach. *Sociencia Hort.*, 7: 225-235.
- Nazarov, K.K. (1979). Salinity resistance of quince seedlings. *Referativnyi Zhurnal* (6) 55, 910. [c.f. *Hort. Abst.*, 48(1): 176].
- Pandey, R.M. and Divate, M.R. (1976). Salt tolerance in grapes. I- Effect of sodium salt singly and combination on some of the morphological characters of grape varieties. *Indian J. of Plant Physiology*, 19: 230-239.
- Parra, M. and Parra, T. (1983). Bioelements physiological evaluations during the growth and development of shoots and leaves of lemon trees cultivated in saline soil. *Fruit Tree Research Station*, 1983: 540-541.
- Patil, P.K. and Patil, V.K. (1982). Effect of soil E.S.P. on the growth and chemical composition of pomegranate (*Punica granatum*). *Progressive Hort.*, 14(1): 1-5.
- and ----- (1984). Salinity tolerance in fig (*Ficus carica*). *PKV Res. J.*, 7(1):, 1983. (Recd. 1984) 12-14 Dept. Hort. Marathwada Agric., Univ. Parbhani: 431-402, Maharashtra, India.
- Patil, P.K.; Patil, V.K. and Ghonsikar, C.P. (1984). Salinity studies on growth and nutritional status of guava (*Psidium guajava*). *Int. J. Trop. Agric.*, 2(4): 334-337.
- Pearson; Gross, Z.A. and Hayward, H.E. (1957). The influence of salinity and water table on the growth and mineral composition of young grapefruit trees. *Proc. Amer. Soc. Hort. Sci.*, 69: 197-203.

- Pokroveskaya, E.L. (1957). Some data on the oxidoreductive processes in halophytes in "Pamatiakad, N.A. Maksimova Izdatel. Stvo. Akad. Navk. SSSR. (c. a. 1972).
- Pregl, F. (1945). Quantitative organic micro-analysis 4th Ed. J. and A. Churchill, Ltd., London.
- Ragab, M.A. (1979). Effect of salinity and radiation on growth and mineral content of citrus. Ph.D. Thesis, cairo Univ., Giza, Egypt.
- Rains, D.W. (1972). Salt transport by plants in relation to salinity. Ann. Rev. Plant. Physiol., 23: 367-388.
- Richards, L.A. (1954). Diagnosis and improvement of saline and alkaline soils. U.S. Dept. Agric. Handbook, No. 60: 67-85.
- Rokba, A.M.; Abdel-Messih, M.N. and Mohamed, M.A. (1979). Breeding and screening some citrus rootstocks for salt tolerance in Egypt. Egypt. J. Hort., 6: 69-79.
- Saglio, P. (1969). Iron chlorosis in orange trees by irrigation with beackish water in the Tunis region. G.R. Acad. Agric. Fr., 55(7): 41-50. [c.f. Hort. Abst., 40: 92030].
- Salem, A.T. (1981). Effect of treatments by saline water on mineral content and growth of grape seedlings. Ph.D. Thesis, Cairo Univ., Giza, Egypt.
- Samra, J.S. (1985). Comparative sodium accumulation and its toxicity in mango, guava and ber. (*Ziziphus mauritiana*). Central Soil Salinity Research Institute. Karnal 132001, India; Indian J. of hort. 42(3/4): 178-183.

- Sharaf, M.M.; Abd El-Aziz, A.Z.; Khamis, M.A. and El-Shazly, S.A. (1985). Effect of different salinity levels on leaf mineral composition of European and American grape plants. *Annals of Agric. Sc., Moshtohor*, 23.
- ; Khamis, M.A. and Behairy, Z.H. (1985). Salt tolerance in guava and olive seedlings as affected by some macro-elements. *Annals of Agric. Sc., Moshtohor*, 23.
- Sherif, S.E. (1985). Growth of citrus rootstock seedlings as affected by irrigation with saline water. Ph.D. Thesis, Fac. Agric., Cairo Univ., Giza, Egypt.
- Sinel'nikova, V.N.; Romanova, L.V. and Udovenko, G.V. (1972). Effect of salinization and physiologically active substances on growth and level of endogenous growth regulators in potato, *Sov. Plant Physiol.*, 19(1): 50-55. (c.f. *Annals Agric. Sci.*, 30: 2, 1985).
- Singh, S.B.; Chabra, R. and abrol, I.P. (1983). Effect of salinity on growth and mineral content of jujuba and guava. *Indian J. Agric. Sci.*, 53: 446-450.
- Snedecor, G.W. and Cochran, W.G. (1972). *Statistical methods* 6th Ed. The Iowa State Univ. Press. Ames. Iowa, U.S.A.
- Sourial, G.F.; Helal, M.H. and El-Shahat, H. (1975). Effect of salinity on the growth, free amino-N and protein-N content in the leaves of some grape cultivar. *Zagazig J. Agric. Res.*, 1(1): 45-56.
- ; Miligi, M.A.; Mohsen, A.M. and El-Hefnawy, S.M. (1978). Effect of saline irrigation on mango seedlings. I- vegetative growth. II- Chemical constituents. III- Anatomical structure. *Zagazig J. Agric. Res.*, 4(1):

- Sourial, G.F.; Miligi, M.A.; Tawfik, A.A. and El-Demerdash, A.M. (1985). Effect of saline irrigation on chemical constituents of one-year-old rooted vines sugars and NPK content. *Acta. Hort.*, 158: 169-85.
- Strogonov, B.P. (1984). Physiological basis of salt tolerance (Moscow). [c.f. *Annals Agric. Sci.*, p. 1496, 30: 2, 1985].
- Sweidan, A.M.; Salem, A.T. and Stino, G.R. (1982). Growth and mineral content of apricot seedlings as influenced by various levels of sodium chloride. *Res. Bull. No. 544*, Zagazig Univ., fac. of Agric.
- Sykes, S.R. (1987). Apparent variation in chloride accumulation between vines of cultivars Italia and Mataro grown under furrow irrigation. *Australian Salinity Newsletter* (1987). No. 15, 71 CSIRO, Div. Hort. Res.; PMB, Merbein, Vic. 3505, Australia.
- Taha, M.W. (1972). Salt tolerance of grape, guava and olive plants. *Alexandria J. Agric. Res.*, 20(1): 123-135.
- ; El-Azab, E.M. and Fadliah, Z.G. (1972). Ionic leaves accumulation in grape, guava and olive plants as affected by salinity of irrigation water.: 299-309.
- ; ----- and Haggag, M.N. (1975). The nutritional status of vines grown in calcareous soil. *Alex. J. Agric. Res.*, 23: 565-579.
- Taher, H.M. (1983). Effect of salinity on growth and leaf mineral composition of some citrus rootstock seedlings. M.Sc. Thesis, Fac. of Agric. El-Azhar Univ.

- Wallace, A.; Navde, C.N.; Mucller, R.T. and Zidan, Z.I. (1952). The rootstock-scion influence on the inorganic composition of citrus. *Proc. Amer. Soc. Hort. Sci.*, 59: 133-142.
- Walker, R.R. and Douglas, T.J. (1983). Effect of salinity level on uptake and distribution of chloride, sodium and potassium ions in citrus plants. *J. Agric. Res.*, 34: 145-153.
- Wilcox, L.V. (1985). Water quality from the stand point of irrigation. *J. Amer. Water Assoc.*, 5.
- and others (Ac & En Staff), (1951). Symposium on water for irrigation use. *Chemical and Engineering News*, 29(11): 990-993.