
6. REFERENCES

- A.A.C.C. (1983): Approved methods of the American Association of cereal chemists, 8th ed. St. Paul, MN: ALCC, 1983.
- Abdeen, E. **M. I. (1987):** Studies on chemistry and technology of some plant foods. M.Sc. Thesis, Faculty of Agric. Kafr El-Sheikh, Tanta Univ., Egypt.
- A.O.A.C. (2002): Official Methods of Analysis of the Association of Official Analytical Chemists A.O.A.C. INTERNATIONAL 17th Edition Revision 1, 2002, USA.
- Aw, T.L. and B.G. Swanson (1985):** Influence of tannin on *Phasolius vulgaricus* protein digestability **quality. J. of Food Science.** 50: 67 — 71.
- Bahnassey, Y., K. Khan and R. Harrold (1988):** Fortification of Spaghetti with Edible Legumes. In: Physicochemical, Antinutritional, Amino Acid and Mineral Composition. Cereal Chem. 63 (3): 210-215.
- Barnett, A.J.G. and G.A. Tawab, (1957):** A rapid method for determination of lactose in milk and cheese. J. Sci. Food Agric. 8, 7 : 437 — 441.
- Ballester, D.; yanez, E.; Carica, R. Erazo, S.; Fernando Lopez, F.; Haardt, E.; Cornejo, S.; Lopez, A.; Pokniak, J. and Chichester, C.O. (1980). Chemical composition, nutritive value and toxilological evaluation of tow species of sweet lupin (*Lupinus albus* and *Lupinus luteus*). J. Agric. Food Chem., 28: 402 — 408.**

-
-
- Bember, M.; L.D. Satterlee and J.G. Kendrick (1975):** functional properties of the great northern bean (*Phaseolus vulgaris*) protein isolate. Food Science. 40: 81-84.
- Blaicher, F. M.; R. Nolte, and K. D. Mukherjee, (1981):** Lupin protein concentrates by extraction with aqueous alcohols. J. Amer. Oil Chem. Soc. 58:761.
- Cai, R. and K. Baik, (2001): Preparation of Chickpea** Curd by Heat-Induced Gelation. J. of Food Science, Vol. 66, No. 9.
- Cai, R.; B. Klamczynska and B.K. Bail (2001):** Preparation of Bean Curds from Protein Fractions of Six Legumes. J. Agric. Food Chem., 49, 3068-3073.
- CAMPOS, J.E.; and A. A. EL-DASH (1978):** Effect of Addition of Full Fat Sweet Lupine Flour on Rheological Properties of Dough and Baking Quality of Bread. Faculty of Food and Agricultural Engineering. Stale University of Campinas (UNICAMP). Campinas. SP. Brazil. Cereal Chem. 55 (5) : 619 — 627.
- Chango, A.; C. Villaume, H.M. Ban, J.P. Nicolas and L. Mejean (1993):** Debittering of Lupin (*Lupinus luteus* L.) Protein by Calcium Alginate and Nutritional Evaluation. J. Sci Food Agric, 63: 195 — 200.
- Chango, A.; C. Villaume, H.M. Bau, A. Schwertz, J.P. Nicolas and L. Mejean (1998):** Effects of Casein, Sweet White Lupin and Sweet Yellow Lupin Diet on Cholesterol Metabolism in Rats. J. Sci. Food Agric., 76, 303-309.

-
-
- Chel-Guerrero, L.; V. Perez-Flores, D. Btancur-Ancona and G. Davila-Ortiz (2002): Functional Properties of Flours and Protein Isolates from *Phaseolus lunatus* and *Canavalia ensiformis* Seeds. J. Agric. Food Chem., 50, 584-591.**
- Chew, P.G.; A. J. Casey, and S. K. Johnson (2003): Protein quality and physico-functionality of Australian sweet lupin (*Lupinus angustifolius* cv. Gungurru) protein concentrates prepared by isoelectric precipitation or ultrafiltration. Food Chemistry., 83, 575-583.**
- Clemente, A.; J. Vioque, R. S. Vioque, J. Pedroche and F. Milian (1999): Production of Extensive Chickpea (*Cicer arietinum* L.) Protein Hydrolysates with Reduced Antigenic Activity. J. Agric. Food Chem., 47, 3776-3781.**
- Clemente, A.; J. Vioque, R. S. Vioque, J. Pedroche, J. Bautista and F. Millana (1999): Protein quality of chickpea (*Cicer arietinum* L.) protein hydrolysates. Food Chemistry 67, 269-274.**
- Clemente, A.; J. Vioque, R. S. Vioque, J. Pedroshe, J. Bautista and F. Milan (2000): Factors affecting the *in vitro* protein digestibility of chickpea albumins. J. Sci. Food Agric. 80: 79-84.**
- Dagnia, S. G.; R. R. Petterson, Bell, and F. V. Flanagan, (1992): Germination alters the chemical composition and protein quality of lupin seeds J. Sci. Food Agric. 60: 419-423.**

-
-
- Damir, A. A. and L. A. Shekib, (1989):** Chemical and nutritional evaluation of germinated fenugreek, debittered lupine and fowl mekelie. Alex. J. Agric. Res. 34: 15 - 27.
- D'Appolonia, B.L. (1973):** Use of untreated and roasted navy beans in bread baking. Cereal Chem. 55(6): 898-907.
- Dervas, G.; G. Doxastakis, S. Hadjisavva-Zinoviadi and N. Triantafillakos (1999):** Lupin Flour Addition to Wheat Flour Doughs and Effect on Rheological Properties. Food Chemistry 66, 67 — 73.
- Deshpande, S. S.; P. D.Rangnekar, S. K. Sathe, and D. K. Salunkhe, (1983):** Functional properties of wheat - Bean composite -flours. J. Food Sci., 48: 1659 - 1662.
- Difco Manual (1977). Difco manual of dehydrated culture media reagents for microbiological and clinical laboratory procedures.** Difco, Lap. Inc. Detroit I, Michigan, U.S.A.
- Dipak, K. D. and K. D. Mukherjee, (1986):** Functional properties of rapeseed protein products with varying phytic acid contents. J. Agric., Food Chem., 34: 775.
- Dubois, M.; K.A. Gilles,; J.K.; Hamilton, P. A. Rebers, and F. Smith, (1956):** Colorimetric method for determination of sugars and related substances. Anal. Chem., 28: 3.50356.
- Dupont, M. S.; M, Muzquiz, I., Estrella, G. R. Fenwick, and K. R Price, (1994):** Relationship between the sense,? properties of lupin seed with alkaloid and tannin content. J. Sci. Food Agric. 65: 95-100.

-
-
- Eggum, B. O. (1973) : A study of certain factors influencing protein utilization in rats and pigs. Ph. D. Thesis, Institute of animal science and Royal veterinary and Agriculture University Copenhagen.
- El-Adawy, T. A. (1986): Chemical and technological studies of faba bean seeds. M.Sc. Thesis, Faculty of Agric. Minufiya Univ., Egypt.
- El-Adawy, T. A.; **E. H. Rahma, A. A. El-Bedawy, and A. M. Gafar**, (1999): Properties of some citrus seeds. Part 2. Functiona properties of seed flours. *Nahrung*, 43 (6): 379 - 384.
- El-Adawy, T.; E.H. Rahma, A.A. El-Bedawy and T.Y. Sobihan (2001): Preparation and Nutritional Evaluation of Legume-whey Weaning Food. Egypt. J. Food. Sci. 29. No. 2. pp. 109-137.**
- El-Adawy, T.A.; E.H. Rahma, A.A. El-Bedawey, A.F. Gafar (2001): Nutritional potential and functional properties of sweet and bitter lupin seed protein isolates. Food Chemistry 74, 455- 462.**
- E1-Aswad, U.B.; M.A. Goma, S.A. Afifi and N.H.Ahmed (1980): Chemical and Organoleptic Evaluation of Hamburger and Canned-Type Product Containing Lean Meat mixed With Soybean and Chick — Pea. Monufeia J. Agric. Res., 3: 183 — 209.**
- El-Dash, A.A. and Sgarbiri, V.C. (1980).** Sweet lupin fortified bread: Nutritional value and amino acid composition. *Cereal Chem.*, 57 (1): 9-11.

-
-
- El-Farra, A. A.; A.M. Khorshid, S.M. Mansour, A.N. Elias, and A.M. Galal, (1982): Studies on the possibility of supplementation of balady bread with various commercial soy-products. 1st Egypt Conf. on Bread Res., pp. 9-23.**
- El-Kowciz, K. and F.W. Sosulski (1982): Antinutritive Factors in Eleven Legumes and Their Air-classified Protein and Starch Fractions. Volume 47 (1982), Journal of Food — Journal of Science-1301.**
- El-Madfa, I.; H. Schoeneberger and R. Gross (1982). Evaluation of the quality of protein concentrates and protein isolates from the oil cake of *Lupinus mutabilis*. Fette Seifen Anstrichmittel, 84: 61-70.**
- Ellis, E.M.; Williams, E.T.; Mallions, G.H.; Smoeyenbose and martin, W.S. (1976). Culture methods for the detection of animal salmonellosis and aroizonosis. A manual of amer. Assoc. Vet. Lab. Diag. Iowa State Unive., Press, Ames, U.S.A.**
- El-Makhzangy, A.; Ayyad, A. and Ragab, M. (1989). Chemical composition and functional properties of lupin (*Lupinus albus*) seed flour. Zagazige J. Agric. Rres., 16: 325-333.**
- El-Naggar, T. A. (1997). Enzyme and chemical modification of lupin seed proteins. M.Sc. Thesis, Faculty of Agric, Minufiya Univ., Egypt.**
- El-Reffael, W. H. M. (1998): Chemical and technological studies on Mung bean M.Sc. Thesis, Faculty of Agric., AM Shams University.**

-
-
- Faheid, S.M.M. and N.A. Hegazi (1991):** Effect of Adding Some Legume Flours on The Nutritive Value of Cookies. Egypt J. Food Sci., 19, 147 - 159.
- F.A.O. (1973):** Energy and protein requirements. FAO Nutrition meeting Report, series no. 52, (FAO, Rome, 1973).
- FAO/WHO (1971):** Energy and protein requirements report of joint fao/who ed . Hoo. Expert, committee.
- Feldheim, W. (1998).** Sweet lupin flour- A very healthy asset, [http: //www. dot Food. Com / feature / flour, htm](http://www.dotFood.Com/feature/flour.htm).
- Gafar, A.M. (2000).** Chemical and technological studies on some components of lupin seeds. Ph.D. Thesis, Food Science and Technology, Faculty of Agricultural, El-Menoufia University.
- Gross, R. (1982):** Lupins: Prospects of a new protein energy crop. South African Food Review 9 (2, supplement) 73. c.f. Food Sci. and Tech. Abs. 15, 1 G 42 (1983).
- Gross, R.; E. V. Baer, F. Koch, R. Marquard, L. Trugo, and M. Wink, (1988):** Chemical composition of a new variety of the Andean lupine (*Lupinus mulabilis* cv. Inti.) with low alkaloid content. J. Food Composition and Analysis, 1 (4): 353-361.
- Gunstone, D.F.; L.J. Harwood, and B.F. Padley, (1994):** The lipid handbook. Second edition. Chapman and Hall. Printed in Great Britain at the university Press, Cambridge.

-
-
- Hala, H.K. (1999): comparative study on the antimicrobial and antioxidant effect of some spices and their oils as used for beef burger. The M.Sc. Thesis. Faculty of Home Economics, Helwan University.
- Hamerstrand, G.F.; L.T. Blacj, and J.D. Glover, (1981):** Trypsin inhibitors in soy products: Modification of standard analytical procedure. J. cereal chemistry. Vol. 58. No. 1:42-45.
- Hang, Y.D., K.H. Steinkraus and L.R. Hackle (1980)•** Amino Acid composition of high protein fractions prepared from mung beans, pea beans and red kidney beans. J. Sci. Food, Vol. 45: 388-289.
- Hegazi, N.A. and S.M. Faheid (1991):** Rheological and Sensory Characteristics of Doughs and Cookies Based on Wheat, Soybean, Chick. Pea and Lupin Flours. Egypt J. Food Sci., 19, 137 - 146.
- Hernandez, M. and A. Sotelo, (1984):** Nutritional evaluation of wheat flour cookies supplemented with chickpea, cheese whey and amino acids. Nutr. Int., 29, 845-57.
- Hernandez, M. and A. Sotelo, (1987):** Protein quality of masa and tortillas supplemented with chickpea. Nutr. Rep. Int., 36, 213-21.
- Hill, G. D. (1986).** Recent developments in the use of lupins in the animal and human nutrition. Pages 40 - 62 in: Proc. Fourth Intl. Lupin Conf. Dept. of Agric.; Geraldton, Western Australia.

-
-
- Hough, G. H. and J. L. Jacobs, (1994):** The use of lupin as a feed for dairy and beef cattle. Pages 58 - 66 in: Proc. First-Australian Lupin Technical Symp. Dept. of Agric.: Perth, Western Australia.
- Hove, E.L. (1974).** Composition and protein quality of, sweet lupin seed. J. Sci. Food Agri. 25: 851.
- Hove, E.L.; S. King, and G. D. Hill, (1978):** Composition, protein quality and toxins of seeds of the grain legumes glycine max, *Lupinus* spp., *Phaseolus* spp., *Pisum sativum* and *Vicia faba*.
- Kassem, A.M.; S.M. Mansour and N.A. Ibrahim (1995):** Effect of proccessing and nrictunent of yellow maize grits with legumes on the produced extrudates: I. Chemical Evaluation. Egypt, J. Agric. Res. 73 (1), 229-240.
- Keeler, R. F. and R. Gross, (1980):** The total alkaloid and anagvrine contents of some bitter and sweet selections of lupin species used as food. J. Environmental pathology and Toxicology. 3: 333.
- Kessler, H. G. (1989):** Effect of thermal processing on milk in: Developments in food preservation — 5, (edited by S. thome), pp. 91 - 130. Barking: Elsevier.
- Khan, M.A., I. Jacobsen and B.O. Eggum (1978): National Institute of** Animal Science, Department of Animal Physiology and Chemistry, Rolighedsvej 25, DK-1958, Copenhagen, Denmark. J. Sci. Food Agric. 1979, 30, 395-400.

-
-
- Khattab, H.A.H.; A.M. Attaia and A.E. Basioni (1999):** Comparative study on the antimicrobial and antioxidant effect of some spices and their oils as used for beef burger. Thesis submitted to nutrition and food science Dept.
- Kim, C.S.; and K.T. Madhusudhan (1985):** Haemagglutinating and Trypsin Inhibitor Activities of Lupin Seed (*Lupinus angustifolius*). J Agric& Food Chemistry., 27-29.
- King, J.; C. Aguirre, and S. Pablo, (1985):** Functional properties of lupin protein isolates (*Lupinus albus* cv. Multolupa). J. Food Sci. 50:82 - 87.
- Klepacka, M.; IL Porzucek and M. Kluczynska (1997):** Effect of hea treatment on chemically modified proteins of legume seeds. Food Chemistry, Vol. 58, No. 3 pp. 219-222.
- Kohnhorst, A.L., M.A. Ubersax and M.E. Zabik (1990):** Production and Functional Characteristics of Protein Concentrates. Jocs Vol. 67, No. 5 (May, 1990): 285-292.
- Kramer, A. and B.A. Twigg, (1974):** Fundamentals of quality control for the food industry. AVI Pub. Com . Inc., Wetport, Conn., USA.
- Kwok, K.C. and K. Niranjana (1995):** Effect of thermal processing on soymilk. Journal of Food Science and technology, 30, 263-295.

-
-
- Sathe, S. K. and D. K. Solunkhe, (1981):** Functional properties of the great northern bean (*Phaseolus vulgaris* L.) Proteins: emulsion, foaming and gelation properties.
- Sathe, S. K.; S. S. Deshpande, and D. K. Salunkhe, (1982):** Functional properties of lupin seed (*Lupinus mutabilis*) proteins and protein concentrates. J. Food Sci. 47: 491 - 497.
- Sathe, S. K.; S. S. Deshpande, and D. K. Salunkhe, (1984):** Dry beans of phaseolus. A review. Part 1. Chemical composition: Protein. CRC Critical Reviews in Food Science and Nutrition, 20: 1-46.
- Sathe, S.K. and D.K. Salunkhe (1981):** Isolation and Partial Characterization of an Arabinogalactan from the Great Northern Bean (*Phaseolus vulgaris* L.). Journal of Food Science, Vol. 46, 1276-1277.
- Sathe, S.K. and D.K. Salunkhe (1981):** Isolation, Partial Characterization and Modification of the Great Northern Bean (*Phaseolus vulgaris* L.) Starch. Journal of Food Science, Vol. 46, 617-621.
- Sathe, S.K. and D.K. Salunkhe (1981):** Studies on Trypsin and Chymotrypsin Inhibitory Activities, Hemagglutinating Activity, and Sugars in the Great Northern Beans (*Phaseolus vulgaris* L.) Journal of Food Science, Vol. 46, 626-629.

-
-
- Sathe, S.K., V. Iyer and D.K. Salunkhe (1981): Investigations of the Great Northern *Bea* (*Phaseolus vulgaris* L.) Starch: Solubility, Swelling, Interaction with Free Fatty Acids, and Alkaline Water Retention Capacity of Blends with Wheat Flours. *Journal of Food Science*, Vol. 46, 1914-1917.
- Sathe, S.K.; S.S. Deshpande, and D.K. Salunkhe, (1982):** Functional properties of lupin seed (*Lupinus mutabilis*) proteins and protein concentrate. *J. Food Sci.*, 47, 491-502 .
- Sathe, S.K.; V. Iyer and D.K. Salunkhe (1981):** Functional Properties of the Great Northern Bean (*Phaseolus Vulgaris* L.) Proteins. Amino Acid Composition, *In Vitro* Digestibility, and Application to Cookies. *J. of Food Science*. Vol. 47, P. 8-11.
- Satterlee, L. D.; M. Bember, and J.G. Kendirct (1975):** Functional properties of the great northern bean (*Phaseolus vulgaris*) protein isolate. *Food Sci.* V. 40.
- Sayed, S.K. (2002). Studies on production of some types pastry. Ph.D. Thesis, Faculty of Agric., Moshtohor Zagazig University (Banha Branch).
- Schoeneberger, **H.; R. Gross,; H. D. Cremer, and I. El-Madfa, (1983):** The protein quality of lupins (*Lupinus mutabilis*) alone and in combination with other protein sources. *Quali. Plant. Foods. Hum. Nutr.*, 32: 133 - 144.

-
-
- Seyam, **A.A., O.J. Banasik and M.D. Breen** (1983): Protein isolates from Navy and Finto Beans: Their Uses in Macaroni Products. J. Agric. Food Chem., 31, 499-502.
- Sgarbieri, V.C. (1989): Composition and nutritive value of beans (*Phaseolus vulgaris* L.). World-Rev. Nutr. Diet., 60, 132-98.
- Sgarbieri, V.C.; and M.A.M. Galeazzi (1987): Some Physicochemical and Nutritional Properties of a Sweet Lupin Protein (*lupinus albus* var .*multolupa*) Protein. J. Agric. Food Chem. 28, 6.
- Sgarbieri, V.C.; **R.S. Garruti, A.M.C. Moraes and L. Hartman** (1978): **Nutritional** and sensory evaluation of mixtures of soybean (*Glycine max* L.) and common bean (*Phaseolus vulgaris* L.), for direct use as human food. Journal of Food Science, Vol. 43.
- Shehata, **N.A. and B.A. Frayer** (1970): Effect on Protein Quality of Supplementing Wheat Flour with Chickpea Flour. Cereal Chemistry, Vol. 47, November 1970, No. 6.
- Snedecor, **G.W. and W.G. Cochran** (1989): "Statistical methods" 8th ed. Iowa State Univ. Press, Ames, Iowa USA.
- Soloviev, V.E. (1966): Meat Aging. In "Food industry "Pub. (Moscow) 53-81 82-164,242-303.
- Sosulski, F. W. (1962):** The centrifugal method for determining flour absorption in hard red spring wheat. Cereal Chem. 39: 344.

-
-
- Sosulski, F. W.; M. D. Garratt, and A. E. Slinkard, (1976):**
Functional properties of ten Igume flours. Canada
Institute Food Science and Technology Journal, 9 (2): 66 -
69.
- Sosulski, F. W.; P. Chakraborty, and E. Humbert, (1978):**
Legumes based limitation and blended milk products.
Con. Inst. Food Sci. Technol., 11: 117.
- Stewart, J.C.; L. Rubio and A. Pusztai (1995):** Identification
and Biological Activity of Lectins of Different subunit
composition Isolated from *Phaseolus vulgaris* L. var
athropurpurea. J. Sci Food Agric. 68, 375-381.
- Tadeusz A. (1998):** Perennial Stability of Total Quinolizidine
Alkaloid Content in Alkaloid-Poor Washington Lupin
(*Lupinus polyphyllus* Lindl). J. Sci Food Agric., 76, 195-
199.
- Tanteeratrarn, K. ; A. I. Nelson , and L.S. Wei, (1993):**
Manufacturing of bland soybean : soybean processing for
food use International soybean program (INTSOY) .
Univ. of Illinois , urbana — champaign, U.S.A.
- Thompson, L. U.; R. F. K. Liu, and J. D. Jones, (1982):**
Functional properties and applications of rapeseed protein
concentrate. J. Food Sci., 47: 1175.
- Tovar, J.; S.G. Sayago-Ayerdi, C. Penalver, O. Paredes-
Leopez and L.A. Bello-perez (2003):** *In Vitro* Starch
Hydrolysis Index and Predicted Glycemic Index of Corn
Tortilla, Black Beans (*Phaseolus vulgaris* L.) and
Mexican "taco". Cereal Chem. 80 (5) : 533 — 535.

-
-
- Tsaliki, E.; V. Lagouri and G. Doxastakis (1999):** Evaluation of the antioxidant activity of lupin seed flour and derivatives (*Lupinus albus* ssp. Graecus). Food Chemistry 65, 71 — 75.
- Ulloa, J.A.; M.E. Valencia and Z.H. Garcia (1988):** Protein Concentrate from Chickpea: Nutritive Value of a Protein Concentrate from Chickpea (*Cicer arietinum*) Obtained by Ultrafiltration and Its Potential Use in an Infant Formula. J. of Food Science —Vol. 53, No. 5.
- Ulloa, J.A.; M.E. Valencia, and H.Z. Garcia, (1988):** Protein concentrate from chickpea: nutritive value of a protein concentrate from chickpea (*Cicer arietinum*) obtained by ultrafiltration and its potential use in an infant formula. J. Food Sci, 53, 1396-8.
- Vioque, R.S.; A. Clemente, J. Vioque, J. Bautista and F. Millana (1999):** Protein isolates from chickpea (*Cicer arietinum* L.): chemical composition functional properties and protein characterization. Food Chemistry 64, 237-243.
- Volovinskaia, V.P. and V.K. Merkoolova, (1958):** "Methods for determination of meat water holding capacity " Office of Technical information, All union, Scientific Research Institute of Meat Industry, Bulletin (21).
- Watts, B. M, G. L, Yamaki, L. E. Jeffery, and L. G. Elias, (1989):** Basic Sensory Methods for Food Evaluation. 1st Ed., The International Development Research Center Pub., Ottawa, Canada.

Wheeler, E. L.; and R.E. Ferrel (1971): A method for phytic acid determination in wheat fractions. *Cereal chemistry* 48, 312 -320.

Yeboaha, F.K.; I. Allia, B.K. Simpson, Y. Konishi, B.F. Gibbs (1999): Tryptic fragments of phaseolin from protein isolates of *Phaseolus* beans *Food Chemistry*, 67: 105 — 112.

f.).^{4..} - ³¹ 1^{1..111} O^{4..4} 5L¹¹) <stb9 ⁴¹¹ 1¹¹ (.)^o C3A ¹¹ '4U7P9_4¹
1413,....111111 (.)⁴ c J.11311 4?i S⁴ bits jahl.13 (L 4) 1slg clsl -
;ssaa&l,L411 zl_y111 L;91..41 u45111 ?³ L29..01 3 LgALjil
;14 3131?3)4411 L:1{)L14+ ;Lai ;411+11i CsL7.LA11 L43
^{1..111} .34⁴¹¹ j4¹⁴ .44.x³ Z.1.?..9¹.94) ¹ ¹⁵ 21 ;4..¹¹.)⁻¹ ''².44¹¹ e4''^o
'L'A.)-1 c _?)34 11 3-4I)A J ¹ 14,9³3:0¹ < ³ . 'il 'LAJZ
.441.4.11S 4.4z3i L.);
'-214¹ 471,9 C)"¹¹.9 44913_)B talc) 4⁴¹ < ¹¹4..¹¹ C14¹¹ ¹¹
ji al.33)? Lsici 4j1 144 L14134 L_11,41,j_u slj
¹4-1¹e. t:3 4:....; Jz1 -4¹¹¹ 4¹ Li_->⁷ '41).⁴¹¹ C -4¹¹
oLi jilS 3)40 0;=.43 ?3.1z,".6a11. 4.63 jam. Aiax_411
p3¹-¹¹ 0L;-4¹¹
4+.134 ?3..1LS11 c gi.kg..=111
cyb Lsⁱ (LJL.11_54t11
cy3 L\$ LsioJlsw 4.4.44S4 42144 0;z11.Azi
(.);01.4 1 J4 11 01_ 11 14.4.01i11 u-,11 3 _411 (.)^{1.2}
ju_g41411) 44A1 44ASil 144 gIS 341 ;1&11 c tliiLZ Lsⁱ
____ _411 O,45111 cy3 L3S csⁱ a11.311 L,4 4St1 co^{se}
d.46.411₃ Cjiw₃31 9t16 .All I Z.)1411 Ls1171 UCtA-111 sL.au¹1 1446,atill
(.3-I .3:45/ Cj^{ic*1} <:3)4¹¹¹ 4.33^{1S}9)4¹ ?5:1."13-6'211 ^{AP} S9-4!
AL31-2111 711e11
Crali COal L_\$341 S.A.4 Lsⁱ jSyoli (:)4:33).311 &1111.7 Cr6.=.11
i¹.14¹ 4L¹¹ 4¹UA e3''.;

A.111c. o:110 Csal 01.011 4.).1 () .L.
(,).3 O). 1911 L 311
aas, oLk,..01 LJ9.olsll c,4l C.A.¹¹¹3 (.)1⁵.5.,4³¹
.4.1.4 4.114311
341)3J 1a³At Jail (l=A k.:41J'O c),4 3.SjAll
>?•¹¹.)¹-4i¹¹ 3 al'9_'.¹¹¹ (A -)¹cs⁻¹¹4¹3 &43
'L¹¹.)⁻¹43-LA¹9 '2²¹4¹¹¹9 O¹¹¹3 k?9¹²..) ¹¹ 1A1..4
ai311₃ _____ 14aA9 4 11-21 J1.1.11
J via₄ _____ JS ccⁱ 1,43
4 31 (.)21i151 Ltra 4-411L1 1.14 c °CIL-411⁴ L;2 .4 J3531-CIL4
t.Fil x,111lv,o 441=1.11.411 Lmix&A:ail
:11341,1 . ?tall dia 9 194_%11 J11 &IA:3 g Cj31 j±3 ?1c. t.4
'Yol' • (i 31..L4 3411 LPL>4 c.USS^NII yS.44 --di 4111 c:1113
•.¹.? 34 34 csk• 21139
⁴c.¹¹,-n U: J_)4¹¹ lL' a'ⁿ43 (5 ¹¹¹9 1.14:¹934¹¹ 4A:¹7).¹¹43
c⁷.,4 ca01 &L0:1 3I& , 1.113...=1111
24¹9.⁴¹-411 Lr19J-C4A aas 'Lc 3.⁴4-4).:6.
I 401 'LJ1.4.3 cl...11 J 3¹J 19 :LN.S1) C:431 Cji •.3
7)195•11 c)S4.14_11 3 (333110 ;4x3 :411.44 _____)s.j A
l4.¹c ≈ ≈ %Y • (.5.3:¹-gA 1131934¹
•.¹ Lralim&
'-24¹¹9 94¹ 34¹¹L)-. JS ?4.--Lial
(T.D) _____ cfi 4,11.1 1*4
Ai:1.411 a'93'113 (BAT) 2Al ,114₃
(3+1.1 co¹ O,191 ,t1.13 919 jv511 j c (N.P.U)
C)441.4A.¹¹ Lrail (111:159 ⁹¹¹⁵¹¹ :>.l&m¹¹ 434 _____

_341 &c. 01 11 cy_CIJ c),..41 cf.ai **Si** 44i ~~z~~11111 Dah 03...k. c.9
 :4..1 ~~z~~11111 aasi 4:-'s¹¹ **Lra**—\²¹-) Ls⁻¹, u⁻¹:----¹¹ 4.:4¹9.)4¹ C./I '4'. ..94¹
 4¹ .P⁻¹9.)4³¹;4 ?"" 4-0 _)* 4³¹¹3 -¹111 LY³ &'""-^11 .)...)u '^-1¹⁴11 VI ¹-4S C14³_9)4¹
 ..)_34.? '...i.01 41....2:1 , si 1-1-11 ...i113 u-IA.1.-11 c.:14:13)411 (i),4 a) j.1 cL.l.