



REFERENCES

VI. REFERENCES

- Abd El-Aziz, A.A. (1979). Studies on hygienic quality of locally manufactured fresh sausage. M. of public health Sci. Thesis. High Inst. Public. Health, Alex., Univ.
- Abd El-Aziz, H. (1990). Comparison of rabbit, beef and buffalo meats for functional properties and sausage processing. M.Sc. Thesis, Fac. of Agric., Cairo Univ.
- Abd El-Aziz, H.A.E. (2000). Chemical and technological studies on the processing of beefburger. M.Sc. Thesis, Food Sci. and Techn. Dept., Fac. of Agric., Minufia Univ., Egypt.
- Abd El-Rahman, H.A; Yossef, H. and Hefnawey, Y. (1984). Mycological quality of meat products in Egypt. Assiut Veterinary Medical J. 12(24):153-163.
- Abd El-Salam, M.A. (1978). Chemical and technological studies on some Egyptian meat. M. Sc. Thesis, Fac. of Agric., Al-Azhar Univ. Cairo Egypt.
- American Public Health Assoc. (1966). Recommended methods for the microbiological examination of foods, 2nd Ed. American Public Health Assoc. Inc., New York. N.Y., U.S.A.
- Anon (1975). Proposed microbial standards for ground meat in Canada. J. Milk Food Technol., 38:639.

- Anonymous (1960). Voluntary Standards. A review of freshly products standards and inspection services. Fishing Gas Ann. Rev.77:72.
- A.O.A.C. (1990). "Official Methods of Analysis". Association of Official Analytical Chemists, Washington, D.C. 15th Ed.
- Beilken, S.L.; Eadie, L.M.; Jones, P.N. and Harris, P.V. (1990). Quality assessment of manufactured meat products. Food Australia. 42(11):532-536.
- Berrada-Souni, A. (1972). Bacteriological study of minced meat in Casablanca. Thesis No. 43. (C.F. FSTA 5 8s 923, 1973).
- Berry, B.W. (1993). Fat level and freezing temperature affect sensory shear, cooking and compositional properties of ground beef patties. J. Food Sci. 58: 34-37.
- Berry, B.W. and Chen, A.A.T. (1976). Bacterial shelf life, and consumer acceptance characteristics of chopped beef. J. Milk Food Technol. 39:405-407.
- Berry, B.W.; Wells, L.H.; Cross, H.R.; Emswiler, B.S. and Muse, H.D. (1979). Shelf life and bacterial characteristics of ground beef as influenced by fat level and fat source. J. Food Protec, Accepted.
- Breidenstein, B.C. and Williams, J.C. (1986). The consumer climate for red meat special Issue. Am. Meat Inst. Washington, D.C. and Natl. Live Stock and Meat Board, Chicago, IL.

- Brewer, M.S.; Mckeith, F.K. and Brit, K. (1992). Fat, soy and carrageenan effects on sensory and physical characteristics of ground beef patties. *J. Food Sci.* 57(5): 1051-1052.
- Buffet, H.G. (1994). Global development of soy-based products. *INFORM-*; 5 (10) 1156-1158 [c.f. *FSTA Comp. Res.*].
- Cochran, W.G. and Cox, G.M. (1957). *Experimental Design*. New York. John Wiley & Sons, Inc, London.
- Cral, K.F. (1975). Oregon experience with microbiological standard for meat. *J. Milk Food Technol.* 38:483-486.
- Cross, H.R.; Berry, R.W. and Wells, L.H. (1980). Effect of total level and source on the chemical sensory and cooking properties of ground beef. *J. Food Sci.* 45:791-793.
- Darwish, A.; Hamdy, M. and Nouman, T.M. (1986). Quality evaluation of Market meat pastes. *Vet. Med. J.* 34(1):37-48.
- Dempster, J.F. and Cody, O.H. (1978). Bacteriological and chemical studies of minced beef meat. *Irish J. Food Sci. Techn.* 2:7-11. (C.F. *FSTA*, 11, 2s 192, 1979).
- Deutsche Landwirtschaftliche Gesellschaft (1973). *DLG Tropen und export prufung-Agarwerbung GMB Hamburg, West Germany.* (c.f. El-Moshtohry, 1997).
- Difco (1977). *Difco manual of dehydrated culture media reagents for microbiological and clinical laboratory procedures.* Difco, Lap. Inc. Detroit 1, Michigan, U.S.A.

- Dreeling, N.; Allen, P. and Butler, F. (1998). A note on the effects of carcass fat type on sensory and texture attributes of low and high-fat beefburgers. *Irish-J. of Agricultural and Food Research*; 37(2): 249-253. [c.f. *FSTA Comp. Res.*].
- Dreeling, N.; Allen, P. and Butler, F. (2000). Effect of the degree of comminution on sensory and texture attributes of low-fat beefburgers. *Lebensmittel-Wissenschaft-und-Technologie*; 33 (4) 290-294 [c.f. *FSTA Comp. Res.*]
- Duitschaeffer, C.L. (1977). Bacteriological evaluation of some luncheon meats in the Canadian retail market. *J. of Food Protection* 40(6):382-384.
- Duitschaeffer, G.L.; Bullock, D.H. and Arnott, D.R. (1977). Bacteriological evaluation of retail ground beef. *J. of Food Protection*. 40:378-381.
- Egbert, W.R.; Huffman, D.L.; Chen, C.C. and Dylewski, D.P. (1991). Development of low-fat ground beef. *Food Technol.*, 45(6): 64-71.
- El-Akary, M.O. (1986). The technology and characteristics of beefburger containing plant substituents. M.Sc. Thesis, Fac. of Agric. Alex. Univ. Egypt.
- El-Aswad, M.B.Goma, M.A.; Afifi, S.A. and Ahmed, N.H.(1980). Chemical and organoleptic evaluation of hamburger and canned type product containing lean meat mixed with soybean and chickpea. *Monoufeia J. of Agric. Res.*, 3:183-186.

- El-Dashlouty, A.A. (1978). Studies on the quality of some meat products Ph.D. Thesis, Fac. of Agric. Ain Shams Univ., Cairo Egypt.
- El-Ford, W.C. (1936). Bacterial limitations in ground fresh meat. *Am. J. Public Health*, 26:1204-1208.
- Elliot, R.P. (1970). Microbiological criteria in USDA regulatory programs for meat and poultry. *J. Milk Food Technol.* 33:173-177.
- Elliot, R.P. and Michener, H.D. (1961). Microbiological standards and handling codes for chilled and frozen foods. A review, *App. Microbial.*, 9:452.
- El-Moshtohry, E.A.E. (1997). Studies on the quality of some meat products. M.Sc. Thesis, Fac. of Agric. Moshtohor, Zagazig Univ., Egypt.
- El-Mswiler, B.S.; Pirrson, C.J. and Kotula, A. (1976). Bacteriological quality and shelf life of ground beef. *Appli. and Environmental. Micribial.*, 31:826-830.
- El-Nemr, Sh.E. (1979). Studies on meat substitutes. M.Sc. Thesis, Fac. of Agric., Zagazig Univ.
- El-Sanafiry, N.Y.A. (1983). Manufacturing of balanced protein as animal protein supplement. Ph.D. thesis, Fac. of Agric., Ain Shams Univ.
- El-Sherif, A. M.; Khalafalla, F.A.; and Darwish, A.M. (1991). Microflora in beef burger sandwiches . *J. Egypt Vet. Med. Ass.* 51, No. 1 and 2, 169-177.

- FAO (1973). United Nations Food and Agriculture Organization
Energy and protein requirements. Joint FAO/WHO
Ad. HOC committee (March-April, 1971). Rome.
- Food and Drug Administration. (1976). Bacteriological analytical
manual for foods. Assoc. Offic. Anal. Chemists,
Washington., D.C.
- Foster, J.F.; Fowler, J.L. and Ladiges, W.C. (1977). A
bacteriological survey of ground beef. J. Food
Protection 40:790-794.
- Foster, J.E.; Richard, C.H.; James, L.F.; Johand, T.F. and Linda,
S.G. (1978). Bacterial populations of ground beef,
textured soy protein and ground beef extended with
soy protein after 3 and 10 days of refrigerated storage. J.
Food Protection, 41:647-650.
- Frazier, N.C. and Foster, E.M. (1950). Laboratory Manual for
Food Microbiology Burgess Publishing, Minnesota.
- Fouda, Z.M.A.A. (1986). Chemical and technological studies on
meat substitutes. Ph.D. Thesis, Fac. of Agric., Suez
Canel Univ., Ismailia, Egypt.
- Freeman, R.L.; Ebert, A.G.; Iytle, R.A. and Bacus, J.N. (1982).
Effect of sodium nitrate on flavor and TBA values in
canned, comminuted ham. J. Food Sci. 47: 1767-1770.
- Ghazal, G.A.I. (1993). Studies on possibility of utilization of
some important microorganisms in food industries.
Ph.D. Thesis. Fac. of Agric. Moshtohor, Zagazig
Univ. Egypt.

- Gobran, R.A. (1985). Enterobacteriaceae in meat products in upper Egypt. M.V.Sc. Thesis, Fac. Vet. Med., Assiut Univ., Egypt.
- Goepfert, J.M. and Kim, H.U. (1975). Behavior of selected food-borne pathogens in ground beef. J. Milk Food Technol., 38:449-452.
- Greenfield, H.; Chuah, L.K. and Wills, R.B. (1981). Composition of Australian foods, 12. Hamburgers. Fd. Technol. in Australia, 33:619-623.
- Habbal, H.Y. (2000). Study on the quality control of some frozen meat products. M.Sc. Thesis, Fac. of Agric., Univ.
- Hefnawy, Y.A. (1980). Sanitary improvement of processed meat (hamburger) manufactured in Egypt. Ph.D. Thesis., Fac. Vet. Med. Assiut Univ. Egypt.
- Hefnawy, Y.A. and Youssef, H.A. (1984). Microbiological evaluation of some elected spices. Assiut Vet. Med. J. 13(25):145.
- Hilse, G. (1985). Can the manufacturer of Meat products do without quality standards? Kannder Fleischwaren-Hersteller auf Qualitats normen verzichten. (C.F. FSTA vol. 17 No. 5 117s, 1985).
- Hitokoto, H.; Morozumi, S.; Wanke, T. and Yqi, Z.H. (1972). Studies of fungal contamination of foodstuffs in Japan; fungal flora and incidence toxin-producing fungi in minced meat markete in Tokyo. Metropo Tum Research Laboratory of Public Health, 41-46 (C.F. FSTA, 8; 8s 1576; 1976).

- Holden, J.M.; Lanza, E. and Wolf, W.R. (1986). Nutrient composition of retail ground beef. *J. Agric. Food Chem.* 34(2): 302-308.
- Ibrahim, A. (1981). Sanitary condition of locally produced hamburger. M.V. Sc. Thesis, Fac. Vet. Med., Cairo Univ., Egypt.
- Ibrahim, A.A.; Abd Allative, A.R. and Salem, S.A. (1985). Possibility of curing imported frozen meat to produce "Pasterma". *Egyptian J. Food Sci.* 13(1): 107-111.
- Iljas, N. and Peng, A.C. (1977). Tempeh kedele-An Indonesian fermented soybean food. Symposium-Workshop on Indigenous Fermented Food. Bangkok, Thailand, Nov. 21-26.
- ICMSF (International Commission of Microbiological Specification in Foods) (1968). Microorganisms in Foods. Their significance and methods of enumeration. F.S. Thaicher and D.S. Clark, Eds. Univ. of Toronto Press, Toronto.
- ICMSF (1980). Microbial Ecology of Foods. Vol. II. Food commodities Academic Press. New York.
- Kadic, S. and Uncanin, B. (1982). Fat content as a criterion for estimation of quality in comminuted meat and moulded comminuted meat. *Veterinaria. Yugoslavia*, 31 (3/4): 555-560.
- Karim, G. (1977). Bacteriological quality of raw and cooked hamburger at the retail level in Tehran. *J. Food Protection*, 40(8): 560-561.

- Kaya, M.; Gokalp, H.Y.; Kotancilar, G. and Yetim, H. (1988). Turkish-style hamburgers. Manufacture with added soy flour. *Fleischwirtschaft*, 68 (11): 1366, 1368-1372, 1422.
- Kenawy, M.N. (1984). Chemical and technological studies on the Egyptian beef sausage extenders. M. Sc. Thesis, Fac. of Agric. El-Minia Univ., El-Minia, Egypt.
- Kirsch, R.H.; Berry, F.G.; Baldwin, C.L. and Foster, E.M. (1952). The bacteriology of refrigerated ground beef. *Fd. Res.*: 17:495.
- Kosic, M. Ivanovic, D.; Oljatic, E.; Jovelic, V. and Kostic, T.L. (1991). The influence of raw material on bacteriological contamination of hamburger. *Nauka-U-Praksi*, 21(4):377-384.
- Ladiges, W.C.; Foster, J.F. and Ganz, W.M. (1974). Incidence and viability of *Clostridium perfringens* in ground beef.
- Lin, T.S.; Levin, R.E. and Hultin, H.O. (1977). Myoglobin oxidation in ground beef Microorganisms and food additives. *J. Food Sci.* 42: 151-154.
- Liu, M.N.; Huffman, D.L.; Egbert, W.R.; Mc Caskey, T.A. and Liu, C.W. (1991). Soy protein and oil effects on chemical, physical and microbial stability of lean ground beef patties. *J. Food Sci.* 56(4):906-912.

- Lotfi, A.; Al-Ashmouny, A.M. and Abd El-Kerim, A.M. (1978). Evaluation of the nutritive value and hygienic quality of commercial minced meat from Iraq. *Fleischwirts Chaff* 58:103-105. (C.F. FSTA 11; 4S 588, 1980).
- Maggi, E.; Dazzi, G.; Madarena, G. and Oddi, P. (1987). Frozen hamburgers. 11. Chemical analysis. *Industrie Alimentari*. 26(245): 14-17.
- Mahmoud, M.H.M. (1987). Studies on pasterma. M.Sc. Thesis, Food Sci Dept, Fac. of Agric. Moshtohor, Zagazig Univ.
- Mansour, E.H. and Khalil, A.H. (1999). Characteristics of low-fat beefburgers as influenced by various types of wheat fibres. *J. of the Science of Food and Agriculture*; 79(4): 493-498.
- Marchello, M.J.; Milne, D.B. and Slinger, W.D. (1984). Selected macro and micro minerals in ground beef and longissimus muscle. *J. Food Sci.* 49:105-106.
- Mates, A. (1983). Microbiological survey of frozen ground meat and a proposed standard. *J. of Food Protection* 46(2): 87-89.
- Matulis, J.R.; McKeith, K.F.; Sutherland, W.J. and Susan Brewer, M. (1995). Sensory characteristics of frankfurters as affected by fat, salt and pH. *J. Food Sci.* 60(1): 42-47.
- McMindes, M.K. (1991). Applications of isolated soy protein in low-fat meat products. *J. Food Technology* December, 1991: 61-64

- Miles, C.W.; Ziyad, J.; Bodweel, C.E. and Steele, P.D. (1984). True and apparent retention of nutrients in hamburger patties made from beef or beef extended with three different soy proteins. *J. Food Sci.* 49:1167-1170.
- Mousa, M.M.; Awad, H.A.; Yassien, N.M. and Gouda, H.I. (1993). Microbial quality of some meat products. *Vet. Med. J. Giza*, 41(3):59-62.
- Nofal, M.A. (1981). Effect of textured soy flour level on the acceptance of ground beef in Egypt. *J. Food Sci.*, 64:1630-1633.
- NPD Group (1989). Consumer reports on eating share trends. NPD Group. Park Ridge, Ill.
- NRC, (1988). Current trends in the consumption of animal products. In "Designing Foods: Animal Product Options in the Marketplace". p. 18. Nat. Res. Council, National Academy Press, Washington, D.C.
- Palumbo, S.A.; Rivenburgh, A.I.; Smith, J.L. and Kissinger, J.C. (1975). Identification of *Bacillus subtilis* from sausage products and spices. *J. Appl. Bact.* 38:99.
- Paredes-Lopez, O. and Harry, G.I. (1989). Changes in selected chemical and antinutritional components during tempeh preparation using fresh and hardened common beans. *J. Food Sci.* 54(4): 968-970.
- Patano, C. and Caserio, G. (1980). Bacteriological and chemical studies on minced meat. *Industrie Alimentari* 19:829-832. (C.F. FSTA 13, 6s 1105, 1981).

- Pearson, D. (1968). Application of chemical methods for the assessment of beef quality. *J. Sci. Food Agric.* 19:553-556.
- Pivnik, H.; Erdman, I.E.; Collins-Thompson, D.; Roberts, G.; Johnston, M.A.; Conley, D.R.; Lachapelle, G.; Purvis, U.T. Foster, R. and Milling, M. (1976). Proposed microbiological standards for ground beef based on a Candian survey. *J. Milk Food Technol.*, 39:40.
- Price, J.F. and Schweigert, P.S. (1970). The science of meat and meat products. Freeman and Co. San Francisco, U.S.A.
- Public Health Service (1964). Examination of foods for enteropathogenic and indicator bacteria. U.S. Department of Health. Education and Welfare. Washington, D.C. (C.F. Pierson *et al.* 1978)
- Richard, J.M.; Floyd, K.M.; John, W.S. and Brewer, M.S. (1995). Sensory characteristics of frank furthers as affected by salt, fat, soy protein and carrageenan. *J. Food Sci.* 60(1): 48.
- Rogers, R.E. and McClesky, C.S. (1957). Bacteriological quality of ground beef in retail markets. *J. Food Technol.*, 61:318-321.
- Roushdy, S.A. (1971). Studies on market minced meat. M.V.Sc. Thesis, Fac. Vet. Med. Cairo Univ., Egypt.
- Sadek, E.M. (1963). Studies on locally manufactured fresh sausage. Ph.D. Thesis. Fac. Vet. Med. Cairo Univ. Egypt.

- Saied, S.Z.; El-Sanafiri, N.Y.; Yeikal, H.A. and El-Dashlouty. M.S. (1974). Storage of meat in polyethylene bags. Abstracts of the first. Egyptian Conference of Food Science and Technology. 11: 14.
- Shiffman, M.A. (1961). Microbiological standard of meat. W.H.O., Committion Meat Hygiene, Rome, September 1961, Agendo item 202,1.
- Shoup, J.G. and Oblinger, J.L. (1976). Microbiological evaluation of retail ground beef; centralized and traditional preparation. J. Milk Food Technol. 39:179-183.
- Sofos, J.N.; Noda, I. And Allen, C.E. (1977). Effects of soy proteins and their level of incorporation on the properties of wiener-type products. J. of Food Sci. 42(4): 879-884.
- Steinkraus, K.H.; Cullen, R.E.; Pearson, C.S.; Nellis, L.E. and Gavitt, B.K. (1983). Handbook of Indigenous Fermented Foods. Marced Dekker, Inc., New York.
- Sumner, J.; Reay, C. and Perry, I. (1979). A survey of the hygienic quality of food in Christchurch, New Zealand, 14:3-8.
- Surkiewicz, B.F.; Harris, M.B. and Elliot, R. (1975). Bacteriological survey of raw beef patties produced at establishments under federal inspection. Appli. Microbial., 29:331-335.
- Sutardi and Buckle, K.A. (1985). Reduction in phytic acid levels in soybeans during tempeh production, storage and frying. J. Food Sci. 50(1): 260-261.

- Sutardi and Buckle, K.A. (1988). Characterization of extra and intracellular phytases from *Rhizopus oligosporus* used in tempeh production. *Int. J. Food Microbiol.* 6: 67.
- Tamminga, S.K.; Beumer, R.R. and Kampelmacher, E.H. (1980). Bacteriological evaluation of hamburgers. 1- Studies on raw, heat-treated and pre-fried hamburgers. *Voedings middelen technologic*, 13:39-34.
- Tamminga, S.K.; Beumer, R.R. and Kampelmacher, E.H. (1982). Microbiological studies on hamburgers. *J. Of Hygiene*, 88(1):125-142.
- Thompson, S.G.; Ockerman, H.W.; Cahill, V.R. and Plimpton, R.F. (1978). Effect of soy protein flakes and added water on microbial growth (total counts, coliforms, proteolytics, staphylococcus) and rancidity in fresh ground beef. *J. of Food Sci.* 43: 289-291.
- USDA. (1974). Microbiology laboratory guidebook Scientific Services. Animal and Lant Health Inspection Services U.S. Department of Agriculture, Washington, D.C.
- Van Buren, J.P.; Hackler, L.R. and Steinkraus, K.H. (1972). Solubilization of soybean tempeh constituents during fermentation. *Cereal Chem.* 49:208.
- Vyncke, W. (1970). Direct determination of the thiobarbituric acid value in thrichlooacetic acid extracts of fish as a measure of oxidation rancidity. *Fette Seifen. Anstichmittel*, 12:1084.

- Wang, C.; Zhu, L. and Brewer, M.S. (1997). Comparison of 2. Thiobarbituric acid reactive substances determination methods in various types of frozen, fresh meat. J. of Food Lipids. 4:87-96.
- Wang, H.L.; Dwain, E.W.; Wallen, L.L. and Hesseltine, C.W. (1975). Free fatty acids identified as antitryptic factor in soybean fermented by *Rhizopus oligosporus* . J. Nutr. 105:1351.
- Wilding, M.D. (1974). Textured proteins in meats and meat products. J. Oil. Chemists. Soc. 51: 128A.
- Wills, R.B.H. and Greenfield, H. (1981). Composition of Australian foods. 8 fortification of McDonalds foods. Food Technol. in Australia, 33:372-382.
- Winslow, R.L. (1975). A rtailers experience with the oregon bacterial standards for meat. J. Milk Food Technol. 38:487-489.
- Winton, A.L. and Winton, R.B. (1958). Okoloff magnesium oxide distillation volumetric method. "The analysis of Food" P. 848, Jonn Wiley. New York and Chapman, London.
- Woye Woda, A.D.; Shaw, S.J.; Ke, P.J. and Burns, B.G. (1986). Recommended Laboratory Methods for Assessment of Fish Quality. Candian Technical Report of Fisheries and Aquatic Science. No. 1448.
- Wyatt, C.Y. and Guy, V. (1980). Relationships of microbial quality of retail meat samples and sanitary conditions. J. Food Protection, 43:385-389.