

VI. LITERATURE CITED

- Allam, A.M. and El-Rayyes, D.E.(1991): *In Vitro* propagation of "Nemaguard" peach rootstock.Minufiya J. Agric. Res. (16) (1) pp. 573 - 578.
- Ammirato, P.V. and Skirvin, R.M. (1985): Handbook of plant cell culture vol (3) crop species chapter (16) pp. 402- 452.
- Antonelli, M. and Chiariotti, A.(1988) : *In Vitro* rooting of different Peach genotypes Acta Horticulturae 227 .: PP414- 417.
- Arena, M.E. and Caso, O.H. (1992): Factors affecting *in Vitro* multiplication of prunus rootstock shoots phyton (BuenosAires) 53(1) :29 - 38(Hort. Abst. 63 : 7365).
- Bajaj, Y.P.S. (1986): Biotechnology in Agriculture and forestry pp 170 - 183 . Springer Verlag . Berlin heidelberg. NewYork.
- Bonner , J. and Galston , A.W.(1959) : Principles of plant physiology . PP. 350 - 387. Published by W.H. Freeman and company, San Francisco.
- Buchaman, D.W.;Hall, C.B.; Biggs, R.H. and Knapp, F.W. (1969) . Influence of Alar, Ethrel and Gibberellic Acid on Browning of Peaches. Hort-Science Vol (4) pp. 302 - 303 .
- Chancel, L.M.; Macheix, j.j. and Jonard, R.(1981) : Conditions for the *in Vitro* micropropagation of peach combined influences of growth substances and various phenolic compounds. Hort Abst. Vol. 51 No. 6(4376).
- Chang,T.Y. (1978): Clonal propagation of woody plant species throught tissue culture techniques . Comb. Proc. Inter. Plant prop. Soc. 28:139-155.

- Christiansen, J. and Fonnesbech H. (1975): 'Prevention by polyvinylpyrrolidone of growth inhibition of Hamamli shoot tips grown *in Vitro* and browning of the Agar medium. Acta Hort. 54 : 101 - 104.
- Dirr, M.A. (1982) : What makes a good rooting compound? Am. Nurs., (49:33-40).
- El Zaher, M.H. (1993) : Use of *in Vitro* and In Vivo culture in propagation of some temperate Zone fruit tree species. M.S.c Thesis ,Faculty of Agric. Cairo Univ.
- Guindy, L.F. ,(1990): Production of some fruit rootstocks through tissue culture technique. PH.D. Thesis, Faculty of Agric. Ain Shams Univ.
- Hackett, W.P., (1970) : The influence of Auxin, Catechol and methanolic tissue extracts on root initiation in especially cultured shoot Apices of the Juvenile and adult forms of *Hedera helix*. I; Amer. Soc. Hort. Sci., 95 : 398 - 402.
- Hammerschlag, F.A. (1980) : Peach micropropagation. In : Agr.Res. Results ARR-NE - II , Beltsville, Md. , PP.48-52. US. Dept. Agric., Sci., & Educ. Admin.
- _____, (1982): Factors affecting establishment and growth of shoots Peach *in Vitro*. Hort-Science 17(1) : 85-86.
- _____, Baughan, G.R.; and Scorza, R., (1987): Factors influencing *in Vitro* multiplication and rooting of Peach cultivars. Plant cell tissue and organ culture, (8) :235-242.
- Hansen, K.C. (1984): *in Vitro* propagation of Pecan Seedlings. Hort Science 19(2) :237-239.
- Hartmann, H.T. and D.F. Kester (1975): Plant Propagation: Principles and Practices. Prentice-Hall, Inc., Englewood cliffs, New York.
- _____, and Kester, D.F. (1992): Plant propagation Principles and Practices. Fifth Edition Prentice Hall - Englewood cliffs, New Jersey, 07632.

- Hu, C.Y. and Wang. P.J. (1983): Meristem shoot tip and bud cultures. Handbook of plant cell culture, (Evans,D.A., Sharp, W.R., Ammirate, P.V. and Yamadaaus Y., heds.) Macmillan, New York & London. Vol.(1) : 177 -277.
- Jiang,H.J. Pan, J.S. and Men, X.F., (1993): The study of meristem tip culture of Peach (*Prunus Persica*) *Acta Agriculture universitatis Pekinensis* 19(1)(:49-52.
- Kartha, K.K. (1981): Cryogenic Preservation of Meristems as a method of Germplasm preservation *HortScience* vol.(16). No. 3 (Abst.448).
- Kyte, L., (1987): Preparing media. The "Kitchen" in action chemicals . PP. 43-46. In plants from test tube. An Introduction to micropropagation Timer press.
- Leopold, A.C. (1964): Plant growth and development. PP. 133 -143. TATA Mc Graw-Hill Publishing Comp. LTD, Bombay, New Delhi.
- Miller,G.A.; Coston , D.C. ,Denny, E.G. and Romes, M.E.(1982): *In Vitro* propagation of Nemagard Peach rootstock. *HortScience*,17(2) 194.
- Mohamed, S.M., (1983): Effect of some growth regulators and nitrogen fertilization on vegetative and generative cycles of growth of golden Japanese. Plum cv.Ph.D. Thesis Cairo Univ. Egypt.
- Monette P.L. (1986): Cold Storage of Kiwi fruit shoot tips *in Vitro*. *Hort Science* vol. 21 (5):1203-1205.
- Moore, G.A.(1986): *In Vitro* propagation of citrus rootstocks. *Hort Scince*,(21) 300 -301.
- Morini, S. And Concetti, S. (1985): *In Vitro* propagation of Ps B2 peach root stock. *Acta Hort.*, No.173:205-210.(Hort. Abst. 56:4989).
- Muhammad, N., Amin; and Jaiswal.v., (1988) :Micropropagation as on Aid to rapid cloning of a Guava cultivar. *Scientia Hort.* (36) PP.89-95 (1988).
- Muhitch, M.J. and Fletcher J.S. (1985): Influence of culture age and spermidine treatment on the accumulation

- of phenolic compounds in suspension cultures. plant physiology 78:25,-28.
- Murashige, T. (1974): Plant propagation through tissue culture. Ann. Rev. Plant Physiol., 25: 135-166.
- _____ (1977): Current status of plant cell and organ culture. HortScience (12): 127 - 130.
- _____ Shabde, M. N., Hasegawa, P. M., Takatori, F. H., Jones, J. B. (1972): Plant tissue culture and its Biotechnological, Berlin, Heidelberg, New York: Springer-verlag PP. 392-403.
- _____ and Skoog, F. (1962): A revised medium for rapid growth and bioassy with tobacco tissue culture. Physiol. Plant,(15):473-497.
- Nanda, K.; Bala, A.A. and Anard V.K. (1970): Seasonal changes in rooting responce of stem cutting of Bryophellum tubiflorum and their relationship with biochemical changes. Indian J. Plant physiol. (13):106-114 Hort. (Abst.4503.).
- Nieuwkerk, J.P. van and Zimmerman, R.H. (1986): Thidiazuron Stimulation of Apple shoot proliferation *in Vitro*. HortScience (21)(3) :516 -518.
- Ochatt, S.J. and Caso, O.H. (1983): Dormant meristem tip as a source for producing Red-leaf peach (Prunus Persica Batsch L.) Shoot *in Vitro* . Qyton 43 (1): 21 - 28.
- Oh, S.D.; Song, W.S.;Yoo, S.O., (1991): *in Vitro* propagation of sweet cherry (Prunus avium L.) I. Direct and callus induced plantlets regeneration from shoot tips. Journal of the Korrean Society for Hort. Science 32(1) :355-367.
- Pedrosa, M.C.;Oliveira, M.M. and Pais, M.S. (1992): Micropropagation and Simultaneous rooting of Actinidia deliciosa var. deliciosa "Hayward" Hort science 27(5)443-445.

- Pietropaolos, P.A. and Reisch, B.I. (1984): Micropropagation of "Stanly Plum". HortScience, (19):535-536.
- Pinto, A.C.; Byrne,D.H.; Rogers, D.; Centro, S.M. (1993): Influence of ovule perforation, plant growth regulators, and L. glutamine on *in Vitro* growth of immature peach embryos. *in Vitro* cellular & Development biology.Plant. Vol 2a(2):p. 55-58 CAB No.(9416).
- Reed, L.M. (1990): Survival of *in Vitro* - grown Apical meristems of Pyrus following cryopreservation Hort Science 25(1): 111-113.
- Reeves, D.W.; Horton, B.D.and Couvillon, G.A. 1985: Effect of media and media PH on *in vitro* propagation of "Nemaguard"Peach rootstock. Scientia Hort. 21:353-357.
- Robacker, C.D. and Chang, C.J. (1992): Shoot tip culture of Muscadine Grape to Eliminate Pierce's Disease Bacteria. HortScience 27(5):449 - 450.
- Robinson, T. (1983): The organic constituents of Higher Plants. Fifth Edition. Cordus press, North Amherst. M,A.
- Rodriguez, R.O., 1982: *in Vitro* propagation of Prunus Persica L. Phytion (B.A.) 42(1) :109 -113.
- ; and Mazas, G. (1992): Implementacion du un Laboratorio de micro propagation para la multiplication de portain Jertos Ycarzo. Rivista di Agricolture subtropicale Tropical 86(2)-297-304 Hort. Abst. 63 (a) : 4877.
- Ross,C.W. and Salisbury, F.B(1978): Plant physiology. Second edition pp. 258-277 wadsworth publishing comp. Inc. Belmont,California.
- Roubvelakis Angelakis, K.A.;and Zivanovite,S.B., (1991): A New Culture medium for *in Vitro* Rhizogenesis of Grapevine (Vitis Spp.)Genotypes. HortScience 26 (12) :1551 - 1553.

- Rugini, E. and Verma, D.C., (1983): Micropropagation of difficult to propagate almond (*Prunus amygdalus*) Cultivars. Plant. Sci. letters (In press)28:273-281.
- Ruzic, D.; Rosutti, P.;and Marino, G., (1984): The effect of growth regulators in the micropropagation of peach-almond hybrid GF (677). Rivista della ortofloro frutticoltura Italiano, 68:413 - 422 Hort. Abst., (55) : (3239).
- Sari - El- Deen, S.A. (1973): Dormancy determination as related to the seasonal changes in levels of the naturally occurring growth promoters and inhibitors in buds and leaves of Almond trees grown in the desert Ph.D. Thesis, Al-Azhar Univ.Egypt.
- Snedecor, G.W. and Cochran, W.G., (1980): Statistical Methods, Oxford and J.B.H. Publishing Com. 7th edition.
- Singelton, V.L. and Rossi. Jr. J.A(1965): Colorimetry of total phenolics with phosphomolybdic phosphotungstic acid reagents . Amer. J. Emol. & Viticulture. 16(3):144 -157.
- Skirvin, R. M. , Chu, M.C., (1977): Tissue culture may revolutionize the production of peach shoots. III ; Research., 19(4) :18 - 19.
- _____, (1978): Tissue culture of Peach shoot tips. HortScience Voll. (13) No. 3 pp. 349(Abst) .
- _____, and Holly Kearnes (1981). *in Vitro* Proliferation and Rooting of "Harbrite" Peach and "Montmorency" Sour chery. HortScience Vol. 16 (3) (PP. 459 - 460).
- Skirvin, R.M.; Chu,M.C. and Rukan , H. (1980): Rooting Studies with *Prunus Spp.* *in Vitro* HortScience (15) : (415).
- Snir ,I (1984): *in Vitro* propagation of "Canino" Apricot Hort Science 19(2) : 229-230.

- Standardi, A.; and Romani, F. (1990): Effect of some Antioxidants on *in vitro* rooting of Apple stools. HortScience 25(1) : 1435-1436.
- Sudarsona and Goldy R.G. (1991): Growth regulator and Axillary Bud Position effect on *in Vitro*, Establishment of Vitis rotundifolia. HortScience, 26:(3) 304-307.
- Tabachnik, L.; and Kester D.E. (1977): Shoot Culture for Almond and Almond peach Hybrid Clones *in Vitro*. HortScience vol (12) pp. 545 -547.
- Theodoropoulos, P.A. and Roubelakis. Angelakis K.A. , (1990): Progress in leaf Protoplast isolation and culture. From virus;free axenic shoot cultures of vitis vinifera L. Plant cell tissue organ culture 20:15-23.
- Tisserat, B. (1984): Propagation of Date Palms by shoot tip cultures. HortScience 19(2) PP :250-231.
- Tisserat, B.F.; and De Manson, D.G. 1979: Plantlet production in vitro from phoenix dactylifera,L. Date Grow. Inst. Rep. 54. PP. 19-23.
- Turk, A.B.;Smole, J. and Siftar, A. (1992): Micropropagation of a plum ectotype (Prunus domestica L.) as rootstock for apricot. Acta Hort. (300). pp: 111 - 114.
- Vigyazo, L.V., (1981): Polyphenol oxidase and peroxidase in Fruits & vegetables. Central Food Research Institute Bodapest, Hungary in CRC critical Review in food Science and Nutrition . Sep. 1981 pp 49-127.
- _____, and Mihalyi; K. (1976): Review of the International Literature on diphenol oxidases of Peach fruits. Confructa Vol (21) . No.6 . pp:234 - 241.
- Wang, Q.C. (1988): Micropropagation of Pear (Pyrus Communis L.): Factors affecting establishment of *in Vitro* culture Verksamhetsberattelse (93)- p. 9.
- Wang, Q; Tang, H.; Quan, Y.and Zhou, G., (1994): Phenol induced browning and establishment of shoot tip

explants of "Fuji" "apple" and "jinhua" pear cultured *in Vitro*. J. of HortScience Vol.69. No (5):833-839.

Welsh, K.;Sink, K.C. and Davidson, H(1979): Progress on *in Vitro* propagation of red maple. Comb. proc. Inter. Plant prop. Soc. 29: 382 - 387.

White, P.R. (1943): A hand book of plant tissue culture. The Jaenes cattell press, Inc. , Tampe, Arizona.

Wickson, M.; and Thimann, K.V. (1957): Experiments on the physiology of apical dominance. hoto.thermoperiodism colloq. (Parma), 47-50.

Zaid,A.(1987): *in Vitro* browning of tissue and media with Special emphasis to date palm cultures. A review . Acta Hort. (212) :561 - 566.

Ziv, M. and Halevy ,A. H. (1983): Control of oxidative brownin;g and *in Vitro* propagation of Strelitizia reginae. HortScience (18)pp No.4 434 - 436.