

REFERENCES

LITERATURE CITED

Abou Zaid, M.H. (1973).

Physiological studies on *Mentha* spp. L.
M.Sc. Thesis, Alexandria Univ.

Agina, E.A. (1980).

Effect of GA_3 , B_9 and Urea spraying on the flowering and
concret oil yield of Marigold, Tagetes Erecta, L. cv.
Show Boat.
Moshtohor, Annals of Agricultural Science, Vol. 19.

Albrecht, H.J. (1966).

The use of growth substances the propagation of woody
ornamental cuttings Dutsche Gartenb, 13: 207 - 9.4, illus.
(Hort. Abst. 37: 1275, 1967).

Amberger, A. (1954). cf. El-Gengaihi and E.N. Abou Zaid (1975).

Pharmazie, 30 , H. II ,744 - 745, 1975 .

Anand. V.K., Chibbar, R.N. and Nanda, K.K. (1972).

Effects of GA_3 and IBA on rooting and on the sprouting of
buds on stem cuttings of Ipomoea fistulosa. Plant and
cell physiology. 13 (5) 917 - 921.
(Hort Abst. 43: 4632, 1973).

Audus, L.J. (1963).

Plant growth substances.
584 pp. Leonard Hill (Book). London.

Azmi, M. and Bisgrove, R.J. (1975).

Rooting of hardwood cuttings of rose rootstocks and culti-
vars. Experimental Horticulture, No.27, 22-27.
(Hort. Abst. 46: 6029, 1976).

Bailey, L.H. (1947)

The standard cyclopedia of Horticulture, vol II, PP.1717.

Bertram, A., Langschwager, L. and Mortensen, P. (1975).

Finding the right hormone balance for cuttings. Gartner Tidende, 1, 13 - 14.

(Hort. Abst. 45: 8751, 1975).

Besmer, ———, and Deiser, E. (1969).

Growth substances for chrysanthemum grown for cut flowers.

Erwerb sgartore, 1969.23 :2348 - 9.

(Hort. Abst. 40: 6715, 1970).

Bhujbal, B.G. and Kale, P.N. (1973).

Effect of some growth regulators on rooting of cuttings of different rootstocks of rose (Rosa sp.). Punjab Horticultural Journal. 13 (1) 50-53.

(Hort. Abst. 45: 521, 1975.)

and (1975).

The effect of some growth regulating substances on rooting of cuttings of Thuja compacta. L. Research Journal of

Mahatma Phule Agricultural University 6 (2) 155-157.

(Hort. Abst. 47: 7701, 1977).

Bik, R.A. (1962).

Nitrogen manuring in carnation growing. Reprint from

Stikstof No. 35136 , pp. 502 - 520.

(Hort. Abst. 34: 7030, 1964).

Rose, T.K., Mondal, D.P. and Pramanik, D.K. (1973).

Propagation of Ixora, Hibiscus and Jasminum from cuttings under mist. Progressive Horticuture; 5 (3) 43-50.

(Hort. Abst. 46: 1454, 1976).

Bose, T.K. and Nitsch, S.P. (1970)

Induction of secondary inflorescences in *Calendula* by gibberellic acid. *Nature Wissenschaften*, 57: 254.
(Hort. Abst. 41: 1737, 1971).

Bostrack, J.M. and Struckmeyer, B.E. (1967).

Effect of gibberellic acid on the growth and anatomy of *Coleus blumai*, *Antirrhinum majus* and *Sa splendens*.
New Phyld. 66, 539 - 44.
(Hort. Abst. 38: 3634, 1968).

Brewer, R.F. (1953).

Nutrition of *Gladiolus*. *Bull. N. Amer. Gladiolus Counc.*
34: 17 - 25.
(Biol. Abst. 28: 11878, 1954).

Byron, G.S. (1964).

Effect of fertilizers on the yield of herb and the yield oil composition of the peppermint plant.
Perfumery Essential oil Record, 55 (10): 655 - 656.

Cheng, Y. and Chao, Y. (1977).

Absolute of siu-eng flower *J. odoratissimum* L.) (Abstract perfumer Flavorist. 2 (5) 81.
(Hort. Abst. 48: 5802, 1978).

Chibbar, R.N., Anand, V.K., and Nanda, K.K. (1974).

Effect of morphactines on rooting and sprouting of stem cuttings of *Ipomea fistulosa* and their interaction with Auxin and gibberellin. *Indian Journal of Experimental Biology*. 12(4) 352-355.
(Hort. Abst. 45: 8622, 1975).

Churchill, M.E., Arditti, J. and Ball, E.A. (1971).

Clonal propagation of orchids, from leaf tips. Amer. orchid Soc. Bull., 40: 109 - 13.
(Hort. Abst. 41-9449, 1971).

Culati, B.C., G.N. Srivastava and S.P.S. Duhan (1974).

Priliminary studies on the response of Ocimum sanctum to gibberellic acid.
Planta Medica, 26: 343 - 345.

Das, P. and Roy, P.K. (1977).

Effect of growth regulators on the photoperiodic response of short and long day plants. Orissa Journal of Horticulture, 5(112) 1 - 6.
(Hort. Abst. 50: 5324, 1980).

Dirr, M. A. and A.J. Biedermann (1978).

Propagation of Fothergilla from cuttings. Plant propagator. 24 (1) 8 - 9.
(Hort. Abst. 49: 1423, 1979).

El-Beltagy, M.S. (1966).

Cultural and nutritional treatments on the production of Majorana hortensis.
M.Sc. Thesis, Fac. of Agric., Ain Shams Univ.

El-Fouly, M.M. and F.K. El-Baz (1969). C.f. El-Gengaihi, S. and E.N. Abou-Zied (1975).

El-Gengaihi and E.N. Abou Zied (1975).

The effect of CMH on Growth, volatile oil, and carbohydrate content on Majorana Hortensis Much. Prior and after cutting Pharmazie, 30, H. II, 744-745.

Ellis, N.K. (1960).

Peppermint and Spearmint Production.

Econ. Bot., 14 (4), 280 - 285.

Erwin, S. (1959).

Nitrogen and Magnesium on Peppermint.

Planta Med. 7,260 - 7 (1959), (Chem. Abst. 54: 3823 e, 1960).

El-Shafie, S., M.B. Mostafa and H.A. Hassan (1973).

The effect of some fertilization treatments and harvest data on the flower and concrete oil yield of jasminum plants.

Annalis of Agric. Sci., Fac. of Agric., Ain Shams Univ. Cairo. Vol. 18, 201 - 208.

El-Shafie, S.A. and Hassan, H.A. (1978).

Effect of gibberellic acid and chlormequat on the growth and flowering of Gerbera. Archiv. Fur Gartenbaue 26(7) 333-342. (Hort. Abst. 50: 425, 1980).

Fordham, A.J. (1978).

Pioris floribunda and its propagation. Combined proceedings of the International plant propagator's society, 27, 495-497. (Hort. Abst. 98: 6086, 1978).

Gabr, A.I., El-Sherbeny, S.E., (1977).

The effect of gibberellic acid and B-Jin on growth of Datura metal L. Gartenbauwissenschaft. 42(5) 200 - 202 National Research Centre, Dokki, Cairo, Egypt. Hort. Abst. 48: 2725, 1978).

Gabrichidze, Z. Sh. (1972).

The rooting of oleander in a cold greenhouse using growth stimulators. Subtropicheskie Kul'tury 5, 125 - 127. (Hort. Abst. 43: 7959, 1973).

Gaspar, Th.; Xhaufflaire, A.; Hofinger, M.; Lacoppe, J. (1967).

Effect of uracil and 2-thtouracil, alone or combined, on growth and on activity of same enzymes of auxin metabolism in Hordeum.

(Univ. Liege, Liege, Belg.) Meded. Rijksfac. Landbouwwetench,
Gent, 32 + 35. (Chem. Abst. 69: 66360y, 1968).

Gilliam, C.H.; Wirght, R.D. (1977).

Effect of nitrogen and growth regulators on growth of Sapanese
hally. Journal of the American Society for Horticultural
Science. 102-46-48.

(Hort. Abst. 47: 8695, 1977).

Gandorta, J.K.; Nair, P.K.R. and Dubey, K.C. (1975).

Effect of plant growth regulators on the propagation of 4 node
cuttings of Bougainvillea, var. Mary Palmer. Punjab Horticul-
tural Journal. 15(1/2) 71-73. (Hort. Abst. 46:10543, 1976).

Goodwin, P.B. and Morris, S.C. (1979).

Application of phytohormones to pea roots after removal of the
apex: effects on lateral roots production. Australian Journal
of plant physiology. 6 (2) 165-200.

(Hort. Abst. 50: 1078, 1980).

Guenther, E. (1952).

The essential oils. Vol. V, pp 326 - 668. D. Von Nostrand
Comp. Inc. New York.

Gugenhan, E. (1971).

Growth inhibitors applied to annual flowers. Hemmstoffe bei
sommerblumen Gartenwelt. 71(20) 450 - 453.

(Hort. Abst. 42: 4289, 1972).

Guttridge, G.G. (1963).

Inhibition of flowering in Poinsettia by gibberellic acid.
Nature, 197: 920 - 921.

(Hort. Abst. 33: 5502, 1963).

Harig, R. (1979).

How much nitrogen for Rhododendron hybrids. Deutscher Gartenbau
(1979) 33 (50) 2105 - 2106.

(Hort. Abst. 50: 5411, 1980).

Hentig, W.U. (1960).

An wendung Von gibberellin bei *Primula abconica*
Gartenwelt, 60: 142 - 144.

Hildrum, H. (1971).

Effect of Alar, compared with that of B₉, on extension
growth of chrysanthemum. J. Gartneryket 61(43) 797-798.
(Hort. Abst. 42 - 8006; 1972).

Hocking, P.J. and Thomas, M.B. (1979).

Effect of IBA in combination with thiram, capaten and
benamly on the rooting on four ornamental species; New-
zealand Journal of experimental Agriculture, 7(3) 363-369.
(Hort. Abst. 50: 1174, 1980).

Hore, B.K. and Bose, T.K. (1972).

Effect of B-Nine on the growth and flowering in some
tropical plants. Indian Journal of Horticulture,
29 (I) 93 - 96.
(Hort. Abst. 45: 5202, 1975).

Hotin, A.A. and Segal, C.M. (1968).

The effect of external conditions on the yield and es-
sential oil accumulation in chamomile. Trudy Vses Nous.
Island. Inst. Lekarstv. Rast, 13: 344 - 351.
(Hort. Abst., 40: 1906, 1970).

Howard, B.H. (1965).

Regeneration of the hop plant (*Humulus lupulus* L.) from
softwood cuttings; J. Hort. Soc., 40: 181 - 191.

Ivanicka, J. and Pastyrik, L. (1978).

The utilization of 3-indolebutyric acid in rooting hard
wood cuttings of fruit trees. Acta Horticulture. No.80,
83 - 85.
(Hort. Abst. 49: 7410, 1979).

Jacobs, G.; Allan, P., and Bornman, C.H. (1969).

Tissue culture studies on rose: Use of shoot tip explant.
I. Auxin: cytokinin effects. II. Cytokinin: gibberellin
Effects. *Agroplantae*, 1: 179 - 87.
(Hort. Abst. 40: 1754, 1970).

Jonson, H. (1969).

Wuchs und Hemmstoffe in Gartenbau.
Verlag. Eugen Ulmer, Stuttgart.

Jasa, B.; Reznicek, V. and Muzikantova, J. (1971).

A study on the use of growth retardant preparation in
annual flowers. *Rostlinna Vyroba* 17 (11/12) 1292-1297
(Hort. Abst. 42: 3027, 1972).

Johnson, C.M. and A. Ulrich (1959).

Analytical methods for use in plant analysis U.S. Dept.
Agric. Calif. Univ. Agric. Inform., Bull. 766.

Johnson, J.L. and Emino, E.R. (1979).

In vitro propagation of Mammillaria elongata. Hort. Science
4 (5) 605- 606.
(Hort. Abst. 50: 3534, 1980).

Kachecheba, J.L. (1975).

Effects of 4 - (indole-3) - butyric acid, light intensity
and terminal buds in vegetative propagation of some species
of Hibiscus. *East African Agriculture and Forestry Journal*,
41 (1) 22 - 34.
(Hort. Abst. 47: 5856, 1977).

Kale, P.N. and Bhujbal, B.G. (1972).

Use of growth regulators in rooting of cuttings of Bougain-
villea var Mary palmer. *Indian Journal of Horticulture* 29(314)
307-309.
(Hort. Abst., 45: 1197, 1975).

Kalmar, S. (1973).

Conifer propagation by cuttings.

Kertgazdasag, 5 (4) 67 - 69.

(Hort. Abst., 44: 6913, 1974).

Kazimirova, R.N. (1977).

Chemical plant analyses for determining the fertilizer requirement of Carnations.

Agrokhimiya No. 12, 109 - 114.

Kher, M.A. (1973).

Effect of B₉ and Etherelon on the growth and flowering in Chrysanthemum.

Progressive Hort., 5,2 (Hort Abst. 45: 5110, 1975).

Kiplinger, D.C., and Tayama, H.K. (1970).

Several poinsettia cultivars as effected by growth retardant.

Ohl flor. Ass. Bull. No. 42. P.7.

(Hort Abst. 41: 4528, 1971).

Kljuka, V.I. (1963).

The biological characteristics of growth and development of flower shoot and flower of the essential-oil bearing rose as affected by gibberellin. Fiziol Rost.

10: 595-597. (Hort. Abst. 34: 1141, 1964).

Kortegaard, J. (1974).

Propagation of Hedera Helix "Arborescens" and Hedera colchica "Arborescens" by cuttings plant propagator, 20 (1) 17.

(Hort. Abst. 44 - 9885 , 1974).

La Face, F. (1948).

Boll ufficiale star. sper. ind. essenze deriv agrumi,

Reggis Calabria 18, April/June, 3. (c.f. Gaonther, E. 1952).

Lee, J.S. and Kwack, B.H. (1975).

The effect of CCDP(RH-531) on the flower shape and growth habit of Zinnia elegans. Journal of the Korean Society for Horticultural Science 16(2) 220-224.
(Hort. Abst. 47:2794, 1977).

Lindstrom, R.S.; Wittwer, S.H. and Bukovac, M.J. (1957).

Gibberellin and higher plants. IV. Flowering response of some flower crops. Quart. Bull. Mich. Agric. Exp. Stat., 39:673-81
(Hort. Abst. 28: 661, 1958).

Loomis R.C. and Torrey J. C. (1964).

Chemical control of vascular cambium initiation in isolated radish roots. Proc. Natl. Acad. Sci. M.S.52, 3-11.
(Chem. Abst. 61: 12559 D, 1964).

Lotfy, M.; Aref, H. and Hussein, A.A. (1958).

A study on the essential oil in Jasmine flowers.
(Jasminum grandiflorum).
Perfum, Essent. Oil Rec. 45: 297 - 302.

Mahmoud, M.M. (1970).

Physiological studies on some Aromatic plants.
M.Sc. Thesis, Fac. Agric., Ain Shams Univ.

Majumdar, S.K. (1970).

Culture of Haworthia inflorescences in vitro. J.S.
Afr. Bot., 36: 63 - 7.
(Hort. Abst. 41: 1880, 1971).

Mastalerz, J.W. (1959).

Gibberellic acid makes plants tall, Spinotly. Science for the farmer, 60, 7 (3).
(Hort. Abst., 31: 4960, 1961).

Matous, J. (1971).

The effect of growth retardants on the growth and flowering of cultivated varieties of Rhododendron obtusum.
Acta pruhoniana, No. 24, 35 - 52.
(Hort. Abst. 42: 8115, 1972).

- Matsui, T. and Samata, Y. (1969).
Effects of plant growth retardants on ornamentals. Part I.
Effects of N-dimethyl amino succinamic acid (B-995) on
Pharbitis nil Bull. Fac. Agric. Tamagawa, No.9, pp.3 - 11.
(Hort. Abst. 41: 4378, 1971).
- McCallum, W.D., and Bradely, G.A. (1923).
Azelea growth as influenced by organic matter additions
and nitrogen fertilization.
Proc. Amer. Soc. Hort. Sci., 82: 477 - 483.
- Mukherjee, T.P.; Roy, T., and Bose, T.K. (1979).
Standardization of propagation from cuttings under mist
II. Effect of rooting media on root formation in cuttings
of ornamentals.
(Hort. Abst. 50: 1993, 1980).
- Muthuswamy, S.; Pappiah, C.M. and Sayed, S. (1975).
A note on the effect of pruning in Jasminum sambac Ait.
var. single Mohra. South Indian Horticulture, 21 (2) 70 - 72.
(Hort. Abst. 45: 3418, 1975).
- Muthuswamy, S.; Pappiah, C.M. (1979).
Studies on the response of Jasminum auriculatum vahl. to
NPK fertilization. South India Horticulture, 24 (3)
88 - 93.
(Hort. Abst. 49: 9534, 1979).
- Nanda, K.K. and Jindal, R.K. (1975).
Summation of the effect of sub-threshold gibberellin
Treatment and sub-threshold photoinduction on flowering
of Impatiens balsamina. Indian Journal of plant Physiology.
18 (2) 109 - 114.
(Hort. Abst. 47: 2785, 1977).

Nanda, K.K. and Kumar, S. (1977).

Effect of gibberellic acid and some polyphenols on the flowering of Impatiens balsamina. New Phytologist, 78(2) 403 - 406.

(Hort. Abst. 47: 9602, 1977).

Nanjan, K. and Muthswamy, S. (1975).

Growth and flowering responses of Edward rose (Rosa bourboniana Desp.) to certain growth regulant sprays. South Indian Horticulture 23 (3/4) 94 - 99.

(Hort. Abst. 47: 5827, 1977).

Nambisan, K.P.; Nanjan, K.; Veeragavathatham, D. and Krishnan, B. M. (1979).

A note on the density of planting in relation with yield of flower in Jasminum sambac Ait. cv. "Gundumalli". Progressive Horticulture, 10 (4) 19 - 20.

(Hort. Abst. 50: 4489, 1980).

Naves, Y.R., and Mazuyer, G. (1947).

Natural Perfume Materials.

Rienhold Publishing corporation, New York, 9 - 12, 190 - 8.

Niggar, G.S. and Rehalla, A.S. (1977).

Effect of nitrogen, potassium and phosphorus on the growth and flowering of rose cv. super star. Indian Journal of Horticulture, 34 (3) 75 - 79.

(Hort. Abst. 48: 3787, 1978).

Onyama, K. (1970).

Tissue culture mulberry tree. Japan Agric. Res. Quart, 5: 30 - 4.

(Hort. Abst. 41: 3314, 1971).

Oka, S. (1979).

The effect of IBA and NAA on rooting cuttings of selected *Dracaena* species and cultivars. Plant propagator, 25 (2) 11 - 12.
(Hort. Abst. 50: 3594, 1980).

Paech, K. and M.V. Tracey. (1956).

Modern methods of plant analysis, Vol. I, Springer - verlag, Berlin.

Pappiah, C.M. and Muthuswamy, S. (1977).

Effect of growth regulants on growth and flowering in Jasminum grandiflorum L. clone thimmapuram.
South Indian Horticulture, 25 (2) 6874 En, 12.]
(Hort. Abst. 48: 10029, 1978).

Pergola, G. (1973).

Experiments with ethephon and other growth regulators on potted Chrysanthemum. Annal dell. Istituto sperimentale per la Floricoltura 4 (1) 1 - 19.
(Hort. Abst. 45: 5109, 1975).

Purkayastha, B.K. and Kmar, P.K. (1970).

Vegetative propagation of Albizzia Lucida Benth with growth regulators.
Science and Culture, 36 (10) 556 - 560.

Ramina, A.; Hackett, W.P. and Sachs, R.M. (1979).

Flowering in Bouganivillea. A fuction of assimilate supply and nutrien diversion. Plant physiology, 64 (5) 810 - 813.
(Hort. Abst. 50: 4481, 1980).

Reddy, Y.T.N. (1978).

Effects of growth substances on growth and flowering of china aster (callistephus chinensis). Mysore Journal of Agricultural Sciences, 12 (3) 526.
(Hort. Abst. 50: 1196, 1980).

Reist, A. and Rey, Ch. (1976).

Trials on the application of growth regulators to Snopdragons (Antirrhinum majus L.) Revue Suisse de viticulture. Arboriculture Horticulture, 8 (2) 81 - 83.
(Hort. Abst. 47: 1685, 1977).

Rovesti, P. (1928).

The yield of Jasmine concrete.
Revista Ital. essenze profumi, 10, 185. c.f. Guenther, E. 1952.

_____, (1939).

The essential oils of some wild and cultivated varieties of Jasmine in Empire.
Riv. Ital. Essenze, profumi 21, 51 - 7.
(c.f. El-Shafie et al, (1975).

Ruge, U. (1959)

Anwendungsmoglichkeiten von Gibberellin in Zierpflanzenbau.
Gartenwelt, 59: 285-286.

Sachs, R.M. and Kofroněk, A.M. (1963).

Comparative cytohistological studies on inhibition and promotion of stem growth in Chrysanthemum morifolium.
Amer J. Bot., 50 (8): 772 - 779.

Samen, W. (1970).

Application of the growth-inhibiting substances B-Nine and cycocyl. Gartnerpost, Nov. 1970. (Hort. Abst. 41: 9264, 1971).

Saraswathamma, D.N. (1979).

The effect of presowing hardening and foliar application with growth regulators in orach (Atriplex hortensis L.
Current Science. 48 (8) 357 - 359.
(Hort. Abst. 50: 1144, 1980).

Schroeder, H. (1959).

The influence of nitrogen, phosphates and potash on the yield and volatile oil content of marjram, (Origanum vulgare). Pharmazie, 14: 329-346
(Hort. Abst. 30: 5754, 1960).

Sen, P.K. and Sen, S.K. (1968).

Effects of some regulators on the growth and flowering response of Chrysanthemum to growth regulators treatment. Punjab Hort. Jour., 11 (3/4): 274-277.
(Hort. Abst. 43: 2926, 1973).

Sen, S.K. and Maharana, T. (1971).

Growth and flowering response of chrysanthemum to growth regulator treatments.
Punjab Hort. Jour., 11 (3/4) 274 - 277
(Hort. Abst. 43: 2926, 1973).

_____ and _____ (1972).

Effect of some regulators on the growth and flowering of the Chrysanthemum morifolium Ram.
Indian J. Horticulture, 29 (2).
(Hort. Abst. 45, 4234, 1975).

Shanmugam, A. and Muthuswamy, S. (1974).

Influence of photoperiod and growth regulators on the nutrient status of Chrysanthemum.
Indian J. of Horticulture, 31 (2) 186 - 193.
(Hort. Abst. 46: 3466, 1976).

Sharaf, A.A. (1965).

Effect of nitrogenous fertilizer and plant spacing on the yield and quality of Geranium oil .
M.Sc. Thesis, Fac. Agric., Cairo Univ.

- Shoushan, A.A.; Mohamed, B.R. and Lila, B.A. (1971).
Effect of growth regulators on *Chrysanthemum* metabolism.
Gartenbauwissenschaft, 36(3): 299 - 240.
- Simola, L.K. and Mikkilä, T. (1972).
The effect of gibberellic acid and CCC on the anatomy and
morphogenesis of *Coreopsis tinctoria*.
Ann. Bot. Fennici, 9: 1 - 19.
- Singh, S.P. (1975).
Rooting of *Jasminum sambac* by semi-hard wood under inter-
mittent mist.
Haryana J. of Hort. Sciences 5 (1112) 111 - 114.
(*Hort. Abst.* 48: 2647, 1978).
- Smith, F.M.; A. Gilles; D.K. Hamilton, and P.A. Gedeas(1956).
Colorimetric method for determination of sugar and related
substances.
Anal. Chem. 28: 350.
- Snedecor, R.A. (1964).
Statistical Methods.
Iowa College Press. Ames, Iowa.
- Srivastava, H.P. and Sharma, M.L. (1974).
Cultivation of *Jasminum grandiflorum* L. on saline alkali
soils. *Indian Perfumer*, 18 (1) 25 - 26.
(*Hort. Abst.* 47: 8752, 1977).
- Suguir, M.; K. Umemura and K.O. Ota (1962).
The effect of Kinetin on protein level of tobacco leaf
disks.
Physiol. Plant., 15: 457 - 464.
- Vanonsem, J.; Haean, J. and Torfs, P. (1962).
Gibberellin treatment for glasshouse roses.
Pyksstat. Sierplvered. Melle 2, 1 - 6.
(*Hort. Abst.* 34: 3159, 1964).

Wasscher, J. (1958).

Gibberellins. Jversl. Proefst. Bloem, P. 102 - 103.
(Hort. Abst. 30: 996, 1960).

Waters, W.E. (1965).

Influence of nitrogen and potassium nutrition on production, keeping quality and chemical composition of the miniature carnation.

Pro. Fla. St. Hort. Soc. 77: 471 - 4.
(Hort. Abst. 36: 1313, 1966).

Weinberger, J.H. (1969).

The stimulation of dormant peach buds by acytokinin.
Hort. Science. 4: 125 - 6.
(Hort. Abst. 40: 3119, 1970).

Wheeler, A.W. (1971).

Auxins and cytokinins during formation of roots by detached primary leaves and stems of dwarf french bean (Phaseolus vulgaris L.). Planta, 98: 128 - 35.
(Hort. Abst. 41: 9013, 1971).

Yeum, S.H. and H.G. Pollard.

Determination of total phosphore method.
Journal Food. and Agric. Sci., 21: 36 - 38.

Ylatalo, M. (1979).

Factors affecting the rooting of Rhododendron cutting.
Journal of the Scientific Agriculture Society of Finland.
(3) 163 - 171.
(Hort. Abst. 50: 2012, 1980).

Zieslin, N. and Halevy, A.H. (1976).

The effect of environmental factors on gibberellin activity and ethylene production in flowering and non flowering shoots in Baccara rose. Physiologia plantarum 37(4)331
(Hort. Abst. 47: 3865, 1977).