

LITERATURE CITED

- Abdullaeva, T.M.; and Movchan, L. T. (1976).
The state of intracellular water in isolated leaves in relation to treatment with growth regulators and regeneration. *Fiziologiya Rastenii*, 23 (2) : 373-379.
C.F. Hort. Abst. 1976, Vol. 46 No. 12 (11721).
- Abou Lelia, B. H. (1978).
Ecophysiological studies on Datura metel L.
Ph. D. Thesis, Ain Shams Univ.
- Ahmed, A. J.; and Malik, N. A. (1965).
Effect of gibberellic acid on growth and alkaloids in Hyscayamus muticus. *Pakistan J. Sci., Ind. Res.*, 8 (2) : 65-6.
C.F. Chem. Abst. 1960, Vol. 63 (18950).
- Ambrose, D. G.; and Sciuchetti, L. A. (1962).
Influence of kinetin and gibberellic acid on the growth and alkaloid patterns in Datura meteloids. *J. Pharm. Sci.*, 51 : 934-8.
- Ardries, M. C.; and Lamba, S. S. (1967).
Effect of (2-(chloroethyl) trimethylammonium chloride (CCC) on Hyoscyamus albus plants. *Phyton (Buenos Aires)*, 24 (1) : 1-6.
C.F. Chem. Abst. 1975, Vol. 67 (20861).

Anitia, N.; and Ille, C. (1958).

The influence of soil moisture on tobacco.
Actes Congr. Sci. Intern. Taboc., 2^e Brussels
251 - 66.

Arya, P.S.; and Saini, S. S. (1977).

Capsaicin content of chilli varieties. Indian
Arecanut, Spices and Coca Journal, 1 (1) :
7 - 10.
C.F. Hort. Abst. 1978, Vol. 48 No. 1 (6574).

Association of Official Agriculture Chemists, (A.O.A.C.)
(1970).

Official Methods of Analysis, the association
of Official Agricultural Chemists, Washington.

Augusto Trejo, G., and Carloswild, A. (1973).

A new method for the determination of capsaicin
in capsicum fruits. J. of food science, Vol. 38
(2) : 342 - 344.

Avundzhyan, E. S. (1962).

Effect of water regime on the contents of alkaloids
in roots and leaves of tobacco at different phase
of development. Izv. Akad. Nauk Arm. SSR, Biol.
Nauki 15, No. 6 : 65 - 75.

Badawy, A. M. A. (1979).

Herb, oil production and carbohydrates content
in Mentha viridis, and M. piprita as affected
by watering in Tahreer and Sinai soil. M. Sc.
Thesis, Fac. of Agriculture, Cairo Univ.

Balbaa, S.I.; Hilal, S.H.; and Haggag, M.Y. (1971).

The effect of irrigation and nitrogenous fertilizers on the growth and glycosidal content of Digitallis lanata. *Planta Medica* 20 (1) : 54 - 59.

Berenyi, M. (1970).

Effect of irrigation on flowering and fruit set of red pepper. *Acta Agron. Hung.* 19 : 398 - 401.

-----, (1976).

The propagation method and irrigation of determinate red peppers in relation to yield quality and opening date. *Zoldsegtérmesztési Kutata Intezet Bulletinje*, 11 : 65 - 76.
C.F. Hort. Abst. 1977, Vol. 47 No. 10 (9456).

Black, C. A. (1965).

Method of soil analysis. *Amer. Soc. of Agron.*, Part 2.

Borelli, A.; and Zerbi, G. (1978).

The irrigation of capsicums in protected cultivation. *Informatore di Ortoflorofru-tlicoltura*, 19 (5) : 23 - 26.

Boswell, S.B.; Mauer, E.M.; and Storey, W. B. (1981).

Axillary buds sprouting in macadamia induced by two cytokinins and a growth inhibitor. *Hort. Science*, 16 (1) : 46.

Brown, M. S. (1961).

Some physiological responses of the tobacco plant to gibberellic acid, Diss. Abstr. 22 : 381, being order No. Mic. 61 - 2359 of 43 pp. C.F. Hort. Abst. 1962, Vol. 32 (3448).

Bryan, H. (1979).

Cytokinins : a new production tool for tomato growers. Citrus Vegetable Magazine, 43 (4) : 36 - 37.
C.F. Hort. Abst. 1980, Vol. 50, No. 12 (9136).

Burton, S.S., and Sciuchetti, L. A. (1961).

Gibberellin effects on carbohydrate and glycoside content and growth of Digitalis lanata. Lloydia, 24 : 146 - 52.

Buschmann, C. (1980).

The influence of kinetin on the biosynthesis of chlorophyll. Karlsruhe University, D.7500 Karlsruhe, German Federal Republic.
C.F. Hort. Abst. 1980, Vol. 50, No. 6 (3871).

Caliandro, A.; and Marzi, V. (1978).

Experimental comparison of irrigation methods in Italy. Rivista di Agronomia, 12 (½) : 16-28.

Carpenter, W.J.; and Beck, G. R. (1972).

Growth regulator induced branching of poinsettia stock plants. Hortscience, 7 (4) : 405-406.

-----; and Carlson, W. H. (1972).

The effect of growth regulators on chrysanthemum. Journal of the Amer. Soc. for Hort. Sci., 97 (3): 349 - 351.

-----; and ----- (1972)

Improved geranium branching with growth regulator sprays. Hortscience, 7 (3) : 291.

-----; and Roodriguez, R. C. (1971).

The effect of plant growth regulating chemicals on rose shoot development from basal. Science, 96 (3) : 389 - 391.

-----; -----, and Carlson, W.H. (1971).

Growth regulator induced branching on non-pinched poinsettia, Hortscience, 6 (5):457-458.

Chinna Thambi Srinivasan; and Mullins, W. G. (1978).

Control of flowering in the grapevine (Vitis vinifera). Formation of inflorescences in vitro by isolated tendrils. Plant Physiology, 61 (1) : 127 - 130.

Criley, R. A . (1980).

Stimulating lateral bud break on dracaena.

Plant Propagator, 26 (2): 3 - 5.

C.F. Hort. Abst. 1981, Vol. 51, No. 4 (2647).

Castro, P.R.C.; and Pacheco, C.R.V.M. (1978).

The effect of plant growth regulators on leaf osmotic potential of the tomato cultivar Roma. Revista de Agricultura, 53 (4) : 233-241.

C.F. Hort. Abst. 1979, Vol. 49 No. 10 (7678).

Cavazza, L.; Cacchi, D.; and Pisa, P. R. (1978).

The effects on tomatoes, capsicums, gladioli and maize of the distance between irrigation lines , and distance of plants from the lines of three different types of microirrigation equipment. Rivista di Agricoltura Subtropicale Tropicale, 72 (½) : 13 - 62.

C.F. Hort. Abst. 1980, Vol. 50 No. 5 (3362).

Chandra, R.; and Raj, A. (1974).

Influence of exogenous hormones on flowering, flower shedding, and fruit set of chilli (Capsicum annuum). Andhra Agric. J., 19 (1-2) : 34-44.

Crane, J. C.; and Van Overbeek, J. (1965).

Kinetin induced parthenocarpy in the fig.

Science, 147 : 1468 - 1469.

Csedo, K.; and Kopp, E. (1964).

Paprika varieties applicable in therapeutics.

Pharmazie, 19 (8) : 541-4 (1964).

C.F. Chem. Abst. 1964, Vol. 61 (1324 g).

Davies, F.T., JR.; and Moser, B. C. (1980).

Stimulation of bud and shoot development of

Riger begonia leaf cuttings with cytokinins.

Journal of the American Society for Horticultural Science, 105 (1) : 24 - 30.

Dolgopolova, L.N.; and Lakhanov, A.P. (1979).

Chlorocholine chloride application for increasing the drought resistance and productivity of peas. Khiniya v sel'skom Khozyoistve 17(9) : 27-29.

Dorer, M.; Lubej, M.; and Zelenik, M. (1972).

Effect of exogenous agents on the formation of alkaloids and free amino acids in Atropa belladonna. Farm. Vestn. (liubljana), 23 (1) : 1-3.
C.F. Chem. Abstr. 1972, Vol. 77, (148379).

Dudnik, S. P. (1975).

The effect of soil water supply on the developmental characteristics and productivity of capsicums grown on the left bank of the Ukrainian forest-steppe. Nauk Zbornik, No. 20, 12-17.
C.F. Hort. Abst. 1976, Vol. 46 No. 8 (7704).

Duhan, S.P.S.; Singh, V.P.; Bhattachary, A.A.K.; and Hussein, A. (1977).

Response of Japanese mint (Mentha arvensis Linn.) to different irrigation schedules. Perfumer & Flavorist, 2 (5) : 57.

C.F. Hort. Abst. 1978, Vol. 48 No. 6 (5875).

Faber, W. R.; and White, J. W. (1977).

The effect of pruning and growth regulator treatments on rose plant renewal. Journal of the American Society for Horticultural Science, 102 (2) : 223 - 225.

Felklova, M.; and Mikulecka, J. (1958).

Fluctuations in the morphine content of Papaver somniferum during growth. Sborn. Csl. Akad. Zemed. Ved., Rostl. Vyroba, 31 : 149 - 64.

Fischer, R.A.; Hsiao, T.C.; and Hagen, R.M. (1970).

After effect of water stress on stomatal opening potential. J. Exp. Bot., 21 : 371-385.

Fox, J. E. (1964).

Indoleacetic acid-kinetin antagonism in certain tissue culture systems. Plant Cell Physiol. 5 : 251 - 254.

Galeva, V.; Dilkova, R.; and Thai, Phien (1976).

The effect of irrigation at different soil moisture potentials on the quality of tomatoes. Pochvozn. Agrokhim. 11 (5) : 12-22.
C.F. Chem. Abst. 1977, Vol. 66 (154484y).

Gardner, W. R.; and Nieman, R. H. (1964).

Lower limit of water availability to plants. Science, 143 : 1460 - 1462.

Gaspar, T.; and Xhaufflaire, A. (1967).

Effect of kinetin on growth, auxin catabolism, peroxidase and catalase activities, *Planta*, 72 : 252 - 257.

Giardini, L.; and Pimpini, F. (1971).

Growth, productivity and evapotranspiration in capsicum as a function of soil moisture content at the time of irrigation. *di Agronomia*, 5 (2/3) : 99 - 114.

C.F. Hort. Abst. 1972, Vol. 42 No. 4 (7862).

Goldberg, D.; and Shmueli, M. (1971).

Sprinkle and trickle irrigation of green pepper in an arid zone. *Hortscience* 6 (6) : 559-562.

Goode, J. E.; Higgs, K.H., and Hyrycz, K.J. (1978).

Abscisic acid applied to orchard trees of Golden Delicious apple to control water stress. *Journal of Horticultural Science* 53 (2) : 99-103.

Gorde, R. B. (1969).

Vitamin C content and capsaicin content of ten different chilli varieties. *Nagpur Agric. Coll. Mag.*, 70, 42 : 53-4.

Gracza, P., and Verzar-Petri, G. (1972).

Effect of cytokinins on the morphological characteristics and the level of alkaloids in Papaver somniferum. Postep Dziedzinie laku Rosl., Pr. Ref. Dosw. Wygloszone Symp. 182 - 9.

C.F. Chem. Abstr. 1973, Vol. 78 (54889p).

Guttman, R., (1956).

Effects of kinetin on cell division with special reference to initiation and duration of mitosis. Chromosoma, 8 : 341 - 350.

Ismailov, N.M.; and Aslanov, S. M. (1971).

Change in free amino and glyco-alkaloids in Solonom ducamara under differing water supply. Izvestiya Akademii Nauk Ayerbaidzhanskoi SSR Biologicheskikh Nauk, 1 : 17 - 20.

C.F. Hort. Abst. 1973, Vol. 43 No. 11 (8040).

Itai, C., and Vaadia, Y. (1965).

Kinetin-litee activity in root axudate of water stressed suchflower plants. Physiol. Plant, 18, 941 - 944.

-----, and ----- (1971).

Cytokinin activity in water-stressed shoots. Plant Physiol., 47, 87 - 90.

- Ivanic, J.; Stevlikova, M.; and Turnova, V. (1977).
Economic aspects of water and nutrient supply
for spice capsicum. Zbornik UVTIZ, Zohaadnictvi,
4 (½) : 79 - 84.
C.F. Hort. Abst. 1980, Vol. 50, No. 6 (4281).
- Jackson, M. L. (1973).
Soil chemical analysis. Prentice-Hall of India
Private Limited, New Delhi.
- Jankers, H. (1978).
Induction of thenocarpy in apple and pear with
mixtures of growth regulators. Acta Horticultural,
80 : 123 - 127.
- Jeffcoat, B. (1977).
Influence of the cytokinin, 6 benzlamino-9-
(tetrahydropyran-2-yl)-9H-pruine, on the growth
and development of some ornamental crops. Journal
of Horticultural Science, 52 (1) : 143-153.
- Hafeez, A. T. A.; Gornillon, P. (1976).
Effects of irrigation rhythm on growth, fruit-
set, yield and quality of egg plant (Solanum
melongend) in Southern France. Plant and Soil
45 (1) : 213 - 225.

Hoare, E. R., and Barrs, H. D. (1975).

Water relations and photosynthesis amongst horticultural species as affected by simulated soil water stress. Proceedings of the XIX International Horticultural Congress 1974. Worsaw, Poland, Vol. 3 : 321 - 334.

C.F. Hort. Abst. 1976, Vol. 46 No. 5 (4647).

Hsu, A. F. C.; and Forman, H. I. (1982).

Physiologia Plantarum, 54 (2) : 142-146.

C.F. Hort. Abst. 1982, Vol. 52 No. 7 (5031).

Huck, M. G.; Klepper, B., and Taylor, H.M. (1970).

Diurnal variation in root diameter. Plant Physiol., 45 : 529 - 530.

Kartalov, P.; and Dimitrov, Z. (1970).

Water regime of peppers grown in hot-beds.

Nauc. Trudove visssel.-stop. Inst. V.Kolarov, Plovdiv, 19 (2) : 89 - 95.

C.F. Hort. Abst. 1971, Vol. 41 No. 3 (6826).

Katsumi, M. (1962).

Physiological effects of kinetin on the thickening of etiolated pea stem sections. Physiol. Plant, 15 : 115 - 121.

Kaul, B.K.; and Kapoor, L. D. (1961).

Effect of gibberellic acid on vegetative growth and total alkaloids of Rauwolfia serpentina Benth. J. Sci. Industr. Res., India, Sect. C., 20 C : 358-9.

Kerin, V.; and Boshnakov, P. (1979).

Water relation in tomatoes treated with chlorocholine chloride. Nouchni Trudove, Vissh Selskostopanski Institut "Vasil Kolorov", 24 (2) : 99 - 103.
C.F. Hort. Abst., 1981, Vol. 51 No. 10 (7846).

Kharanyan, N. N. (1972).

Effect of the CCC on the level of protein components in plant leaves during drought. Dokl. Akad. Nauk SSSR, 205 (2) : 492-4.
C.F. Chem. Abst. 1979, Vol. 77 No. 23(148394s).

Kramer, P. J. (1969).

Plant and soil water relationship. TATA McGraw-Hill INC, New York.

Kucherova, T.P.; Lishchuk, A.I.; and Stadnik, S.A. (1979).

Effect of chlorocholine chloride and latex on the water regime, pigment content and bioelectric reaction of apricot cultivars with different degrees of drought resistance. Fiziologiyai Bio-khimiya Kul'turnykh Rastenii, 11 (1): 68-72.
C.F. Hort. Abst. 1979, Vol. 49 No. 9 (6603).

Kudrev, T.; and Tyankova, L. (1965).

The effect of growth substances on the morphological peculiarities and the yield of drought damaged wheat plants. I. Restoration of drought damaged wheat plants, according to the nature of the substance used. Rastenievudni Nauki Sofia, 2 (1) : 3-10.

C.F. Chem. Abst. 1965, Vol. 63 (7586).

Kuskova, Z. R. (1965).

Effect of gibberellin on belladonna. Fiziol. Rast, 12 (4) : 631 - 7.

C.F. Chem. Abst., 1965, Vol. 63 (13951).

Lazarte, J. E.; and Garrison, S. A. (1980).

Sex modification in Asparagus officinalis L.

Journal of the American Society for Horticultural Science, 105 (5) : 691 - 694.

Lee, K. C.; Campbell, R. W.; and Paulsen, G.M. (1974).

Effects of drought stress and succinic acid. 2,2-di methylhydrazide treatment on water relations and photosynthesis in pea seedlings. Cropscience, 14 (2) : 279 - 282.

Leopold, A. C.; and Kriedemann, P. E. (1975).

Plant growth and development. McGraw-Hill Book Com. Sec. Ed.

Letham, D.S.; Shannon, J.S.; and McDonald, I.R. (1964).
The structure of zeatin, a factor inducing
cell division. Proc. Chem. Soc. (Lond.), 230.

Loomis, R.S.; and Torrey, J. G. (1964).
Chemical control of vascular cambium initiation
in isolated radish roots. Proc. Natl. Acad. Sci.
U.S., 52 : 3-11.

Loveys, B.R.; and Wareing, P. F. (1971).
The red light controlled production of gibberellin
in etiolated wheat leaves. Planta, 98 : 109-116.

Luanratana, O.; and Griffin, W. J. (1980).
Cultivation of a Duboisia hybrid. Part A.
Nutritional requirements and effects of growth
regulators on alkaloid content J. Nat. Prod.,
43 (5) : 546-51.

Malusiewicz, E. (1977).
Effect of fertilization and soil moisture on
tobacco yield and content of some components
in tobacco leaves. Pr. Kom. Nauk Roln. Kom.
Nauk leśn., Poznań. Tow. Przyj. Nauk., 43 :
149 - 56.
C.F. Chem. Abst. 1977, Vol. 87 (132935g).

Masson, B. Le.; Paulin, A. (1980).

Influence of temporary water stress on the carbohydrate metabolism of cut carnations (Dianthus caryophyllus var. Sconia). Comptes Rendus Hebdomadaires des Seances de L'Academie des Sciences , D, 289 (14), 1097-1100.
C.F. Hort. Abst. 1980, Vol. 50 No. 8 (6407).

Matev, T., and Dulov, S. (1972).

The effect of soil moisture on the emergence, growth and quality of tomato and capsicum seedlings. Nouchni Trudove Vissh Selskostopanski Institut "Vasil Kolarov", 21 (2): 49-55.
C.F. Hort. Abst. 1974, Vol. 44, No. 3 (1651).

Meconnell, D.B.; and Poole, R. T. (1973).

Vegetative growth modification of Scindapsus aureus by ancymidol and PBA. In proceeding of the 85th Annual Meeting of the Florida state Horticultural Society. Miami Beach, USA., 387-389.

Melke, J. (1978).

Effect of soil and of moisture levels on the content and accumulation of alkaloids in opium poppy (Papaver somniferum) and deadly nightshade (Atropa belladonna). Annales Universitatis Uarise Curie-Sklodowska, C. 33, 55-74.
C.F. Hort. Abst. 1980, Vol. 50, No. 8 (6544).

Menagem, E.; Gera, C.; and Barsilai, M. (1981).

Irrigation of paprika plants small amounts of water. Hassadeh, 61 (7) : 1130-1132.

- Mikulorich, T.P.; and Kulaeva, O.N. (1977).
DNA synthesis in excised pumphin cotyledons.
Fiziologiya Rasteni, 24 (3) : 521 - 527.
C.F. Hort. Abst. 1977, Vol. 47 No. 12 (11414).
- Milborrow, B. V. (1972).
The biosynthesis and degradation of abscisic
acid. pp. 281 - 290 D.J. Carried.), "Plant
growth substances"., 1970 Springer Verlag,
Berlin.
- Miller, C. O. (1956).
Similarity of some kinetin and red light effects.
Plant Physiol., 31, 318 - 319.
- , (1961).
Kinetin and related compounds in plant growth.
Annu. Rev. Plant Physiol., 12 : 395 - 408.
- , Skoog, F., Okumura, F.S., Vansaltza, M.H.,
and Strong, F.M. (1955).
Structure and synthesis of kinetin. J. Am. Chem.
Soc., 77 : 2662-2663.
- Mizrahi, Y., Blumenfeld, A., and Richmond, A.E. (1970).
Absciscic acid and transpiration in leaves in
relation to osmotic root stress. Plant Physiol.,
46 : 169 - 171.

- Mizrahi, Y., and Richmond, A. E. (1972).
Abscissic acid in relation to mineral deprivation. Plant Physiol., 50 : 667 - 670.
- , and -----, (1972).
Hormonal modification of plant response to water stress. Aust. J. Biol. Sci., 25 (3) : 437 - 42.
C.F. Chem. Abst., 1972, Vol. 77 (84315g).
- Mohamed, M. A. (1974).
Effect of some soil salinity levels and irrigation on the growth and chemical composition of Nicotiana glauca. M. Sc. Thesis Faculty of Agriculture Ain Shams Univ.
- Nagle, B.J.; Villalon, B.; and Burns, E. E. (1979).
Colour evaluation of selected capsicums. J. of food Sci., Vol. 44 (2) : 416 - 418.
- Nakayama, S., Tobita, H., and Okumura, F.S. (1962).
Antagonism of kinetin and far-red light or indoleacetic acid in the flowering of Pharabitis seedlings. Phytol., 19 : 43 - 48.
- Nastev, N.; Tonev, Iv.; Boghanov, B.; and Pandev, St. (1972).
Effect of some synthetic growth regulators on the yield of leaves, roots, and alkaloid contents of Atropa belladonna. Farmatsiya (Sofia), 22 (4): 31 - 5.
C.F. Chem. Abst. 1973, Vol. 78, No. 17 (106876r).

- Nauer, E.M.; Boswell, S.B.; and Holmes, R.C. (1979).
Chemical treatments greenhouse temperature,
and supplemental day length effect forcing
and growth of newly budded orange trees.
Hortscience, 14 (3) : 229 - 231.
- Negi, S.; and Olmo, P. (1966).
Sex conversion in a male Vitis vinifera by
kinetin. Science, 152 : 1624 - 1625.
- Olson, S. R., Cale, C. V., Watanabe, F.S. and Dean,
L. A. (1954).
Estimation of available phosphorus in soil
by extraction with sodium bicarbonate, "U.S.A.
Cir, 939".
- Ong, H. T. (1978).
Role of hormones in the responses of excised
tomato cotyledons to monintol-induced water
stress. Biologia Plantarum, 20 (5) : 318-323.
- , (1978).
Selective shift in the metabolic pathways of
excised tomato cotyledone in response to
manintolinduced water stress. Biologia
Plantarum, 20(5) : 324 - 329.

Ong, H. T. (1978).

Gel electrophoresis patterns of proteins and peroxidases of excised tomato cotyledons bus-
jected to mannitol. induced water stress.
Biologia Plantarum, 20 (5) : 330 - 334.

O'sullivan, J. (1979).

Response peppers to irrigation and nitrogen.
Can. J. Plant Sci., 59 (4) : 1085-91.

Overbeek, Van. J., Conklin, M.E., and Blakeslee A.F.(1942).

Cultivation in vitro of small datura embryos.
Am. J. Bot., 29 : 472 - 477.

Palevitch, D.; Gera, G.; Menagem, E.; Kalmar, D.; and
Galili, J. (1979).

A preliminary study in growing paprika by drip
irrigation. Hassadeh, 59 (8) : 1601-1604.

-----; -----; Shaked, M.; Levy, A.; Menagem, E.;
and Yehuda, M. B. (1980).

Irrigation of paprika Capsicum annuum plants.
Hassadeh, 60 (8) : 1535-1543.

Peele, T.C.; Webb, H.J.; and Bullock, J.F. (1960).

Chemical composition of irrigation waters in the
South Carolina on the quality of fluecrued tobacco.
Agron. J., 52 : 464-7.

Penka, M., (1967).

The effect of irrigation on the water economy and essential oil accumulation in Matricaria chamomilla. Acta. Univ. Agric., Fac. Agron., Brno., 15 : 527 - 39.

Penka, M. (1968).

Changes in water economy and morphine content in irrigated and non-irrigated plants of Papaver somniferum L. Acta Univ. Agric., Fac. Agron., Brno., 16 : 579 - 90.

Piper, C. S. (1950).

Soil and plant analysis. Inter Sci. Publishers Inc., New York.

Quagliotti, L. (1971).

Effects of soil moisture and nitrogen level on the pungency of berries of Capsicum annuum L. Horticultural Research, 11 (2) : 93-97.

Raschke, K. (1970).

Stomatal response to pressure changes leaves of Zea mays L. Plant Physiol., 45 : 415 - 423.

Rhee, D. A.; and Park, S. K. (1975).

The effect of soil moisture level on flowers and fruits drop of red pepper. Journal of the Korean Society for Horticultural Science, 16 (1) : 99-105.

Roth-Bejerano, N.; and Lips, S.H. (1970).

Seasonal characteristics of interaction between kinetin and gibberellic acid with regard to level of nitrate reductase activity in tobacco leaves. *Isr. J. Bot.*, 19 (1) : 30 - 6.

Sanderson, K. C.; and Martin, W. C. Jr. (1975).

Effects of DPX 1840, PBA, and polyphosine on shoot growth in garden chrysanthemum. *Proceedings of the Florida State Horticultural Society*, 87 : 558 - 560.

Saraswathamma, D. N. (1979).

The effect of presowing hardening and foliar application with growth regulators in orach (Atriplex hortensis L.) *Current Science*, 48 (8) : 357 - 359.

Sciuchetti, L. A. (1967).

The effects of various growth regulators on the growth and metabolic products of *Datura* species. *Ann. N.Y., Acad. Sci.*, 14 (1) : 139-47.

Scott, A. Z.; and Sciuchetti, L. A. (1961).

The effect of gibberellic acid and various treatments on germination, growth, and alkaloid formation in Atropa belladonna. *Lloydia*, 24 : 211 - 16.

Shah, C.S.; and Saoji, A. N. (1968).

Effect of plant hormones on the growth and alkaloidal content in Datura metel. Indian J. Pharm., 30 (6) : 146-8.

Shmueli, M.; and Goldberg, D. (1972).

Response of trickle-irrigated pepper in an arid zone to various water regimes. Hort-science, 7 (3) : 241 - 243.

Sinha, A. S.; and Varma, K. C. (1965).

Effect of plant hormones on the growth and alkaloidal content of Datura innoxia. Indian J. Pharm. , 27 (6) : 171-2.

-----; and -----, (1970).

Influence of gibberellic acid on growth and alkaloidal content of Datura innoxia. Indian J. Pharm., 32 (2) : 40 - 2.

-----; and -----, (1974).

Influence of Indole-3-acetic acid on growth and alkaloidal content of Datura innoxia. Planta medica, 26 (4) : 380 - 4.

Skoog, F.; and Tsui, C. (1948).

Chemical control of growth and bud formation on tobacco stem and callus cultured in vitro. Am. J. Bot., 35 : 782 - 787.

- Skoog, F., and Miller, C. O. (1957).
Chemical regulation of growth and organ formation in plant tissues cultured in vivo. Symp. Soc. Esp. Biol., 11 : 118-131.
- , and Armstrong, D. J.; (1970).
Cytokinins. Ann. Rev. Plant Physiol., 21 : 359 - 384.
- Slatyer, R. O. (1967).
Plant water relationship. Academic Press, London, 366 pp.
- Smith, F.; Dubois, M.; Gilles, K.A.; Hamilton, J.K.; and Rebers, P. A. (1956).
Colorimetric method for determination of sugars and related substances. Anal. Chem., 28 : 350.
- Somogyi, G. (1974).
The water requirement and irrigation of spice capsicum. Zoldsegtérmes ztési kutató Intézet Bulletinje, 9 : 147-150.
C.F. Hort. Abst., 1976, Vol. 46, No. 4 (3360).
- Spaldon, E.; and Strelec, V. (1975).
Growth dynamics of spice capsicum in relation to soil moisture and irrigation. Sborník UVTZ, Zohradnictví, 2 (5) : 125-130.
C.F. Hort. Abst., 1977, Vol. 47, No. 2 (1551).

Spilenja, S. E. (1961).

The effect of soil water deficiency on the dynamics of alkaloid accumulation in the genus datura. Doklady Akad. Nauk. SSSR, 141 : 751-3.

Srinivasan, C., and Mullins, M. G. (1979).

Flowering in vitis : conversion of tendrils into inflorescences and bunches of grapes. Planta, 145 (2) : 187-192.

-----, and -----, (1981).

Induction of precocious flowering in grapevine seedlings by growth regulators Agronomy, 1 (1): 1 - 5.

Steel, R.G.D.; and Torrie, J.H. (1960).

Principles and Procedures of statistic. With special Reference to the Biological Sciences. Mc. Graw. Hill Co., Inc., New York. Toronto and London.

Steward, F. C.; and Caplin, S.M. (1952).

Investigations on growth and metabolism of plant cells. Ann. Bot., 16 : 478-489.

Strelec, V., and Cerna, K. (1976).

Capsicum irrigation. Sbornik UVTIZ, Zohradnictvi, 3 (6) : (314): 151-160.
C.F. Hort. Abst., 1979, Vol. 49 No. 7 (5061).

Teuscher, E. (1965).

Influence of auxins on the production of ergot alkaloids in saprophytic cultures. Phytochemistry, 4 (2) : 341 - 3.

Thirumalachar, D.K., (1967).

Variability for capsaicin content in chilli.
Curr. Sci., 36 : 269 - 70.
C.F. Hort. Abst., 1968, Vol. 38 (1207).

Todd, G. W.; and Yoo, B.Y. (1964).

Enzymatic changes in detached wheat leaves as
affected by water stress. Phyton., 21 : 21.

Turkhede, B.B.; DE, R.; and Singh, R.K. (1981).

Consumptive water use by opium poppy. Indian
Journal of Agricultural Sciences, 51 (2) :
102 - 107.

Vaganov, A.P.; and Kulik, N.I. (1974).

The effect of chlormequat on the water regime
and chlorophyll content of tomatoes. Trudy
Khorkovskogo Sel'skokhozyaistvennogo Instituta,
194 : 31-37.
C.F. Hort. Abst., 1975, Vol. 45, No. 11 (8546).

Waithaka, K.; and Dana, M. N. (1978).

Effects of growth substances on strawberry
growth. Journal of the American Society for
Horticultural Science, 103 (5) : 627-628.

-----; Struckmeyer, B.E.; and Dana, M.N. (1978).

Growth substances and growth of strawberry
stolons and leaves. Journal of the American
Society for Horticultural Science, 103 (4) :
480 - 482.

Watts, S.; Rodriguez, J.L.; Evans, S.E.; and Davies, W.J. (1981).

Root and shoot growth of plants treated with abscisic; *Annals of Botany*, 47 (5) : 595 - 602.

Weaver, R.J., and Van Overbeek, J. (1963).

Kinins stimulate grape growth. *Calif. Agric.* 17 (9) : 12.

White, J. W., Allen, C.; Easley, M.; and Strock, P. (1978).

Effect of growth regulators on *opuntia basilarus*. *Hortscience*, 13 (2) : 181-182.

Wright, S.T.C., and Hiron, R.W.P. (1972).

The accumulation of abscisic acid in plants during wilting and under stress conditions. pp. 291-298. in D.J. Carr. (ed.), *Plant Growth Substances*, 1970 Springer-Verlag. Berlin.

Zeevart, J.I.D. (1971).

Absciscic acid content of spinach in relation to photoperiod and water stress. *Plant Physiol.* 48, 86 - 90.

Zhabina, T.M., and Osipenko, A.M. (1975).

Yield and quality of tomatoes in relation to irrigation. *Nauk Pr. Ukr. Sil's'kogospod. Akad.* 171 : 20-22.

C.F. Chem. Abst. 1977, Vol. 87 (164487m).

Zieslin, N.; and Halevy, A. H. (1976).

Interaction between cytokinins and CCC in
bud breaking, flower bud atrophy and the
gibberellin content of roses. Zeitschrift
fur pflanzenphysiologie, 77 (2) : 160-166.
C.F. Hort. Abst. 1976, Vol. 46, No. 11 (10558).