

LITERATURE CITED

Ahmed, M.El. S. (1981).

Studies on propagation of some olive varieties.

M.Sc. Thesis, Fac. of Agric. El-Azhar Univ.(1981).

Albrecht, H.J., (1966).

The use of growth substances for the propagation of woody ornamental cuttings.Dtsche Gartenb.,

13: 207-9: bibl. 4, illus Hort. Abst. 37:1275.

Alvarez - Racelies, E., and Bagaloyos, A.P. (1977).

Germination of Leucocephala seeds under varying temperatures and length of soaking in

water. Sylvatrop. 2 (1) 65-66 (En, 2 ref.)

For. Res. Inst., P.N.R, College, Laguna 3720,

Philippines, Forst. Abst. 1980. Vol. 41.

No. 8 (4015).

Amen, R.D. (1968).

Rot. Rev. 34: 1-31.

Asakawa., S. (1954).

J. Japan Forest Soc. 36. 153-159.

Association of Official Agricultural Chemists, (A.O.A.C)

(1970).

Official Methods of Analysis, the association of official Agricultural Chemists, Washington.

Barton, L.V. (1947).

Special studies on seed coat impermeability.
Contribs. Goyce Thompson. Inst., 14; 355-362.

Barry, W.J. and R.M. Sacks (1968).

Vegetative propagation of Qunking aspon.
Calif. Agric., (22): 1-19. (Forst. Abst.)
30, (1969).

Beranger-Novat, N. (1976).

C.R. Acad. Sci. (Paris) 282, 629-631.

Beranger-Novat, N. and Monin, J.(1971).

C.R. Acad. Sci. (Paris) 272, 1865-1868.

Bhatia, R.K., and Chawan, B.B. (1976).

Occurrence of phenolic substances in seed
coat of cassia species and their effect on
early seedling growth.

Geobios (1976). 3 (6). 214-216.

Hort. Abst. 1978, Vol. 48, No. 8.

Bhujbal, B.G. and Kale, P.N. (1975).

The effect of some growth regulating
substances on: rooting of cuttings of
Thuja compacta. L.

Research Journal of Mahatma Phule Agricultural
University 6 (2) 155-157 Hort. Abst. 47:7701,
1977.

Blommaert., K.L.J. (1972).

Buchu seed germination.

Journal of south african Botany 38(4) 237-239.

Hort. Abst. (1973), Vol. 43, No. 9, P.b03.6234.

Bogatek, R., Podstolski, A., Ostaszewska, A. and Lewak,
St. (1976).

Boil. Plant. (Praha). 18. 241-250.

Bohmer, K. (1928).

Die Bedeutung der samentiele fur die Licht.
wirkung und die Wechselbeziehung von Licht
und Sauerstoff bei der keimung lichtemp

findlicher samen. Jahrb. Wiss. Bot. 68:549-601.

Brown, N.A.C. and Van staden, J. (1975).

Z. Pflanzenphysiol, 75, 31-37.

Brown, K. (1940).

An experimental study of permeability to gases
of the seed coat membranes of Cucurbita.

Ann. Bot., 4: 379-395.

Bese, T.K.; D.P. Mondal. (1972).

Propagation of ornamental plants from cuttings
under mist. Indian Agricultural 16(3): 259-270
(En, 5 ref., 3pl.) Birla Laboratory, Calcutta,
India,

Hort. Abst. 46, (1975).

Bose, T.K., Mondal, D.P. and Paramanik, D.K., (1973).

Propagation of Ixora, Hibiscus and Jasminum
from cuttings under mist.

Progressive Horticulture; 5 (3p 43-50.

Hort. Abst. 46: 1454, 1976.

Caballero, J.M. (1981).

Propagation of semihard wood olive cuttings
under mist.

Multiplicacion etel olive por estruillado
semilenoso bajo nebulizacion. Comunicaciones
INIA, produccion vegetal (1981) No.31, 39
PP (Es, 28 ref., 12 pl., 2 Fig.) Departamento
Nacional de olivicultura Y Elaiotecnica, CRIDA
10, INIA, Apartado 382. Cordoba, Spain.

Hort. Abst. (1982) Vol. 52 No. 3 (1830).

Campbell, C.W., and Popenoe, J. (1968).

Effect of gibberellic acid on seed dormancy of
Annona diversifolia.

Proc. trop. Reg- Amer. Soc. hort. Sci: 1967-
1968, 11; 33-6 (Bibl. 2 Spanish Summary)

Hort. Abst. 1969. Vol. 39 No. 3. 6046.

Cavanagh, A.K., Tran, V.N. (1980).

Microwave treatments of acacia seed with
particular reference to acacia longifolia.
Australian plants. 10 (82) 383-387 (En, 7 Ref.,
2 Pl.). Deakin university, P.O.Box 125, Belmont,
Victoria, 3216, Australia. Hort. Abst. (1981).
Vol. 51. No. 8 . 6455.

Chen, S.S.C. and Thimann, K.V. (1966).

Science. 153, 1537-1539.

Churchill, M.E., Arditti, J. and Ball, E.A. (1971).

Clonal propagation of Orchids from leaf tips.
Amer. Orchid. Soc. Bull., 40: 109-13.
Hort. Abst. 41. 9449, 1971.

Come, D. (1970).

In: Les obstacles à la Germination pp. 1-162
Masson et cie. Paris.

Crocker, W., N.C. Thornton, and E.M. Schreoder, (1946).

Internal pressure necessary to break shells of
nuts and the role of the shells in delayed
germination. Contrib. Boyce. Thompson Inst.
14: 173-201.

Daniail; H.D. and C.M., George, (1972).

Peach seed dormancy in relation to endogenous inhibitors and applied growth substances.

J. Amer. Soc. Hort. Sci., 30: 505-506.

Das, P.P. Mahapatra and R.C. Das (1978).

Effect of growth regulators on rooting in stem cuttings of some rose roots tocks. Journal of Hort. 6 (112): 31-33.

Davies. F.T., Jr. and J.N. Joiner (1978).

Growth Regulators effects on adventitious root formation in juvenile and mature cuttings of Ficus pumila L.

University of Florida. Gainesvill.

Hort Science, Vol. 13 (3), June (1978).

De La Rocha, (1957).

Trials with different treatments of olive seeds.

Inf. Mens. Estac. Exp. Agric.

La Molina, 31 (361): 15 - 17.

Hort. Abst. 29: 1829.

De La Rocha, G.G. (1956).

Trial with different treatments of olive seeds.

Inf. Mens. Estac. Exp. Agric.

La Molina, 30 (345): 17. 2a. illus.

Hort. Abst. 27: 1855.

Dziewanowska, K., and Lewak, St. (1975).

Biol. Plant. (Praha) 17, 207-213.

Eccher, T. (1982).

Propagation of ornamental Ficus by cuttings in controlled environment.

In: Abstracts. XXI St. International Horticultural Congress Hamburg, German Fedral Republic; International Society for Horticultural Science Vol. 11, Abstract No. 1688 (En) Istituto di Coltivazioni Arboree dell' Universita degli Studi, 20133 Milan. Italy.

Hort. Abst. (1982) Vol. 52 No. 12.

El-Gamasy, A.M., S.A. El-Gendy, M.El-Barkouki and N.M.

El-Toaima. (1970).

Studies on improving the rooting of Duranta plumieri Hibiscus rosa sinensis and Myrsine pictum cuttings. Research Bul. 637, Fac. Agric. Ain Shams. Univ. 3-16.

El-Malt, A.A. (1981).

A natomical studies on the stem apex of Ficus nitida. M.Sc. Thesis, Fac. Agric. Cairo Univ.

Esashi, Y. and Leopold, A.C. (1968).

Plant Physiol. 43, 871-876.

Evenari, M. (1949).

Rot. Rev. 15, 153 - 194.

Fabbri, A.; Borselli, G. (1982).

A study on the propagation of osmanthus spp.
from cuttings.

Studio sulla propagazione per talea di osmanthus
spp. colture protette (1982) 11 (1) 47-50.
(It, 1 ref., 3 col. PL).

Hort. Abst. (1982) Vol. 52 No. 10 (6886).

Galston, A.W., and Davies, P.J. (1969).

Science . 163, 1278-1287.

Gandorta, J.K., Nair, P.K.R. and Dubey, K.C. (1975).

Effect of plant growth regulators on the
propagation of 4 node cuttings of Bougainvillea
var. Mary Palmer. Punjab Horticultural Journal
15 (1/2) 71-73.

Hort. Abst. 46: 10543, 1976.

Gorgoshidze, G.M. (1971).

The effect of growth stimulators and substrates
on the rooting of Feijoa cuttings. Subtropicheskie
kul'tury (1971) No. 6, 104-108 (Ru) Makhardze,
Georgian SSR.

C.F. Hort. Abst. Vol. 42 (4) No. 8399. 1972.

Hamly, D.H. (1932).

Softening of seeds of Melilotus alba. Bot.
Gaz., 93, 345-375.

Hanson, C.K. (1978).

The effect of indole butyric acid on rooting
on Lovell and Nemaguard peach cuttings.
Hort. Sci. 13 (3, 11) 374.

Hassan, A.H., E.A. Agina, A.S. Shalaby and H.A. Migahed (1982).

Use of IBA and Kinetin in propagation of Jasminum
sambac ait by cuttings. accepted for publication
in Annals of Agric. Science Moshtohor (1984).

Heydeker, W. (1969).

Proc. int. seed test. Ass. 34 (2) 201-219.

Higgins, T.J.V., Swar, J.A., and Jacobsen, J.V. (1976).

Nature (London) 260, 166-169.

Hogue, E.J., and Lacroix, L.J. (1970).

Seed dormancy of Russian olive
(Elaeagnus Angustifolia. L.)

J. Amer. Soc. Hort. Sci., 1970, 95:449-52.
(bibl. 12, illus).

Hort. Abst., (1971) Vol. 41. No. 1.

Hutton, M.E. and R.H. Porter (1937).

Seed impermeability and viability of native
and introduced species of leguminosae.

Iowa State. Coll.T. Sci., 12, 5-24.

Hyde, E.O.C. (1954).

The function of the hilum in some Papilionacea
in relation to the ripening of the seed and
permeability of the testa.

Ann. Bot., 18: 241-256.

Ikuma, H., and K.V. Thimann. (1963).

Action of kientin on photosensitive germination
of Lettuce seed as compared with that of
gibberellic acid. Plant cell Physiol., 4:113-128.

Johnson , J.L. and Emimo, E. R. (1979).

In vitro propagation of Mammillaria elongata

Hort. Science. 4 (5) 605-606.

Hort. Abst. 50: 3534, 1980.

Jones, R.L. (1972).

Planta. 103, 95-109.

Kale, P.N., G.B. Bhujbal, (1972).

Use of growth regulators in rooting of cuttings of *Bougainvillea* var. Mary Palmer. Indian Journal of Horticulture (1972) 29 (314). 307-309 (En, 5 ref.) College of Agriculture Poona.
Hort. Abst. Vol. 45(2) No. 1197, 1975.

Kalmar, S. (1973).

Conifer propagation by cuttings.
Kertgazdasag, 5 (4) 67-69 .
Hort. Abst., 44: 6913, 1974.

Kato, H. and Esashi, Y. (1975).

Plant cell physiol. 16, 687-696.

Kawecki, Z. (1970).

Roczn. Nauk Roln. 96, 35-51.

Khan, A.A., (1971).

Cytokinesis = permissive in seed germination.
Science 117: 853-859.

Klahr, M.D. and S.M. Still (1979).

Effect of indolbutyric acid and sampling dates on the rooting of four Tilia tawa.
Science, 11 (4): 391-397.
C.J.H.A. 50: 1292.

Koehler, D.E., and Varner, J.E. (1973).

Plant physiol. 52, 208-214.

Kotoskii, F. (1926).

Temperature relations to germination seeds,

Proc. Amer. Soc.

Hort. Sci., 23: 176-84.

Koves., E. and Varga, M. (1959).

Phyton 12, 93-99.

Krawiarz., K. (1973).

Arbor. Koin. 18, 107-173.

Lang, A. (1965)

Encyclop. Plant Physiol. XV/2. 848-859.

Lebrun, C. (1966).

Pretreatment of seeds of Robinia pseudoacacia

Rev. for France. 18 (7), (515-7).

Forst. Abst. 1967, Vol.28, No. 1 - 495.

Leonard, N., S.M. Hechit, F.S. Skoog and R.Y. Schnitz 1968.

Cytokinins synthesis of 6(3-methyl-3-butenylamino)
-9-8-D-ribofuranosylpurine and the effect of side-
chain unsaturation on the biological activity of
isopetylaminopurines and their ribosides. Proc.
Natl. Acad. Sci. (U.S.), 59: 15-21.

Leopold, A.C. and P.E. Kriedemann (1975).

Plant growth and development. McGraw-Hill-
Book Company. New York.

Lipe, W.W., and Crane, I.C. (1966).

Science, 153, 541-542.

Lohmeyer, V.K. (1951).

Acacia seed germination.

J. Dep. Agric. S. Aust., 54: 301.

Hort. Abst. (1951) Vol. XXI. No. 1 (3899).

Maene, L.J., Debergh, P.C. (1982).

Stimulation of axillary shoot development of
cordyline terminalis "Celestine aucion" by
foliar sprays of 6-benzylamino-Purine.

Hort-Science (1982) 17(3) 344-345(En, 12 ref.,
2 pl.). State University of Gent., B-9000 Gent,
Belgium.

Hort. Abst. (1982) Vol. 52 No. 12 (8144).

Marcus, A. and I. Feely (1964).

Activation of protein synthesis in the inhibition
phase of seed germination.

Proc. Nat. Acad. Sci: U.S.A., 51, 6, 1075-1079.

Mayer, A.M., and Poljakoff-Mayber. A. (1975).

In: The Germination of seeds pp 1-192
Pergamon. Press, Oxford.

McDonough, W.T. (1967).

Nature (London) 214, (1967).

McIlary, R.J., (1948).

The chemistry of the polysaccharides
Edward Arnold Co., p. 77-79.

Misra, B.N. (1963).

Germination of seeds of Ipomoea crassicaulis
(Benth). Robinson. J. Indian Bot. Soc., 42, 3,
358-366.

Mohnot, K., and Chatterji, LL.N. (1965).

Chemico-Physiological studies on the imbibition
and germination of seeds of Parkinsonia a
culeata Linn.
Osterreichische Botanische Zeitschrift, Wien.
112(4), (576-85).

Mukherjee, R.K., Bhanja., and Sicar, S.M. (1966).

Growth substances separated from the fruits
of Cassia Fistula.
Hort. Abst. (1966), Vol. 36, No. 4.
Physiol. Plant, 1966. 19: 448-58. bibl-19.

Nagad, M.A., and Sakai, W.S. (1979).

Effect of growth regulators on seed germination
of *Archontophoenix alexandrae*.

Hort. Science (1979): 14(2) 182-183.

Hort. Abst. 1980, Vol. 50, No. 1.

Nalawadi, U.G., Bhandary, K.R., Chandra (1975).

Germination of Cassia fistula (Linn) seeds
could be improved by treatment with sulfuric
acid for 20 minutes.

Current Research (1975). 4 (3) 42-43.

Hort. Abst. 1976, Vol. 46, No. 4-(3645).

Nalini, E., and Vimala, K.S., (1968).

Germination studies on *Cassia marginata* Roxb.

Lal-Bough, 13(3): 25-7.

Hort. Abst. (1969). Vol. 39 No. 3 (5342).

Nanda, K.K.; N.A. Purohit; and V.K. Kochhar (1969).

Effect of auxins and light on rooting stem
cuttings of populus nigra, Salix tetrasperma,

Ipomea fistulosa and Hibiscus notodus in

relation to polarity. Physiol. Plant., 1969, 22:
1113-20. (bibl. 18, illus).

C. F. Hort. Abst. Vol. 40 (3) No. 6682. 1970.

Nikolaeva, M.G. (1969).

In: Physiology of deep dormancy in seeds
pp. 1-220. Nat. Sci. Founds Washington D.C.

Nikolaeva, M.G. (1970).

In: Proc. int. Symp. Seed Physiol. Woody plants.
Kornik (1968) S. Bialabok and B. Suszha, eds.
Publisher: Panstwowe Wydawnictw. Naukowe
Warszaw pp. 39-44.

Nikolaeva, M.G., (1974).

Biological foundations of seed science and
seed cultivation of introductive plants.
(K. Sobolevskaed) pp. 8-11. Publisher science
(Hayka-MN), Siberian Dep. (Russ).

Nutile, G.E. (1945).

Plant physiol., 20-433-442.

Osborne, D.J. and D.R. McCalla (1961).

Rapid bioassay for Kinetin and Kinins using
senescing leaf tissue.

Plant. Physiol., 36: 219-221.

Pansiot, F.P., and H. Robour (1961).

Propagation improvement in olive cultivation,
50:60-83.

Patau, K., N.K. Das, and F. Skoog (1957).

Introduction of DNA synthesis by Kinetin and
Indoleacetic acid in excised tobacco pith
tissue. Physiol. Plant., 10: 949-966.

Pena, J. and Vieitez. (1968).

The rooting of Salix atrocinera. An Edafol.
Agrobiol, (27) 5/6: 406-16. Forst. Abst. 30,
1969 .

Pieniazek, J. and Grochowska. M.J. (1967).

Acta Soc. Bot. Polon. 36, 579-587.

Poljakoff-Mayber, A., S. Goldshmidt. Blumenthal, and

M. Evenari (1957).

The growth substance content of germination
Lutuce seeds. Physiol. Plant., 10:14-19.

Poptsov, A.V. (1976).

In the Biology of Hard Seedness (V. Nekrosov.ed)
pp. 1-156. Publisher Science (Hyka-NN). Moscoa
(Russ).

Pregl, F., (1945).

Quantitative in organic micro analysis.
4th Ed. J.A. Churchill, Ltd., London.

Primushko, M.U. (1966).

Changes in the penetrability of different
parts of hard seeds after heating, drying and
treatment with sulfuric acid. Uchenye Zapiski
Smolensk. Gos. Ped. Inst., 16, 35-42.

Salem, M.A. (1980).

Effect of season of propagation and chemical fertilization on some ornamental trees.

M.Sc. Thesis, Faculty , Agric. Cairo Univ.
Egypt.

Seager, J.C.K. (1979).

Fertilizer requirements of potted Ficus plantes
Irish Journal of Agriculture Research 18 (1)
61-68 (En, 8 ref.) Kinsealy Research Centre Malahide
Road, Dublin 5, Irish Republic.
Hort. Abst. (1979). Vol. 49 No. 12 (. 9547).

Selim, H.H. M.A. Fayek, and A.M. Sweidan (1978).

Reproduction of Bricher apple cultivar by
Layring.

Ann. Agric. Sci. Moshtohor, 9: 107-1966.

Scheibe, J. and A. Lang (1965).

Plant Physiol. 40, 485-492.

Shafik, Y. (Shafiq, Y.) (1970-1971).

The effect of sulphuric acid 98% on seed coat
thickness and on germination of seeds of Pinus
brutia Ten Mesopotamia Journal of Agriculture
5 & 6, 41-46 (En, or 8 ref).

Forst. Abst. 1973, Vol. 34. No. 1 P. 21.

Shanthemalliah, N. R., U.V. Sulladmath and K. Krishnamurthy
(1974).

Influence of maturity and time of planting on
the rooting of stem cuttings of pepper. (Piper
nigrum L.)

Indian Jour. Hort., 31 (3): 250-254.

Hort. Abst. 46. 1976.

Sifrat, A. (1982).

Effects of kinetin (6-furfurylamino-purine),
IBA (indolebutyric acid/ and phenophases on
adventitious root induction in softwood cuttings
of cotinus coggygia cv. Royal purple under
mist.

Ucinek kinetine (6-furfurilaminopurin), IBA
(Indol maslene kisline) in fenofaz na induciranje
adventivnih korenin pri zelenih potaknjencih
redecelistnega ruja cotinus coggygia scop.
(Royal purple) V pogojih meglenja.

Zbornik Biotehniške Fakultete Univerze Edvarda
Kardelja v Ljubljani, Kmetijstvo (1982) 37,
177-214.

(Sn, en, 10 pp. ref).

Hort. Abst. (1983. 53 No.3. 1968).

Simmonds, J.A., and Simpson, G.M. (1971).

Can. J. Bot. 49, 1833-1840.

Singh, S.P. (1976).

Rooting of Jasminum sambae by Semihardwood cuttings under intermittent mist. Haryana. Journal of Horticultural Sciences (1976). 5(112) 111-114. (En, hindi, 6 ref)., 4 pl. National Botanic Gardens. Lucknow, India C.F. Hort. Abst. Vol. 48 (39 No. 2647. 1978).

Smith, F.M. Agilles, J.K. Hamilton and P.A. Godess, (1956).

Colourimetric method for determination of sugar related substances. Ann. Chin. 28: 350-356.

Speer, H.L. (1974).

Can. J. Bot. 52: 117-1121.

Spethmann, W. (1982).

Propagation by cuttings of deciduous trees time of taking cuttings substrate and growth substances. Stecklingsvermehrung von laubbaumarten. Einfluss von Erntetermin substrate und Wuchsstoff. Deutscher Gartenbau (1982) 36 (2) 42-48 (De, 39 ref.). Hort. Abst (1982) Vol. 52. No. 12.

Staden, J. Van, and Brown N.A.C. (1977).

Studies on the germination of South African
Proteaceae-a review.

Seed Science and Technology (1977) 5(4),633-43.

Hort. Abst. 1978, Vol. 48, No. 8.

Stokes, P. (1965).

Encyclop. Plant Physiol. XV/2, 746-803.

Szalai, I., and Nagy. M. (1968).

Acta Bot. Acad. Sci. Hung. 14, 415-423.

Taylorson, R.B. and S.B. Hendricks (1972).

Phytochrome control of germination of Rumex
crispus seeds induced by temperature shifts.

Plant Physiol., 50: 645-648.

Torrey, J.G. (1956).

Physiology of root elongation.

Ann. Rev. Plant Physiol., 7:237-226.

Van Sumere, C.F. (1960).

In: Phenolics in plants in Health and Disease
pp. 25-34, Pergaman. Press, Oxford.

Vartapetyan, B.B. (1966).

Role of atmospheric oxygen and water in the
metabolism of plants. Avtoreferat. Dos. Diss.

C.F. Nikolaeva. M.G. (1969).

In: Physiology of Deep Dormancy in seeds.

pp. 1-220. Nat. Sci. Found. Washington D.C.

Velkov, D. (1970).

The effect of heat on the moisture regime and viability of Robinia pseudo acacia seeds.

Forst. Abst. (1971). Vol. 32. No. 4.

Graskostop. Nauka 1970. 7(6), (25-38).

Villiers, T.A. (1972).

In: seed Biology (T.T. Kozlowskied)

Vol. 11. pp. 220-281. Academic Press.

New York and London.

Wareing, P.F., and Saunders, P.F. (1971).

Ann. Rev. Plant Physiol. 22, 261-288.

Wheeler, A.W. (1971).

Auxins and Cytokinins during Formation of roots by detached primary leafes and stems. of dwarf french been (Phasedus vulgaris. L.).

Planta, 98: 128-35.

Hort. Abst. 41 : 9013, 1971.

Yuce, B. (1979).

Studies on the germination of live seed.

Zeytin (Olea europaea L.) Tohumlarının degisik ortam ve Zamanlarda cimlendirilmesinin cimlenme yüzdesine etkileri. Torimsal Arastirma Dergisi

1(3). 189-203 (Tr, de, 15 ref.) Zeytincilik

Arastirma Enstitüsü , Bornova, Turkey.

Seed. Abst. (1981) Vol. 4 No. 9 (2800).

Zewail, M.E.M., (1976):

Studies on the propagation of Ficus decora
and Cassia nodosa by air-layering. M.Sc.
Thesis. Fac. of Agric. Al-Azhar Univ.